Enteritis – continued	Enthesopathy – continued	Entropion – continued
regional – <i>continued</i>	elbow region M77.8	senile – continued
rectum – continued	lateral epicondylitis – see Epicondylitis, lateral	right H02.033
with - continued	medial epicondylitis – see Epicondylitis, medial	lower H02.032
complication – <i>continued</i>	foot NEC M77.9	upper H02.031
rectal bleeding K50.011	metatarsalgia – <i>see</i> Metatarsalgia	spastic H02.049
specified complication NEC K50.018	specified type NEC M77.5-	left H02.046
rotaviral A08.0	forearm M77.9	lower H02.045
Salmonella, salmonellosis (arizonae) (cholerae-	gluteal tendinitis – see Tendinitis, gluteal	upper H02.044
suis) (enteritidis) (typhimurium) A02.0	hand M77.9	right H02.043
segmental – see Enteritis, regional	hip – see Enthesopathy, lower limb, specified	lower H02.042
septic A09	type NEC	upper H02.041
Shigella – see Infection, Shigella	iliac crest spur – see Spur, bone, iliac crest	Enucleated eye (traumatic, current) S05.7-
small round structured NEC A08.19	iliotibial band syndrome – see Syndrome, iliotibial	Enuresis R32
spasmodic, spastic - see Syndrome, irritable	band	functional F98.0
bowel	knee – see Enthesopathy, lower limb, lower leg,	habit disturbance F98.0
staphylococcal A04.8	specified type NEC	nocturnal N39.44
due to food A05.0	lateral epicondylitis – see Epicondylitis, lateral	psychogenic F98.0
torovirus A08.39	lower limb (excluding foot) M76.9	nonorganic origin F98.0
toxic NEC K52.1	Achilles tendinitis – <i>see</i> Tendinitis, Achilles	psychogenic F98.0
due to Clostridium difficile A04.7	anterior tibial syndrome M76.81-	<b>Eosinopenia</b> – <i>see</i> Agranulocytosis
trichomonal A07.8	gluteal tendinitis – see Tendinitis, gluteal	Eosinophilia (allergic) (hereditary) (idiopathic)
tuberculous A18.32	iliac crest spur – see Spur, bone, iliac crest	(secondary) D72.1
typhosa A01.00	iliotibial band syndrome – see Syndrome,	with
ulcerative (chronic) – see Colitis, ulcerative	iliotibial band	angiolymphoid hyperplasia (ALHE) D18.01
viral A08.4	patellar tendinitis – see Tendinitis, patellar	infiltrative J82
adenovirus A08.2	pelvic region – see Enthesopathy, lower limb,	Löffler's J82
enterovirus A08.39	specified type NEC	peritoneal – see Peritonitis, eosinophilic
Rotavirus A08.0	peroneal tendinitis – see Tendinitis, peroneal	pulmonary NEC J82
small round structured NEC A08.19	posterior tibial syndrome M76.82-	tropical (pulmonary) J82
specified NEC A08.39	psoas tendinitis – <i>see</i> Tendinitis, psoas	
virus specified NEC A08.39	shoulder M77.9	Eosinophilia-myalgia syndrome M35.8
Enterobiasis B80	specified type NEC M76.89-	<b>Ependymitis</b> (acute) (cerebral) (chronic) (granular)
Enterobius vermicularis (infection) (infestation) B80	tibial collateral bursitis – <i>see</i> Bursitis, tibial collateral	see Encephalomyelitis
Enterocele – see also Hernia, abdomen	medial epicondylitis – <i>see</i> Epicondylitis, medial	Ependymoblastoma
pelvic, pelvis (acquired) (congenital) N81.5	metatarsalgia – see Metatarsalgia	specified site – see Neoplasm, malignant, by sit
vagina, vaginal (acquired) (congenital)NEC N81.5	multiple sites M77.9	unspecified site C71.9
Enterocolitis (see also Enteritis) K52.9	patellar tendinitis – <i>see</i> Tendinitis, patellar	Ependymoma (epithelial) (malignant)
due to Clostridium difficile A04.7	pelvis M77.9	anaplastic
fulminant ischemic K55.0	periarthritis of wrist – see Periarthritis, wrist	specified site – <i>see</i> Neoplasm, malignant, by
granulomatous – see Enteritis, regional	peroneal tendinitis – see Tendinitis, peroneal	site
hemorrhagic (acute) K55.0	posterior tibial syndrome M76.82-	unspecified site C71.9
chronic K55.1	psoas tendinitis – <i>see</i> Tendinitis, psoas	benign
infectious NEC A09	shoulder region – see Lesion, shoulder	specified site – see Neoplasm, benign, by site
ischemic K55.9	specified site NEC M77.9	unspecified site D33.2
necrotizing	specified type NEC M77.8	myxopapillary D43.2
due to Clostridium difficile A04.7	spinal M46.00	specified site – see Neoplasm, uncertain
in newborn P77.9	cervical region M46.02	behavior, by site
stage 1 (without pneumatosis, without	cervicothoracic region M46.03	unspecified site D43.2
perforation) P77.1	lumbar region M46.06	papillary D43.2
stage 2 (with pneumatosis, without	lumbosacral region M46.07	specified site - see Neoplasm, uncertain
perforation) P77.2	multiple sites M46.09	behavior, by site
stage 3 (with pneumatosis, with perforation)	occipito-atlanto-axial region M46.01	unspecified site D43.2
P77.3	sacrococcygeal region M46.08	specified site – see Neoplasm, malignant, by sit
noninfectious K52.9	thoracic region M46.04	unspecified site C71.9
newborn – see Enterocolitis, necrotizing, in	thoracolumbar region M46.05	Ependymopathy G93.89
newborn	tibial collateral bursitis - see Bursitis, tibial	Ephelis, ephelides L81.2
pseudomembranous (newborn) A04.7	collateral	Epiblepharon (congenital) Q10.3
radiation K52.0	upper arm M77.9	Epicanthus, epicanthic fold (eyelid) (congenital)
newborn – see Enterocolitis, necrotizing, in	wrist and carpus NEC M77.8	010.3
newborn	calcaneal spur – see Spur, bone, calcaneal	Epicondylitis (elbow)
ulcerative (chronic) - see Pancolitis, ulcerative	periarthritis of wrist - see Periarthritis, wrist	lateral M77.1-
(chronic)	Entomophobia F40.218	medial M77.0Epicystitis – see Cystitis
Enterogastritis – see Enteritis	Entomophthoromycosis B46.8	
Enteropathy K63.9	Entrance, air into vein – see Embolism, air	Epidemic – see condition
gluten-sensitive K90.0		<b>Epidermidalization, cervix</b> – see Dysplasia, cervix
hemorrhagic, terminal K55.0	Entrapment, nerve – see Neuropathy, entrapment	<b>Epidermis, epidermal</b> – see condition
protein-losing K90.4	Entropion (eyelid) (paralytic) H02.009	Epidermodysplasia verruciformis B07.8
Enteroperitonitis – see Peritonitis	cicatricial H02.019	Epidermolysis
Enteroptosis K63.4	left H02.016	bullosa (congenital) Q81.9
•	lower H02.015	acquired L12.30
Enterorrhagia K92.2	upper H02.014	drug-induced L12.31
<b>Enterospasm</b> – see also Syndrome, irritable, bowel	right H02.013	specified cause NEC L12.35
psychogenic F45.8	lower H02.012	dystrophica Q81.2
Enterostenosis (see also Obstruction, intestine)	upper H02.011	letalis Q81.1
K56.69	congenital Q10.2 left H02.006	simplex Q81.0
Enterostomy	lower H02.005	specified NEC Q81.8
complication – see Complication, enterostomy		necroticans combustiformis L51.2
status Z93.4	upper H02.004 mechanical H02.029	due to drug – see Table of drugs and
Enterovirus, as cause of disease classified elsewhere	left H02.026	chemicals, by drug
B97.10	lower H02.025	Epidermophytid – see Dermatophytosis
coxsackievirus B97.11	upper H02.024	<b>Epidermophytosis</b> (infected) – see Dermatophytosis
echovirus B97.12	right H02.023	Epididymis – see condition
other specified B97.19	lower H02.022	<b>Epididymitis</b> (acute) (nonvenereal) (recurrent)
Enthesopathy (peripheral) M77.9	upper H02.021	(residual) N45.1
Achilles tendinitis – see Tendinitis, Achilles	right H02.003	with orchitis N45.3
ankle and tarsus M77.9	lower H02.002	blennorrhagic (gonococcal) A54.23
specified type NEC – see Enthesopathy, foot,	upper H02.001	caseous (tuberculous) A18.15
specified type NEC	senile H02.039	chlamydial A56.19
anterior tibial syndrome M76.81-	left H02.036	
calcaneal spur - see Spur, bone, calcaneal	lower H02.035	
	upper H02.034	

Fract

racture, traumatic – continued
thorax – continued vertebra – continued
twelfth S22.089
burst (stable) S22.081
unstable S22.082
specified type NEC S22.088 wedge compression S22.080
wedge compression S22.000
thumb S62.50-
distal phalanx (displaced) S62.52-
nondisplaced S62.52- proximal phalanx (displaced) S62.51-
nondisplaced S62.51-
thyroid cartilage S12.8
tibia (shaft) S82.20-
comminuted (displaced) S82.25- nondisplaced S82.25-
condyles – see Fracture, tibia, upper end
distal end - see Fracture, tibia, lower end
epiphysis
lower – see Fracture, tibia, lower end upper – see Fracture, tibia, upper end
following insertion of implant, prosthesis or
plate M96.67-
head (involving knee joint) – see Fracture,
tibia, upper end intercondyloid eminence – <i>see</i> Fracture, tibia
upper end
involving ankle or malleolus – see Fracture,
ankle, medial malleolus
lower end S82.30- physeal S89.10-
Salter-Harris
Type I S89.11-
Type II S89.12-
Type III S89.13- Type IV S89.14-
specified NEC S89.19-
pilon (displaced) S82.87-
nondisplaced S82.87-
specified NEC S82.39- torus S82.31-
malleolus – see Fracture, ankle, medial
malleolus
oblique (displaced) S82.23-
nondisplaced S82.23- pilon – <i>see</i> Fracture, tibia, lower end, pilon
proximal end – see Fracture, tibia, lower end, pilon proximal end – see Fracture, tibia, upper end
segmental (displaced) \$82.26-
nondisplaced S82.26-
specified NEC S82.29- spine – see Fracture, upper end, spine
spiral (displaced) S82.24-
nondisplaced S82.24-
transverse (displaced) S82.22-
nondisplaced S82.22- tuberosity – see Fracture, tibia, upper end,
tuberosity – see Tracture, tibra, upper end,
upper end S82.10-
bicondylar (displaced) S82.14-
nondisplaced S82.14- lateral condyle (displaced) S82.12-
nondisplaced S82.12-
medial condyle (displaced) S82.13-
nondisplaced S82.13-
physeal S89.00- Salter-Harris
Type I S89.01-
Type II S89.02-
Type III \$89.03-
Type IV S89.04- specified NEC S89.09-
plateau – see Fracture, tibia, upper end,
bicondylar
spine (displaced) S82.11-
nondisplaced S82.11- torus S82.16-
specified NEC S82.19-
tuberosity (displaced) S82.15-
nondisplaced S82.15-
toe S92.91- great (displaced) S92.40-
distal phalanx (displaced) S92.42-
nondisplaced S92.42-
nondisplaced S92.40-
proximal phalanx (displaced) S92.41- nondisplaced S92.41-
specified NEC S92.49-
lesser (displaced) S92.50-
distal phalanx (displaced) S92.53-
nondisplaced S92.53- medial phalanx (displaced) S92.52-
nondisplaced S92.52-

icture, traumatic – continued toe – continued
lesser – continued
nondisplaced S92.50-
proximal phalanx (displaced) S92.51-
nondisplaced S92.51-
specified NEC S92.59- tooth (root) S02.5
trachea (cartilage) S12.8
transverse process – see Fracture, vertebra
trapezium or trapezoid bone – see Fracture,
carpal trimalleolar – see Fracture, ankle, trimalleolar
triquetrum (cuneiform of carpus) – see Fracture,
carpal, triquetrum
trochanter – see Fracture, femur, trochanteric tuberosity (external)code by site under Fracture
ulna (shaft) S52.20-
bent bone S52.28-
coronoid process – see Fracture, ulna, upper
end, coronoid process distal end – <i>see</i> Fracture, ulna, lower end
following insertion of implant, prosthesis or
plate M96.63-
head S52.00-
lower end S52.60- physeal S59.00-
Salter-Harris
Type I S59.01-
Type II \$59.02-
Type III S59.03- Type IV S59.04-
specified NEC S59.09-
specified NEC S52.69-
styloid process (displaced) S52.61-
nondisplaced S52.61- torus S52.62-
proximal end – see Fracture, ulna, upper end
shaft S52.20-
comminuted (displaced) S52.25-
nondisplaced S52.25- greenstick S52.21-
Monteggia's – see Monteggia's fracture
oblique (displaced) S52.23-
nondisplaced \$52.23-
segmental (displaced) S52.26- nondisplaced S52.26-
specified NEC S52.29-
spiral (displaced) S52.24-
nondisplaced S52.24- transverse (displaced) S52.22-
nondisplaced S52.22-
upper end S52.00-
coronoid process (displaced) S52.04-
nondisplaced S52.04- olecranon process (displaced) S52.02-
with intraarticular extension S52.03-
nondisplaced S52.02-
with intraarticular extension S52.03-
specified NEC S52.09- torus S52.01-
unciform – see Fracture, carpal, hamate
vault of skull S02.0
vertebra, vertebral (arch) (body) (column) (neur arch) (pedicle) (spinous process) (transvers
process)
atlas - see Fracture, neck, cervical vertebra,
first
axis – <i>see</i> Fracture, neck, cervical vertebra, second
cervical (teardrop) S12.9
axis – see Fracture, neck, cervical vertebra
second
first (atlas) – see Fracture, neck, cervical vertebra, first
second (axis) - see Fracture, neck, cervica
vertebra, second
chronic M84.48
coccyx S32.2 dorsal – see Fracture, thorax, vertebra
lumbar S32.009
burst (stable) \$32.001
unstable S32.002 fifth S32.059
burst (stable) S32.051
unstable \$32.052
specified type NEC S32.058
wedge compression S32.050

```
Fracture, traumatic - continued
   vertebra, vertebral - continued
     lumbar - continued
       first S32.019
          burst (stable) S32.011
             unstable $32.012
          specified type NEC S32.018
       wedge compression S32.010 fourth S32.049
          burst (stable) S32.041
             unstable $32.042
          specified type NEC S32.048
          wedge compression S32.040
        second $32,029
          burst (stable) S32.021
            unstable $32.022
          specified type NEC S32.028
          wedge compression S32.020
        specified type NEC S32.008
        third $32.039
          burst (stable) S32.031
             unstable $32.032
          specified type NEC S32.038
          wedge compression S32.030
        wedge compression S32.000
     metastatic - see Collapse, vertebra, in,
             specified disease NEC - see also
            Neoplasm
     newborn (birth injury) P11.5
      sacrum S32.10
        specified NEC S32.19
          1 S32.14
2 S32.15
          3 S32.16
          4 S32.17
        Zone
          I S32.119
             displaced (minimally) $32.111
                severely S32.112
             nondisplaced S32.110
          II S32.129
             displaced (minimally) $32.121
                severely S32.122
             nondisplaced S32.120
          III S32.139
             displaced (minimally) S32.131
                severely S32.132
             nondisplaced S32.130
   thoracic – see Fracture, thorax, vertebra vertex S02.0
   vomer (bone) S02.2
   wrist S62.10-
     carpal - see Fracture, carpal bone
     navicular (scaphoid) (hand) - see Fracture,
            carpal, navicular
   xiphisternum, xiphoid (process) S22.24
zygoma S02.402
Fragile, fragility
   autosomal site Q95.5
   bone, congenital (with blue sclera) Q78.0
   capillary (hereditary) D69.8 hair L67.8
   nails L60.3
   non-sex chromosome site Q95.5
   X chromosome Q99.2
Fragilitas
   crinium L67.8
   ossium (with blue sclerae) (hereditary) Q78.0
   unguium L60.3
     congenital Q84.6
Fragments, cataract (lens), following cataract
     surgery H59.02-
   retained foreign body - see Retained, foreign
       body fragments (type of)
Frailty (frail) R54
   mental R41.81
Frambesia, frambesial (tropica) - see also Yaws
   initial lesion or ulcer A66.0
   primary A66.0
Frambeside
   gummatous A66.4
   of early yaws A66.2
Frambesioma A66.1
Franceschetti-Klein (-Wildervanck) disease or
     syndrome Q75.4
Francis' disease - see Tularemia
Franklin disease C88.2
Frank's essential thrombocytopenia D69.3
Fraser's syndrome 087.0
```

Gumma (syphilitic) A52.79	Halm continued	Hantaan virus disease (Korean hemorrhagic fever)
artery A52.09	Hair – continued tourniquet syndrome – continued	A98.5
cerebral A52.04	penis S30.842	Hantavirus disease (with renal manifestations)
bone A52.77	thumb S60.34-	
of yaws (late) A66.6	toe S90.44-	(Dobrava) (Puumala) (Seoul) A98.5 with pulmonary manifestations (Andes) (Bayou)
brain A52.19	Hairball in stomach T18.2	(Bermejo) (Black Creek Canal) (Choclo)
cauda equina A52.19	Hair-pulling, pathological (compulsive) F63.3	(Juquitiba) (Laguna negra) (Lechiguanas)
central nervous system A52.3	Hairy black tongue K14.3	(New York) (Oran) (Sin nombre) B33.4
ciliary body A52.71		Happy puppet syndrome Q93.5
congenital A50.59	Half vertebra Q76.49	Harada's disease or syndrome H30.81-
eyelid A52.71	Halitosis R19.6	Hardening
heart A52.06	Hallerman-Streiff syndrome Q87.0	artery – see Arteriosclerosis
intracranial A52.19 iris A52.71	Hallervorden-Spatz disease G23.0	brain G93.89
kidney A52.75	Hallopeau's acrodermatitis or disease L40.2	Harelip (complete) (incomplete) – see Cleft, lip
larynx A52.73	Hallucination R44.3	Harlequin (newborn) Q80.4
leptomeninges A52.19	auditory R44.0	Harley's disease D59.6
liver A52.74	gustatory R44.2	Harmful use (of)
meninges A52.19	olfactory R44.2 specified NEC R44.2	alcohol F10.10
myocardium A52.06	tactile R44.2	anxiolytics – see Abuse, drug, sedative
nasopharynx A52.73	visual R44.1	cannabinoids – see Abuse, drug, cannabis
neurosyphilitic A52.3	Hallucinosis (chronic) F28	cocaine – <i>see</i> Abuse, drug, cocaine
nose A52.73 orbit A52.71	alcoholic (acute) F10.951	drug – <i>see</i> Abuse, drug
palate (soft) A52.79	in	hallucinogens – <i>see</i> Abuse, drug, hallucinogen
penis A52.76	abuse F10.151	hypnotics – <i>see</i> Abuse, drug, sedative
pericardium A52.06	dependence F10.251	opioids – see Abuse, drug, opioid
pharynx A52.73	drug-induced F19.951	PCP (phencyclidine) – see Abuse, drug,
pituitary A52.79	cannabis F12.951	hallucinogen sedatives – <i>see</i> Abuse, drug, sedative
scrofulous (tuberculous) A18.4	cocaine F14.951	stimulants NEC – see Abuse, drug, sedative
skin A52.79	hallucinogen F16.151	Harris' lines – see Arrest, epiphyseal
specified site NEC A52.79	in abuse F19.151	Hartnup's disease E72.02
spinal cord A52.19	cannabis F12.151	Harvester's lung J67.0
tongue A52.79	cocaine F14.151	Harvesting ovum for in vitro fertilization Z31.83
tonsil A52.73 trachea A52.73	hallucinogen F16.151	Hashimoto's disease or thyroiditis E06.3
tuberculous A18.4	inhalant F18.151	Hashitoxicosis (transient) E06.3
ulcerative due to yaws A66.4	opioid F11.151	` '
ureter A52.75	sedative, anxiolytic or hypnotic F13.151	Hassal-Henle bodies or warts (cornea) H18.49
yaws A66.4	stimulant NEC F15.151	Haut mal – see Epilepsy, generalized, specified NEC
bone A66.6	dependence F19.251	Haverhill fever A25.1
Gunn's syndrome Q07.8	cannabis F12.251	Hay fever (see also Fever, hay) J30.1
Gunshot wound - see also Wound, open	cocaine F14.251	Hayem-Widal syndrome D59.8
fracture code as Fracture, by site	hallucinogen F16.251 inhalant F18.251	Haygarth's nodes M15.8
internal organs – <i>see</i> Injury, by site	opioid F11.251	Haymaker's lung J67.0
Gynandrism Q56.0	sedative, anxiolytic or hypnotic F13.251	Hb (abnormal)
Gynandroblastoma	stimulant NEC F15.251	Bart's disease D56.0
specified site – see Neoplasm, uncertain	inhalant F18.951	disease – see Disease, hemoglobin
behavior, by site	opioid F11.951	trait – see Trait
unspecified site	sedative, anxiolytic or hypnotic F13.951	Head – see condition
female D39.10 male D40.10	stimulant NEC F15.951	Headache R51
	organic F06.0	allergic NEC G44.89 associated with sexual activity G44.82
Gynecological examination (periodic) (routine)	Hallux	chronic daily R51
Z01.419 with abnormal findings Z01.411	deformity (acquired)NEC M20.5X- limitus M20.5X-	cluster G44.009
Gynecomastia N62	malleus (acquired)NEC M20.3-	chronic G44.029
-	rigidus (acquired) M20.2-	intractable G44.021
Gynephobia F40.291	congenital Q74.2	not intractable G44.029
Gyrate scalp Q82.8	sequelae (late effect)of rickets E64.3	episodic G44.019
	valgus (acquired) M20.1-	intractable G44.011
ш	congenital Q66.6	not intractable G44.019
Н	varus (acquired) M20.3-	intractable G44.001 not intractable G44.009
	congenital Q66.3	cough (primary) G44.83
H (Hartnup's) disease E72.02	Halo, visual H53.19	daily chronic R51
Haas' disease or osteochondrosis (juvenile) (head	Hamartoma, hamartoblastoma Q85.9	drug-induced NEC G44.40
of humerus) - see Osteochondrosis, juvenile,	epithelial (gingival), odontogenic, central or peripheral – see Cyst, calcifying odontogenic	intractable G44.41
humerus		not intractable G44.40
Habit, habituation	Hamartosis Q85.9	exertional (primary) G44.84
bad sleep Z72.821	Hamman-Rich syndrome J84.114	histamine G44.009
chorea F95.8	Hammer toe (acquired) NEC – see also Deformity,	intractable G44.001
disturbance, child F98.9	toe, hammer toe congenital Q66.89	not intractable G44.009 hypnic G44.81
drug – see Dependence, drug irregular sleep Z72.821	seguelae (late effect)of rickets E64.3	lumbar puncture G97.1
laxative F55.2	Hand – see condition	medication overuse G44.40
spasm – see Tic		intractable G44.41
tic – see Tic	Hand-foot syndrome L27.1	not intractable G44.40
Haemophilus (H.)influenzae, as cause of disease	Handicap, handicapped educational Z55.9	menstrual – see Migraine, menstrual
classified elsewhere B96.3	specified NEC Z55.8	migraine (type) (see also Migraine) G43.909
Haff disease – see Poisoning, mercury	Hand-Schüler-Christian disease or syndrome C96.5	nasal septum R51
Hageman's factor defect, deficiency or disease	Hanging (asphyxia) (strangulation) (suffocation) –	neuralgiform, short lasting unilateral, with conjunctival injection and tearing (SUNCT)
D68.2	see Asphyxia, traumatic, due to mechanical	G44.059
Haglund's disease or osteochondrosis (juvenile)	threat	intractable G44.051
(os tibiale externum) – see Osteochondrosis,	Hangnail – see also Cellulitis, digit	not intractable G44.059
juvenile, tarsus	with lymphangitis – see Lymphangitis, acute,	new daily persistent (NDPH) G44.52
Hailey-Hailey disease Q82.8	digit	orgasmic G44.82
Hair – see also condition	Hangover (alcohol) F10.129	periodic syndromes in adults and children G43.C
plucking F63.3	Hanhart's syndrome Q87.0	with refractory migraine G43.C1
in stereotyped movement disorder F98.4	Hanot-Chauffard (-Troisier)syndrome E83.19	intractable G43.C1 not intractable G43.C0
tourniquet syndrome – see also Constriction,	Hanot's cirrhosis or disease K74.3	without refractory migraine G43.C0
external, by site	Hansen's disease – see Leprosy	postspinal puncture G97.1
finger S60.44-		1 ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '

Headache – continued	Hebephrenia, hebephrenic (schizophrenia) F20.1	Hemangioma – continued
post-traumatic G44.309	Heberden's disease or nodes (with arthropathy)	plexiform D18.00
acute G44.319	M15.1	intra-abdominal D18.03
intractable G44.311 not intractable G44.319	Hebra's	intracranial D18.02 skin D18.01
chronic G44.329	pityriasis L26	specified site NEC D18.09
intractable G44.321	prurigo L28.2	racemose D18.00
not intractable G44.329	Heel – see condition	intra-abdominal D18.03
intractable G44.301	Heerfordt's disease D86.89	intracranial D18.02
not intractable G44.309	Hegglin's anomaly or syndrome D72.0	skin D18.01
pre-menstrual – see Migraine, menstrual	Heilmeyer-Schoner disease D45	specified site NEC D18.09
preorgasmic G44.82 primary	Heine-Medin disease A80.9	sclerosing – see Neoplasm,skin, benign simplex D18.00
cough G44.83	Heinz body anemia, congenital D58.2	intra-abdominal D18.03
exertional G44.84	Heliophobia F40.228	intracranial D18.02
stabbing G44.85	Heller's disease or syndrome F84.3	skin D18.01
thunderclap G44.53	HELLP syndrome (hemolysis, elevated liver enzymes	specified site NEC D18.09
rebound G44.40	and low platelet count) 014.2-	skin D18.01
intractable G44.41 not intractable G44.40	Helminthiasis – see also Infestation, helminth Ancylostoma B76.0	specified site NEC D18.09 venous D18.00
short lasting unilateral neuralgiform, with	intestinal B82.0	intra-abdominal D18.03
conjunctival injection and tearing (SUNCT)	mixed types (types classifiable to more than	intracranial D18.02
G44.059	one of the titles B65.0-B81.3 and	skin D18.01
intractable G44.051	B81.8) B81.4	specified site NEC D18.09
not intractable G44.059	specified type NEC B81.8	verrucous keratotic D18.00
specified syndrome NEC G44.89	mixed types (intestinal) (types classifiable to	intra-abdominal D18.03
spinal and epidural anesthesia induced T88.59 in labor and delivery 074.5	more than one of the titles B65.0-B81.3 and B81.8) B81.4	intracranial D18.02 skin D18.01
in pregnancy 029.4-	Necator (americanus) B76.1	specified site NEC D18.09
postpartum, puerperal 089.4	specified type NEC B83.8	Hemangiomatosis (systemic) 178.8
spinal fluid loss (from puncture) G97.1	Heloma L84	involving single site – see Hemangioma
stabbing (primary) G44.85	<b>Hemangioblastoma</b> – <i>see</i> Neoplasm, connective	Hemangiopericytoma – see also Neoplasm,
tension (-type) G44.209	tissue, uncertain behavior	connective tissue, uncertain behavior
chronic G44.229 intractable G44.221	malignant – see Neoplasm, connective tissue,	benign – see Neoplasm, connective tissue, benigi
not intractable G44.229	malignant	malignant – see Neoplasm, connective tissue,
episodic G44.219	<b>Hemangioendothelioma</b> – <i>see also</i> Neoplasm,	malignant Hemangiosarcoma – see
intractable G44.211	uncertain behavior, by site	Neoplasm, connective tissue, malignant Hemarthrosis (nontraumatic) M25.00
not intractable G44.219	benign D18.00 intra-abdominal D18.03	ankle M25.07-
intractable G44.201	intra-abdominal D18.03	elbow M25.02-
not intractable G44.209	skin D18.01	foot joint M25.07-
thunderclap (primary) G44.53 vascular NEC G44.10	specified site NEC D18.09	hand joint M25.04-
intractable G44.11	bone (diffuse) – see Neoplasm, bone, malignant	hip M25.05-
not intractable G44.10	epithelioid – see also Neoplasm, uncertain	in hemophilic arthropathy – see Arthropathy, hemophilic
Healthy	behavior, by site malignant – see Neoplasm, malignant, by site	knee M25.06-
infant	malignant – see Neoplasm, malignant, by site	shoulder M25.01-
accompanying sick mother Z76.3	malignant	specified joint NEC M25.08
receiving care Z76.2	<b>Hemangiofibroma</b> – <i>see</i> Neoplasm, benign, by site	traumatic - see Sprain, by site
person accompanying sick person Z76.3	Hemangiolipoma – see Lipoma	wrist M25.03-
Hearing examination Z01.10 with abnormal findings NEC Z01.118	Hemangioma D18.00	Hematemesis K92.0
following failed hearing screening Z01.110	arteriovenous D18.00	with ulcer code by site under Ulcer, with hemorrhage K27.4
for hearing conservation and treatment Z01.12	intra-abdominal D18.03	newborn, neonatal P54.0
Heart - see condition	intracranial D18.02	due to swallowed maternal blood P78.2
Heart beat	skin D18.01 specified site NEC D18.09	Hematidrosis L74.8
abnormality R00.9	capillary D18.00	Hematinuria – see also Hemoglobinuria
specified NEC R00.8	intra-abdominal D18.03	malarial B50.8
awareness R00.2	intracranial D18.02	Hematobilia K83.8
rapid R00.0 slow R00.1	skin D18.01	Hematocele
Heartburn R12	specified site NEC D18.09	female NEC N94.89
psychogenic F45.8	cavernous D18.00 intra-abdominal D18.03	with ectopic pregnancy 000.9
Heat (effects) T67.9	intracranial D18.02	ovary N83.8 male N50.1
apoplexy T67.0	skin D18.01	Hematochezia (see also Melena) K92.1
burn (see also Burn) L55.9	specified site NEC D18.09	Hematochyluria – see also Infestation, filarial
collapse T67.1	epithelioid D18.00	schistosomiasis (bilharziasis) B65.0
cramps T67.2 dermatitis or eczema L59.0	intra-abdominal D18.03	Hematocolpos (with hematometra or hematosalpinx
edema T67.7	intracranial D18.02 skin D18.01	N89.7
erythema code by site under Burn, first degree	specified site NEC D18.09	<b>Hematocornea</b> – <i>see</i> Pigmentation, cornea, stromal
excessive T67.9	histiocytoid D18.00	Hematogenous – see condition
specified effect NEC T67.8	intra-abdominal D18.03	<b>Hematoma</b> (traumatic) (skin surface intact) – see
exhaustion T67.5	intracranial D18.02	also Contusion
anhydrotic T67.3	skin D18.01	with
due to salt (and water)depletion T67.4	specified site NEC D18.09 infantile D18.00	injury of internal organs – see Injury, by site
water depletion T67.3	intra-abdominal D18.03	open wound – see Wound, open
with salt depletion T67.4	intracranial D18.02	amputation stump (surgical) (late) T87.89 aorta, dissecting I71.00
fatigue (transient) T67.6	skin D18.01	abdominal I71.02
fever T67.0	specified site NEC D18.09	thoracic I71.01
hyperpyrexia T67.0	intra-abdominal D18.03	thoracoabdominal I71.03
prickly L74.0 prostration – see Heat, exhaustion	intracranial D18.02	aortic intramural – see Dissection, aorta
prostration – <i>see</i> Heat, exhaustion pyrexia T67.0	intramuscular D18.00 intra-abdominal D18.03	arterial (complicating trauma) – see Injury, blood
rash L74.0	intra-abdominal D18.03	vessel, by site
specified effect NEC T67.8	skin D18.01	auricle – see Contusion, ear nontraumatic – see Disorder, pinna, hematoma
stroke T67.0	specified site NEC D18.09	birth injury NEC P15.8
sunburn – see Sunburn	juvenile D18.00	brain (traumatic)
syncope T67.1	malignant – see Neoplasm,connective tissue,	with
Heavy-for-dates NEC (infant) (4000g to 4499g)	malignant	cerebral laceration or contusion (diffuse) –
P08.1 exceptionally (4500g or more) P08.0		see Injury, intracranial, diffuse
sassperonany ( Tobas of more) I do.	I .	focal – see Injury, intracranial, focal

Hernia, hernial - continued	Hernia, hernial – continued	Herpes, herpesvirus, herpetic - continued
femoral – continued not specified as recurrent K41.90	paraesophageal – see also Hernia, diaphragm congenital Q40.1	blepharitis (zoster) B02.39 simplex B00.59
recurrent K41.91	parastomal K43.5	circinatus B35.4
foramen magnum G93.5	with	bullosus L12.0
congenital Q01.8 funicular (umbilical) <i>– see also</i> Hernia, umbilicus	gangrene (and obstruction) K43.4 obstruction K43.3	conjunctivitis (simplex) B00.53 zoster B02.31
spermatic (cord) – see Hernia, inguinal	paraumbilical – see Hernia, umbilicus	cornea B02.33
gastrointestinal tract – <i>see</i> Hernia, abdomen Hesselbach's – <i>see</i> Hernia, femoral, specified	perineal – see Hernia, abdomen, specified site NEC Petit's – see Hernia, abdomen, specified site NEC	encephalitis B00.4 due to herpesvirus 6 B10.01
site NEC	postoperative – see Hernia, incisional	due to herpesvirus 7 B10.09
hiatal (esophageal) (sliding) K44.9	pregnant uterus – see Abnormal, uterus in	specified NEC B10.09
with gangrene (and obstruction) K44.1	pregnancy or childbirth prevesical N32.89	eye (zoster) B02.30 simplex B00.50
obstruction K44.0	properitoneal – see Hernia, abdomen, specified	eyelid (zoster) B02.39
congenital Q40.1	site NEC pudendal – see Hernia, abdomen, specified site	simplex B00.59 facialis B00.1
hypogastric – <i>see</i> Hernia, ventral incarcerated – <i>see also</i> Hernia, by site, with	NEC	febrilis B00.1
obstruction	rectovaginal N81.6	geniculate ganglionitis B02.21
with gangrene – <i>see</i> Hernia, by site, with gangrene	retroperitoneal – see Hernia, abdomen, specified site NEC	genital, genitalis A60.00 female A60.09
incisional K43.2	Richter's – see Hernia, abdomen, with	male A60.02
with	obstruction	gestational, gestationis 026.4-
gangrene (and obstruction) K43.1 obstruction K43.0	Rieux's, Riex's – see Hernia, abdomen, specified site NEC	gingivostomatitis B00.2 human B00.9
indirect (inguinal) – see Hernia, inguinal	sac condition (adhesion) (dropsy) (inflammation)	1 - see Herpes, simplex
inguinal (direct) (external) (funicular) (indirect)	(laceration) (suppuration)code by site under Hernia	2 – <i>see</i> Herpes, simplex 3 – <i>see</i> Varicella
(internal) (oblique) (scrotal) (sliding) K40.90 with	sciatic – see Hernia, abdomen, specified site NEC	4 – see Mononucleosis, Epstein-Barr (virus)
gangrene (and obstruction) K40.40	scrotum, scrotal – see Hernia, inguinal	5 – see Disease, cytomegalic inclusion
not specified as recurrent K40.40 recurrent K40.41	sliding (inguinal) – see also Hernia, inguinal hiatus – see Hernia, hiatal	(generalized) 6
obstruction K40.30	spigelian – see Hernia, matai	encephalitis B10.01
not specified as recurrent K40.30	spinal – see Spina bifida	specified NEC B10.81
recurrent K40.31 not specified as recurrent K40.90	strangulated – <i>see also</i> Hernia, by site, with obstruction	7 encephalitis B10.09
recurrent K40.91	with gangrene – see Hernia, by site, with	specified NEC B10.82
bilateral K40.20	gangrene	8 B10.89
with gangrene (and obstruction) K40.10	subxiphoid – see Hernia, ventral supra-umbilicus – see Hernia, ventral	infection NEC B10.89 Kaposi's sarcoma associated B10.89
not specified as recurrent K40.10	tendon – see Disorder, tendon, specified type NEC	iridocyclitis (simplex) B00.51
recurrent K40.11 obstruction K40.00	Treitz's (fossa) – see Hernia, abdomen, specified site NEC	zoster B02.32 iris (vesicular erythema multiforme) L51.9
not specified as recurrent K40.00	tunica vaginalis Q55.29	iritis (simplex) B00.51
recurrent K40.01	umbilicus, umbilical K42.9	Kaposi's sarcoma associated B10.89
not specified as recurrent K40.20 recurrent K40.21	with gangrene (and obstruction) K42.1	keratitis (simplex) (dendritic) (disciform) (interstitial) B00.52
unilateral K40.90	obstruction K42.0	zoster (interstitial) B02.33
with	ureter N28.89 urethra, congenital Q64.79	keratoconjunctivitis (simplex) B00.52 zoster B02.33
gangrene (and obstruction) K40.40 not specified as recurrent K40.40	urinary meatus, congenital Q64.79	labialis B00.1
recurrent K40.41	uterus N81.4	lip B00.1
obstruction K40.30 not specified as recurrent K40.30	pregnant – see Abnormal, uterus in pregnancy or childbirth	meningitis (simplex) B00.3 zoster B02.1
recurrent K40.31	vaginal (anterior) (wall) – see Cystocele	ophthalmicus (zoster)NEC B02.30
not specified as recurrent K40.90	Velpeau's – see Hernia, femoral	simplex B00.50
recurrent K40.91 internal – <i>see also</i> Hernia, abdomen	ventral K43.9 with	penis A60.01 perianal skin A60.1
inguinal – see Hernia, inguinal	gangrene (and obstruction) K43.7	pharyngitis, pharyngotonsillitis B00.2
interstitial – <i>see</i> Hernia, abdomen intervertebral cartilage or disc – <i>see</i>	obstruction K43.6 recurrent – see Hernia, incisional	rectum A60.1 scrotum A60.02
Displacement, intervertebral disc	incisional K43.2	sepsis B00.7
intestine, intestinal – see Hernia, by site	with	simplex B00.9
intra-abdominal – <i>see</i> Hernia, abdomen iris (traumatic) S05.2-	gangrene (and obstruction) K43.1 obstruction K43.0	complicated NEC B00.89 congenital P35.2
irreducible - see also Hernia, by site, with	specified NEC K43.9	conjunctivitis B00.53
obstruction with gangrene – <i>see</i> Hernia, by site, with	with gangrene (and obstruction) K43.7	external ear B00.1 eyelid B00.59
gangrene – see herrila, by site, with	obstruction K43.6	hepatitis B00.81
ischiatic - see Hernia, abdomen, specified site	vesical	keratitis (interstitial) B00.52
NEC ischiorectal – <i>see</i> Hernia, abdomen, specified	congenital (female) (male) Q79.51 female – see Cystocele	myleitis B00.82 specified complication NEC B00.89
site NEC	male N32.89	visceral B00.89
lens (traumatic) \$05.2-	vitreous (into wound) S05.2-	stomatitis B00.2
linea (alba) (semilunaris) – <i>see</i> Hernia, ventral Littre's – <i>see</i> Hernia, abdomen	into anterior chamber – see Prolapse, vitreous <b>Herniation</b> – see also Hernia	tonsurans B35.0 visceral B00.89
lumbar – see Hernia, abdomen, specified site NEC	brain (stem) G93.5	vulva A60.04
lung (subcutaneous) J98.4 mediastinum J98.5	cerebral G93.5	whitlow B00.89 zoster ( <i>see also</i> condition) B02.9
mesenteric (internal) – see Hernia, abdomen	mediastinum J98.5 nucleus pulposus – <i>see</i> Displacement,	auricularis B02.21
midline – see Hernia, ventral	intervertebral disc	complicated NEC B02.8
muscle (sheath) M62.89 nucleus pulposus – <i>see</i> Displacement,	Herpangina B08.5	conjunctivitis B02.31 disseminated B02.7
intervertebral disc	Herpes, herpesvirus, herpetic B00.9	encephalitis B02.0
oblique (inguinal) – see Hernia, inguinal	anogenital A60.9 perianal skin A60.1	eye (lid) B02.39
obstructive – see also Hernia, by site, with obstruction	rectum A60.1	geniculate ganglionitis B02.21 keratitis (interstitial) B02.33
with gangrene – <i>see</i> Hernia, by site, with	urogenital tract A60.00 cervix A60.03	meningitis B02.1
gangrene	male genital organ NEC A60.02	myelitis B02.24
obturator – <i>see</i> Hernia, abdomen, specified site NEC	penis A60.01	neuritis, neuralgia B02.29 ophthalmicus NEC B02.30
omental - see Hernia, abdomen	specified site NEC A60.09 vagina A60.04	oticus B02.21
ovary N83.4 oviduct N83.4	vulva A60.04	polyneuropathy B02.23 specified complication NEC B02.8
UVIGUEL INOO.4	1	apecineu complication NEC DVZ.0

,	Herpes, herpesvirus, herpetic – continued	Hippopnobia F40.218	History – continued
,	zoster – <i>continued</i> trigeminal neuralgia B02.22	Hippus H57.09	family – continued metabolic Z83.49
3	Herpesvirus (human) – see Herpes	Hirschsprung's disease or megacolon Q43.1	musculoskeletal
2	Herpetophobia F40.218	Hirsutism, hirsuties L68.0	neurological NEC
2		Hirudiniasis	nutritional Z83.4
>	Herrick's anemia – see Disease, sickle-cell	external B88.3 internal B83.4	parasitic NEC Z8
_	Hers' disease E74.09	Hiss-Russell dysentery A@3.1	psychiatric NEC 2
;	Herter-Gee syndrome K90.0		respiratory NEC 2
5	Herxheimer's reaction R68.89	Histidinemia, histidinuria E70.41	skin and subcuta
1	Hesitancy	Histiocytoma – see also Neoplasm, skin, benign	specified NEC Z8
,	of micturition R39.11	fibrous – see also Neoplasm, skin, benign atypical – see Neoplasm, connective tissue,	drug abuse NEC Z8 epilepsy Z82.0
	urinary R39.11	uncertain behavior	genetic disease car
2	Hesselbach's hernia – see Hernia, femoral, specified	malignant – see Neoplasm, connective tissue,	glaucoma Z83.511
3	site NEC	malignant	hearing loss Z82.2
_	Heterochromia (congenital) Q13.2	Histiocytosis D76.3	human immunodefic
1	cataract – see Cataract, complicated cyclitis (Fuchs) – see Cyclitis, Fuchs'	acute differentiated progressive C96.0	Z83.0
	heterochromic	Langerhans' cell NEC C96.6	Huntington's chorea
	hair L67.1	multifocal X	intellectual disabilit
	iritis – see Cyclitis, Fuchs' heterochromic	multisystemic (disseminated) C96.0	leukemia Z80.6
	retained metallic foreign body (nonmagnetic) –	unisystemic C96.5	malignant neoplasm
	see Foreign body, intraocular, old, retained	pulmonary, adult (adult PLCH) J84.82	bladder Z80.52 breast Z80.3
	magnetic - see Foreign body, intraocular, old,	unifocal (X) C96.6	bronchus Z80.1
	retained, magnetic	lipid, lipoid D76.3 essential E75.29	digestive organ Z
	uveitis – see Cyclitis, Fuchs' heterochromic	malignant C96.A	gastrointestinal t
	Heterophoria – see Strabismus, heterophoria	mononuclear phagocytes NEC D76.1	genital organ Z80
	Heterophyes, heterophylasis (small intestine) B66.8	Langerhans' cells C96.6	ovary Z80.41
	Heterotopia, heterotopic - see also Malposition,	non-Langerhans cell D76.3	prostate Z80.4
	congenital	polyostotic sclerosing D76.3	specified organ
	cerebralis Q04.8	sinus, with massive lymphadenopathy D76.3	testis Z80.43
	Heterotropia – see Strabismus	syndrome NEC D76.3	hematopoietic NE intrathoracic orga
	Heubner-Herter disease K90.0	X NEC C96.6	kidney Z80.51
	Hexadactylism Q69.9	acute (progressive) C96.0 chronic C96.6	lung Z80.1
	HGSIL (cytology finding) (high grade squamous	multifocal C96.5	lymphatic NEC Z8
	intraepithelial lesion on cytologic smear) (Pap	multisystemic C96.0	ovary Z80.41
	smear finding)	unifocal C96.6	prostate Z80.42
	anus R85.613	Histoplasmosis B39.9	respiratory organ
	cervix R87.613	with pneumonia NEC B39.2 [J17]	specified site NEO
1	biopsy (histology)finding - code to CIN II or CIN III	African B39.5	testis Z80.43
3	vagina R87.623	American – see Histoplasmosis, capsulati	trachea Z80.1 urinary organ or t
2	biopsy (histology)finding - code to VAIN II or	capsulati B39.4	bladder Z80.52
	VAIN III	disseminated B39.3	kidney Z80.51
	Hibernoma – see Lipoma	generalized B39.3 pulmonary B39.2	mental
•	Hiccup, hiccough R06.6	acute B39.0	disorder NEC Z81
,	epidemic B33.0	chronic B39.1	multiple endocrine i
_	psychogenic F45.8	Darling's B39.4	Z83.41
,	Hidden penis (congenital) Q55.64	duboisii B39.5	osteoporosis Z82.6
	acquired N48.83	lung NEC B39.2	polycystic kidney Z polyps (colon) Z83.
3	Hidradenitis (axillaris) (suppurative) L73.2	History	psychiatric disorder
1	Hidradenoma (nodular) - see also Neoplasm, skin,	family (of) – see also History, personal (of)	psychoactive substa
•	benign	alcohol abuse Z81.1	respiratory conditio
į	clear cell – see Neoplasm, skin, benign	allergy NEC Z84.89 anemia Z83.2	asthma and other
-	papillary – see Neoplasm, skin, benign	arthritis Z82.61	conditions Z
2	Hidrocystoma – <i>see</i> Neoplasm, skin, benign High	asthma Z82.5	self-harmful behavio
	altitude effects T70.20	blindness Z82.1	skin condition Z84.
3	anoxia T70.29	cardiac death (sudden) Z82.41	specified condition
2	on	carrier of genetic disease Z84.81	stroke (cerebrovaso substance abuse NI
,	ears T70.0	chromosomal anomaly Z82.79	alcohol Z81.1
	sinuses T70.1	chronic	drug NEC Z81.3
	polycythemia D75.1	disabling disease NEC Z82.8 lower respiratory disease Z82.5	psychoactive NEC
	arch	colonic polyps Z83.71	tobacco Z81.2
	foot Q66.7	congenital malformations and deformations	sudden cardiac dea
	palate, congenital Q38.5 arterial tension – <i>see</i> Hypertension	Z82.79	tobacco abuse Z81
	basal metabolic rate R94.8	polycystic kidney Z82.71	violence, violent be
	blood pressure - see also Hypertension	consanguinity Z84.3	visual loss Z82.1 personal (of) – see als
	borderline R03.0	deafness Z82.2	abuse
	reading (incidental) (isolated) (nonspecific),	diabetes mellitus Z83.3	childhood Z62.81
	without diagnosis of hypertension	disability NEC Z82.8	physical Z62.8
	R03.0	disease or disorder (of)	psychological 2
	cholesterol E78.0	allergic NEC Z84.89 behavioral NEC Z81.8	sexual Z62.81
	with high triglycerides E78.2	blood and blood-forming organs Z83.2	adult Z91.419
	diaphragm (congenital) Q79.1 expressed emotional level within family Z63.8	cardiovascular NEC Z82.49	physical and se
	head at term 032.4	chronic disabling NEC Z82.8	psychological Z
	palate, congenital Q38.5	digestive Z83.79	alcohol dependence
	risk	ear NEC Z83.52	allergy (to) Z88.9 analgesic agent N
	infant NEC Z76.2	endocrine NEC Z83.49	anesthetic Z88.4
	sexual behavior (heterosexual) Z72.51	eye NEC Z83.518	antibiotic agent N
	bisexual Z72.53	glaucoma Z83.511	anti-infective age
	homosexual Z72.52	genitourinary NEC Z84.2	contrast media Z
	temperature (of unknown origin) R50.9	glaucoma Z83.511 hematological Z83.2	drugs, medicame
	thoracic rib Q76.6 triglycerides E78.1	immune mechanism Z83.2	substances 2
	with high cholesterol E78.2	infectious NEC Z83.1	specified NEC 2
	Hildenbrand's disease A75.0	ischemic heart Z82.49	food Z91.018 additives Z91.0
	<b>Hilum</b> – see condition Hip – see condition Hippel's	kidney Z84.1	eggs Z91.012
	disease Q85.8	mental NEC Z81.8	milk products 2
		T. Control of the Con	p

```
NEC Z82.69
                  Z82.0
                 19
33.1
Z81.8
                 Z83.6
                 aneous tissue NEC Z84.0
                 34.89
                 31.3
                 rrier Z84.81
                 ciency virus (HIV)infection
                 a Z82.0
ty Z81.0
                 m (of)NOS Z80.9
                 Z80.0
tract Z80.0
80.49
                 n NEC Z80.49
                 EC Z80.7
an NEC Z80.2
                 80.7
                 n NEC Z80.2
C Z80.8
                  tract Z80.59
                 neoplasia (MEN)syndrome
                 62
182.71
3.71
                  Z81.8
                 ance abuse NEC Z81.3
on NEC Z83.6
                 er lower respiratory
182.5
                 or Z81.8
                 NEC Z84.89
                 cular) Z82.3
IEC Z81.4
                 C Z81.3
                 ath Z82.41
                 1.2
ehavior Z81.8
                 so History, family (of)
                  L9
                 310
Z62.811
L0
                 exual Z91.410
                 Z91.411
                 e F10.21
                 NEC Z88.6
                 T
NEC Z88.1
ent NEC Z88.3
                 91.041
                 ents and biological
Z88.9
                 Z88.8
milk products Z91.011
```

leuromyopathy G70.9	Neuropathy, neuropathic - continued	Neurosyphilis – continued
paraneoplastic D49.9 [G13.0]	progressive – continued	congenital A50.40
leuromyotonia (Isaacs) G71.19	inflammatory G62.81	dura (mater) A52.13 general paresis A52.17
leuronevus – see Nevus	radicular NEC – see Radiculopathy sacral plexus G54.1	hemorrhagic A52.05
leuronitis G58.9 ascending (acute) G57.2-	sciatic G57.0-	juvenile (asymptomatic) (meningeal) A50.40
vestibular H81.2	serum G61.1	leptomeninges (aseptic) A52.13
leuroparalytic - see condition	toxic NEC G62.2	meningeal, meninges (adhesive) A52.13
leuropathy, neuropathic G62.9	trigeminal sensory G50.8	meningitis A52.13 meningovascular (diffuse) A52.13
acute motor G62.81	ulnar nerve G56.2- uremic N18.9 [G63]	optic atrophy A52.15
alcoholic G62.1	vitamin B12 E53.8 [G63]	parenchymatous (degenerative) A52.19
with psychosis – see Psychosis, alcoholic	with anemia (pernicious) D51.0 [G63]	paresis, paretic A52.17
arm G56.9- autonomic, peripheral – <i>see</i> Neuropathy,	due to dietary deficiency D51.3 [G63]	juvenile A50.45
peripheral, autonomic	Neurophthisis – see also Disorder, nerve	remission in (sustained) A52.3 serological (without symptoms) A52.2
axillary G56.9-	peripheral, diabetic – see E08-E13 with .42	specified nature or site NEC A52.19
bladder N31.9	Neuroretinitis – see Chorioretinitis	tabes, tabetic (dorsalis) A52.11
atonic (motor) (sensory) N31.2	Neuroretinopathy, hereditary optic H47.22	juvenile A50.45
autonomous N31.2 flaccid N31.2	Neurosarcoma – see Neoplasm, nerve, malignant	taboparesis A52.17
nonreflex N31.2	Neurosclerosis – see Disorder, nerve	juvenile A50.45 thrombosis (cerebral) A52.05
reflex N31.1	Neurosis, neurotic F48.9 anankastic F42	vascular (cerebral) NEC A52.05
uninhibited N31.0	anxiety (state) F41.1	<b>Neurothekeoma</b> – <i>see</i> Neoplasm, nerve, benign
brachial plexus G54.0	panic type F41.0	Neurotic – see Neurosis
cervical plexus G54.2 chronic	asthenic F48.8	Neurotoxemia – see Toxemia
progressive segmentally demyelinating G62.89	bladder F45.8	Neutroclusion M26.211
relapsing demyelinating G62.89	cardiac (reflex) F45.8	Neutropenia, neutropenic (chronic) (genetic)
Déjérine-Sottas G60.0	cardiovascular F45.8 character F60.9	(idiopathic) (immune) (infantile) (malignant)
diabetic - see E08-E13 with .40	colon F45.8	(pernicious) (splenic) D70.9
mononeuropathy – see E08-E13 with .41	compensation F68.1	congenital (primary) D70.0
polyneuropathy – see E08-E13 with .42 entrapment G58.9	compulsive, compulsion F42	cyclic D70.4
iliohypogastric nerve G57.8-	conversion F44.9	cytoreductive cancer chemotherapy sequela D70.1
ilioinguinal nerve G57.8-	craft F48.8 cutaneous F45.8	drug-induced D70.2
lateral cutaneous nerve of thigh G57.1-	depersonalization F48.1	due to cytoreductive cancer chemotherapy
median nerve G56.0-	depressive (reaction) (type) F34.1	D70.1
obturator nerve G57.8- peroneal nerve G57.3-	environmental F48.8	due to infection D70.3
posterior tibial nerve G57.5-	excoriation L98.1	fever D70.9 neonatal, transitory (isoimmune) (maternal
saphenous nerve G57.8-	fatigue F48.8 functional – see Disorder, somatoform	transfer) P61.5
ulnar nerve G56.2-	gastric F45.8	periodic D70.4
facial nerve G51.9	gastrointestinal F45.8	secondary (cyclic) (periodic) (splenic) D70.4
hereditary G60.9 motor and sensory (types I-IV) G60.0	heart F45.8	drug-induced D70.2
sensory G60.8	hypochondriacal F45.21	due to cytoreductive cancer chemotherapy D70.1
specified NEC G60.8	hysterical F44.9	toxic D70.8
hypertrophic G60.0	incoordination F45.8 larynx F45.8	Neutrophilia, hereditary giant D72.0
Charcot-Marie-Tooth G60.0	vocal cord F45.8	Nevocarcinoma – see Melanoma
Déjérine-Sottas G60.0 interstitial progressive G60.0	intestine F45.8	Nevus D22.9
of infancy G60.0	larynx (sensory) F45.8	achromic – see Neoplasm, skin, benign
Refsum G60.1	hysterical F44.4	amelanotic – see Neoplasm, skin, benign
idiopathic G60.9	mixed NEC F48.8 musculoskeletal F45.8	angiomatousD18.00
progressive G60.3	obsessional F42	intra-abdominal D18.03 intracranial D18.02
specified NEC G60.8 in association with hereditary ataxia G60.2	obsessive-compulsive F42	skin D18.01
intercostal G58.0	occupational F48.8	specified site NEC D18.09
ischemic – see Disorder, nerve	ocular NEC F45.8	araneus I78.1
Jamaica (ginger) G62.2	organ – see Disorder, somatoform pharynx F45.8	balloon cell – <i>see</i> Neoplasm, skin, benign
leg NEC G57.9-	phobic F40.9	bathing trunk D48.5 blue – see Neoplasm, skin, benign
lower extremity G57.9- lumbar plexus G54.1	posttraumatic (situational) F43.10	cellular – see Neoplasm, skin, benign
median nerve G56.1-	acute F43.11	giant – see Neoplasm, skin, benign
motor and sensory - see also Polyneuropathy	chronic F43.12 psychasthenic (type) F48.8	Jadassohn's - see Neoplasm, skin, benign
hereditary (types I-IV) G60.0	railroad F48.8	malignant – see Melanoma
multiple (acute) (chronic) – see Polyneuropathy optic (nerve) – see also Neuritis, optic	rectum F45.8	capillary D18.00 intra-abdominal D18.03
ischemic H47.01-	respiratory F45.8	intra-abdominal D18.03
paraneoplastic (sensorial) (Denny Brown) D49.9	rumination F45.8	skin D18.01
[G13.0]	sexual F65.9 situational F48.8	specified site NEC D18.09
peripheral (nerve) (see also Polyneuropathy) G62.9	social F40.10	cavernous D18.00
autonomic G90.9	generalized F40.11	intra-abdominal D18.03 intracranial D18.02
idiopathic G90.09 in (due to)	specified type NEC F48.8	skin D18.01
amyloidosis E85.4 [G99.0]	state F48.9	specified site NEC D18.09
diabetes mellitus - see E08-E13 with .43	with depersonalization episode F48.1	cellular – see Neoplasm, skin, benign
endocrine disease NEC E34.9 [G99.0]	stomach F45.8 traumatic F43.10	blue – see Neoplasm, skin, benign
gout M10.00 [G99.0]	acute F43.11	choroid D31.3- comedonicus Q82.5
hyperthyroidism E05.90 [G99.0] with thyroid storm E05.91 [G99.0]	chronic F43.12	conjunctiva D31.0-
metabolic disease NEC E88.9 [G99.0]	vasomotor F45.8	dermal – see Neoplasm, skin, benign
idiopathic G60.9	visceral F45.8	with epidermal nevus - see Neoplasm, skin,
progressive G60.3	war F48.8 Neurospongioblastosis diffusa Q85.1	benign
in (due to)	Neurospongiobiastosis diffusa Q85.1 Neurosyphilis (arrested) (early) (gumma) (late)	dysplastic – <i>see</i> Neoplasm, skin, benign eye D31.9-
antitetanus serum G62.0 arsenic G62.2	(latent) (recurrent) (relapse) A52.3	flammeus Q82.5
drugs NEC G62.0		
lead G62.2	with ataxia (cerebellar) (locomotor) (spastic)	hemangiomatous D18.00
	with ataxia (cerebellar) (locomotor) (spastic) (spinal) A52.19	intra-abdominal D18.03
organophosphate compounds G62.2	with ataxia (cerebellar) (locomotor) (spastic) (spinal) A52.19 aneurysm (cerebral) A52.05	intra-abdominal D18.03 intracranial D18.02
organophosphate compounds G62.2 toxic agent NEC G62.2	with ataxia (cerebellar) (locomotor) (spastic) (spinal) A52.19 aneurysm (cerebral) A52.05 arachnoid (adhesive) A52.13	intra-abdominal D18.03 intracranial D18.02 skin D18.01
organophosphate compounds G62.2	with ataxia (cerebellar) (locomotor) (spastic) (spinal) A52.19 aneurysm (cerebral) A52.05	intra-abdominal D18.03 intracranial D18.02

**256** — Volume 2 2012 Draft | ICD-10-CM

	Out delta and la constant la cit	Bedevited discount ACC 6
Pyemia, pyemic – continued postvaccinal T88.0	Quadriparesis – see Quadriplegia meaning muscle weakness M62.81	Ragsorter's disease A22.1
puerperal, postpartum, childbirth 085	Quadriplegia G82.50	Raillietiniasis B71.8 Railroad neurosis F48.8
specified organism NEC A41.89	complete	Railway spine F48.8
tuberculous – see Tuberculosis, miliary	C1-C4 level G82.51	Raised – see also Elevated
Pygopagus Q89.4	C5-C7 level G82.53 congenital (cerebral) (spinal) G80.8	antibody titer R76.0
Pyknoepilepsy (idiopathic) – see Pyknolepsy	spastic G80.0	Rake teeth, tooth M26.39
Pyknolepsy G40.A09 intractable G40.A19	embolic (current episode) 163.4	Rales R09.89
with status epilepticus G40.A11	functional R53.2	Ramifying renal pelvis Q63.8
without status epilepticus G40.A19	incomplete C1-C4 level G82.52	Ramsay-Hunt disease or syndrome (see also Hunt's
not intractable G40.A09	C5-C7 level G82.54	disease) B02.21 meaning dyssynergia cerebellaris myoclonica
with status epilepticus G40.A01 without status epilepticus G40.A09	thrombotic (current episode) I63.3	G11.1
Pylephlebitis K75.1	traumatic -code to injury with seventh character	Ranula K11.6
Pyle's syndrome Q78.5	S current episode – <i>see</i> Injury, spinal (cord),	congenital Q38.4
Pylethrombophlebitis K75.1	cervical Quadruplet, pregnancy – see	Rape
Pylethrombosis K75.1	Pregnancy, quadruplet Quarrelsomeness	adult confirmed T74.21
Pyloritis K29.90	F60.3	suspected T76.21
with bleeding K29.91	Queensland fever A77.3	alleged, observation or examination, ruled out
Pylorospasm (reflex)NEC K31.3	Quervain's disease M65.4 thyroid E06.1	adult Z04.41
congenital or infantile Q40.0 newborn Q40.0	Queyrat's erythroplasia D07.4	child Z04.42 child
neurotic F45.8	penis D07.4	confirmed T74.22
psychogenic F45.8	specified site – <i>see</i> Neoplasm, skin, in situ	suspected T76.22
Pylorus, pyloric – see condition	unspecified site D07.4	Rapid
<b>Pyoarthrosis</b> – <i>see</i> Arthritis, pyogenic or pyemic	Quincke's disease or edema T78.3 hereditary D84.1	feeble pulse, due to shock, following injury T79.4
<b>Pyocele</b> mastoid – see Mastoiditis, acute	Quinsy (gangrenous) J36	heart (beat) R00.0 psychogenic F45.8
sinus (accessory) – see Sinusitis	Ouintan fever A79.0	second stage (delivery) 062.3
turbinate (bone) J32.9	Quintuplet, pregnancy – see Pregnancy, quintuplet	time-zone change syndrome – see Disorder, sleep,
urethra (see also Urethritis) N34.0		circadian rhythm, psychogenic Rarefaction, bone – <i>see</i> Disorder, bone, density and
Pyocolpos – see Vaginitis	_	structure, specified NEC
Pyocystitis N30.80	R	Rash (toxic) R21
with hematuria N30.81  Pyoderma, pyodermia L08.0		canker A38.9
gangrenosum L88	Rabbit fever – see Tularemia	diaper L22
newborn P39.4	Rabies A82.9	drug (internal use) L27.0 contact ( <i>see also</i> Dermatitis, due to, drugs,
phagedenic L88	contact Z20.3	external) L25.1
vegetans L08.81	exposure to Z20.3 inoculation reaction – see Complications,	following immunization T88.1
Pyodermatitis L08.0 vegetans L08.81	vaccination	food – see Dermatitis, due to, food
Pyogenic – see condition	sylvatic A82.0	heat L74.0 napkin (psoriasiform) L22
Pyohydronephrosis N13.6	urban A82.1	nettle – see Urticaria
Pyometra, pyometrium, pyometritis – see	Rachischisis – see Spina bifida	pustular L08.0
Endometritis	Rachitic – see also condition deformities of spine (late effect) (sequelae)	rose R21 epidemic B06.9
<b>Pyomyositis</b> (tropical) – <i>see</i> Myositis, infective	E64.3	scarlet A38.9
Pyonephritis N12	pelvis (late effect) (sequelae) E64.3	serum (see also Reaction, serum) T80.69
Pyonephrosis N13.6 tuberculous A18.11	with disproportion (fetopelvic) 033.0 causing obstructed labor 065.0	wandering tongue K14.1
Pyo-oophoritis – see Salpingo-oophoritis	Rachitis, rachitism (acute) (tarda) – see also	Rasmussen aneurysm – see Tuberculosis, pulmonary
<b>Pyo-ovarium</b> – see Salpingo-oophoritis	Rickets	Rasmussen encephalitis G04.81
Pyopericarditis, pyopericardium  30.1	renalis N25.0	Rat-bite fever A25.9 due to Streptobacillus moniliformis A25.1
Pyophlebitis – see Phlebitis	sequelae E64.3	spirochetal (morsus muris) A25.0
Pyopneumopericardium 130.1	Radial nerve – see condition	Rathke's pouch tumor D44.3
Pyopneumothorax (infective) J86.9	Radiation burn – see Burn	Raymond (-Céstan)syndrome 165.8
with fistula J86.0 tuberculous NEC A15.6	effects NOS T66	Raynaud's disease, phenomenon or syndrome
Pyosalpinx, pyosalpingitis – see also Salpingo-	sickness NOS T66	(secondary) 173.00
oophoritis	therapy, encounter for Z51.0	with gangrene (symmetric) 173.01  RDS (newborn) (type I) P22.0
Pyothorax J86.9	<b>Radiculitis</b> (pressure) (vertebrogenic) – see Radiculopathy	type II P22.1
with fistula J86.0	Radiculopatry  Radiculomyelitis – see also Encephalitis	Reaction – see also Disorder
tuberculous NEC A15.6	toxic, due to	adaptation – see Disorder, adjustment
Pyoureter N28.89 tuberculous A18.11	Clostridium tetani A35	adjustment (anxiety) (conduct disorder) (depressiveness) (distress) – see Disorder,
Pyramidopallidonigral syndrome G20	Corynebacterium diphtheriae A36.82	adjustment
Pyrexia (of unknown origin) R50.9	Radiculopathy M54.10 cervical region M54.12	with
atmospheric T67.0	cervicothoracic region M54.13	mutism, elective (child) (adolescent) F94.0 adverse
during labor NEC 075.2 heat T67.0	due to displacement of intervertebral disc - see	food (any) (ingested)NEC T78.1
newborn P81.9	Disorder, disc, with, radiculopathy leg M54.1-	anaphylactic – see Shock, anaphylactic, due
environmentally-induced P81.0	lumbar region M54.16	to food
persistent R50.9	lumbosacral region M54.17	affective – <i>see</i> Disorder, mood allergic <i>– see</i> Allergy
puerperal 086.4  Pyroglobulinemia NEC E88.09	occipito-atlanto-axial region M54.11	anaphylactic – see Shock, anaphylactic
Pyromania F63.1	postherpetic B02.29 sacrococcygeal region M54.18	anaphylactoid – see Shock, anaphylactic
Pyrosis R12	syphilitic A52.11	anesthesia – see Anesthesia, complication
Pyuria (bacterial) N39.0	thoracic region (with visceral pain) M54.14	antitoxin (prophylactic) (therapeutic) – see Complications, vaccination
	thoracolumbar region M54.15	anxiety F41.1
	Radiodermal burns (acute, chronic, or occupational)  – see Burn	Arthus – see Arthus' phenomenon
Q	Radiodermatitis L58.9	asthenic F48.8 combat and operational stress F43.0
-	acute L58.0	compulsive F42
Q fever A78	chronic L58.1	conversion F44.9
with pneumonia A78	Radiotherapy session Z 51.0	crisis, acute F43.0
Quadricuspid aortic valve Q23.8  Quadrilateral fever A78	Rage, meaning rables – see Rabies	deoxyribonuclease (DNA) (DNase)hypersensitivity D69.2

Ulcer, ulcerated, ulcerating, ulceration, ulcerative –	Ulcer, ulcerated, ulcerating, ulceration, ulcerative –	Ulcer, ulcerated, ulcerating, ulceration, ulcerative –
continued	continued	continued
oral mucosa (traumatic) K12.1	pressure – continued	stomal – see Ulcer, gastrojejunal
palate (soft) K12.1	stage 4 – continued	stomatitis K12.1
penis (chronic) N48.5 peptic (site unspecified) K27.9	coccyx L89.15-	stress – see Ulcer, peptic strumous (tuberculous) A18.2
with	contiguous site of back, buttock, hip L89.4- elbow L89.0-	submucosal, bladder – see Cystitis, interstitial
chronic K27.7	face L89.81-	thigh – see Ulcer, lower limb
with	head L89.81-	throat J39.2
hemorrhage K27.4	heel L89.6-	diphtheritic A36.0
and perforation K27.6	hip L89.2-	toe – see Ulcer, lower limb
perforation K27.5 esophagus K22.10	sacral region (tailbone) L89.15-	tongue (traumatic) K14.0 tonsil J35.8
with bleeding K22.11	specified site NEC L89.89- unspecified stage	diphtheritic A36.0
newborn P78.82	ankle L89.5-	trachea J39.8
perforating K27.5	back L89.1-	trophic – see Ulcer, skin
skin – see Ulcer, skin	buttock L89.3-	tropical – see Ulcer, skin
peritonsillar J35.8 phagedenic (tropical) – <i>see</i> Ulcer, skin	coccyx L89.15-	tuberculous – see Tuberculosis, ulcer tunica vaginalis N50.8
pharynx J39.2	contiguous site of back, buttock, hip L89.4- elbow L89.0-	turbinate J34.89
phlebitis – see Phlebitis	face L89.81-	typhoid (perforating) – see Typhoid
plaster - see Ulcer, pressure, by site	head L89.81-	unspecified site – see Ulcer, skin
popliteal space – see Ulcer, lower limb	heel L89.6-	urethra (meatus) – see Urethritis
postpyloric – see Ulcer, duodenum	hip L89.2-	uterus N85.8 cervix N86
prepuce N47.7 prepyloric – <i>see</i> Ulcer, stomach	sacral region (tailbone) L89.15-	with cervicitis N72
pressure (pressure area) L89.9-	specified site NEC L89.89- unstageable	neck N86
ankle L89.5-	ankle L89.5-	with cervicitis N72
back L89.1-	back L89.1-	vagina N76.5 in Behçet's disease M35.2 [N77.0]
buttock L89.3-	buttock L89.3-	pessary N89.8
coccyx L89.15-	coccyx L89.15-	valve, heart 133.0
contiguous site of back, buttock, hip L89.4- elbow L89.0-	contiguous site of back, buttock, hip L89.4- elbow L89.0-	varicose (lower limb, any part) - see also Varix,
face L89.81-	face L89.81-	leg, with, ulcer broad ligament 186.2
head L89.81-	head L89.81-	esophagus – see Varix, esophagus
heel L89.6-	heel L89.6-	inflamed or infected – see Varix, leg, with ulcer,
hip L89.2-	hip L89.2-	with inflammation
sacral region (tailbone) L89.15- specified site NEC L89.89-	sacral region (tailbone) L89.15-	nasal septum I86.8 perineum I86.3
stage 1 (healing) (pre-ulcer skin changes	specified site NEC L89.89- primary of intestine K63.3	scrotum 186.1
limited to persistent focal edema)	with perforation K63.1	specified site NEC 186.8
ankle L89.5-	prostate N41.9	sublingual 186.0
back L89.1-	pyloric – <i>see</i> Ulcer, stomach	vulva I86.3 vas deferens N50.8
buttock L89.3-	sclera – see Scleritis	vulva (acute) (infectional) N76.6
coccyx L89.15- contiguous site of back, buttock, hip L89.4-	scrofulous (tuberculous) A18.2	in (due to)
elbow L89.0-	scrotum N50.8 tuberculous A18.15	Behçet's disease M35.2 [N77.0]
face L89.81-	varicose I86.1	herpesviral (herpes simplex)infection A60.04 tuberculosis A18.18
head L89.81-	seminal vesicle N50.8	vulvobuccal, recurring N76.6
heel L89.6-	sigmoid – see Ulcer, intestine	X-ray L58.1
hip L89.2-	skin (atrophic) (chronic) (neurogenic) (non-	yaws A66.4
sacral region (tailbone) L89.15- specified site NEC L89.89-	healing) (perforating) (pyogenic) (trophic)	Ulcerosa scarlatina A38.8
stage 2 (healing) (abrasion, blister, partial	(tropical) L98.499 with gangrene <i>– see</i> Gangrene	Ulcus – see also Ulcer
thickness skin loss involving epidermis	amebic A06.7	cutis tuberculosum A18.4
and/or dermis)	back – see Ulcer, back	duodeni – see Ulcer, duodenum durum (syphilitic) A51.0
ankle L89.5-	buttock – see Ulcer, buttock	extragenital A51.2
back L89.1- buttock L89.3-	decubitus – see Ulcer, pressure	gastrojejunale – see Ulcer, gastrojejunal
coccyx L89.15-	lower limb – see Ulcer, lower limb mycobacterial A31.1	hypostaticum – see Ulcer, varicose
contiguous site of back, buttock, hip L89.4-	specified site NEC L98.499	molle (cutis) (skin) A57
elbow L89.0-	with	serpens corneae – see Ulcer, cornea, central
face L89.81-	bone necrosis L98.494	ventriculi – see Ulcer, stomach
back L89.1- buttock L89.3-	exposed fat layer L98.492	Ulegyria Q04.8
coccyx L89.15-	muscle necrosis L98.493 skin breakdown only L98.491	Ullrich-Feichtiger syndrome Q87.0 Ulnar – see condition
contiguous site of back, buttock, hip L89.4-	tuberculous (primary) A18.4	Ulorrhagia, ulorrhea K06.8
elbow L89.0-	varicose – see Ulcer, varicose	Umbilicus, umbilical – see condition
face L89.81-	sloughing – see Ulcer, skin	Unacceptable
head L89.81-	solitary, anus or rectum (sphincter) K62.6	contours of tooth K08.54
heel L89.6- hip L89.2-	sore throat J02.9	morphology of tooth K08.54
sacral region (tailbone) L89.15-	streptococcal J02.0 spermatic cord N50.8	Unavailability (of)
specified site NEC L89.89-	spine (tuberculous) A18.01	bed at medical facility Z75.1
stage 3 (healing) (full thickness skin loss	stasis (venous) - see Varix, leg, with, ulcer	health service-related agencies Z75.4
involving damage or necrosis of	without varicose veins I87.2	medical facilities (at) Z75.3 due to
subcutaneous tissue) ankle L89.5-	stercoraceous, stercoral K63.3	investigation by social service agency Z75.2
back L89.1-	with perforation K63.1 anus or rectum K62.6	lack of services at home Z75.0
buttock L89.3-	stoma, stomal – see Ulcer, gastrojejunal	remoteness from facility Z75.3
coccyx L89.15-	stomach (eroded) (peptic) (round) K25.9	waiting list Z75.1
contiguous site of back, buttock, hip L89.4-	with	home Z75.0 outpatient clinic Z75.3
elbow L89.0-	hemorrhage K25.4	schooling Z55.1
face L89.81- head L89.81-	and perforation K25.6 perforation K25.5	social service agencies Z75.4
heel L89.6-	acute K25.3	Uncinaria americana infestation B76.1
hip L89.2-	with	Uncinariasis B76.9
sacral region (tailbone) L89.15-	hemorrhage K25.0	Uncongenial work Z 56.5
specified site NEC L89.89-	and perforation K25.2 perforation K25.1	Unconscious (ness) – see Coma Under observation
stage 4 (healing) (necrosis of soft tissues through	chronic K25.7	<ul> <li>see Observation Underachievement in school</li> </ul>
to underlying muscle, tendon, or bone) ankle L89.5-	with	Z55.3
back L89.1-	hemorrhage K25.4 and perforation K25.6	Underdevelopment – see also Undeveloped
buttock L89.3-	perforation K25.6	nose Q30.1 sexual E30.0

**338** — Volume 2 2012 Draft | ICD-10-CM

Hadanda lag / acc a/ac Table of during and about all	Lisbook's lineid proteinesis E79 90	Halo and and and
<b>Underdosing</b> (see also Table of drugs and chemicals, categories T36-T50, with final character 6) Z 91.14	Urbach's lipoid proteinosis E78.89 Urea	Urine – continued retention or stasis R33.9
intentional NEC Z91.128	blood, high – see Uremia	organic R33.8
due to financial hardship of patient Z91.120	cycle metabolism disorder – see Disorder, urea	drug-induced R33.0
unintentional NEC Z91.138	cycle metabolism	psychogenic F45.8 secretion
due to patient's age related debility Z91.130  Underfeeding, newborn P92.3	Uremia, uremic N19	deficient R34
Underfill, endodontic M27.53	with ectopic or molar pregnancy 008.4	excessive R35.8
Underimmunization status Z28.3	polyneuropathy N18.9 [G63]	frequency R35.0 stream
Undernourishment – see Malnutrition	chronic (see also Disease, kidney, chronic) N18.9	intermittent R39.19
Undernutrition – see Malnutrition	due to hypertension – <i>see</i> Hypertensive, kidney complicating	slowing R39.19
Underweight R63.6	ectopic or molar pregnancy 008.4	splitting R39.13 weak R39.12
for gestational age – see Light for dates	congenital P96.0 extrarenal R39.2	Urinemia – see Uremia
Underwood's disease P83.0	following ectopic or molar pregnancy 008.4	Urinoma, urethra N36.8
Undescended – see also Malposition, congenital	newborn P96.0	Uroarthritis, infectious (Reiter's) - see Reiter's dis
cecum Q43.3 colon Q43.3	prerenal R39.2	Urodialysis R34
testicle – see Cryptorchid	Ureter, ureteral – see condition	Urolithiasis – see Calculus, urinary
Undeveloped, undevelopment – see also Hypoplasia	Ureteralgia N23	Uronephrosis – see Hydronephrosis
brain (congenital) Q02	Ureterectasis – see Hydroureter Ureteritis N28.89	Uropathy N39.9
cerebral (congenital) Q02 heart Q24.8	cystica N28.86	obstructive N13.9 specified NEC N13.8
lung Q33.6	due to calculus N20.1	reflux N13.9
testis E29.1	with calculus, kidney N20.2	specified NEC N13.8
uterus E30.0	with hydronephrosis N13.2 gonococcal (acute) (chronic) A54.21	vesicoureteral reflux-associated - see Reflux,
Undiagnosed (disease) R69 Undulant fever – see Brucellosis	nonspecific N28.89	vesicoureteral
Unemployment, anxiety concerning Z 56.0	Ureterocele N28.89	Urosepsis code to condition
threatened Z56.2	congenital (orthotopic) Q62.31	Urticaria L50.9 with angioneurotic edema T78.3
Unextracted dental root K08.3	ectopic Q62.32	hereditary D84.1
Unguis incarnatus L60.0	Ureterolith, ureterolithiasis – see Calculus, ureter	allergic L50.0
Unhappiness R45.2	Ureterostomy attention to Z 43.6	cholinergic L50.5 chronic L50.8
Unicornate uterus Q51.4	status Z93.6	cold, familial L50.2
Unilateral – see also condition	Urethra, urethral - see condition	contact L50.6
development, breast N64.89 organ or site, congenital NEC – see Agenesis,	Urethralgia R39.89	dermatographic L50.3
by site	Urethritis (anterior) (posterior) N34.2	due to
Unilocular heart Q20.8	calculous N21.1	cold or heat L50.2 drugs L50.0
Union, abnormal - see also Fusion	candidal B37.41 chlamydial A56.01	food L50.0
larynx and trachea Q34.8	diplococcal (gonococcal) A54.01	inhalants L50.0
Universal mesentery Q43.3	with abscess (accessory gland) (periurethral) A54.1	plants L50.6
Unrepairable overhanging of dental restorative	gonococcal A54.01	serum ( <i>see also</i> Reaction, serum) T80.69 factitial L50.3
materials K08.52 Unsatisfactory	with abscess (accessory gland) (periurethral)	giant T78.3
restoration of tooth K08.50	A54.1	hereditary D84.1
specified NEC K08.59	nongonococcal N34.1 Reiter's <i>– see</i> Reiter's disease	gigantea T78.3
sample of cytologic smear	nonspecific N34.1	idiopathic L50.1 Iarynx T78.3
anus R85.615 cervix R87.615	nonvenereal N34.1	hereditary D84.1
vagina R87.625	postmenopausal N34.2 puerperal 086.29	neonatorum P83.8
surroundings Z59.1	Reiter's – see Reiter's disease	nonallergic L50.1 papulosa (Hebra) L28.2
work Z56.5 <b>Unsoundness of mind</b> – see Psychosis	specified NEC N34.2	pigmentosa Q82.2
Unstable	trichomonal or due to Trichomonas (vaginalis) A59.03	recurrent periodic L50.8
back NEC - see Instability, joint, spine	Urethrocele N81.0 with	serum (see also Reaction, serum) T80.69
hip (congenital) Q65.6	cystocele – see Cystocele	solar L56.3 specified type NEC L50.8
acquired – <i>see</i> Derangement, joint, specified type NEC, hip	prolapse of uterus – see Prolapse, uterus	thermal (cold) (heat) L50.2
joint - see Instability, joint	Urethrolithiasis (with colic or infection) N21.1	vibratory L50.4
secondary to removal of joint prosthesis M96.89	Urethrorectal – see condition	xanthelasmoidea Q82.2
lie (mother) 032.0 lumbosacral joint (congenital)	Urethrorrhagia N36.8	Use (of)
acquired – see subcategory M53.2	Urethrostomy attention to Z43.6	alcohol F10.99 with sleep disorder F10.982
sacroiliac – see subcategory M53.2	status Z93.6	harmful – see Abuse, alcohol
spine NEC – see Instability, joint, spine Unsteadiness on feet R26.81	Urethrotrigonitis – see Trigonitis	amphetamines – see Use, stimulant NEC caffeine – see Use, stimulant NEC
Untruthfulness, child problem F91.8	Urethrovaginal – see condition	cannabis F12.90
Unverricht (-Lundborg) disease or epilepsy – see	Urgency	with
Epilepsy, generalized, idiopathic	fecal R15.2	anxiety disorder F12.980 intoxication F12.929
Unwanted pregnancy Z 64.0	hypertensive – <i>see</i> Hypertension urinary N39.41	with
Upbringing, institutional Z62.22	Urhidrosis, uridrosis L74.8	delirium F12.921
away from parents NEC Z62.29	Uric acid in blood (increased) E79.0	perceptual disturbance F12.922 uncomplicated F12.920
in care of non-parental family member Z62.21 in foster care Z62.21	Uricacidemia (asymptomatic) E79.0	other specified disorder F12.988
in orphanage or group home Z62.22	Uricemia (asymptomatic) E79.0	psychosis F12.959
in welfare custody Z62.21	Uricosuria R82.99	delusions F12.950 hallucinations F12.951
Upper respiratory – see condition	Urinary – see condition	unspecified disorder F12.99
Upset gastric K30	Urination	cocaine F14.90 with
gastrointestinal K30	frequent R35.0 painful R30.9	anxiety disorder F14.980
psychogenic F45.8	Urine	intoxication F14.929
intestinal (large) (small) K59.9 psychogenic F45.8	blood in – see Hematuria	with
menstruation N93.9	discharge, excessive R35.8	delirium F14.921 perceptual disturbance F14.922
mental F48.9	enuresis, nonorganic origin F98.0	uncomplicated F14.920
stomach K30	extravasation R39.0 frequency R35.0	other specified disorder F14.988
psychogenic F45.8 <b>Urachus</b> – <i>see also</i> condition	incontinence R32	psychosis F14.959 delusions F14.950
patent or persistent Q64.4	nonorganic origin F98.0	hallucinations F14.951
Urbach-Oppenheim disease (necrobiosis lipoidica	intermittent stream R39.19 pus in N39.0	sexual dysfunction F14.981
diabeticorum) - see E08-E13 with .620	ש.פטוו ווו סש.ש	sleep disorder F14.982

ccident – continued	Activity - continued	Activity - continued
watercraft – continued	dishwashing Y93.G1	muscle strengthening
causing – continued	diving (platform) (springboard) Y93.12 underwater Y93.15	exercises (non-machine) NEC Y93.B9 machines Y93.B1
injury – continued	dodge ball Y93.6A	musical keyboard (electronic) playing Y93.J1
specified type NEC V91.89 powered craft V91.83	downhill skiing Y93.23	nordic skiing Y93.24
ferry boat V91.81	drum playing Y93.J2	obstacle course Y93.A5
fishing boat V91.82	dumbbells Y93.B3	oven (microwave) Y93.G3
jetskis V91.83	electronic	packing up and unpacking in moving to a new
liner V91.81	devices NEC Y93.C9	residence Y93.E6
merchant ship V91.80	hand held interactive Y93.C2	parasailing Y93.19
passenger ship V91.81	game playing (using) (with)	percussion instrument playing NEC Y93.J2 personal
unpowered craft V91.88	keyboard or other stationary device Y93.C1 interactive device Y93.C2	bathing and showering Y93.E1
canoe V91.85 inflatable V91.86	elliptical machine Y93.A1	hygiene NEC Y93.E8
kayak V91.85	exercise(s)	showering Y93.E1
sailboat V91.84	machines ((primarily) for)	physical games generally associated with school
surf-board V91.88	cardiorespiratory conditioning Y93.A1	recess, summer camp and children Y93.6A
water skis V91.87	muscle strengthening Y93.B1	physical training NEC Y93.A9
windsurfer V91.88	muscle strengthening (non-machine) NEC Y93.B9 external motion NEC Y93.I9	piano playing Y93.J1 pilates Y93.B4
due to, caused by cataclysm – see Forces of nature,	rollercoaster Y93.11	platform diving Y93.12
by type military NEC V94.818	field hockey Y93.65	playing musical instrument
with civilian watercraft V94.810	figure skating (pairs) (singles) Y93.21	brass instrument Y93.J4
civilian in water injured by V94.811	flag football Y93.62	drum Y93.J2
nonpowered, struck by	floor mopping and cleaning Y93.E5	musical keyboard (electronic) Y93.J1
nonpowered vessel V94.22	food preparation and clean up Y93.G1	percussion instrument NEC Y93.J2
powered vessel V94.21	football (American) NOS Y93.61	piano Y93.J1 string instrument Y93.J3
specified type NEC V94.89	flag Y93.62 tackle Y93.61	winds instrument Y93.J4
striking swimmer powered V94.11	touch Y93.62	property maintenance
unpowered V94.12	four square Y93.6A	exterior NEC Y93.H9
cid throwing (assault) Y08.89	free weights Y93.B3	interior NEC Y93.E9
activity (involving) (of victim at time of event) Y93.9	frisbee (ultimate) Y93.74	pruning (garden and lawn) Y93.H2
aerobic and step exercise (class) Y93.A3	furniture	pull-ups Y93.B2
alpine skiing Y93.23	building Y93.D3	push-ups Y93.B2
animal care NEC Y93.K9	finishing Y93.D3 repair Y93.D3	racquetball Y93.73 rafting (in calm and turbulent water) Y93.16
arts and handcrafts NEC Y93.D9	game playing (electronic)	raking (leaves) Y93.H1
athletics NEC Y93.79	using keyboard or other stationary device Y93.C1	rappelling Y93.32
athletics played as a team or group NEC Y93.69	using interactive device Y93.C2	refereeing a sports activity Y93.81
athletics played individually NEC Y93.59 baking Y93.G3	gardening Y93.H2	residential relocation Y93.E6
ballet Y93.41	golf Y93.53	rhythmic gymnastics Y93.43
barbells Y93.B3	grass drills Y93.A6	rhythmic movement NEC Y93.49
BASE (Building, Antenna, Span, Earth) jumping Y93.33	grilling and smoking food Y93.G2	riding
baseball Y93.64	grooming and shearing an animal Y93.K3 guerilla drills Y93.A6	horseback Y93.52 rollercoaster Y93.i1
basketball Y93.67	gymnastics (rhythmic) Y93.43	rock climbing Y93.31
bathing (personal) Y93.E1	handball Y93.73	rollercoaster riding Y93.I1
beach volleyball Y93.68 bike riding Y93.55	handcrafts NEC Y93.D9	roller skating (inline) Y93.51
boogie boarding Y93.18	hand held interactive electronic device Y93.C2	rough housing and horseplay Y93.83
bowling Y93.54	hang gliding Y93.35	rowing (in calm and turbulent water) Y93.16
boxing Y93.71	hiking (on level or elevated terrain) Y93.Ø1	rugby Y93.63
brass instrument playing Y93.J4	hockey (ice) Y93.22 field Y93.65	running Y93.02 SCUBA diving Y93.15
building construction Y93.H3	horseback riding Y93.52	sewing Y93.D2
bungee jumping Y93.34	household (interior) maintenance NEC Y93.E9	shoveling Y93.H1
calisthenics Y93.A2 canoeing (in calm and turbulent water) Y93.16	ice NEC Y93.29	dirt Y93.H1
capture the flag Y93.6A	dancing Y93.21	snow Y93.H1
cardiorespiratory exercise NEC Y93.A9	hockey Y93.22	showering (personal) Y93.E1
caregiving (providing) NEC Y93.F9	skating Y93.21	sit-ups Y93.B2
bathing Y93.F1	inline roller skating Y93.51 ironing Y93.E4	skateboarding Y93.51 skating (ice) Y93.21
lifting Y93.F2	judo Y93.75	roller Y93.51
cellular	jumping (off) NEC Y93.39	skiing (alpine) (downhill) Y93.23
communication device Y93.C2 telephone Y93.C2	BASE (Building, Antenna, Span, Earth) Y93.33	cross country Y93.24
challenge course Y93.A5	bungee Y93.34	nordic Y93.24
cheerleading Y93.45	jacks Y93.A2	water Y93.17
circuit training Y93.A4	rope Y93.56 jumping jacks Y93.A2	sledding (snow) Y93.23 sleeping (sleep) Y93.84
cleaning	jumping rope Y93.56	smoking and grilling food Y93.G2
floor Y93.E5	karate Y93.75	snorkeling Y93.15
climbing NEC Y93.39	kayaking (in calm and turbulent water) Y93.16	snow NEC Y93.29
mountain Y93.31 rock Y93.31	keyboarding (computer) Y93.C1	boarding Y93.23
wall Y93.31	kickball Y93.6A	shoveling Y93.H1
clothing care and maintenance NEC Y93.E9	knitting Y93.D1	sledding Y93.23
cool down exercises Y93.A2	lacrosse Y93.65	tubing Y93.23
combatives Y93.75	land maintenance NEC Y93.H9 landscaping Y93.H2	soccer Y93.66 softball Y93.64
computer	laundry Y93.E2	specified NEC Y93.89
keyboarding Y93.C1	machines (exercise)	spectator at an event Y93.82
technology NEC Y93.C9 confidence course Y93.A5	primarily for cardiorespiratory conditioning Y93.A1	sports NEC Y93.79
construction (building) Y93.H3	primarily for muscle strengthening Y93.B1	sports played as a team or group NEC Y93.69
cooking and baking Y93.G3	maintenance	sports played individually NEC Y93.59
cricket Y93.69	exterior building NEC Y93.H9 household (interior) NEC Y93.E9	springboard diving Y93.12
crocheting Y93.D1	land Y93.H9	squash Y93.73 stationary bike Y93.A1
cross country skiing Y93.24	property Y93.H9	step (stepping) exercise (class) Y93.A3
dancing (all types) Y93.41	marching (on level or elevated terrain) Y93.Ø1	stepper machine Y93.A1
digging dirt Y93.H1	martial arts Y93.75	stove Y93.G3
dirt digging Y93.H1	microwave oven Y93.G3	string instrument playing Y93.J3
	mopping (floor) Y93.E5	surfing Y93.18
	mountain climbing Y93.31 milking an animal Y93.K2	wind Y93.18 swimming Y93.11
	Timking all allimar 1993/2	5 vvii ii ii ii ii j

C24.1 - C34.90

## Malignant neoplasm of ampulla of Vater

#### Malignant neoplasm of overlapping sites of biliary tract

Malignant neoplasm involving both intrahepatic and extrahepatic bile

Primary malignant neoplasm of two or more contiguous sites of biliary tract

#### C24.9 Malignant neoplasm of biliary tract, unspecified

#### C25 Malignant neoplasm of pancreas

#### Use additional code to identify

alcohol abuse and dependence (F1Ø.-)

- C25.Ø Malignant neoplasm of head of pancreas
- C25.1 Malignant neoplasm of body of pancreas
- C25.2 Malignant neoplasm of tail of panncreas
- C25.3 Malignant neoplasm of pancreatic duct

C25.4 Malignant neoplasm of endocrine pancreas Malignant neoplasm of islets of Langerhans

Use additional code to identify any functional activity.

- C25.7 Malignant neoplasm of other parts of pancreas Malignant neoplasm of neck of pancreas
- C25.8 Malignant neoplasm of overlapping sites of pancreas
- C25.9 Malignant neoplasm of pancreas, unspecified

#### C26 Malignant neoplasm of other and ill-defined digestive organs

**Excludes 1** malignant neoplasm of peritoneum and retroperitoneum (C48.-)

C26.Ø Malignant neoplasm of intestinal tract, part unspecified Malignant neoplasm of intestine NOS

Malignant neoplasm of spleen

Excludes 1 Hodgkin's disease (C81.-)

non-Hodgkin lymphoma (C82-C85)

## Malignant neoplasm of ill-defined sites within the digestive system

Malignant neoplasm of alimentary canal or tract NOS Malignant neoplasm of gastrointestinal tract NOS

Excludes 1 malignant neoplasm of abdominal NOS (C76.2)

## malignant neoplasm of intra-abdominal NOS (C76.2)

## MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (C3Ø-C39)

malignant neoplasm of middle ear

Excludes 1 mesothelioma (C45.-)

#### C3Ø Malignant neoplasm of nasal cavity and middle ear

## C3Ø.Ø Malignant neoplasm of nasal cavity

Malignant neoplasm of cartilage of nose Malignant neoplasm of nasal concha

Malignant neoplasm of internal nose

Malignant neoplasm of septum of nose

Malignant neoplasm of vestibule of nose

Excludes 1 malignant neoplasm of nasal bone (C41.Ø) malignant neoplasm of nose NOS (C76.Ø) malignant neoplasm of olfactory bulb (C72.2-)

malignant neoplasm of posterior margin of nasal septum and

choana (C11.3)

malignant melanoma of skin of nose (C43.31)

malignant neoplasm of turbinates (C41.Ø)

other and unspecified malignant neoplasm of skin of nose C44.301, C44.311, C44.321, C44.391

## C3Ø.1 Malignant neoplasm of middle ear

Malignant neoplasm of antrum tympanicum

Malignant neoplasm of auditory tube

Malignant neoplasm of Eustachian tube

Malignant neoplasm of inner ear

Malignant neoplasm of mastoid air cells

Malignant neoplasm of tympanic cavity

**Excludes 1** malignant neoplasm of auricular canal (external) (C43.2-C44.2-) malignant neoplasm of bone of ear (meatus) (C41.Ø) malignant neoplasm of cartilage of ear (C49.Ø) malignant melanoma of skin of (external) ear (C43.2-) other and unspecified malignant neoplasm of skin of (external) ear (C44.2-)

### C31 Malignant neoplasm of accessory sinuses

### Malignant neoplasm of maxillary sinus

Malignant neoplasm of antrum (Highmore) (maxillary)

- Malignant neoplasm of ethmoidal sinus
- C31.2 Malignant neoplasm of frontal sinus
- C31.3 Malignant neoplasm of sphenoid sinus
- C31.8 Malignant neoplasm of overlapping sites of accessory sinuses
- C31.9 Malignant neoplasm of accessory sinus, unspecified

#### C32 Malignant neoplasm of larynx

#### Use additional code to identify

alcohol abuse and dependence (F1Ø.-)

exposure to environmental tobacco smoke (Z77.22)

exposure to tobacco smoke in the perinatal period (P96.81)

history of tobacco use (Z87.891)

occupational exposure to environmental tobacco smoke (Z57.31)

tobacco dependence (F17.-)

tobacco use (Z72.Ø.

#### C32.Ø Malignant neoplasm of glottis

Malignant neoplasm of intrinsic larynx

Malignant neoplasm of laryngeal commissure (anterior)(posterior)

Malignant neoplasm of vocal cord (true) NOS

### Malignant neoplasm of supraglottis

Malignant neoplasm of aryepiglottic fold or interarytenoid fold, larvngeal aspect

Malignant neoplasm of epiglottis (suprahyoid portion) NOS

Malignant neoplasm of extrinsic larynx

Malignant neoplasm of false vocal cord

Malignant neoplasm of posterior (laryngeal) surface of epiglottis

Malignant neoplasm of ventricular bands

**Excludes2** malignant neoplasm of anterior surface of epiglottis (C10.1) malignant neoplasm of aryepiglottic fold or interarytenoid fold:

NOS (C13.1)

hypopharyngeal aspect (C13.1) marginal zone (C13.1)

- C32.2 Malignant neoplasm of subglottis
- C32.3 Malignant neoplasm of laryngeal cartilage
- C32.8 Malignant neoplasm of overlapping sites of larynx
- C32.9 Malignant neoplasm of larynx, unspecified

#### C33 Malignant neoplasm of trachea

#### Use additional code to identify:

exposure to environmental tobacco smoke (Z77.22)

exposure to tobacco smoke in the perinatal period (P96.81)

history of tobacco use (Z87.891)

occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-)

tobacco use (Z72.0)

#### C34 Malignant neoplasm of bronchus and lung

## Use additional code to identify:

exposure to environmental tobacco smoke (Z58.7)

exposure to tobacco smoke in the perinatal period (P96.81)

history of tobacco use (Z87.82)

occupational exposure to environmental tobacco smoke (Z57.31)

tobacco dependence (F17.-) tobacco use (Z72.Ø)

**Excludes 1** Kaposi's sarcoma of lung (C46.5-)

malignant carcinoid tumor of the bronchus and lung (C7A.Ø9Ø)

### C34.Ø Malignant neoplasm of main bronchus

Malignant neoplasm of carina

Malignant neoplasm of hilus (of lung)

- C34.00 Malignant neoplasm of unspecified main bronchus
- C34.01 Malignant neoplasm of right main bronchus
- C34.02 Malignant neoplasm of left main bronchus
- C34.1 Malignant neoplasm of upper lobe, bronchus or lung
  - C34.10 Malignant neoplasm of upper lobe, unspecified bronchus or luna
  - C34.11 Malignant neoplasm of upper lobe, right bronchus or
- C34.12 Malignant neoplasm of upper lobe, left bronchus or lung C34.2 Malignant neoplasm of middle lobe, bronchus or lung
- C34.3 Malignant neoplasm of lower lobe, bronchus or lung
  - C34.30 Malignant neoplasm of lower lobe, unspecified bronchus or luna
  - C34.31 Malignant neoplasm of lower lobe, right bronchus or lung
  - C34.32 Malignant neoplasm of lower lobe, left bronchus or lung
- C34.8 Malignant neoplasm of overlapping sites of bronchus and lung
  - C34.80 Malignant neoplasm of overlapping sites of unspecified bronchus and lung

C34.82 Malignant neoplasm of overlapping sites of left bronchus

- C34.81 Malignant neoplasm of overlapping sites of right bronchus and lung
- and lung C34.9 Malignant neoplasm of unspecified part of bronchus or lung
  - C34.90 Malignant neoplasm of unspecified part of unspecified bronchus or lung

Lung cancer NOS

H04.313 - H05.129

Jului Lij	•					(1100 110	- /	411/11/12/17/11/01/05/12/
			Phlegmonous dacryocystitis of bilateral lacrimal passages Phlegmonous dacryocystitis of unspecified lacrimal passage				HØ4.543 HØ4.549	Stenosis of left lacrimal canaliculi Stenosis of bilateral lacrimal canaliculi Stenosis of unspecified lacrimal canaliculi
	HØ4.32	Acute dac DEF Suda to bla HØ4.321	cryocystitis cryopericystitis fen, severe inflammation of the tear sac, usually due backage of the tear ducts.  Acute dacryocystitis of right lacrimal passage			HØ4.55	HØ4.551 HØ4.552 HØ4.553	I stenosis of nasolacrimal duct Acquired stenosis of right nasolacrimal duct Acquired stenosis of left nasolacrimal duct Acquired stenosis of bilateral nasolacrimal duct Acquired stenosis of unspecified nasolacrimal duct
		HØ4.323 HØ4.329	Acute dacryocystitis of left lacrimal passage Acute dacryocystitis of bilateral lacrimal passages Acute dacryocystitis of unspecified lacrimal passage			HØ4.56	HØ4.561 HØ4.562 HØ4.563	of lacrimal punctum Stenosis of right lacrimal punctum Stenosis of left lacrimal punctum Stenosis of bilateral lacrimal punctum Stenosis of unspecified lacrimal punctum
	HØ4.33	DEF Seventear (HØ4.331	rimal canaliculitis re, sudden inflammation of the lacrimal passages or ducts.  Acute lacrimal canaliculitis of right lacrimal passage Acute lacrimal canaliculitis of left lacrimal			HØ4.57	HØ4.571 HØ4.572 HØ4.573	of lacrimal sac Stenosis of right lacrimal sac Stenosis of left lacrimal sac Stenosis of bilateral lacrimal sac Stenosis of unspecified lacrimal sac
			passage Acute lacrimal canaliculitis of bilateral lacrimal		HØ4.6		nanges of	lacrimal passages
	<i>a</i>	HØ4.339	passages Acute lacrimal canaliculitis of unspecified lacrimal passage			HØ4.61	HØ4.612	fistula  Lacrimal fistula right lacrimal passage  Lacrimal fistula left lacrimal passage  Lacrimal fistula bilateral lacrimal passages
H04.4			ion of lacrimal passages					Lacrimal fistula unspecified lacrimal passage
	П04.41		acryocystitis Chronic dacryocystitis of right lacrimal passage		⊔ил о			anges of lacrimal passages f lacrimal system
		HØ4.412	Chronic dacryocystitis of left lacrimal passage		П# <del>4.</del> 0			na of lacrimal passages
		HØ4.419	Chronic dacryocystitis of bilateral lacrimal passages Chronic dacryocystitis of unspecified lacrimal passage			110-1.01	HØ4.811 HØ4.812 HØ4.813	Granuloma of right lacrimal passage Granuloma of left lacrimal passage Granuloma of bilateral lacrimal passages Granuloma of unspecified lacrimal passage
	HØ4.42		ncrimal canaliculitis Chronic lacrimal canaliculitis of right lacrimal			HØ4.89		sorders of lacrimal system
			passage Chronic lacrimal canaliculitis of left lacrimal	Пас		Disorde lers of orl		al system, unspecified
			passage Chronic lacrimal canaliculitis of bilateral	כשח				ormation of orbit (Q10.7)
		1107.723	lacrimal passages		HØ5.Ø	Acute in	ıflammatio	on of orbit
		HØ4.429	Chronic lacrimal canaliculitis of unspecified				-	ied acute inflammation of orbit
	HØ4.43	Chronic la	lacrimal passage acrimal mucocele			HØ5.Ø1	Cellulitis Abscess c	
		duct	mmation of the lacrimal system in which the tear s, and then the eyes, become filled with mucous. Chronic lacrimal mucocele of right lacrimal				HØ5.Ø12	Cellulitis of right orbit Cellulitis of left orbit Cellulitis of bilateral orbits
		HØ4.432	passage Chronic lacrimal mucocele of left lacrimal			HØ5 Ø2		Cellulitis of unspecified orbit relitis of orbit
		HØ4.433	passage Chronic lacrimal mucocele of bilateral lacrimal passages			1105.02	HØ5.Ø21 HØ5.Ø22	Osteomyelitis of right orbit Osteomyelitis of left orbit
		HØ4.439	Chronic lacrimal mucocele of unspecified lacrimal passage					Osteomyelitis of bilateral orbits Osteomyelitis of unspecified orbit
HØ4.5	Stenosis	and insuf	ficiency of lacrimal passages			HØ5.Ø3	Periostiti	is of orbit Periostitis of right orbit
	HØ4.51		Dacryolith of right lacrimal passage				HØ5.Ø32	Periostitis of left orbit Periostitis of left orbit Periostitis of bilateral orbits
			Dacryolith of left lacrimal passage Dacryolith of bilateral lacrimal passages				HØ5.Ø39	Periostitis of unspecified orbit
		HØ4.519	Dacryolith of unspecified lacrimal passage			HØ5.Ø4	Tenonitis	s of orbit Tenonitis of right orbit
	HØ4.52	<b>DEF</b> Tear to flo	of lacrimal punctum duct exit turned away from the eye, causing tears w directly onto the face instead of moistening the				HØ5.Ø42 HØ5.Ø43	Tenonitis of left orbit Tenonitis of bilateral orbits Tenonitis of unspecified orbit
		<i>eyeb</i> HØ4 521	all.  Eversion of right lacrimal punctum		HØ5.1	Chronic		tory disorders of orbit
			Eversion of left lacrimal punctum					ied chronic inflammatory disorders of orbit
			Eversion of bilateral lacrimal punctum  Eversion of unspecified lacrimal punctum			HØ5.11		ma of orbit
	HØ4.53	Neonatal	obstruction of nasolacrimal duct congenital stenosis and stricture of lacrimal duct (Q10.5)				HØ5.111 HØ5.112	mor (inflammatory) of orbit  Granuloma of right orbit  Granuloma of left orbit  Granuloma of bilateral orbits
			Neonatal obstruction of right nasolacrimal duct				HØ5.119	Granuloma of unspecified orbit
			Neonatal obstruction of left nasolacrimal duct Neonatal obstruction of bilateral nasolacrimal duct			HØ5.12		immation of one of the muscles that moves the eyeball.
		HØ4.539	Neonatal obstruction of unspecified nasolacrimal duct				HØ5.122	Orbital myositis, right orbit Orbital myositis, left orbit Orbital myositis, bilateral
	HØ4.54	Stenosis	of lacrimal canaliculi					Orbital myositis, bilateral Orbital myositis, unspecified orbit

HØ4.541 Stenosis of right lacrimal canaliculi

H21.523 Goniosynechiae, bilateral

H21.529 Goniosynechiae, unspecified eye

H25.Ø91 Other age-related incipient cataract, right eye

H25.092 Other age-related incipient cataract, left eye

H21.523 - H26.053

	H21.53	H21.529 Goniosynechiae, unspecified eye  Iridodialysis  DEF Separation or loosening of the iris from its root at the ciliary body, usually from trauma or surgical accident.				H25.Ø93	Other age-related incipient cataract, left eye Other age-related incipient cataract, bilateral Other age-related incipient cataract, unspecified eye
		H21.531 Iridodialysis, right eye H21.532 Iridodialysis, left eye H21.533 Iridodialysis, bilateral		H25.1	Cataract	ated nuclea a brunesce sclerosis ca	ens
		H21.539 Iridodialysis, unspecified eye				-	ted nuclear cataract, unspecified eye
	H21.54	Posterior synechiae (iris)				-	ted nuclear cataract, right eye
		DEE Adhesion where the lens and the iris grow together, preventing the iris from dilating and contracting properly.			H25.12	Age-relat	ed nuclear cataract, left eye
		H21.541 Posterior synechiae (iris), right eye				3	ted nuclear cataract, bilateral
		H21.542 Posterior synechiae (iris), left eye		H25.2	-		nct, morgagnian type nature cataract
		H21.543 Posterior synechiae (iris), bilateral			_		
	1124 55	H21.549 Posterior synechiae (iris), unspecified eye				-	ted cataract, morgagnian type, unspecified eye
	П21.33	Recession of chamber angle H21.551 Recession of chamber angle, right eye				-	ted cataract, morgagnian type, right eye
		H21.552 Recession of chamber angle, left eye				-	ted cataract, morgagnian type, left eye
		H21.553 Recession of chamber angle, bilateral		H25.8		age-related ge-related	ted cataract, morgagnian type, bilateral
		H21.559 Recession of chamber angle, unspecified eye		1123.0			d forms of age-related cataract
	H21.56	Pupillary abnormalities Deformed pupil			1123.01		Combined forms of age-related cataract, right
		Ectopic pupil Rupture of sphincter, pupil				H25.812	eye Combined forms of age-related cataract, left eye
		Excludes1 congenital deformity of pupil (Q13.2-) H21.561 Pupillary abnormality, right eye				H25.813	Combined forms of age-related cataract,
		H21.562 Pupillary abnormality, left eye				H25 819	bilateral Combined forms of age-related cataract,
		H21.563 Pupillary abnormality, bilateral H21.569 Pupillary abnormality, unspecified eye				1123.013	unspecified eye
	H21.8 Others	pecified disorders of iris and ciliary body			H25.89	Other age	e-related cataract
		Floppy iris syndrome		H25.9	Unspec	ified age-re	elated cataract
		Intraoperative floppy iris syndrome (IFIS)	H26		cataract		
		Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5)				enital catara	
		DEF Syndrome occurring in one who has taken alpha-blockers;		H26.Ø		•	nile cataract
		a dilated iris does not stay dilated, causing potentially injurious surgical complications.			H26.00	<b>DEF</b> Parti	ied infantile and juvenile cataract ial of complete clouding on or in the lens or lens ule of the eye, obscuring vision.
		Plateau iris syndrome (post-iridectomy) (postprocedural					Unspecified infantile and juvenile cataract,
		Other specified disorders of iris and ciliary body ified disorder of iris and ciliary body				H26 ØØ2	right eye Unspecified infantile and juvenile cataract, left
LIDO	•	, ,				1120.002	eye
HZZ		and ciliary body in diseases classified elsewhere ying disease, such as:				H26.ØØ3	Unspecified infantile and juvenile cataract,
		t (M1A-, M1Ø)				H26 ØØ9	bilateral Unspecified infantile and juvenile cataract,
		DISORDER OF LENS (H25-H28)					unspecified eye
H25	Age-related car				H26.Ø1		and juvenile cortical, lamellar, or zonular cataract
	Senile cataract					H26.Ø11	Infantile and juvenile cortical, lamellar, or zonular cataract, right eye
		ılar glaucoma with pseudoexfoliation of lens H4Ø ated incipient cataract				H26.Ø12	Infantile and juvenile cortical, lamellar, or
	_	Cortical age-related cataract					zonular cataract, left eye Infantile and juvenile cortical, lamellar, or
		H25.Ø11 Cortical age-related cataract, right eye				H20.013	zonular cataract, bilateral
		H25.Ø12 Cortical age-related cataract, left eye				H26.Ø19	Infantile and juvenile cortical, lamellar, or
		H25.013 Cortical age-related cataract, bilateral H25.019 Cortical age-related cataract, unspecified eye					zonular cataract, unspecified eye
	H25.03	Anterior subcapsular polar age-related cataract			H26.Ø3		and juvenile nuclear cataract Infantile and juvenile nuclear cataract, right eye
		H25.Ø31 Anterior subcapsular polar age-related cataract,					Infantile and juvenile nuclear cataract, left eye
		right eye				H26.Ø33	Infantile and juvenile nuclear cataract, bilateral
		H25.032 Anterior subcapsular polar age-related cataract, left eye				H26.Ø39	Infantile and juvenile nuclear cataract, unspecified eye
		H25.Ø33 Anterior subcapsular polar age-related cataract,			H26.Ø4	Anterior	subcapsular polar infantile and juvenile cataract
		bilateral H25.039 Anterior subcapsular polar age-related cataract, unspecified eye					Anterior subcapsular polar infantile and juvenile cataract, right eye
	H25.Ø4	Posterior subcapsular polar age-related cataract				H26.042	Anterior subcapsular polar infantile and juvenile cataract, left eye
		H25.Ø41 Posterior subcapsular polar age-related cataract, right eye				H26.Ø43	Anterior subcapsular polar infantile and juvenile cataract, bilateral
		H25.Ø42 Posterior subcapsular polar age-related cataract, left eye				H26.Ø49	Anterior subcapsular polar infantile and
		H25.Ø43 Posterior subcapsular polar age-related			H26 05	Posterior	juvenile cataract, unspecified eye subcapsular polar infantile and juvenile cataract
		cataract, bilateral			1120.03		Posterior subcapsular polar infantile and
		H25.049 Posterior subcapsular polar age-related cataract, unspecified eye					juvenile cataract, right eye
	H25.Ø9	Other age-related incipient cataract				H26.052	Posterior subcapsular polar infantile and juvenile cataract, left eye
		Coronary age-related cataract				H26.Ø53	Posterior subcapsular polar infantile and
		Punctate age-related cataract Water clefts					juvenile cataract, bilateral

#### Other specified diseases of anus and rectum K62.89

Proctitis NOS

Use additional code for any associated fecal incontinence (R15-)

#### K62.9 Disease of anus and rectum, unspecified

#### K63 Other diseases of intestine

#### K63.Ø Abscess of intestine

Excludes 1 abscess of intestine with Crohn's disease (K5Ø.Ø14, K5Ø.114,

K5Ø.814, K5Ø.914)

abscess of intestine with diverticular disease (K57.Ø, K57.2, K57.4,

K57.8)

abscess of intestine with ulcerative colitis (K51.Ø14, K51.114, K51.214, K51.314, K51.414, K51.514, K51.814, K51.914)

**Excludes 2** abscess of anal and rectal regions (K61.-)

abscess of appendix (K35.3)

#### K63.1 Perforation of intestine (nontraumatic)

Perforation (nontraumatic) of rectum

**Excludes 1** perforation (nontraumatic) of duodenum (K26.-)

perforation (nontraumatic) of intestine with diverticular disease (K57.Ø, K57.2, K57.4, K57.8)

Excludes2 perforation (nontraumatic) of appendix (K35.2, K35.3)

**DEF** Hole in the intestinal wall allowing food and/or fecal matter to leak into the abdominal cavity.

#### K63.2 Fistula of intestine

Excludes 1 fistula of duodenum (K31.6)

fistula of intestine with Crohn's disease (K5Ø.Ø13, K5Ø.113, K5Ø.813, K5Ø.913)

fistula of intestine with ulcerative colitis (K51.Ø13, K51.113, K51.213, K51.313, K51.413, K51.513, K51.813, K51.913)

Excludes2 fistula of anal and rectal regions (K6Ø.-)


fistula of appendix (K38.3)

intestinal-genital fistula, female (N82.2-N82.4)

vesicointestinal fistula (N32.1)

**DEF** Abnormal passageway between loops of the intestine or the intestine and another organ or the abdominal wall.

#### Fistula of intestine



#### K63.3 Ulcer of intestine

Primary ulcer of small intestine

Excludes 1 duodenal ulcer (K26.-)

gastrointestinal ulcer (K28.-) gastrojejunal ulcer (K28.-)

jejunal ulcer (K28.-)

peptic ulcer, site unspecified (K27.-) ulcer of intestine with perforation (K63.1)

ulcer of anus or rectum (K62.6)

ulcerative colitis (K51.-)

K63.4 Enteroptosis

K63.5 Polyp of colon

Excludes 1 adenomatous polyp of colon (D12.6)

inflammatory polyp of colon (K51.4-) polyposis of colon (D12.6)

## K63.8 Other specified diseases of intestine

K63.81 Dieulafoy lesion of intestine

Excludes2 Dieulafoy lesion of stomach and duodenum (K31.82)

K63.89 Other specified diseases of intestine

#### K63.9 Disease of intestine, unspecified

## K64.Ø First degree hemorrhoids

Grade/stage I hemorrhoids

Hemorrhoids (bleeding) without prolapse outside of anal canal

## Second degree hemorrhoids

Grade/stage II hemorrhoids

Hemorrhoids (bleeding) that prolapse with straining, but retract

#### Third degree hemorrhoids

Grade/stage III hemorrhoids

Hemorrhoids (bleeding) that prolapse with straining and require manual replacement back inside anal canal

#### K64.3 Fourth degree hemorrhoids

Grade/stage IV hemorrhoids

Hemorrhoids (bleeding) with prolapsed tissue that cannot be manually replaced

#### K64.4 Residual hemorrhoidal skin tags

External hemorrhoids, NOS

Skin tags of anus

#### K64.5 Perianal venous thrombosis

External hemorrhoids with thrombosis

Perianal hematoma

Thrombosed hemorrhoids NOS

## Other hemorrhoids

Internal hemorrhoids, without mention of degree Prolapsed hemorrhoids, degree not specified

### K64.9 Unspecified hemorrhoids

Hemorrhoids (bleeding) NOS

Hemorrhoids (bleeding) without mention of degree

## DISEASES OF PERITONEUM AND RETROPERITONEUM (K65-K68)

#### K65 Peritonitis

Use additional code (B95-B97), to identify infectious agent

Excludes 1 acute appendicitis with generalized peritonitis (K35.2)

aseptic peritonitis (T81.6)

benign paroxysmal peritonitis (E85.Ø)

chemical peritonitis (T81.6)

diverticulitis of both small and large intestine with peritonitis (K57.4-)

diverticulitis of colon with peritonitis (K57.2-)

diverticulitis of intestine, NOS, with peritonitis (K57.8-)

diverticulitis of small intestine with peritonitis (K57.Ø-)

gonococcal peritonitis (A54.85)

neonatal peritonitis (P78.Ø-P78.1)

pelvic peritonitis, female (N73.3-N73.5)

periodic familial peritonitis (E85.Ø)

peritonitis due to talc or other foreign substance (T81.6)

peritoritis due to tale of other for peritonitis in chlamydia (A74.81) peritonitis in diphtheria (A36.89)

peritonitis in syphilis (late) (A52.74)

peritonitis in tuberculosis (A18.31)

peritonitis with or following abortion or ectopic or molar pregnancy (OØØ-

007, 008.0)

peritonitis with or following appendicitis (K35.-)

peritonitis with or following diverticular disease of intestine (K57.-)

puerperal peritonitis (085)

retroperitoneal infections (K68.-)

#### K65.Ø Generalized (acute) peritonitis

Pelvic peritonitis (acute), male

Subphrenic peritonitis (acute) Suppurative peritonitis (acute)

## Peritoneal abscess

Abdominopelvic abscess

Abscess (of) omentum

Abscess (of) peritoneum

Mesenteric abscess

Retrocecal abscess Subdiaphragmatic abscess

Subhepatic abscess

Subphrenic abscess

#### K65.2 Spontaneous bacterial peritonitis

Excludes 1 bacterial peritonitis NOS (K65.9)

#### K65.3 Choleperitonitis

Peritonitis due to bile

#### K65.4 Sclerosing mesenteritis

Fat necrosis of peritoneum

(Idiopathic) sclerosing mesenteric fibrosis

Mesenteric lipodystrophy

Mesenteric panniculitis

Retractile mesenteritis

**DEF** Rare, idiopathic lesions of fat necrosis, fibrosis, and chronic inflammation causing single or multiple lesions, of diffuse thickening of the mesentary.

## K65.8 Other peritonitis

Chronic proliferative peritonitis

Peritonitis due to urine

## Peritonitis, unspecified

Bacterial peritonitis NOS

O9A.113 Malignant neoplasm complicating pregnancy, third trimester

O9A.119 Malignant neoplasm complicating pregnancy, unspecified trimester

O9A.12 Malignant neoplasm complicating childbirth

O9A.13 Malignant neoplasm complicating the puerperium

O9A.2 Injury, poisoning and certain other consequences of external causes complicating pregnancy, childbirth and the puerperium

Conditions in S00-T88, except T74 and T76

Use additional code(s) to identify the injury or poisoning

Excludes2 physical, sexual and psychological abuse compl.icating pregnancy, childbirth and the puerperium (O9A.3-, O9A.4-, O9A.5-,

O9A.21 Injury, poisoning and certain other consequences of external causes complicating pregnancy

O9A.211 Injury, poisoning and certain other consequences of external causes complicating pregnancy, first trimester

O9A.212 Injury, poisoning and certain other consequences of external causes

complicating pregnancy, second trimester O9A.213 Injury, poisoning and certain other consequences of external causes

O9A.219 Injury, poisoning and certain other consequences of external causes complicating pregnancy, unspecified trimester

complicating pregnancy, third trimester

O9A.22 Injury, poisoning and certain other consequences of external causes complicating childbirth

O9A.23 Injury, poisoning and certain other consequences of external causes complicating the puerperium

O9A.3 Physical abuse complicating pregnancy, childbirth and the puerperium

Conditions in T74.11 or T76.11

Use additional code (if applicable):

to identify any associated current injury due to physical abuse to identify the perpetrator of abuse (Y07.-)

Excludes2 sexual abuse complicating pregnancy, childbirth and the puerperium (O9A.4)

O9A.31 Physical abuse complicating pregnancy

O9A.311 Physical abuse complicating pregnancy, first trimester

O9A.312 Physical abuse complicating pregnancy, second trimester

O9A.313 Physical abuse complicating pregnancy, third trimester

O9A.319 Physical abuse complicating pregnancy, unspecified trimester

O9A.32 Physical abuse complicating childbirth

O9A.33 Physical abuse complicating the puerperium

O9A.4 Sexual abuse complicating pregnancy, childbirth and the puerperium

Conditions in T74.21 or T76.21

Use additional code (if applicable):

to identify any associated current injury due to sexual abuse to identify the perpetrator of abuse (Y07.-)

O9A.41 Sexual abuse complicating pregnancy

O9A.411 Sexual abuse complicating pregnancy, first trimester

O9A.412 Sexual abuse complicating pregnancy, second trimester

O9A.413 Sexual abuse complicating pregnancy, third trimester

O9A.419 Sexual abuse complicating pregnancy, unspecified trimester

O9A.42 Sexual abuse complicating childbirth

O9A.43 Sexual abuse complicating the puerperium

O9A.5 Psychological abuse complicating pregnancy, childbirth and the puerperium

Conditions in T74.31 or T76.31

Use additional code to identify the perpetrator of abuse (YØ7.-)

O9A.51 Psychological abuse complicating pregnancy O9A.511 Psychological abuse complicating pregnancy, first trimester

O9A.512 Psychological abuse complicating pregnancy, second trimester

O9A.513 Psychological abuse complicating pregnancy, third trimester

O9A.519 Psychological abuse complicating pregnancy, unspecified trimester

O9A.52 Psychological abuse complicating childbirth

O9A.53 Psychological abuse complicating the puerperium

## **CHAPTER 16**

### CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (PØØ-P96)

Note: Codes from this chapter are for use on newborn records only, never on maternal records

conditions that have their origin in the fetal or perinatal period (before birth through the first 28 days after birth)even if morbidity occurs later

Excludes2 congenital malformations, deformations and chromosomal abnormalities (QØØ-Q99)

endocrine, nutritional and metabolic diseases (EØØ-E88)

injury, poisoning and certain other consequences of external causes (SØØ-T88)

neoplasms (CØØ-D49)

tetanus neonatorum (A33)

This chapter contains the following blocks:

PØØ-PØ4 Newborn affected by maternal factors and by complications of

pregnancy, labor and delivery

PØ5-PØ8 Disorders related to length of gestation and fetal growth

PØ9 Abnormal findings on neonatal screening

P1Ø-P15

P76-P78

Respiratory and cardiovascular disorders specific to the perinatal P19-P29

P35-P39 Infections specific to the perinatal period

P5Ø-P61 Hemorrhagic and hematological disorders of newborn

Transitory endocrine and metabolic disorders specific to newborn P7Ø-P74

Digestive system disorders of newborn

P8Ø-P83 Conditions involving the integument and temperature regulation

of newborn

P84 Other problems with newborn

P9Ø-P96 Other disorders originating in the perinatal period

## NEWBORN AFFECTED BY MATERNAL FACTORS AND BY **COMPLICATIONS OF PREGNANCY, LABOR, AND DELIVERY** (PØØ-PØ4)

Note: These codes are for use when the listed maternal conditions are specified as the cause of confirmed morbidity or potential morbidity which have their origin in the perinatal period (before birth through the first 28 days after birth). Codes from these categories are also for use for newborns who are suspected of having an abnormal condition resulting from exposure from the mother or the birth process, but without signs or symptoms, and, which after examination and observation, is found not to exist. These codes may be used even if treatment is begun for a suspected condition that is ruled out.

#### PØØ Newborn (suspected to be) affected by maternal conditions that may be unrelated to present pregnancy

Code first any current condition in newborn

**Excludes2** newborn (suspected to be) affected by maternal complications of pregnancy (PØ1.-)

newborn affected by maternal endocrine and metabolic disorders (P7Ø-P74) newborn affected by noxious substances transmitted via placenta or breast milk (PØ4.-)

#### PØØ.Ø Newborn (suspected to be) affected by maternal hypertensive disorders

Newborn (suspected to be) affected by maternal conditions classifiable to O10-O11, O13-O16

#### PØØ.1 Newborn (suspected to be) affected by maternal renal and urinary tract diseases

Newborn (suspected to be) affected by maternal conditions classifiable to N00-N39

#### PØØ.2 Newborn (suspected to be) affected by maternal infectious and parasitic diseases

Newborn (suspected to be) affected by maternal infectious disease classifiable to A00-B99, J09 and J10

**Excludes 1** infections specific to the perinatal period (P35-P39) maternal genital tract or other localized infections (PØØ.8)

#### PØØ.3 Newborn (suspected to be) affected by other maternal circulatory and respiratory diseases

Newborn (suspected to be) affected by maternal conditions classifiable to 100-199, J00-J99, Q20-Q34 and not included in P00.0, P00.2

#### S42.27 Torus fracture of upper end of humerus

The appropriate 7th character is to be added to all codes in subcategory S42.27

- A initial encounter for closed fracture
- D subsequent encounter for fracture with routine healing
- G subsequent encounter for fracture with delayed healing K subsequent encounter for fracture with nonunion
- P subsequent encounter for fracture with malunion
- S sequela
  - S42.271- Torus fracture of upper end of right humerus
  - **7** S42.272- Torus fracture of upper end of left humerus
  - **9** S42.279- Torus fracture of upper end of unspecified humerus

#### S42.29 Other fracture of upper end of humerus

Fracture of anatomical neck of humerus Fracture of articular head of humerus

- S42.291- Other displaced fracture of upper end
   of right humerus
- S42.292- Other displaced fracture of upper end of left humerus
- S42.293- Other displaced fracture of upper end of unspecified humerus
- ₱ S42.294- Other nondisplaced fracture of upper end of right humerus
- S42.295- Other nondisplaced fracture of upper end of left humerus
- § \$42.296- Other nondisplaced fracture of upper end of unspecified humerus

#### S42.3 Fracture of shaft of humerus


Fracture of humerus NOS Fracture of upper arm NOS

**Excludes2** physeal fractures of upper end of humerus (S49.0-) physeal fractures of lower end of humerus (S49.1-)

#### S42.30 Unspecified fracture of shaft of humerus

- **9** S42.301- Unspecified fracture of shaft of humerus, right arm
- \$42.302- Unspecified fracture of shaft of humerus, left arm
- 9 S42.309- Unspecified fracture of shaft of humerus, unspecified arm

## **Humerus fracture**



#### S42.31 Greenstick fracture of shaft of humerus

The appropriate 7th character is to be added to all codes in subcategory \$42.31

- A initial encounter for closed fracture
- D subsequent encounter for fracture with routine healing
- G subsequent encounter for fracture with delayed healing
- K subsequent encounter for fracture with nonunion
- P subsequent encounter for fracture with malunion
- S sequela
  - S42.311- Greenstick fracture of shaft of humerus, right arm
  - § S42.312- Greenstick fracture of shaft of humerus, left arm
  - \$42.319- Greenstick fracture of shaft of humerus, unspecified arm

#### S42.32 Transverse fracture of shaft of humerus

- § S42.321- Displaced transverse fracture of shaft of humerus, right arm
- § S42.322- Displaced transverse fracture of shaft of humerus, left arm
- S42.323- Displaced transverse fracture of shaft of humerus, unspecified arm
- S42.324 Nondisplaced transverse fracture of shaft of humerus, right arm
- S42.325- Nondisplaced transverse fracture of shaft of humerus, left arm
- § S42.326- Nondisplaced transverse fracture of shaft of humerus, unspecified arm

#### S42.33 Oblique fracture of shaft of humerus

- § S42.331- Displaced oblique fracture of shaft of humerus, right arm
- 9 S42.332- Displaced oblique fracture of shaft of humerus, left arm
- S42.333- Displaced oblique fracture of shaft of humerus, unspecified arm
- S42.334- Nondisplaced oblique fracture of shaft of humerus, right arm
- § S42.335- Nondisplaced oblique fracture of shaft of humerus, left arm
- \$42.336- Nondisplaced oblique fracture of shaft of humerus, unspecified arm

#### S42.34 Spiral fracture of shaft of humerus

- S42.341- Displaced spiral fracture of shaft of humerus, right arm
- 9 S42.342- Displaced spiral fracture of shaft of humerus. left arm
- S42.343- Displaced spiral fracture of shaft of humerus, unspecified arm
- § S42.344- Nondisplaced spiral fracture of shaft of humerus, right arm
- S42.345- Nondisplaced spiral fracture of shaft of humerus. left arm
- § S42.346- Nondisplaced spiral fracture of shaft of humerus, unspecified arm

### S42.35 Comminuted fracture of shaft of humerus

- S42.351- Displaced comminuted fracture of shaft of humerus, right arm
- S42.352- Displaced comminuted fracture of shaft of humerus, left arm
- S42.353- Displaced comminuted fracture of shaft of humerus, unspecified arm
- S42.354- Nondisplaced comminuted fracture of shaft of humerus, right arm
- S42.355- Nondisplaced comminuted fracture of shaft of humerus, left arm
- § S42.356- Nondisplaced comminuted fracture of shaft of humerus, unspecified arm

#### S42.36 Segmental fracture of shaft of humerus

- \$42.361- Displaced segmental fracture of shaft of humerus, right arm
- S42.362- Displaced segmental fracture of shaft of humerus, left arm
- S42.363- Displaced segmental fracture of shaft of humerus, unspecified arm
- S42.364 Nondisplaced segmental fracture of shaft of humerus, right arm
- S42.365- Nondisplaced segmental fracture of shaft of humerus, left arm
- \$42.366- Nondisplaced segmental fracture of shaft of humerus, unspecified arm

#### S42.39 Other fracture of shaft of humerus

- S42.391- Other fracture of shaft of right humerus
- **9** S42.392- Other fracture of shaft of left humerus
- 9 S42.399- Other fracture of shaft of unspecified humerus

W21.22 - W27.8xx

## W21.22 Struck by hockey puck

W21.22Ø- Struck by ice hockey puck

W21.221- Struck by field hockey puck

#### W21.3 Struck by sports foot wear

**10** W21.31x- Struck by shoe cleats

Stepped on by shoe cleats

W21.32x- Struck by skate blades

Skated over by skate blades

W21.39x- Struck by other sports foot wear

W21.4xx- Striking against diving board

Use additional code for subsequent falling into water, if applicable (W16.-)

#### W21.8 Striking against or struck by other sports equipment

W21.81x- Striking against or struck by football helmet

W21.89x- Striking against or struck by other sports equipment

10 W21.9xx- Striking against or struck by unspecified sports equipment W22 Striking against or struck by other objects

Excludes 1 striking against or struck by object with subsequent fall (W18.09)

The appropriate 7th character is to be added to each code from

A initial encounter

D subsequent encounter

S sequela

#### W22.Ø Striking against stationary object

Excludes 1 striking against stationary sports equipment (W21.8)

W22.Ø1x- Walked into wall

W22.Ø2x- Walked into lamppost

W22.Ø3x- Walked into furniture

#### W22.Ø4 Striking against wall of swimming pool

W22.Ø41- Striking against wall of swimming pool causing drowning and submersion

**Excludes 1** drowning and submersion while swimming without striking against wall (W67)

W22.042- Striking against wall of swimming pool causing other injury

W22.09x- Striking against other stationary object

#### W22.1 Striking against or struck by automobile airbag

W22.10x- Striking against or struck by unspecified automobile airbag

W22.11x- Striking against or struck by driver side automobile airbag

W22.12x- Striking against or struck by front passenger side automobile airbag

W22.19x- Striking against or struck by other automobile airbag

## W22.8xx- Striking against or struck by other objects

Striking against or struck by object NOS

**Excludes 1** struck by thrown, projected or falling object (W2Ø.-)

#### W23 Caught, crushed, jammed or pinched in or between objects

Excludes 1 injury caused by cutting or piercing instruments (W25-W27)

injury caused by firearms malfunction (W32.1, W33.1-, W34.1-)

injury caused by lifting and transmission devices (W24.-)

injury caused by machinery (W28-W31)

injury caused by nonpowered hand tools (W27.-)

injury caused by transport vehicle being used as a means of transportation (VØ1-V99)

injury caused by struck by thrown, projected or falling object (W20.-)

## The appropriate 7th character is to be added to each code from

category W23 A initial encounter

D subsequent encounter

S seguela

10 W23.0xx- Caught, crushed, jammed, or pinched between moving objects

10 W23.1xx- Caught, crushed, jammed, or pinched between stationary objects

#### W24 Contact with lifting and transmission devices, not elsewhere classifieds

Excludes 1 transport accidents (VØ1-V99)

The appropriate 7th character is to be added to each code from category W24

A initial encounter

D subsequent encounter

S sequela

## W24.0xx- Contact with lifting devices, not elsewhere classified

Contact with chain hoist

Contact with drive belt

Contact with pulley (block)

#### W24.1xx- Contact with transmission devices, not elsewhere classified

Contact with transmission belt or cable

## W25.xxx- Contact with sharp glass

Code first any associated:

injury due to flying glass from explosion or firearm discharge (W32-W4Ø) transport accident (VØØ-V99)

Excludes 1 fall on same level due to slipping, tripping and stumbling with subsequent striking against sharp glass(WØ1.10)

striking against sharp glass with subsequent fall (W18.Ø2)

#### The appropriate 7th character is to be added to each code from category W26

A initial encounter

D subsequent encounter

S sequela

#### W26 Contact with knife, sword or dagger

The appropriate 7th character is to be added to each code from

category W26 A initial encounter

D subsequent encounter

S seguela

#### W26.Øxx- Contact with knife

Excludes 1 contact with electric knife (W29.1)

W26.1xx- Contact with sword or dagger

#### W27 Contact with nonpowered hand tool

The appropriate 7th character is to be added to each code from category W27

A initial encounter

D subsequent encounter

S seguela

## W27.Øxx- Contact with workbench tool

Contact with auger Contact with axe

Contact with chisel

Contact with handsaw

Contact with screwdriver

## W27.1xx- Contact with garden tool

Contact with hoe

Contact with nonpowered lawn mower

Contact with pitchfork

Contact with rake

### W27.2xx- Contact with scissors

W27.3xx- Contact with needle (sewing)

Excludes 1 contact with hypodermic needle (W46.-)

#### W27.4xx- Contact with kitchen utensil

Contact with fork

Contact with ice-pick

Contact with can-opener NOS

#### W27.5xx- Contact with paper cutter

#### W27.8xx- Contact with other nonpowered hand tool

Contact with nonpowered sewing machine

Contact with shovel

X18.xxx - X37.9xx

#### X18.xxx- Contact with other hot metals

Contact with liquid meta

The appropriate 7th character is to be added to each code from category X18

- A initial encounter
- D subsequent encounter
- S seguela

#### X19.xxx- Contact with other heat and hot substances

Excludes 1 objects that are not normally hot, e.g., an object made hot by a house fire (XØØ-XØ9)

The appropriate 7th character is to be added to each code from category X19

- A initial encounter
- D subsequent encounter
- S sequela

## **EXPOSURE TO FORCES OF NATURE (X30-X39)**

#### X3Ø.xxx- Exposure to excessive natural heat

Exposure to excessive heat as the cause of sunstroke

Exposure to heat NOS

Excludes 1 excessive heat of man-made origin (W92)

exposure to man-made radiation (W89) exposure to sunlight (X32)

exposure to tanning bed (W89)

The appropriate 7th character is to be added to each code from category X30

- A initial encounter
- D subsequent encounter
- S sequela

#### X31.xxx- Exposure to excessive natural cold

Excessive cold as the cause of chilblains NOS

Excessive cold as the cause of immersion foot or hand

Exposure to cold NOS

Exposure to weather conditions

Excludes1 cold of man-made origin (W93.-)

contact with or inhalation of:

dry ice (W93.-)

liquefied gas (W93.-)

The appropriate 7th character is to be added to each code from

A initial encounter D subsequent encounter

S sequela

## X32.xxx- Exposure to sunlight

Excludes 1 radiation-related disorders of the skin and subcutaneous tissue (L55-L59) man-made radiation (tanning bed) (W89)

The appropriate 7th character is to be added to each code from

category X32 A initial encounter

D subsequent encounter

S sequela

#### 7 X34.xxx- Earthquake

Excludes2 tidal wave (tsunami) due to earthquake (X37.41)

The appropriate 7th character is to be added to each code from category X34

A initial encounter

D subsequent encounter

S seguela

#### X35.xxx- Volcanic eruption

Excludes2 tidal wave (tsunami) due to volcanic eruption (X37.41)

The appropriate 7th character is to be added to each code from

category X35 A initial encounter

D subsequent encounter

S sequela

#### X36 Avalanche, landslide and other earth movements

victim of mudslide of cataclysmic nature

Excludes 1 earthquake (X34)

Excludes2 transport accident involving collision with avalanche or landslide not in motion (VØ1-V99)

The appropriate 7th character is to be added to each code from

category X36 A initial encounter

D subsequent encounter

S sequela

Collapse of dam or man-made X36.0xx-

structure causing earth movement

X36.1xx- Avalanche, landslide, or mudslide

#### X37 Cataclysmic storm

The appropriate 7th character is to be added to each code from category X37

- A initial encounter
- D subsequent encounter
- S seguela

X37.Øxx-Hurricane

Storm surge Typhoon

7 X37.1xx-Tornado

Cyclone

Twister

X37.2xx- Blizzard (snow)(ice)

X37.3xx- Dust storm

#### X37.4 Tidalwave

X37.41x- Tidal wave due to earthquake or

volcanic eruption

Tidal wave NOS

Tsunami

X37.42x- Tidal wave due to storm

X37.43x- Tidal wave due to landslide

X37.8xx- Other cataclysmic storms

Cloudburst Torrential rain

Excludes2 flood (X38) **∅** X37.9xx-

Unspecified cataclysmic storm

Storm NOS

Excludes 1 collapse of dam or man-made structure causing earth movement (X39.0)

Y93.J2 – Z00.111

Y93.J3 Activity, string instrument playing

Y93.J4 Activity, winds and brass instrument playing

Y93.K Activities involving animal care

**Excludes 1** activity, horseback riding (Y93.52)

Y93.K1 Activity, walking an animal

Y93.K2 Activity, milking an animal

Y93.K3 Activity, grooming and shearing an animal

Y93.K9 Activity, other involving animal care

Y93.8 Activities, other specified

Y93.81 Activity, refereeing a sports activity

Y93.82 Activity, spectator at an event

Y93.83 Activity, rough housing and horseplay

Y93.84 Activity, sleeping

Y93.89 Activity, other specified

Y93.9 Activity, unspecified

#### Y95 Nosocomial condition

#### Y99 External cause status

Iote: A single code from category Y99 should be used in conjunction with the external cause code(s) assigned to a record to indicate the status of the person at the time the event occurred.

#### Y99.Ø Civilian activity done for income or pay

Civilian activity done for financial or other compensation

**Excludes 1** military activity (Y99.1) volunteer activity (Y99.2)

Y99.1 Military activity

Excludes2 activity of off duty military personnel (Y99.8)

Y99.2 Volunteer activity

**Excludes 1** activity of child or other family member assisting in compensated work of other family member (Y99.8)

#### Y99.8 Other external cause status

Activity NEC

Activity of child or other family member assisting in compensated work of other family member

Hobby not done for income

Leisure activity

Off-duty activity of military personnel

Recreation or sport not for income or while a student

Student activity

Excludes1 civilian activity done for income or compensation (Y99.Ø) military activity (Y99.1)

#### Y99.9 Unspecified external cause status

#### **CHAPTER 21**

# FACTORS INFLUENCING HEALTH STATUS AND CONTACT WITH HEALTH SERVICES (ZØØ-Z99)

Note: Z codes represent reasons for encounters. A corresponding procedure code must accompany a Z code if a procedure is performed. Categories Z00-Z99 are provided for occasions when circumstances other than a disease, injury or external cause classifiable to categories A00-Y89 are recorded as 'diagnoses' or 'problems'. This can arise in two main ways:

(a) When a person who may or may not be sick encounters the health services for some specific purpose, such as to receive limited care or service for a current condition, to donate an organ or tissue, to receive prophylactic vaccination (immunization), or to discuss a problem which is in itself not a disease or injury.

(b) When some circumstance or problem is present which influences the person's health status but is not in itself a current illness or injury.

This chapter contains the following blocks:

Z00-Z13 Persons encountering health services for examinations
 Z14-Z15 Genetic carrier and genetic susceptibility to disease

Z16 Resistance to antimicrobial drugs

Z17 Estrogen receptor status

Z18 Retained foreign body fragments

**Z20-Z28** Persons with potential health hazards related to communicable diseases

**Z30-Z39** Persons encountering health services in circumstances related to reproduction

**Z40-Z53** Encounters for other specific health care

**Z55-Z65** Persons with potential health hazards related to socioeconomic

and psychosocial circumstances

**Z66** Do not resuscitate status

Z67 Blood type

**Z68** Body mass index (BMI) **Z69-Z76** Persons encountering health service

Z69-Z76 Persons encountering health services in other circumstancesZ77-Z99 Persons with potential health hazards related to family and

personal history and certain conditions influencing health status

# PERSONS ENCOUNTERING HEALTH SERVICES FOR EXAMINATIONS (ZØØ-Z13)

Note: Nonspecific abnormal findings disclosed at the time of these examinations are classified to categories R70-R94.

Excludes 1 examinations related to pregnancy and reproduction (Z3Ø-Z36, Z39.-)

## Z00 Encounter for general examination without complaint, suspected or reported diagnosis

**Excludes 1** encounter for examination for administrative purposes (ZØ2.-)

**Excludes2** encounter for pre-procedural examinations (ZØ1.81-) special screening examinations (Z11-Z13)

ZØØ.Ø Encounter for general adult medical examination

Encounter for adult periodic examination (annual) (physical) and any associated laboratory and radiologic examinations

**Excludes 1** encounter for examination of sign or symptom - code to sign or symptom

genéral health check-up of infant or child (ZØØ.12-)

# Z00.00 Encounter for general adult medical examination without abnormal findings

Encounter for adult health check-up NOS

## Z00.01 Encounter for general adult medical examination with abnormal findings

Use additional code to identify abnormal findings

## ZØØ.1 Encounter for newborn, infant and child health examinations

#### ZØØ.11 Newborn health examination

Health check for child under 29 days old

Use additional code to identify any abnormal findings

Excludes1 health check for child over 28 days old (ZØØ.12-)
ZØØ.11Ø Health examination for newborn under 8 days

0.110 Health examination for newborn under 8 da old

Health check for newborn under 8 days old

ZØØ.111 Health examination for newborn 8 to 28 days

Health check for newborn 8 to 28 days old Newborn weight check





# Errata

A section of codes were inadvertently left out of the "ICD-10-CM Complete Draft Code Set." Please insert this sheet into your copy of the codebook.

O9A213	Injury, poisoning and certain other consequences of external causes complicating pregnancy, third trimester
O9A219	Injury, poisoning and certain other consequences of external causes complicating pregnancy, unspecified trimester
O9A22	Injury, poisoning and certain other consequences of external causes complicating childbirth
O9A23	Injury, poisoning and certain other consequences of external causes complicating the puerperium
O9A3	Physical abuse complicating pregnancy, childbirth and the puerperium
O9A31	Physical abuse complicating pregnancy
O9A311	Physical abuse complicating pregnancy, first trimester
O9A312	Physical abuse complicating pregnancy, second trimester
O9A313	Physical abuse complicating pregnancy, third trimester
O9A319	Physical abuse complicating pregnancy, unspecified trimester
O9A32	Physical abuse complicating childbirth
O9A33	Physical abuse complicating the puerperium
O9A4	Sexual abuse complicating pregnancy, childbirth and the puerperium
O9A41	Sexual abuse complicating pregnancy
O9A411	Sexual abuse complicating pregnancy, first trimester
O9A412	Sexual abuse complicating pregnancy, second trimester
O9A413	Sexual abuse complicating pregnancy, third trimester
O9A419	Sexual abuse complicating pregnancy, unspecified trimester
O9A42	Sexual abuse complicating childbirth
O9A43	Sexual abuse complicating the puerperium
O9A5	Psychological abuse complicating pregnancy, childbirth and the puerperium
O9A51	Psychological abuse complicating pregnancy
O9A511	Psychological abuse complicating pregnancy, first trimester
O9A512	Psychological abuse complicating pregnancy, second trimester





OJAJIJ – r sychological abuse complicating pregnancy, till a triffest	O9A513	Psychological abuse complicating	pregnancy, third trimester
---	--------	----------------------------------	----------------------------

O9A519 Psychological abuse complicating pregnancy, unspecified trimester

O9A52 Psychological abuse complicating childbirth

O9A53 Psychological abuse complicating the puerperium

Y990 Civilian activity done for income or pay

Index Error: In the Alphabetic Index to External Causes under *Place of Occurrence, School* there is a typo for trade school which is spelled trace.

Page 200, a picture of a Basilar artery occlusion and stenosis with cerebral infarction is inadvertently shown below *Fistula of intestine*.

Herniation," "Herpangina" and "Herpes, heresvirus, herpetic" are misplaced on page 181 of Volume 2 is "Hernia, hernia" and at the bottom of the second column. The entire entry should be Hernia.

On page 175 in the index, the head and headache and its conditions are listed under the wrong entry (Hb).

Code C25.2 has an additional, but unnecessary character.

In the Index, Trichiasis says see Entropion, but Entropion is missing in index.

In the Index, Stage III pressure ulcer is missing as choice.

In the Index, Rash is missing.

On page 623, X30 and X31 are inadvertently duplicated.