




www.ozkaroil.com



# ÖZKAR

**PETROL & GAS EQUIPMENTS**  
DOMESTIC and FOREIGN TRADE LTD. CO.

## OZKAR OIL



Kurtköy Mah. Karşı Geçit Sok. No:2 Kat:2 Daire:8 TR-34912 Kurtköy - Pendik / İSTANBUL / TURKEY  
Tel: +90 216 685 12 00 Fax: +90 216 685 12 78



## Rexoil Diamond Pro FE 5W-30



### BENEFITS

- Easier start in cold
- Low oil consumption
- Increases system efficiency by lowering exhaust gas emissions
- Excellent protection against wear
- Controls deposit and sludge formation to ensure engine components remain clean
- Slows down the aging of the oil with oxidation and thermal stability to provide extended oil change intervals

### CERTIFICATES AND STANDARDS

API SM/CF, ACEA A5/B5-04, C2, ILSAC GF-4, FIAT 9.55535 S1, MB-Approval 229.51, Volkswagen VW50200 (2005), VW50500 (2005), VW50501 (2005), BMW Longlife-04, Porsche

## Rexoil Diamond Pro F 5W-30



### BENEFITS

- Extends the oil changing period.
- Increases engine performance by decreasing friction.
- Provides excellent protection against oxidation.
- Controls residues, soot and deposits.
- Provides excellent protection against wear in cold starts.

### CERTIFICATES AND STANDARDS

ACEA A5/B5 -8, FORD WSS M2C 913C, ACEA 2010 A5/B5 -10, FORD 913C

## Rexoil Diamond Synthetic 5W-30



### BENEFITS

- It reduces maintenance costs.
- It saves fuel and oil.
- It provides superior protection against friction.
- It prevents accumulation of sludge and corrosion.
- It reduces sedimentation on the pistons.
- It does not thicken due to formation of soot.
- It provides fast and full lubrication.

### CERTIFICATES AND STANDARDS

API SL/CF, ACEA A3/B4 (2008), MB 229.1

## Rexoil Diamond Synthetic 5W-40



### BENEFITS

- It reduces maintenance costs.
- It saves fuel and oil.
- It provides superior protection against friction.
- It prevents accumulation of sludge and corrosion.
- It reduces sedimentation on the pistons.
- It does not thicken due to formation of soot.
- It provides fast and full lubrication.

### CERTIFICATES AND STANDARDS

API SL/CF, ACEA A3/B4 (2008), MB 229.1

## Rexoil Diamond 10W-40



### **BENEFITS**

- It reduces maintenance costs.
- It saves fuel and oil.
- It provides superior protection against friction.
- It prevents accumulation of sludge and corrosion.
- It reduces sedimentation on the pistons.
- It does not thicken due to formation of soot.
- It provides fast and full lubrication.

### **CERTIFICATES AND STANDARDS**

API SL/CF, ACEA A3/B4 (2008), MB 229.1

## Rexoil Diamond F 10W-30



### **BENEFITS**

- Extends the oil changing period.
- Increases engine performance by decreasing friction.
- Provides excellent protection against oxidation.
- Controls residues, soot and deposits.
- Provides excellent protection against wear in cold starts.

### **CERTIFICATES AND STANDARDS**

Ford WSS-M2C921-A, ACEA 2010 E7-08 Issue2, API CI-4, Daimler MB 228.3, MAN M3275, Volvo VDS-2, Mack EO-M Plus, Renault Trucks RD-2/RLD, Cummins CES 20076/77/78, Caterpillar ECF-2, 1-a

## Rexoil Chrome Lpg 10W-40



### **BENEFITS**

- It reduces maintenance costs, extends the service life of the engine.
- It provides superior protection against wear of the engine.
- It prevents accumulation of sludge and corrosion.
- It reduces sedimentation on the pistons.
- It does not thicken due to formation of soot.

### **CERTIFICATES AND STANDARDS**

ACEA A3/B4 (2008), API SL, MB 229.1

## Rexoil Chrome Lpg 20W-50



### **BENEFITS**

- It reduces maintenance costs, extends the service life of the engine.
- It provides superior protection against wear of the engine.
- It prevents accumulation of sludge and corrosion.
- It reduces sedimentation on the pistons.
- It does not thicken due to formation of soot.

### **CERTIFICATES AND STANDARDS**

API SG/CD

## Rexoil Chrome 15W-40



### **BENEFITS**

- It reduces maintenance costs, extends the service life of the engine.
- It provides superior protection against wear of the engine.
- It prevents accumulation of sludge and corrosion.
- It reduces sedimentation on the pistons.
- It does not thicken due to formation of soot.

### **CERTIFICATES AND STANDARDS**

API SG/CD

## Rexoil Chrome 20W-50



### **BENEFITS**

- It reduces maintenance costs, extends the service life of the engine.
- It provides superior protection against wear of the engine.
- It prevents accumulation of sludge and corrosion.
- It reduces sedimentation on the pistons.
- It does not thicken due to formation of soot.

### **CERTIFICATES AND STANDARDS**

API SG/CD

## Heavy Duty Motor Oils

## Rexoil Platinum Ls 10W-40



### **BENEFITS**

- With its low SAPS additive formula, continues to work even in the toughest conditions.
- Provides more mileage for vehicles thanks to extended oil change intervals.
- Lowers running costs thanks to long operational life.
- Prevents wear in engine components especially in pistons and cylinders.
- Saves fuel.
- Provides superior protection in the engine thanks to its low SAPS (low sulfated ash, phosphorus-sulfur) content.

### **CERTIFICATES AND STANDARDS**

ACEA 2010 E6,E7,E9-08 Issue 2, API CI-4, Daimler MB 228.51, MAN M3477, 3271-1, MTU Type 3.1, Volvo VDS-3, CNG, Renault Trucks RXD, RLD-2, RGD, Mack EO-N, EO-M Plus, Cummins CES 20076/77, Caterpillar ECF-1-a, Deutz DQC IV-10 LA, Scania Low Ash



## Rexoil Platinum 10W-40



### BENEFITS

- Provides superior protection in cold start thanks to excellent viscosity and pumpability.
- Provides advantageous running costs thanks to extended oil change intervals.
- Provides superior protection in high temperatures to extend the life of the turbocharger.
- Prevents engine wear by controlling sludge, soot, acid and corrosion control.
- Prevents the solidification of soot from unburned fuels and thus engine wear and deposit formation within the engine.

### CERTIFICATES AND STANDARDS

API CF, ACEA E4/E5/E7, MB-Approval 228.5, MAN M3277, Volvo VDS-3, RVI RXD, RLD-2

## Rexoil Platinum Extra 15W-40



### BENEFITS

- It reduces maintenance costs, extends the service life of the engine.
- It prevents accumulation of sludge and corrosion.
- It reduces sedimentation on the pistons.
- It does not thicken due to formation of soot.
- It provides high fluidity as soon as the engine is ignited, and efficient lubrication at high temperatures.
- It reduces emissions to reduce fuel consumption.
- It provides excellent protection even under harshest weather elements

### CERTIFICATES AND STANDARDS

API CI-4/SL, ACEA E7/E3, ACEA A3/B3/B4, MB 228.3, MB229.1, MAN 3275, Volvo VDS-3, MTU 2.0, MACK EO-M Plus, CUMMINS CES 20076, 20077, 20078, Caterpillar ECF-1a, Renault RLD-2, Deutz DQC-III-05, Deutz DQC-II-05

## Rexoil Platinum Super 15W-40



### BENEFITS

- It reduces maintenance costs, extends the service life of the engine.
- It prevents accumulation of sludge and corrosion.
- It reduces sedimentation on the pistons.
- It does not thicken due to formation of soot.
- It provides high fluidity as soon as the engine is ignited, and efficient lubrication at high temperatures.
- It reduces emissions to reduce fuel consumption.
- It provides excellent protection even under harshest weather elements

### CERTIFICATES AND STANDARDS

API CH-4/SL, ACEA A3/B4-08, ACEA E7-04 Issue 1, ACEA E7-08, MB 228.3, MAN 3275, VOLVO VDS-2, MTU II (Oil Category 2), MACK EO-M Plus, DEUTZ DQC-II-05, CUMMINS CES 20076/20077, CATERPILLAR ECF-1a, RENAULT RD-2

## Rexoil Platinum 15W-40



### BENEFITS

- It reduces maintenance costs, extends the service life of the engine.
- It prevents accumulation of sludge and corrosion.
- It reduces sedimentation on the pistons.
- It does not thicken due to formation of soot.
- It provides high fluidity as soon as the engine is ignited, and efficient lubrication at high temperatures.
- It reduces emissions to reduce fuel consumption.

### CERTIFICATES AND STANDARDS

API CF-4/SG, MB 228.1, MAN 271, Volvo VDS, MTU 1, Deutz DQC-I-05

## Rexoil Platinum 20W-50



### BENEFITS

- It reduces maintenance costs, extends the service life of the engine.
- It prevents accumulation of sludge and corrosion.
- It reduces sedimentation on the pistons.
- It does not thicken due to formation of soot

### CERTIFICATES AND STANDARDS

API CF-4/SG, MB 228.1, MAN 271, Volvo VDS, MTU 1, Deutz DQC-I-05

## Motorcycle Oils

## Rexoil 2T



### BENEFITS

- It prevents sedimentation and sludge from forming, keeps the engine clean
- It prevents wear, rusting and friction thanks to its excellent lubrication properties
- It reduces maintenance costs
- It facilitates initial ignition

### CERTIFICATES AND STANDARDS

API TC JASO FC

## Rexoil Motorcycle 4T 10W-40 SG/CD



### BENEFITS

- It prevents sedimentation and sludge from forming under all weather elements, keeps the engine clean
- It provides superior protection to extend the service life of the engine
- It protects from wear, corrosion and foaming
- Its high viscosity index takes its viscosity under control in heavy duty conditions, so that it prevents the film from breaking down
- It saves fuel

### CERTIFICATES AND STANDARDS

API SG, JASO MA

## Rexoil Motorcycle 4T 20W-50 SG/CD



### BENEFITS

- It prevents sedimentation and sludge from forming under all weather elements, keeps the engine clean
- It provides superior protection to extend the service life of the engine
- It protects from wear, corrosion and foaming
- Its high viscosity index takes its viscosity under control in heavy duty conditions, so that it prevents the film from breaking down
- It saves fuel

### CERTIFICATES AND STANDARDS

API SG, JASO MA

## Agriculture Oil

## Rexoil Truck Fluid



### BENEFITS

- Provides quick hydraulic oil circulation and consistent operation under all condition including applications in cold temperatures
- Decreases the deposit and sludge formation which causes blockage of oil paths and weakens the hydraulic movements
- Keeps systems clean to ensure smooth operation
- Maximum brake performance with less squealing and rattling noises

### CERTIFICATES AND STANDARDS

API GL-4, CASE MS 1207/1210, CNH MAT3525, MAT3505, MAT3509, Ford ESN-M2C86-B/C, ESN-M2C134-D, Massey Ferguson CMS M 1135/1141/1143/1145, Caterpillar TO-2, John Deere JDM J20C/D, ZF TE-ML 03E, 05F, 06K, 17E, VCE VB 101, Kubota UDT Fluid, Allison C-4



## Rexoil Transmission SYN 75W-90



### BENEFITS

- Excellent film formation ability
- Low viscosity variation, thermal stability
- Economy in lubrication costs, long service life
- Resistant to extreme pressure and oxidation
- Excellent corrosion and rust protection properties
- Prevents wear in cold starts thanks to its low pour point

### CERTIFICATES AND STANDARDS

API GL-5, MAN 342 Type M-1, MB-Approval 235.0, MIL-L-2105D, Voith 3.325-339, Volvo 97310, Volvo 97316, ZF TE-ML 05A, 07A, 16B, 16C, 16D, 17B, 19B, 21A,

## Rexoil Transmission GL-5



### BENEFITS

- It protects bronze alloys from corrosion
- Its ability to form a film is excellent
- Its viscosity change is low, it is thermally stable
- It saves lubricant costs, provides long service life
- It forms a thick film resistant to heavy loads and impacts
- It resists excessive pressure and oxidation

### CERTIFICATES AND STANDARDS

API GL-5, (eqv. MIL-L-2105D), MAN 342M-2, ZF-TE-ML 05A, 7A, 12E, 16B, C&D, 17B, 19B, 21B

## Rexoil Transmission GL-4



### BENEFITS

- It protects bronze alloys from corrosion
- Its ability to form a film is excellent
- Its viscosity change is low, it is thermally stable
- It saves lubricant costs, provides long service life

### CERTIFICATES AND STANDARDS

API GL-4

## Rexoil Transmission GL-1



### BENEFITS

- Excellent resistance to heat and oxidation
- Its ability to form a film is excellent
- Its viscosity change is low
- It saves lubricant costs, provides long service life

### CERTIFICATES AND STANDARDS

API GL-1



## Rexoil ATF II



### BENEFITS

- High performance against wear and friction
- Excellent fluidity under low temperatures
- Superior protection from rust and corrosion
- Good resistance to oxidation

### CERTIFICATES AND STANDARDS

Allison C4, Caterpillar TO-2, Högglunds Denison HF-O

## Rexoil ATF II



### BENEFITS

- High performance against wear and friction
- Excellent fluidity under low temperatures
- Superior protection from rust and corrosion
- Good resistance to oxidation
- Superior protection and long service life thanks to its synthetic formula

### CERTIFICATES AND STANDARDS

Allison C4, Caterpillar TO-2, Högglunds Denison HF-O, Mercedes Benz Sheet 236.1, ZF TE-ML 09/11/14, Voith

## Monograde Series

## Rexoil Titanium Power Series



### BENEFITS

- It prevents sedimentation and sludge from forming under heavy duty conditions, keeps the engine clean
- It forms a resistant film to protect the engine from wear
- It prevents rust and corrosion
- Its high viscosity index ensures it to remain in fluid state under low temperatures
- It keeps the engine clean to prevent the engine performance from decreasing
- Its high TBN content neutralizes acidic materials which the sulfur content of fuel might create

### CERTIFICATES AND STANDARDS

API CF/SF

## Rexoil Titanium Power Series



### BENEFITS

- It prevents sedimentation and sludge from forming to keep the engine clean
- It forms a resistant film to protect the engine from wear
- It prevents rust and corrosion
- It remains in fluid state under low temperatures
- It keeps the engine clean to prevent the engine performance from decreasing

### CERTIFICATES AND STANDARDS

API CC/SC

## Rexoil Titanium Power Series



### BENEFITS

- Long life.
- Protects the engine against cold and heat thanks to its high thermal stability.
- Prevents the freezing of engine coolant in winter and boiling in summer.
- Perfectly protects iron and aluminum alloy engines against corrosion.
- Compatible with all sealings.
- Provides protection against foaming.

### CERTIFICATES AND STANDARDS

BS 6580 (GB) FVV Heft R 443 (D) Afnor R 15/601 (F) ASTM D 3306 and 4985, SAE J 1034 (1), JIS K 2234 (1) (J) KSM 2142 (K) NATO S 759, CUNA NC 956-16 (I) UNE 26361-88 (E) EMPA (CH) E/L 1415c (MIL Italy), Porsche/VW/Audi/Seat/Skoda TL 774 D/F, Mercedes MB 325.3, Ford ESE M97B49-A, CUMMINS 85T8-2 (1), Man N. Man 248 and 324, Wartsilia 32-9011 (C.W.), Pegaso, GM US 6277 M Renault 41-01-001, Ford WSS-M97B44-C, Chrysler MS 9176, Cummins 90T8-4, Mack 014GS17004 Man B&W D 36 5600, GM 1899M (1), Navistar B-1, Type III, Volvo (Reg. N° 260), Ford ESD M97 B49-A Opel GM QL 130100, Leyland Trucks LTS 22 AF 10, John Deere H 24 B1 and C1, Deutz/MWN 0199-2091 2 Auflage (C.W.), Mack 014GS17004.

## Rexoil Antifreeze



### BENEFITS

- Lowers the boiling point of coolant water.
- Increases the boiling point of water and prevents boiling of coolant liquid in summer.
- Prevents rust and corrosion in the cooling system.
- Protects all metals perfectly against rust and corrosion.

### CERTIFICATES AND STANDARDS

TS 3582, BS 6580 (GB), FVV Heft R 443 (D), Afnor R 15/601 (F), ASTM D 3306 and 4985, SAE J 1034, JIS K 2234 (J), KSM 2142 (K), NATO S 759, CUNA NC 956-16 (I), UNE 26361-88 (E), EMPA (CH), E/L 1415c (MIL Italy), Porsche/VW/Audi/Seat/Skoda TL 774 C, Mercedes DBL 7700, MAN 324, GM US 6277 M, Volvo (Reg. N° 260), Ford WSS-M97B44-C, Chrysler MS 9176, BMW N 600 69.0, GM US 6277 M, Ford ESD M97 B49-A, Opel GM QL 130100

## Rexoil Dot-3



### BENEFITS

- It reduces the steam locking risk under extreme conditions thanks to its high boiling point.
- Optimum viscosity
- It protects the metal parts of brake systems against corrosion
- It complies with rubber
- It can be safely mixed with other brake fluids which meet the DOT-3 and DOT-4 specifications

### CERTIFICATES AND STANDARDS

FMVSS No 116 DOT3, SAE J1703, and ISO4925 Class 3.



## Rexoil Dot-4



### BENEFITS

- It reduces the steam locking risk under extreme conditions thanks to its high boiling point.
- Optimum viscosity
- It protects the metal parts of brake systems against corrosion
- It complies with rubber
- It can be safely mixed with other brake fluids which meet the DOT-3 and DOT-4 specifications

### CERTIFICATES AND STANDARDS

FMVSS No 116 DOT4, SAE J1704, and ISO4925 Class 4.

## Hydraulic System Oils

## Rexoil Hydro Super



### BENEFITS

- Excellent resistance to heat and oxidation
- Excellent separation from water
- It remains fluid and can be pumped in cold weather
- Excellent hydraulic stability, superior protection against wear, long service life
- It can be used in all kinds of climates thanks to its high viscosity index
- It prevents the system from being forced at the time of initial ignition, so that it saves fuel
- It transmits power well thanks to endurance of its viscosity under high temperatures
- It provides excellent protection for maritime applications where corrosive conditions are severe
- It can be safely used in such high pressure and temperature systems as plastic injection machines

### CERTIFICATES AND STANDARDS

Denison Parker HF-0, HF-1, HF-2, Eaton Vickers M-2950-S, Eaton Vickers I-286-S3, Cincinnati Lamb P-68, P-69, and P-70, DIN 51524 (Part II, III) (2006), ANSI/AGMA 9005-E02-RO, ASTM D 6158 (HM, HV), ISO 11158 (HM, HV), GM LS-2, JCMAS P041 (HK), AIST 126, 127, Bosch RE 90 220, SAE MS 1004 (HM, HV)

## Rexoil Hydro



### BENEFITS

- Excellent resistance to heat and oxidation
- Excellent separation from water
- It remains fluid and can be pumped in cold weather
- Excellent hydraulic stability, superior protection against wear, long service life

### CERTIFICATES AND STANDARDS

Denison Parker HF-0, HF-1, HF-2, Eaton Vickers M-2950-S, Eaton Vickers I-286-S3, Cincinnati Lamb P-68, P-69, and P-70, DIN 51524 (Part II, III) (2006), ANSI/AGMA 9005-E02-RO, ASTM D 6158 (HM, HV), ISO 11158 (HM, HV), GM LS-2, JCMAS P041 (HK), AIST 126, 127, Bosch RE 90 220, SAE MS 1004 (HM, HV)

### Rexoil Gear Boxes



#### BENEFITS


- High performance against wear and friction
- High resistance to oxidation
- Superior protection against rust and corrosion
- Low tendency to foam

#### CERTIFICATES AND STANDARDS

AISE 224, David Brown S1.53.101(E), AGMA 9005-E02 and strong FAG FE-8 performance

## Slideway Oils

### Slide Oil



#### BENEFITS

- It is resistant to jellification in environments of cutting oils and alkali materials.
- Its ability to reinforce adhesion prevents the system from leaking, and adheres to metal surfaces to provide efficient lubrication
- It ensures the workbench to run smooth, without vibration
- It protects the system from wearing and corrosion, extends the workbench's service life
- It prevents oxidation to extend service life and to decrease oil consumption

## Heat Transfer Oils

### Heat Transfer Oil




#### BENEFITS

- Its thermal stability ensures it to function at high temperatures
- Its resistance to oxidation extends its service life
- It does not form residue thanks to its resistance to spoiling at high temperatures
- It protects the system from corrosion
- It facilitates the engine's running even at low temperatures

## Processing Oils

### Rexoil Shine Paraffinic Process Series



#### BENEFITS

- It is an economical product for washing and rinsing operations
- It is an economical products for engines and motors suffering losses and operated for light duties



### Rexoil Alesta 5070



#### BENEFITS

- It contains a high TBN value to neutralize the acidification caused by heavy fuels having a high sulfur content.
- Its cleaning function keeps the critical parts of engines clean to prevent wear and tear.

### Rexoil Alesta S Series



#### BENEFITS

- It yields high performance thanks to its function to clean the pistons and the engine
- Its endurance to oxidation and thermal stress under heavy duty conditions extends its service life
- It protects the engine parts from corrosion
- It protects bearings running under heavy load thanks to its ability to separate from water

### Rexoil Alesta M 4040



#### BENEFITS

- It provides thermal stability and resistance to oxidation.
- Its cleaning function prevents residue from accumulating, and keeps the lubrication channels clean

### Rexoil Alesta R Series



#### BENEFITS

- Its 30 TBN value yields successful results in systems running on fuel having a sulfur content below 3%
- Its cleaning function prevents dirt from accumulating on pistons and segments
- Its good stability against oxidation extends its service life.
- Its ability to separate from water is good

### Rexoil Neon Rubber Grease



#### BENEFITS

- It adheres on metal in humid or wet environments to provide excellent resistance to washing away with water.
- It provides efficient protection from wear and corrosion
- Its fibrous structure ensures metal surfaces to be efficiently lubricated

## Red Grease

### Rexoil Neon Red Grease



#### BENEFITS

- It is resistant to water and protects the system from wear and corrosion.
- It prevents foreign objects from entering the system and ensures the system to be used in economical way.
- It increases the system's performance by ensuring fast and efficient lubrication at low working temperatures.

## Ball Bearing Grease

### Rexoil Neon Ball Bearing Grease



#### BENEFITS

- It prevents rust and corrosion to extend the system's service life.
- It is resistant to water and oxidation, and can be easily pumped.
- It prevents wearing at impact and vibrating loads.
- It provides additional protection from rinsing with water.

## Ball Bearing EP Grease

### Rexoil Neon Ball Bearing Ep Grease



#### BENEFITS

- It prevents rust and corrosion to extend the system's service life.
- It is resistant to water and oxidation, and can be easily pumped.
- It prevents wearing at impact and vibrating loads.
- It provides additional protection from rinsing with water.