
LEATHER

SEATING FABRIC

Environmentally Friendly elmosoft Leather

ELMOSOFT

0



Prussian

77158



| Navy | 77127 | Dark Navy | 97038 | Jungle | 87088 | Dark Slate | 17027 | Light Slate | 07008 |
|--------------|----------|--------------|---------|-------------|-------|---------------|-------|-----------------|-------|
| | | | | | | | | | |
| Burgundy | 95006 | Brown Brambl | e 93099 | Brown | 93129 | Cocoa Brown | 93101 | Raw Umber | 43083 |
| | | | | | | | | | |
| Milk Chocola | te 33001 | Tan | 33004 | Peru Tan | 53032 | Rich Tan | 54035 | Flax | 22030 |
| | | | | | | | | | |
| Castro | 75010 | Blue Violet | 57349 | Red Violet | 76025 | Solid Pink | 16003 | Pearl Lusta | 07080 |
| | | | | | | | | | |
| Maroon | 35126 | Crimson | 55002 | Red | 05011 | Crimson Glory | 05007 | Orange Red | 45018 |
| | | | | | | | | | |
| Rust | 45065 | Persimmon | 45050 | Moon Yellow | 44012 | Sunshine | 44026 | Electric Yellow | 44005 |

| Black | 99999 | Gondola | 91102 | Gun Metal | 71017 | Shady Lady | 11033 | Parchment | 11073 |
|-------------|-------|-----------|-------|--------------|-------|------------|--------|----------------|--------|
| | | | | | | | | | |
| Dark Brown | 93068 | Shadow | 13064 | Dusty Grey | 13048 | Grey | 11049 | Light Grey | 01037 |
| | | | | | | | | | |
| Fawn | 13087 | Wet Sand | 01003 | Beige | 13072 | Fallow | 12105 | Sapling | 01021 |
| | | | | | | | | | |
| Light Brown | 13053 | Champagne | 12080 | Buttered Rum | 43054 | Equator | 22024 | Chamois | 02085 |
| | | | | | | | | | |
| Cherokee | 02110 | Taupe | 01061 | Off White | 01040 | Snow | 00100* | Colonial | 00118* |
| | | | | | | | | | |
| Bianca | 01085 | Pale Pink | 06001 | Tranquil | 07029 | Mint | 08035 | Electric White | 00109* |

TECHNICAL SPECIFICATION

| Property | Target Value | Method |
|-----------------|--------------|-------------|
| LIGHTFASTNESS | 6 | ISO 105-B02 |
| WET-RUBBING | 80/4 | ISO 11640 |
| DRY-RUBBING | 2000/4 | ISO 11640 |
| SWEAT-RUBBING | 50/4 | ISO 11640 |
| FINISH-ADHESION | 2 N/CM | ISO 11644 |
| TEAR-STRENGTH | 20 N | DIN 53329-A |
| THICKNESS | 1.1 - 1.3 MM | |

Color assessment:

Daylight source D 65, closely corresponding to CIE standard light D 65.

LEATHER

SEATING FABRIC

TECHNICAL INFORMATION

Elmosoft Chrome Free Leather Full top grain aniline dyed, semi-aniline leather Origin: Sweden.

iteria: Flammability criteria:

- California Home Furnishing 117 Section E
- BS 5852: 1990 crib 5 and crib 7
- IMO A.652 (16) SHIP/OFF SHORE Certification
- ISO 8191.1 & 2

Chrome Free Green Leather by Elmo

Elmosoft is our chrome-free environmentally, recyclable "green" leather. It is produced in Sweden, at what is considered by the industry, as the most environmentally friendly tannery in the world today. Elmosoft is a soft and pliable full top grain semi-aniline leather with a light protective finish to repel stains. The tannery uses only the finest Scandinavian raw hides and this creates a leather with outstanding comfort, hand, combined with excellent durability. All 60 colors of Elmosoft have been tested at the West German Leather Institute, under the Ruetlingen certification, for PCP's, lead, other hazardous material and gaseous emissions. Elmosoft is produced under ISO 9001, ISO 14001, and ISO 16948 environmental standards and is considered the highest environmental certifications in the tanning industry. Elmosoft is never corrected, buffed, embossed or plated with a fake grain. The quality of the genuine leather can be felt in the hand immediately.

The tannery was awarded 1.5 million dollars by "LIFE" in Europe for its pro-active environmental stance.

With Elmosoft leather, recyclable and chromiun-free, you now have the opportunity to bid on "green" projects.

Elmosoft can be easily cleaned with a damp cloth, and is highly recommended for any public space, commercial, healthcare, or hospitality environment.

REDUCED ENVIRONMENTAL IMPACT



www.ergogenesis.com For more information, contact us at info@ergogenesis.com

ErgoGenesis, LLC One BodyBilt Place Navasota, TX 77868 USA tel: 800.364.5299 tel: 936.825.1700

fax: 936.825.1725

