

LN-T-1-90

page 1

HARTSFIELD WATER COMPANY, INC.

P. O. DRAWER 3109 -
KINSTON, NORTH CAROLINA 28501Approx
98' above
Sea level H-1CUSTOMER: North Lenoir Water Corp. ADDRESS: Well # 11

TYPE OF FORMATION CLAY - SAND ROCK, ETC.	COLOR	RATE OF DRILLING HARD - SOFT JETTED, ETC.	SIZE OF GRAIN IF SAND	OTHER INFORMATION	THICKNESS	
					FROM	TO
sand & clay	brown	soft	fine		0	8
clay	brown	soft			8	17
sand	brown	soft			17	22
sand	brown	soft	fine		22	28
sand	black	loose	coarse		28	33
sand	black/white	loose	coarse		33	38
sand	black/white	loose	coarse		38	43
sand	black/white	loose	coarse		43	48
sand	black/white	loose	coarse		48	53
sand	brown	loose	coarse		53	58
sand	brown	loose	coarse		58	63
sand	brown	loose	coarse		63	68
sand	brown	loose	coarse		68	70
clay	gray	hard			70	75
clay	gray	hard			75	80
clay	gray	hard			80	85
clay	gray	soft			85	90
clay	gray	soft			90	95
clay	gray	soft		thin rock at 98 feet	95	100
clay	gray	soft			100	105
clay	gray	soft			105	110
clay & sand	gray	soft	fine		110	115
clay & sand	gray	soft	fine		115	118

HARTSFIELD WATER COMPANY, INC.

P. O. DRAWER 3109 -
KINSTON, NORTH CAROLINA 28501

H-1

CUSTOMER: North Lenoir Water Corp. ADDRESS: Well #11

TYPE OF FORMATION CLAY - SAND ROCK, ETC.	COLOR	RATE OF DRILLING HARD - SOFT JETTED, ETC.	SIZE OF GRAIN IF SAND	OTHER INFORMATION	THICKNESS	
					FROM	TO
sand	white	soft	fine		118	123
sand	white	soft	fine		123	128
sand	white	soft	fine		128	133
sand	white	soft	med. coarse		133	138
sand	white	soft	med. coarse		138	143
sand	white	soft	med. coarse		143	148
sand	white	soft	med. coarse		148	153
clay & sand	gray	soft	fine		153	158
clay & sand	gray	soft	fine		158	163
clay & sand	gray	soft	fine		163	168
clay	gray	soft			168	173
clay	gray	soft			173	178
clay	gray	soft			178	183
sand & clay	gray	soft	fine		183	188
sand	gray	soft	fine		188	192
clay	gray	hard			192	197
clay	gray	hard			197	202
clay	gray	hard			202	207
clay	gray	hard			207	212
clay	gray	hard			212	217
clay	gray	hard			217	222
clay	gray	hard			222	227
clay	gray	hard			227	232

HARTSFIELD WATER COMPANY, INC.

P. O. DRAWER 3109 -
KINSTON, NORTH CAROLINA 28501

H-1

CUSTOMER: North Lenoir Water Corp. ADDRESS: Well # 11

TYPE OF FORMATION CLAY - SAND ROCK, ETC.	COLOR	RATE OF DRILLING HARD - SOFT JETTED, ETC.	SIZE OF GRAIN IF SAND	OTHER INFORMATION	THICKNESS	
					FROM	TO
sand & clay	gray	soft	fine		232	237
sand & clay	gray	soft	fine		237	242
clay	gray	soft			242	247
clay	gray	soft			247	252
clay	gray	hard			252	257
clay	gray	hard			257	262
clay	gray	hard			262	267
clay	gray	hard			267	270
sand	white	soft	med. coarse		270	275
sand	white	soft	med. coarse		275	280
clay	gray	hard			280	285
clay	gray	hard			285	288
sand		soft	med. coarse		288	293
clay	gray	hard			293	298
clay	gray	hard			298	303
clay	gray	soft			303	308
clay	gray	hard			308	313
clay	gray	hard			313	318
clay	gray	hard			318	323
clay	gray	soft			323	327
sand & clay	gray	soft			327	332
sand	white	jet	coarse		332	337
sand	white	jet	coarse		337	342

HARTSFIELD WATER COMPANY, INC.

P. O. DRAWER 3109 -
KINSTON, NORTH CAROLINA 28501

H-1

CUSTOMER: North Lenoir Water Corp. ADDRESS: Well # 11

TYPE OF FORMATION CLAY - SAND ROCK, ETC.	COLOR	RATE OF DRILLING HARD - SOFT JETTED, ETC.	SIZE OF GRAIN IF SAND	OTHER INFORMATION	THICKNESS	
					FROM	TO
sand	white	jet	COARSE		342	347
sand	white	jet	COARSE		347	352
sand	white	jet	COARSE		352	357
sand	white	loose	COARSE		357	362
sand	white	loose	COARSE		362	367
sand	white	loose	COARSE		367	372
sand & clay	gray	soft	fine		372	377
sand & clay	gray	soft	fine		377	382
sand & clay	red	soft	fine		382	387
sand & clay	red	soft	fine		387	392
sand & clay	red	soft	fine		392	397
clay	red	soft			397	402
clay	brown	hard			402	407
clay	brown	hard			407	412
clay	brown	hard			412	417
clay	brown	hard			417	422
clay	brown	hard			422	427
clay	brown	hard			427	432
clay	brown	hard			432	437
clay	brown	hard			437	442
clay & sand	gray	soft	fine		442	447
clay & sand	gray	soft	fine		447	452
rock		hard			452	457

Falling
Creek
Quadrangle

5454 IV SE
(LA GRANGE)

