




**STATE OF MARYLAND**

**1986**



**HIGHWAY LOCATION REFERENCE**



**VOLUME 2**


**HARFORD Co. thru WORCESTER Co.**



Published by

*Maryland Department of Transportation*

STATE HIGHWAY ADMINISTRATION



## General Information

This highway reference is arranged sequentially by county and by route number. Included are all State maintained highways, spurs, and service roads.

Milepoints for concurrent posted routes are included under each pertinent route number.

The State System is aggregated into primary and secondary by rural and urban designation.

The Federal System is aggregated into the various Federal-Aid Systems by rural and urban designation. This is the functionally realigned system approved as of July 1, 1980.


Highways may be listed as undivided, divided or channelized by full, partial, or no control of access.

Milepoints are established for junctions of all State highways, structures, railroad crossings, automatic traffic recording stations and municipal boundaries.

The total marked lanes are listed including the travelled-way surface widths. Surface type codes are explained at the bottom of each page.

The average annual daily traffic is for the year 1985.

This reference represents only a portion of the data included in the Highway Information System. Additional data may be obtained by directing your request to the Bureau of Highway Statistics.



## STATE HIGHWAY LOCATION REFERENCE


### Introduction

This highway reference was established through the combined efforts of the State Highway Administration and the DOT Data Center working together to provide a method for uniquely identifying roadway locations (milepoints), and also to provide data elements that are most commonly requested.

With the ever increasing use of the computer and a growing realization of its capabilities to store and analyze data, it is essential that data relating to the highways be keyed to a common reference system in order that procedures for useful comparisons can be made related to the characteristics of the highways, government and administrative jurisdictions, geographic locations, program expenditures, traffic, services, etc. As new programs are proposed and implemented to deal with complex problems, needs for new kinds of information providing additional relationships become apparent and the use of a common reference system will provide detail and comparison of data necessary for planning, developing programs and managing the highway activities.


Since the use of the photolog has become increasingly important and is currently being utilized more frequently by SHA personnel to collect and analyze data, this Location Reference will provide information concerning the section of highway being viewed and is easily related due to the identifying roadway location (milepoints) used as the controlled key on each picture being the same as this listing.

This reference is based on conditions as of January 1, 1986. At present, procedures for incorporating changes, additions, deletions, etc. on a current basis are not available. The reference data will be updated on an annual basis with all data being based as of January 1st of each year. A corrected file showing all changes that occur during the year will be maintained by the Bureau of Highway Statistics.



# HARFORD COUNTY

# PENNSYLVANIA



# HARFORD COUNTY



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 1  
 INVENTORY DIRECTION....NORTH  
 NAME: BELAIR RD

PAGE..... 1  
 DATE.....12/31/85  
 COUNTY-HARFORD  
 SHA DISTRICT.....4

SYSTEM	STATE	FEDERAL	CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYP*	AAOT
SECONDARY	R	FAP	281	R 2	UNOIVED	NONE	.00			
							.00			
							1.35	M00152	BALTIMORE CO/L	
							1.42		STRUC #3001 L GUNPOWDER RIVER	4 44I 17,700
							1.61		FALLSTON RD	
							2.59			21,700
			123				2.66	US0001C	US 1 SPUR	4 50I
							2.67	M00147	HARFORD RO	
							2.67	US0001BU	BELAIR RO	
							2.74			
							2.98	M00041	PROPOSED	4 48I
							3.24			
							3.59			
							3.63		STRUCTURE #12065 WINTERS RUN	3 36I
							4.07			2 24I
							4.11	C00226	TCLL GATE RO STRUC #12066	3 36I
PRIMARY							4.75	M00024UL	PROPOSED	
							5.06			
				U			5.35	C00214	MOORES MILL RO STRUC #12067	2 24I
							6.15	M00024	MAIN ST STRUC #12015	
							6.90			7,900
							7.15			
							7.19	US0001BU	CCNOWINGO RO	2 16I
							7.42	M00023	GRANARY RO	2 26I
							7.74			2 24I
							7.86			
							8.27			2 32I
							8.32			2 24I 17,700
							8.38			2 28I
							8.43	M00543	ADY RO	2 42I
							12.29			3 34I 7,400
							14.35		STRUCTURE #12002 DEER CREEK	2 24I
							16.40	M00136	WHITFCRO RO	
							17.98	MDC440	DUBLIN RO	
							18.03	M00161A	MD 161 SPUR	6,600
							18.21	M00161	DARLINGTON RO	
							18.31	MOC623	CASTLETON RO	
							19.79			
							19.99			3 36I 6,500
							20.12			2 36I
							20.12		STRUC #12001 SUSQUEHANNA RIVER	2 28I
							20.12		CECIL CO/L	

\* A,B = UNIMPROVED; C = GRADE & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 18U  
INVENTORY DIRECTION....NORTH  
NAME: BELAIR RD

PAGE..... 2  
DATE.....12/31/85  
COUNTY-HARFORD  
SHA DISTRICT.....4

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANS	SURFACE WIDTH/TYPE*	AAOT		
STATE	FEDERAL	CLASS	CTL							
SECONDARY	R	FAP	281 R 6	DIVIDED	NONE	.00	M00147 HARFORD RD (BACK)	4	48I	20,539
						.00	US0001 BELAIR BY-PASS			
						.01	USDD01C US 1 SPUR			
				UNDIVIDED		.04		4	43I	
			U 14			.87	STRUCTURE #12CD4 WINTERS RUN			
						.88		3	34I	
						1.43		3	45I	
			U			1.68	IN CORP LMTS BELAIR			
						1.70		4	56I	
				DIVIDED		1.75		5	60I	
						1.98		4	48I	
				UNDIVIDED		2.18		4	46I	
						2.41		4	44I	
						2.58	US0001BU BOND ST	3	44I	
						2.65	M00024 S MAIN ST (AHEAD)			
			FAU 3632	16		3.22	MDD024 N MAIN ST (BACK)	3	38I	8,300
						3.30		2	28I	
						3.57		2	25I	
						3.68		2	29I	
						3.76		2	25I	
			R			3.94	OUT CORP LMTS BELAIR	2	24I	
				17		4.35				
						5.21	US0001 BELAIR BY-PASS			

ROUTE NUMBER.....US 1C  
INVENTORY DIRECTION....NORTH  
NAME: US 1 SPUR

SECONDARY	R	NFA	R 9	UNDIVIDED	NONE	.00	US0001 BELAIR RD	2	17I	
						.02	US0001BU BELAIR RD			

ROUTE NUMBER.....MO 7  
INVENTORY DIRECTION....NORTH  
NAME: PHILADELPHIA RD

SECONDARY	R	FAU	3217 U 16	UNDIVIDED	NONE	.00		2	20I	4,200
						.00	BALTIMORE CO/L			
						2.05	M00152 STRUC #3012 L GUNPOWDER FALLS			
						2.31	MCOUNTAIN RD			2,175
						3.70	STRUCTURE #12C11 WINTERS RUN			
						4.03	MDD755 EDGEWOOD RD			
						4.51	MDD24 MAIN ST			

\* A,B = UNIMPROVED; C = GRADEC & CRAINED; C,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 7 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: PHILADELPHIA RD

PAGE..... 3  
DATE.....12/31/85  
COUNTY-HARFORD  
SHA DISTRICT.....4

STATE	SYSTEM	FEDERAL	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
SECONDARY	R	FAU	3217 U 16	UNOIVED	NONE	4.70				
		FAS	1259 R 7			6.16		2	20I	6,700
						7.11				
						7.28	MDD136			
						7.56				
						9.08	MDD543A			
						10.27				
						10.88				
						11.22	US0040			
						11.22	MDD159			

ROUTE NUMBER.....MD 7A  
INVENTORY DIRECTION....NORTH  
NAME: OLD POST RD

SECONDARY	R	FAU	8103 U 16	DIVIDED	NONE	.00	US0040	PULASKI HWY	4	48I	10,050
				UNOIVED		.03			2	24I	
				DIVIDED		.12		STRUC#12073 R/R #ATK 530 698 V			
	U					.22		IN CORP LMTS HAVRE DE GRACE			
						.52					
						.54					
						.74			2	30I	
						.82			2	24I	
						.93			2	27I	
				UNOIVED		1.10		R/R #CR 530 740 S			
						1.46	MDD490	UNION AVE	2	35I	
						2.03			2	40I	
						2.07			2	38I	
						2.10		R/R #ATK 530 705 0	4	52I	
						2.12					
						2.21			2	38I	
						2.66	US0040	PULASKI HWY	2	37I	
						2.66	MDD155	OHIO ST (AHEAD)			

ROUTE NUMBER.....MD 22  
INVENTORY DIRECTION....EAST  
NAME: CHURCHVILLE RD

SECONDARY	U	FAP	281 U 14	DIVIDED	NONE	.00	MDD024	S MAIN ST	5	68I	19,125
						.00	USCO018U	BELAIR RD (BACK)			
						.04			5	60I	
						.12			4	78I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 22 CONTINUED  
INVENTORY DIRECTION.....EAST  
NAME: CHURCHVILLE RD

PAGE..... 4  
DATE.....12/31/85  
COUNTY-HARFORD  
SHA DISTRICT.....4

STATE	SYSTEM	FEDERAL	CLASS	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
	U	FAP	281	U	14	NONE	.25		4	69I	19,125
	R						.30	OUT CORP LMTS BELAIR	5	61I	
							.38		4	62I	
							.48		2	24I	
							1.06	STRUCTURE #12C12 BYNUM RUN			
							1.92		2	36I	
			126	R	2		2.05	MDD543 FOUNTAIN GREEN RD	3	36I	18,425
							2.12		2	24I	
							3.40		3	34I	
							3.59		2	24I	5,900
							4.10				
							4.50				
							5.43		2	38I	
							5.50	MDD136 PRIEST FORD RD	2	43I	15,400
							5.54	MDD155 LEVEL RD			
							5.58		2	24I	12,500
							6.32	MDD156 ALOINO RD			
							7.21				10,400
				U	12		9.82	IS0095 J F K MEM HWY			14,800
							9.91		4	48I	
	U						10.06	IN CORP LMTS ABERDEEN			
							10.30	MDD132A WEST BELAIR AVE			
							10.84		4	50I	
							10.95		6	68I	
							11.01	MDD462 PARADISE RD	4	48I	13,500
							11.78	STRUC#12068 R/R #80 140 803 S			
							11.84	USDD40 PULASKI HWY			20,000
							11.90	STRUC #12005 R/R #ATK 530 696 G			
							12.23	MDD132 POST RD			
	R						12.85	OUT CORP LMTS ABERDEEN			
		NFA		R	9		12.91				
							13.04	GV0022 NORTHERN THRUWAY (AHEAD)			

ROUTE NUMBER.....MD 23  
INVENTORY DIRECTION.....NORTH  
NAME: JARRETTSVILLE RD

SECONDARY	R	NFA		R	9	UNDIVIDED	NONE	.00	USC001	BELAIR BY-PASS	2	24I	2,000
		FAP	278		6			.35					
								1.88	MDD24	MAIN ST			5,200
								4.72	CODD62	PHILLIPS MILL RD STRUC#12063			
								4.75					3,500

\* A,B = UNIMPROVED; C = GRADED & CRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 23 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: JARRETTSVILLE RD

PAGE..... 5  
DATE.....12/31/85  
COUNTY-HARFORD  
SHA DISTRICT.....4

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL	CLASS	CTL					
SECONDARY	R	FAP	278 R	6	UNDIVED NONE			
				5.66	C00066 MORSE RD STRUC#12064	2	24I	3,500
				6.69	M00165 BALOWIN MILL RD (AHEAD)			
				7.97	M00165 BALOWIN MILL RD (BACK)	2	22I	5,500
				10.00				3,500
	FAS	1237		10.32	M00146 DULANEY VALLEY RD			4,000
			7	12.54	M00136 TRDYER RD			1,800
				13.76	M00439 OLD YORK RD			1,400
				16.46				1,600
				16.48				
				18.46	M00136 STRUCTURE #12D14 CEER CREEK	2	21I	1,525
				20.46	M00136 WHITFORD RD			
					PENNSYLVANIA ST/L			

ROUTE NUMBER.....MD 24  
INVENTORY DIRECTION....NORTH  
NAME: EDGEWOOD RD

SECONDARY	R	FAP	282 U	14	UNDIVED NONE			
				.00		2	24I	10,100
				.04	ENT EDGEWOOD ARSENAL			
				1.63	STRUC #12071 R/R #ATK 530 695 A	3	36I	
				1.72	M00755 EMMORTON RD	2	24I	11,225
				1.89				
				2.02	US0040 PULASKI HWY STRUC#12062			
				2.14	STRUCTURE #12042 WINTER RUN			
				2.54	STRUC #12070 R/R #BD 140 810 C			
				2.82	M00007 PHILADELPHIA RD			
PRIMARY		FAU	3628	17	M00755 EMMORTON RD			
				16	IS0095 J F K MEM HWY STRUC #HX 095			20,075
				17				
				16	M00024C OLD EMMORTON RD			
				7.07				18,100
				8.29	PART NONE			20,400
				9.00				
	U			9.10		3	36I	
				9.12				
				9.23	DIVIDED IN CORP LIMITS BELAIR	2	24I	
				9.32		4	56I	
				9.35		6	70I	
				9.48		5	58I	
				9.51		5	64I	
			14	9.57	US0001BU BELAIR RD	7	85I	
				9.63	M00022 CHURCHVILLE RD			

\* A,B = UNIMPROVED; C = GRADED & CRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 24 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: EDGEWOOD RD

PAGE..... 6  
DATE.....12/31/85  
COUNTY-HARFORD  
SHA DISTRICT.....4

.....STATE.....	SYSTEM	..FEDERAL...	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
PRIMARY	U	FAU	3628 U 14	DIVIDED UNDIVID	NONE	9.90		4	70I	20,400
						10.07		3	40I	
						10.14	US001BU W BROADWAY	2	34I	
						10.21		2	40I	
						10.63		2	41I	
	R					10.69	OUT CORP LMTS BELAIR			
						11.12		2	38I	
						11.26		2	24I	
SECONDARY	FAP	282		DIVIDED UNDIVID		11.46	US0001 BELAIR RD	2	29I	14,000
						11.61		2	29I	
						11.64				
						11.68		3	53I	
						11.72		4	48I	
				DIVIDED		11.77		2	24I	
						11.82		2	22I	
				UNDIVID		11.94		2	24I	
	FAS	1247 R 7				13.26	M00023 JARRETTSVILLE RD			1,500
						13.74		2	26I	
						14.15		2	20I	
						16.35	STRUCTURE #12018 STIRRUP RUN			
						17.84				
						18.09	STRUCTURE #12017 KELLOGG BRANCH			1,800
						18.78	STRUCTURE #12016 DEER CREEK			
						20.95	M00165 BALDWIN MILL RD			700
						22.86	M00136 WHITEFORD-HARKINS RD			
	NFA		8			23.39				825
						25.08	PENNSYLVANIA ST/L			

ROUTE NUMBER.....MD 24C  
INVENTORY DIRECTION....EAST  
NAME: OLD EMMORTON RD

SECONDARY	R	NFA	R 9	UNDIVID	NONE	.00	C0C245 OLD EMMORTON RD	2	22H	
						.02	M00024 EMMORTON RD			

ROUTE NUMBER.....MD 24UL  
INVENTORY DIRECTION....NORTH  
NAME: PROPOSED

SECONDARY	R	FAP	282 U 12	DIVIDED	NONE	.00	M00024 EMMORTON RD	4	48I	
						6.30	US0001 BELAIR BY-PASS			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 40  
INVENTORY DIRECTION....EAST  
NAME: PULASKI HWY

PAGE..... 7  
DATE.....12/31/85  
COUNTY-HARFORD  
SHA DISTRICT.....4

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT	
STATE	FEDERAL	CLASS	TYPE	CTL						
SECONDARY	R	FAP	125	U	14	DIVIDED NONE				
						.00	BALTIMORE CO/L	4	48I	20,700
						.00	STRUC #3034 L GUNPOWDER FALLS			
						.04		4	48J	
						.17		4	48I	
						1.96		4	48J	
						2.12	MO0152 MOUNTAIN RD	4	48I	23,500
						3.62		4	40J	
						3.79	MO0755 EMMORTON RD	4	48I	
						3.97		4	24I	
						4.02	MO0024 EMMORTON RD STRUC#12062			
						4.12	STRUCTURE #12028 WINTERS RUN	4	48I	
				R	2	4.43	STRUC#12027 WINTERS RUN BRANCH			
						6.35				
						7.26	STRUCTURE #12026 BUSH RIVER			17,727
						8.10		4	48J	
						8.26		4	48I	18,600
						8.51	MO0543JUL PROPOSED RD			
						9.47	STRUCTURE #12025 CHURCH CREEK			
						10.55		4	48J	
						10.71	MO0007 PHILADELPHIA RD	4	48I	
				U	14	10.71	MO0159 PERRYMAN RD			
						11.03	STRUCTURE #12024 CRANBERRY RUN			
						11.52	MO0715, SHORT LANE STRUC#12023			
						11.77	IN CORP LMTS ABERDEEN			19,600
						12.93		4	48J	
						13.10	MO0132 W BELAIR AVE	4	48I	25,300
						13.58	STRUCTURE #12069 SWAN CREEK			
						13.61	MO0022 ABERDEEN THRUWAY STRUC#12035			22,600
						13.95	OUT CORP LMTS ABERDEEN			
						14.60	STRUCTURE #12022 SWAN CREEK			
				R	2	14.76				
						14.86	MO0132 BELAIR RD			
				U	14	15.84				
						16.12				
						16.30	MO0007A OLD POST RD	4	48J	
						16.81	IN CORP LMTS HAVRE DE GRACE	4	48I	
						17.50		6	48J	
						17.68	MO0155 OHIO ST	4	48I	
						17.68	MO0007A OSTEGO ST			
						17.77		4	71J	
						17.87		4	50J	
						17.99		4	46J	19,048
							UNDIVIDED			

\* A,B = UNIMPROVED; C = GRADED & CRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 40 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: PULASKI HWY

PAGE..... 8  
DATE.....12/31/85  
COUNTY-HARFORD  
SHA DISTRICT.....4

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT					
STATE	FEDERAL	CLASS	CTL										
SECONDARY	U	FAP	125	U	14	UNOIVEO	NONE	18.02	MOC763	SUPERIOR ST	4	46J	19,048
								18.24		STRUC #12D21 SUSQUEHANNA RIVER			
								18.61		CECIL CO/L			

ROUTE NUMBER.....MO 41  
INVENTORY DIRECTION....NORTH  
NAME: PROPOSEO

SECONDARY	R	NFA		R	9	OIVIOEO	NONE	.00		BALTIMORE CO/L	4	48I	
								3.10	US0001	BELAIR BY-PASS			

ROUTE NUMBER.....IS 95  
INVENTORY DIRECTION....NORTH  
NAME: J F K MEM HWY

PRIMARY	R	FAI	95	R	1	DIVIDED	FULL	.00		BALTIMORE CO/L	6	72I	65,800
								.00		STRUC #8X D55 L GUNPOWER FALLS			
								.82	C00260	OLD JCPPA RD STRUC#HX D64			
								1.59	C01329	OLO MOUNTAIN RD STRUC#HX D71			
								1.69	MDC152	MOUNTAIN RD STRUC#HX D72			
								2.46	C00283	CLAYTON RO STRUC#HX 080			
				U	11			3.28					
								3.29		STRUCTURE #HX 088 WINTERS RUN			
								4.04	MDDD24	EMMORTON RD STRUC#HX 095			52,063
				R	1			5.46	C01044	ABINGDON RO STRUC#HX 110			
								6.62		STRUCTURE #HX 125 BYNUM RUN			
								6.81	M00136	CALVERY RD STRUC#HX 123			
								7.10		STRUCTURE #HX 125 JAMES RUN			
								8.74	IS0095M	I 95 SERVICE RD			
								8.74	IS0095N	I 95 SERVICE RD			
								9.58	IS0095N	I 95 SERVICE RD			
								9.71	IS0095M	I 95 SERVICE RO			
								10.43	C00330	STEPNEY RO STRUC#FX 164			
								12.17	M00022	CHURCHVILLE RC STRUC#HX 175			44,726
								12.90		STRUCTURE #HX 183 CARAINS RUN			
								13.17	C00392	MAXA RD STRUC#HX 187			
								13.59		STRUCTURE #HX 196 SWAN CREEK			
								14.16	M00462	PARADISE RO STRUC#HX 196			
								15.10	C00411	CHAPEL RD STRUC#HX 206			
								15.69	C01065	EARLTON RD STRUC#FX 211			
								16.51	M00155	LEVEL RD STRUC#HX 220			
								16.98	C00180	LAPIDUM RD STRUC#FX 224			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 95 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: J F K MEM HWY

PAGE..... 9  
DATE.....12/31/85  
COUNTY-HARFORD  
SHA DISTRICT.....4

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL						
PRIMARY	R	FAI	95 R	1	DIVIDED FULL	17.97 18.39 18.39	STRUC #HX 24D SUSQUEHANNA RIVER CECIL CO/L	6	78I	44,726
ROUTE NUMBER.....IS 95M INVENTORY DIRECTION....EAST NAME: I 95 SERVICE RD										
PRIMARY	R	NFA	R	9	UNDIVIDED NONE	.00 .30 .61 .83	IS0095 J F K MEM HWY IS0095 J F K MEM HWY	2 2 2	15I 16I 15I	
ROUTE NUMBER.....IS 95N INVENTORY DIRECTION....EAST NAME: I 95 SERVICE RD										
PRIMARY	R	NFA	R	9	UNDIVIDED NONE	.00 .26 .57 .96	IS0095 J F K MEM HWY IS0095 J F K MEM HWY	2 2 2	15I 16I 15I	
ROUTE NUMBER.....MD 132 INVENTORY DIRECTION....EAST NAME: WEST BELAIR AVE										
SECONDARY	R	NFA	U	19	UNDIVIDED NONE	.00 .02 .10 .15 .40 .42 .75 1.16 1.48 1.50 1.82 1.83 1.86 1.93 2.01 2.09	CUL DE SAC IN CORP LMTS ABERCEEN MD0132A HILL RD MO0462 PARADISE RD R/R #B0 148 804 Y US0040 PULASKI HWY STRUCTURE #12061	2 2 2 2 2 4 2 2	42I 48I 36I 24I 30I 42I 54I 29I 29J 29I	10,700       7,100  6,200
		FAU	7104	16						
					DIVIDED					
			7108		UNDIVIDED					

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 132 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: WEST BELAIR AVE

PAGE..... 1D  
DATE.....12/31/85  
COUNTY-HARFORD  
SHA DISTRICT.....4

STATE	SYSTEM	FEDERAL	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	U	FAU	71D8 U 16	UNDIVIDED	NONE	2.16	MU1DDD NORMAN AVE	2	29I	6,200

ROUTE NUMBER.....MD 132A  
INVENTORY DIRECTION....NORTH  
NAME: HILL RD

SECONDARY	U	FAU	71D4 U 16	DIVIDED	NONE	.00	MDD132 WEST BELAIR AVE	5	53I	5,016
						.03	MDDD22 NORTHERN THRUWAY	5	58I	
						.24				

ROUTE NUMBER.....MD 132B  
INVENTORY DIRECTION....EAST  
NAME: W BELAIR AVE

SECONDARY	U	FAU	71D4 U 16	UNDIVIDED	NONE	.00	ROAD END	2	24I	5,672
			71D3			.16		2	30I	
						.25		2	25I	
						.39		2	27I	
				DIVIDED		.43		2	29I	
						.46	MDDD22 ABERDEEN THRUWAY	2	36I	8,772
				UNDIVIDED		.50		2	47I	
						.54		2	22I	
						.60		2	30I	
						.65				
						.77		2	20I	
						.96	OUT CORP LMTS ABERDEEN			
						1.56	STRUCTURE #12D13 SWAN CREEK			5,988
						1.86	STRUC #12D61 R/R #ATK 530 697 N			
						1.89	USDD4D PULASKI HWY			

ROUTE NUMBER.....MD 136  
INVENTORY DIRECTION....NORTH  
NAME: CALVERY RD

SECONDARY	R	FAS	I253 R 7	UNDIVIDED	NONE	.00	MDDDD7 PHILADELPHIA RD	2	21I	3,500
						.18		2	24I	
						.33	ISDD95 J F K MEM HWY STRUC#HX 123			
						.41		2	21I	
						2.41	MDC543 CRESTWELL RD			2,600
						3.99	STRUCTURE #I2034 JAMES RUN			
						4.54				2,300
						6.14		3	35I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 136  
INVENTORY DIRECTION....NORTH  
NAME: CALVERY RD

CONTINUED

PAGE..... 11  
DATE..... 12/31/85  
COUNTY-HARFORD  
SHA DISTRICT..... 4

.....STATE.....	SYSTEM	FEDERAL...	CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT	
SECONDARY	R	FAP	283	R 6	UNDIVIDED NONE	6.19	MDDD22 CHURCHVILLE RD	3			
						6.22		2	35I	2,300	
						8.84			21I	5,750	
						9.17	STRUCTURE #12033 DEER CREEK			4,000	
						11.77		4	39I		
						11.81	US0001 BELAIR RD				
						11.83		4	24I	4,500	
						12.61		2	24I		
						12.81	MDD440 DUBLIN RD			4,600	
						13.76		2	36I		
						13.92		2	24I		
						14.89	STRUCTURE #12C32 BROAD CREEK				
						14.93				4,000	
						16.24	MDD646 PROSPECT RD				
						17.28		3	36I	4,200	
						17.92		4	48I		
	FAS	1238		7		18.46		2	21I	2,100	
						19.16	MDD165 PYLESVILLE RD				
						21.64	MDD624 GRACETON RD				
						23.75	MDDD24 ROCK RD			700	
						24.30	STRUCTURE #12D31 FALLING CREEK				
						26.39	STRUCTURE #12C30 BIG BRANCH				
						29.04	STRUCTURE #12C29 ISLAND BRANCH				
						29.33					
						30.04	MDDD23 NORRISVILLE RD			1,000	
ROUTE NUMBER.....MD 138 INVENTORY DIRECTION....EAST NAME: TROYER RD	SECONDARY	R	FAP	278	R 6	UNDIVIDED NONE	.00	BALTIMORE CO/L	2	21I	2,200
							.93	MDDD23 NORRISVILLE RD			
ROUTE NUMBER.....MD 146 INVENTORY DIRECTION....NORTH NAME: JARRETTSVILLE PIKE	SECONDARY	R	FAP	279	R 6	UNDIVIDED NONE	.00	BALTIMORE CO/L	2	21I	8,575
							.81		2	20I	
						3.57	MDD152 FALLSTON RD				
						5.09		3	35I	4,000	
						5.14	MDCD23 NORRISVILLE RD				

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 147  
 INVENTORY DIRECTION....NORTH  
 NAME: HARFORD RD

PAGE..... 12  
 DATE.....12/31/85  
 COUNTY-HARFORD  
 SHA DISTRICT.....4

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL						
SECONDARY	R	FAS	1245	R	7	UNDIVIDED	NONE			
					.00		BALTIMORE CO/L	2	21I	4,200
					.00		STRUC #3D9C L GUNPOWDER FALLS			
					1.87	MDD152	FALLSTON RD			
					1.89			2	22I	6,200
					2.90			3	42I	10,100
					2.96	US0001	BELAIR RD			
					2.96	US00018U	BELAIR RD (AHEAD)			

ROUTE NUMBER.....MD 152  
 INVENTORY DIRECTION....NORTH  
 NAME: MAGNOLIA RD

SECONDARY	R	FAU	3221	U	16	UNDIVIDED	NONE			
					.00		ROAD END	2	28I	12,300
					.18		STRUCTURE #12037			
					.39			2	24I	
					2.24		DIVIDED	2	48I	
					2.33		UNDIVIDED	2	33I	
		FAP	280		14			3	38I	
					2.38	US0040	PULASKI HWY	2	24I	
					2.46					
					2.55					
					2.63					
					2.97	M00007	STRUC#12036 R/R #80 140 814 E			
					3.30	IS0095	PHILADELPHIA RO			
					7.31		J F K MEM HWY STRUC#12072	4	24I	
					7.39			4	48I	
					7.54	US0001	BELAIR RD			13,300
					8.03	MDD147	HARFORD RD			15,525
					8.46			2	24I	
					8.61		UNDIVIDED	2	25I	
					9.79			2	24I	16,500
					13.35	M00165	BALDWIN MILL RD			4,825
					15.32			2	22I	
					16.22					
					17.27			2	23I	1,700
					17.42	MDD146	JARRETTSVILLE PIKE			

ROUTE NUMBER.....MD 155  
 INVENTORY DIRECTION....EAST  
 NAME: LEVEL RD

SECONDARY	R	FAP	281	R	6	UNDIVIDED	NONE			
					.00	M00022	CHURCHVILLE RD	2	29I	6,000
					.04			2	21I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 155 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: LEVEL RD

PAGE..... 13  
DATE.....12/31/85  
COUNTY-HARFORD  
SHA DISTRICT.....4

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FAP 281 R 6	UNDIVIDED	NONE	.47				
				2.74	MDD155B CROSSOVER	2	24I	8,700
				2.90	MDC155A CROSSOVER			
				3.77	MDD161 DARLINGTON RD			
				4.16	MDD155C CROSSOVER			
				4.46	MDD156 ALDINO RD			
				4.79	MDD462 PARADISE AVE			7,000
				6.56	IS0095 J F K MEM HWY STRUC#HX 220			
				7.92				7,500
				8.19	IN CORP LMTS HAVRE DE GRACE	2	48I	
				8.69	R/R #B0 140 792 G	4	48I	
				8.72	MDD763 SUPERIOR ST			
				8.75		2	18I	
				9.09	MDDDD7A OSTEGO ST (AHEAD)	2	36I	
				9.09	US0040 PULASKI HWY			

ROUTE NUMBER.....MD 155A  
INVENTORY DIRECTION....NORTH  
NAME: CROSSOVER

SECONDARY	R NFA	R 9	UNDIVIDED	NONE	.00	C00388 MCCOMMONS RD		
					.01	MDD155 LEVEL RD	2	24H

ROUTE NUMBER.....MD 155B  
INVENTORY DIRECTION....NORTH  
NAME: CROSSOVER

SECONDARY	R NFA	R 9	UNDIVIDED	NONE	.00	C00388 MCCOMMONS RD		
					.03	MDD155 LEVEL RD	2	24H

ROUTE NUMBER.....MD 155C  
INVENTORY DIRECTION....NORTH  
NAME: CROSSOVER

SECONDARY	R NFA	R 9	UNDIVIDED	NONE	.00	C00414 RIDER LA		
					.02	MDD155 LEVEL RD	2	40H

ROUTE NUMBER.....MD 156  
INVENTORY DIRECTION....EAST  
NAME: ALDINO RD

SECONDARY	R NFA	R 9	DIVIDED	NONE	.00	MDD22 CHURCHVILLE RD	4	28I	3,600
-----------	-------	-----	---------	------	-----	----------------------	---	-----	-------

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 156 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: ALOINO RD

PAGE..... 14  
DATE.....12/31/85  
COUNTY-HARFORD  
SHA OISTRICT.....4

SYSTEM		FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL								
SECONDARY	R NFA	R 9	UNDIVIDED	NONE	.02		2	29I	3,600
					.06		2	20I	
					2.50				
					2.60				
					3.36				
					3.91	M00155		STRUCTURE #12038 SWAN CREEK CHURCHVILLE RD	

ROUTE NUMBER.....MD 159  
INVENTORY DIRECTION....NORTH  
NAME: PERRYMAN RD

SECONDARY	R NFA	R 9	UNDIVIDED	NONE	.00	ROAD END	2	21I	2,100
					.55				
	FAS 1261	7			1.95				
	NFA	8			3.21				
		U 17			4.39				
					4.51				
					4.73	US0040		STRUCTURE #12039 CRANBERRY RUN PULASKI HWY	
					4.73	M00007		PHILADELPHIA RD (AHEAD)	

ROUTE NUMBER.....MD 161  
INVENTORY DIRECTION....NORTH  
NAME: DARLINGTON RD

SECONDARY	R FAS 1255	R 7	UNDIVIDED	NONE	.00	MDD155	LEVEL RD	2	25I	3,000
					.05			2	22I	
					2.24			2	20I	
					3.06					
					3.98			2	22I	
					4.35			2	20I	
					4.71			2	28I	
					4.86			2	20I	
					5.17	M00623	CASTLETON RD			
					5.36	M00161A	MD 161 SPUR			
					5.38	US0001	CONOWINGO RD			

ROUTE NUMBER.....MD 161A  
INVENTORY DIRECTION....EAST  
NAME: MD 161 SPUR

SECONDARY	R NFA	R 9	UNDIVIDED	NONE	.00	US0001	CONOWINGO RD	2	17I
					.06	MDD161	DARLINGTON RD		

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MO 165  
INVENTORY DIRECTION....NORTH  
NAME: BALOWIN MILL RD

PAGE..... 15  
DATE.....12/31/85  
COUNTY-HARFORD  
SHA DISTRICT.....4

STATE	SYSTEM	FEDERAL	CLASS	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED LANS	SURFACE WIDTH/TYPER*	AAOT
SECONDARY	R	FAS	1241	R	7	UNDIVID	NONE	.00	BALTIMORE CD/L	2	22I	3,625
								.00	STRUC #3100 & GUNPOWDER FALLS			
								2.19	FALLSTON RD			
								2.30				
								2.94				3,850
								3.07		2	23I	
								3.16		2	22I	
								3.22	STRUCTURE #12045 WEST BRANCH			
		FAP	278		6			5.52	STRUCTURE #12046 WEST BRANCH			
								6.79	JARRETTSVILLE RD	2	23I	5,700
			279					6.80	JARRETTSVILLE RD	2	37I	
								6.86				5,200
								11.36		2	22I	
								11.38	STRUCTURE #12044 DEER CREEK	2	20I	2,700
								11.84	STRUCTURE #12043 CEER CREEK			
								13.73	RCK SPRING RD			
								13.97				
								14.20				3,500
								14.74		2	22I	
								14.94	GRACETON RD	2	24I	
								15.75	AOY RD			
								15.87				
								15.90	STRUCTURE #12041 BRDAD CREEK			4,825
								18.23	WHITEFORD RD			
								18.98	PENNSYLVANIA ST/L			

ROUTE NUMBER.....MO 439  
INVENTORY DIRECTION....EAST  
NAME: OLD YORK RD

SECONDARY	R	FAS	1236	R	7	UNDIVID	NONE	.00	BALTIMORE CO/L	2	21I	3,000
								1.22	NORRISVILLE RD			

ROUTE NUMBER.....MO 440  
INVENTORY DIRECTION....EAST  
NAME: OUBLIN RD

SECONDARY	R	NFA		R	8	UNDIVID	NONE	.00	ADY RD	2	21I	1,000
								3.84	WHITEFORD RD			
								5.63	CONOWINGD RD			

\* A,B = UNIMPROVED; C = GRADED & CRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 462  
 INVENTORY DIRECTION....NORTH  
 NAME: PARADISE RD

PAGE..... 16  
 DATE.....12/31/85  
 COUNTY-HARFORD  
 SHA DISTRICT.....4

.....STATE.....	SYSTEM ..FEDERAL...	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
SECONDARY	U FAU	7101	U 16	UNOIVED	NONE	.00 MOC132 WEST BELAIR AVE	2	36I	3,500
						.65 MDO022 ABEROEEEN THURWAY			4,200
						1.18			
						1.31		24I	
						1.49			
	R					1.62			
	FAS	1257	R 7			2.37 IS009S STRUCTURE #12047 CARAINS RUN			3,300
						2.40			2,700
						2.97			2,300
						4.15 MDO155 LEVEL RD			

ROUTE NUMBER.....MD 490  
 INVENTORY DIRECTION....NORTH  
 NAME: UNION AVE

SECONDARY	U NFA		U 19	UNOIVED	NONE	.00 MU0190 COMMERCE ST	2	40I	1,845
			17			.05			1,890
						.31 M00007A REVOLUTION ST			

ROUTE NUMBER.....MD S43  
 INVENTORY DIRECTION....NORTH  
 NAME: HARFORD FURNACE RD

SECONDARY	R NFA		R 9	UNOIVED	NONE	.00		ROAD END	1,700
			8			.22		2	22I
	FAS	1249	7			.69			
						.96			
						2.20 M00136 STRUCTURE #12051 JAMES RUN			3,000
						2.49			
	FAU	3631	U 17			3.79			
						5.42			
						5.86			5,400
	FAS	1249	R 7			5.91 M00022 CHURCHVILLE RD	2	36I	
						5.96		2	33I
						7.34		2	21I
	NFA		9			8.34		2	22I
						8.94			6,000
	FAS	1249	7			9.14		2	21I
						12.01			5,300
						13.47 M00440 STRUCTURE #12049 DEER CREEK			
						14.39 MOC646 OUBLIN RD			
						16.65			2,600
									2,900

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 543 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: HARFORD FURNACE RD

PAGE..... 17  
DATE.....12/31/85  
COUNTY-HARFORD  
SHA DISTRICT.....4

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
SECONDARY	R FAS 1249 R 7	UNDIVED	NONE	17.42 17.52	M00165 PYLESVILLE RD	2	24I	2,800
ROUTE NUMBER.....MD 543A INVENTORY DIRECTION....NORTH NAME: CRESWELL RD								
SECONDARY	R NFA R 9	UNDIVED	NONE	.00 .31	M00007 PHILADELPHIA RD ROAD ENO	2	22I	125
ROUTE NUMBER.....MD 543UL INVENTORY DIRECTION....NORTH NAME: PROPOSED								
SECONDARY	R FAS 1249 R 7	UNDIVED	NONE	.00 1.65 8.34 8.98	US0040 PULAKSI HWY M00543 HARFORD FURNACE RD M00543 FOUNTAIN GREEN RD M00543 AOY RD	2	24I	
ROUTE NUMBER.....MD 623 INVENTORY DIRECTION....NORTH NAME: CASTLETON RD								
SECONDARY	R NFA R 8	UNDIVED	NONE	.00 .18 .29 .39 2.22 3.14 4.63 7.26	M00161 OARLINGTON RD US0001 CONOWINGO RD  STRUCTURE #12C53 PEDOLER RUN  STRUCTURE #12C52 BROAD CREEK PENNSYLVANIA ST/L	2 2 2 2	21I 20I 19I 18I	400
ROUTE NUMBER.....MD 624 INVENTORY DIRECTION....NORTH NAME: GRACETON RD								
SECONDARY	R NFA R 9	UNDIVED	NONE	.00 .34 1.15 2.73 3.02	M00165 PYLESVILLE RD STRUCTURE #12C55 BROAD CREEK STRUCTURE #12C54 BROAD CREEK M00136 WHITEFORD RD PENNSYLVANIA ST/L	2	21I	2,100

\* A,B = UNIMPROVED; C = GRADED & CRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MC 646  
 INVENTORY DIRECTION....NORTH  
 NAME: PROSPECT RD

PAGE..... 18  
 DATE.....12/31/85  
 COUNTY-HARFORD  
 SHA DISTRICT.....4

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED	SURFACE	AADT				
STATE	FEDERAL	CLASS	CTL			LANES	WIDTH/TYPE*					
SECNDARY	R	NFA	R	8	UNDIVIDED	NONE	.00	MDD543	ADY RD	2	21I	900
							.77		STRUCTURE #12057 BROAD CREEK			
							3.31	MDD136	WHITEFORD RD			

ROUTE NUMBER.....MD 715  
 INVENTORY DIRECTION....EAST  
 NAME: SHORT LA

SECNDARY	R	FAU	7109	U	16	DIVIDED UNDIVIDED	NONE	.00	US0040	PULASKI HWY	2	38I	8,300
								.07			2	24I	
						DIVIDED		.27	US0040	PULASKI HWY STRUC#12023	2	32I	
								.43			4	48I	
								.46			4	52I	
		FAS	1381	R	7			.65			4	48I	
								.78		STRUC#12058 R/R #ATK 530 692 E			
								.96			4	48I	
								1.20		ROAD END @ A.P.G.			

ROUTE NUMBER.....MD 755  
 INVENTORY DIRECTION....NORTH  
 NAME: EMMORTON RD

SECNDARY	R	FAU	3223	U	16	UNDIVIDED	NONE	.00		ROAD END @ A.P.G.	2	30I	13,000
						DIVIDED		.12		STRUC #12059 R/R #ATK 530 689 W	2	24I	
						UNDIVIDED		.32			2	28I	
								1.34			2	36I	18,400
								1.45	MDD024	EMMORTON RD	2	42I	
								1.56			4	24I	
								1.61			2	21I	
								1.79	US0040	PULASKI HWY	2		
								2.01			2		
								2.02		STRUCTURE #12C20 WINTERS RUN			
								2.14		STRUCTURE #12C19 WINTERS RUN			
								2.15			2	22I	
								2.26		R/R #BO 14C 811 J			
		NFA			17			2.44	MDD007	PHILADELPHIA RD	2	24I	5,700
								3.04	MDD024	EMMORTON RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS


STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 763  
 INVENTORY DIRECTION....EAST  
 NAME: SUPERIOR ST


PAGE..... 19  
 DATE.....12/31/85  
 COUNTY-HARFORD  
 SHA DISTRICT.....4

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT		MILEPOINT DESCRIPTION		MARKED	SURFACE	AAOT
STATE	FEDERAL	CLASS	TYPE	CTL					LANES	WIDTH/TYPE*	
SECONDARY	U	FAU	8101	U	16	UNDIVIDED	NONE	.DD	MDC155	OHIO ST	
								.26	USCQ4D	PULASKI HWY	2
								.32	MUD38D	JUNIATA ST	4DI
											5,038

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SCIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK



# HOWARD COUNTY



HOWARD COUNTY

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 1  
INVENTORY DIRECTION....NORTH  
NAME: WASHINGTON BLVD

PAGE..... 1  
DATE.....12/31/85  
COUNTY-HOWARD  
SHA DISTRICT.....7

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL	CLASS	TYPE	CTL					
SECNDARY	R FAP	251 U 14	OIVIDED	NONE	.00	STRUC#16DD1&#16DD2 PATUXENT RIVER	6	74I	15,800
					.00	PRINCE GEORGES CO/L			
					.06	STRUCTURE #13035			
					.21				
			UNDIVED		.64		6	72I	
					.75		4	46I	
					.97		5	66I	
					1.57	STRUCTURE#130C9 HAMMOND BRANCH	4	46I	
					2.20	R/R #B0 140 221 M	4	48I	
			OIVIDED	US0001	2.31	WASH BLVD N/B LANE	4	50I	
					2.45		5	62I	
					2.47	STRUC#13007 MID PATUXENT RIVER			
					2.49		5	60I	
					2.60		4	48I	
			UNDIVED	M00032	2.83	NO NAME			
					3.07				17,245
					3.15		4	60I	
					3.26	GUILFORD RD			
					3.38		4	46I	15,225
					3.69	STRUC #13099 R/R #B0 140 227 D			
					3.90		5	46I	
					3.99		4	46I	
					4.35	STRUCTURE#130C5 OCRSEY RUN			
					5.25		5	62I	
					5.34	STRUCTURE#13004 OCRSEY RUN			
			OIVIDED	M00958P	5.37	CRESTMONT RD			
					5.50		4	69I	25,900
			UNDIVED	M00175	5.59	WATERLOO RD			21,000
					5.68		4	48I	
			OIVIDED		6.04				
					6.16	STRUCTURE#130C3 DEEP RUN			
			UNDIVED		6.18				
					7.04	M00103 MEADOW RICGE RD			
					7.35	M00176 DCRSEY RD			
					7.58	M00100 NC NAME			
					8.00	STRUCTURE#130C2 BEALMEAR BRANCH			18,075
					8.12		4	50I	
					8.67		4	48I	
					9.13				
					9.59	M00103A MONTGCMERY RD			
					10.67	R/R #B0 140 881 Y			
			OIVIDED		10.76				16,275

\* A,B = UNIMPROVED; C = GRADED & CRAINED; C,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 1 CONTINUED  
INVENTORY DIRECTION.....NORTH  
NAME: WASHINGTON BLVD

PAGE..... 2  
DATE.....12/31/85  
COUNTY-HOWARD  
SHA DISTRICT.....7

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED	SURFACE	AA DT		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL		LANES	WIDTH/TYPE*			
SECONDARY	R	FAP	251 U 14	DIVIDED	NONE	10.99 ISDB95	HARBOR TUNNEL THRUWAY STRUC#3010	4	4BI	16,275
						11.02	BALTIMORE CO/L			

ROUTE NUMBER.....MD 27  
INVENTORY DIRECTION.....NORTH  
NAME: WASH RIDGE RD

SECONDARY	R	FAP	237 R 6	UNDIVIDED	NONE	.00	MONTGOMERY CO/L	2	21I	10,000
						1.21	PENN SHOP RD			
						1.23	FREDERICK CO/L			

ROUTE NUMBER.....US 29  
INVENTORY DIRECTION.....NORTH  
NAME: COLUMBIA PIKE

PRIMARY	R	FAP	109 R 2	DIVIDED	PART	.00	MONTGOMERY CO/L	4	48J	23,000
						.00	STRUC#15D34&#15D35 PATUXENT RIVER			
						.15		4	48I	
						1.11		4	48J	
						1.38	MDD216 SCAGGSVILLE RD			
						1.67		4	48I	
						2.11	STRUCTURE #13D14 HAMMOND BRANCH			
						2.37		4	48J	
						2.51		5	6DJ	
						2.75		5	6DI	
			U 12			3.24	STRUC#13D13 MID PATUXENT RIVER			
						3.26		4	6DI	
						3.63	MDD732K RIVERSEDGE RD			
			R 2			3.95				
						4.29	MDDD32 GUILFORD RD			
			U 12			4.35				
						5.59		4	48J	38,874
						6.11	STRUC#13D12 LITTLE PATUXENT RIVER			
						7.37		4	48I	
						7.70	MDD175 PATUXENT PKWY STRUC#13D86			47,000
						8.45		4	48J	
						8.84	MDC10B CLARKSVILLE PIKE			
						8.94		4	48I	
					FULL	10.00		5	6DJ	44,800
						10.08	USDD29A US 29 SPUR			
						10.19	MDD987 OLD CCLUMBIA RD			45,000
						10.26	MDC103 MONTGOMERY RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 29 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: COLUMBIA PIKE

PAGE..... 3  
DATE.....12/31/85  
COUNTY-HOWARD  
SHA DISTRICT.....7

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
....STATE....	..FEDERAL...	CLASS	CTL					
PRIMARY	R	FAP	109 U 12	DIVIDED	FULL			
				10.48				
				11.06		4	48J	45,000
				11.21	C00278	5	60J	
				11.46	STRUCTURE #13010 FREDERICK RD			
				11.50	STRUCTURE #13008 RAMP 7			
				11.76	US0040	6	72J	
				12.32	BALTO NAT PIKE STRUC#13D11			40,000
				12.50		7	84J	
				12.72		4	48J	
				12.87		4	48I	
				12.89	STRUCTURE #13028 RAMP 7			
SECONDARY	FAU	3147						
				13.10	IS0070	4	48J	
				13.41	EISENHOWER HWY STRUC #13D48			5,775
				13.54	M00099	4	48I	
					OLD FREDERICK RD			
ROUTE NUMBER.....US 29HA								
INVENTORY DIRECTION....NORTH								
NAME: US 29 SPUR								
SECONDARY	R	NFA	U 17	UNDIVIDED	NONE			
				.00	US0029	2	16I	999
				.11	M00987			
ROUTE NUMBER.....MD 32								
INVENTORY DIRECTION....NORTH								
NAME: NO NAME								
PRIMARY	R	FAP	118 U 12	DIVIDED	NONE			
				.00				
				1.50	US0001	4	48I	10,000
				2.61	WASHINGTON BLVD			18,000
				3.01		4	48J	
				3.08	IS0095	5	60J	
				3.31	NO NAME			
				3.86		4	48J	29,150
				4.08	M00732	4	48I	
				4.08	C01834			
				4.87	M00732E			
				5.19	GUILFORD RD			
				5.42	M00732H			
				6.30	US0029			
				6.79	COLUMBIA PIKE	3	48I	14,650
			UNDIVIDED	7.07				5,700
				7.49	M00732L	2	24I	
					PINDELL SCHOOL RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 32 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: MD NAME

PAGE..... 4  
DATE.....12/31/85  
COUNTY-HOWARD  
SHA DISTRICT.....7

STATE	SYSTEM	FEDERAL	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT			
PRIMARY	R	FAP	118	U 12	UNOIVED	NONE	7.49	MDC7328	GUILFORD RD	2	24I	5,700	
							7.79						
		NFA		R 9			8.35			2	21I		
	9.93												
	9.98												
		FAP	118	6			10.76	MDC108	STRUC#13025 MIDDLE PATUXENT RIVER STRUC#13024 MIDDLE PATUXENT RIVER CLARKESVILLE PIKE (AHEAD) CLARKESVILLE PIKE (BACK) TRIDELPHIA RD STRUC#13045 TEN OAKS RD STRUCTURE #13023 PATUXENT RIVER STRUC#13022 MIDDLE PATUXENT RIVER STRUC#13021 TERRAPIN BRANCH RIVER	2	24I	9,675	
	11.08						MDC108						
	15.98						CDC049						
	16.35						MDC732N						
	17.66												
	18.53												
	18.89												
	19.64												
	19.71						MDC144A						
	20.15						IS0070						
	SECONDARY		243			UNOIVED		20.58	OLD NATIONAL PIKE EISENHOWER HWY  OLD FREDERICK RD MD 32 SPUR OLD MD 32 STRUCTURE #13019 PATAPSCO RIVER DEER HILL RD OLD MD 32 CARROLL CD/L STRUCTURE #13046 PATAPSCO RIVER	3	36I		
								20.65					
								20.98					MDC099
21.46								MDC328					
21.61								MDC851F					
23.09													
23.58								MDC851F					
23.96								MDC851					
24.25													
24.25													

ROUTE NUMBER.....MD 32B  
INVENTORY DIRECTION....EAST  
NAME: MD 32 SPUR

SECONDARY	R	NFA		R 9	UNOIVED	NONE	.00	MDC032	SYKESVILLE RD	2	19H	
							.02	MDC851F	OLD MD 32			

ROUTE NUMBER.....MD 32UL  
INVENTORY DIRECTION....NORTH  
NAME: PROPOSED

SECONDARY	R	FAP	118	U 12	UNOIVED	NONE	.00	MDC032	GUILFORD RD	4	24I	3,382
							2.25	MDC108	CLARKESVILLE PIKE			
							2.25	MDC032	GUILFORD RD			

\* A,B = UNIMPROVED; C = GRADED & CRAINED; C,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 40  
INVENTORY DIRECTION....EAST  
NAME: BALTO NATIONAL PIKE

PAGE..... 5  
DATE.....12/31/85  
COUNTY-HOWARD  
SHA DISTRICT.....7

SYSTEM		FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYP*	AADT
STATE	FEDERAL								
SECNOARY	R FAS	1379 R 7	DIVIDED	PART	.00	SEE IS 70 (AHEAD)			
		1397			12.67	EISENHOWER HWY (BACK)	4	48J	8,750
		1379			13.10				
					13.17				
					13.61				
					15.45	MOD144A OLD NATIONAL PIKE			10,355
	FAU	3577 U 16		NONE	15.64		4	48I	16,100
					16.13				38,700
					16.53	STRUC #13032 PATUXENT RIVER			
	FAP	244			18.00				
					18.23				
					18.28	US0029 COLUMBIA PIKE STRUC #13011			26,400
					18.95	M00099 ROGERS AVE			29,300
					19.20	M00984 ACCESS RD			
					20.01				
					20.49	SR0002 PARK RD STRUC #13034			
					21.01	BALTIMORE CO/L			
					21.01	STRUCTURE #3109 PATAPSCO RIVER			

ROUTE NUMBER.....IS 70  
INVENTORY DIRECTION....EAST  
NAME: EISENHOWER HWY

PRIMARY	R FAI	70 R 1	DIVIDED	PART	.00	CARROLL CO/L	6	72J	28,100
				FULL	.59				
					1.00	C01594 W WATERSVILLE RD STRUC #13084			
					2.53	M00970C WATERSVILLE RD STRUC #13083			
					3.80	M00094 FLORENCE RD STRUC #13094			
				PART	3.98				
					5.07	C00030 MCRGAN STATION RD STRUC #13082			
					6.96	M00097 HOOOS MILL RD STRUC #13030			35,100
					10.64	M00032 NC NAME STRUC#13031			
					11.83	C00067 SANO HILL RD STRUC #13081			
					12.07		6	60J	
					12.43		6	72J	
				FULL	12.67	US0040 BALTO NATIONAL PIKE	4	48J	35,200
					12.99	BALTO NAT PIKE WB STRUC #13055			
					13.11	TRANS-CON GAS LINE STRUC #13054			
					13.58	C00070 MARRIOTTSVILLE RD STRUC #13053			
					16.06	C01063 BETHANY LA STRUC #13052			
					16.87	C00272 ST JOHNS LA STRUC#13040			
					17.67	US0029 COLUMBIA PK STRUC #13048			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = SLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 7C CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: EISENHOWER HWY

PAGE..... 6  
DATE.....12/31/85  
COUNTY-HOWARD  
SHA DISTRICT.....7

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL					
PRIMARY	R	FAI	70 U 11	DIVIDED FULL	17.91	STRUCTURE #13C2D RAMP 7	4	48J	35,200
					18.09		8	96J	
					18.40		6	72J	
					18.43	MDD099 ROGERS AVE STRUC #13DD1			
					19.47	STRUCTURE #3229 PATAPSCO RIVER			
					19.47	BALTIMORE CO/L			

ROUTE NUMBER.....MD 94  
INVENTORY DIRECTION....NORTH  
NAME: ELLICOTT RD

SECONDARY	R	FAS	1113 R 7	UNDIVIDED NONE	.00	MONTGOMERY CO/L	2	2DI	2,275
					.00	STRUCTURE #13C47 PATUXENT RIVER			
					1.03	STRUCTURE #13C36 CABIN BRANCH			
					5.28		2	24I	
					5.37				2,500
					5.45	M00144A FREDERICK RD			
				DIVIDED	5.65				4,900
				UNDIVIDED	5.79				
					5.85	IS0070 EISENHOWER HWY STRUC #13D94			
				DIVIDED	5.94				
				UNDIVIDED	6.04				
					6.25	CO00D7 OLD FREDERICK RD			

ROUTE NUMBER.....IS 95  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

PRIMARY	R	FAI	95 U 11	DIVIDED FULL	.00	STRUCTURE #16197 PATUXENT RIVER	8	96I	82,500
					.00	PRINCE GEORGES CO/L			
					.50	COD275 OLD SCAGGSVILLE RC STRUC #13D77	8	96J	
					1.15	MOD216 SCAGGSVILLE RD STRUC #13D76			74,000
					2.08	IS0095K NO NAME			
					2.11	COD416 GORMAN RD STRUC #13D74			
					2.19	ISDD95I NO NAME			
					2.59	ISDD95K NO NAME			
					2.68	ISCD95I NO NAME			
					2.84	STRUC #13D56 MID PATUXENT RIVER			
					3.35	COD194 VOLLMERHAUSEN RD STRUC#13073			
					3.59	STRUC#13D72 L PATUXENT RIVER			
					3.91	MD 32 STRUC#13C7D			
					3.98	MDC032 NO NAME			

\* A,B = UNIMPROVED; C = GRADE & CRANEED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 95 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

PAGE..... 7  
DATE.....12/31/85  
COUNTY-HOWARD  
SHA DISTRICT.....7

SYSTEM	STATE	FEDERAL	CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
PRIMARY	R	FAI	95 U 11	DIVIDED	FULL	4.03	MD 32 STRUC#13069	8	96J	74,000
						4.05	MC 32 STRUC#13068			
						4.19	MDO732 GUILFCRD RD STRUC#13066 & #13067			
						4.20				
						4.94	STRUCTURE #13064			82,000
						6.34	MD 175 STRUC#13061			
						6.39	M00175 WATERLOO RD			
						6.44	MD 175 STRUC#13061			
						7.07	STRUCTURE #13059 DEEP RUN			87,216
						7.15	STRUCTURE #13060 DEEP RUN			
						7.72	MOC103 MEADOWRIDGE RD STRUC #13050			
						8.21				
						8.22	MOD100 NO NAME STRUC#13049			98,000
						8.37	STRUCTURE #13057 RAMP 7			
						10.04	COO136 MONTGOMERY RD STRUC #13051			
						11.05	ISO895 HARBOR TUNNEL THRUWAY			
						11.28	IS 895 SBL STRUC #HOY002			
						11.51	BALTIMORE CO/L			
						11.51	STRUCTURE #3243 PATAPSCO RIVER			

ROUTE NUMBER.....IS 95I  
INVENTORY DIRECTION....NORTH  
NAME: SERVICE RD

PRIMARY	R	NFA	U 19	UNOIVED	NONE	.00	ISO095 NO NAME	1	12J	
						.08		1	20J	
						.14		1	20I	
			R 9			.20	ISO095J NO NAME	2	22I	
						.24		1	22I	
						.32		1	20I	
						.46				
						.63	ISO095J NO NAME	1	20J	
						.77		2	12J	
						.82				
						.94	ISO095 NO NAME			

ROUTE NUMBER.....IS 95J  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

PRIMARY	R	NFA	R 9	UNOIVED	NONE	.00	ISCO95I SERVICE RD	1	21I	
						.06		2	20I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 95J CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

PAGE..... 8  
DATE.....12/31/85  
COUNTY-HOWARD  
SHA DISTRICT.....7

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL				
PRIMARY	R	NFA	R	9	UNDIVED NONE	.16		
						.28		
						.35	ISOD95I SERVICE RD	
								2
								1
								24J
								20I

ROUTE NUMBER.....IS 95K  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

PRIMARY	R	NFA	R	9	UNDIVED NONE	.00	IS0095 NO NAME			
						.07			1	12J
						.13			1	20J
						.16	ISDD95L NO NAME		1	20I
						.38			1	26I
						.42			1	22I
						.48			1	24I
						.59	ISDD95L NO NAME			
						.62			1	20J
						.66			1	12J
						.78	IS0095 NO NAME			

ROUTE NUMBER.....IS 95L  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

PRIMARY	R	NFA	R	9	UNDIVED NONE	.DD	IS0095K NO NAME		2	20I	
						.D3			1	20I	
						.17	IS0095K NO NAME				

ROUTE NUMBER.....MC 97  
INVENTORY DIRECTION....NORTH  
NAME: ROXBURY MILLS RD

SECONDARY	R	FAP	245	R	6	UNDIVED NONE	.DD	STRUCTURE #13C38 PATUXENT RIVER	2	22I	7,000
							.00	MONTGCMERY CO/L			
							1.31	STRUCTURE #13C37 CATTAIL CREEK			
							6.36	MDD144A OLD NAT PIKE			
							6.49		4	48I	
							6.81	IS0070 EISENHOWER HWY STRUC #13030			3,700
							7.1D		2	24I	
							7.19		2	20I	
							8.74	STRUCTURE #6029 PATAPSCO RIVER			
							8.74	CARROLL CO/L			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 99  
INVENTORY DIRECTION.....EAST  
NAME: OLD FREDERICK RD

PAGE..... 9  
DATE.....12/31/85  
COUNTY-HOWARD  
SHA DISTRICT.....7

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED	SURFACE	AADT	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL		LANES	WIDTH/TYPE*		
SECONDARY	R	FAS	1154 R	7	UNDIVID	NONE			
				.00	M00032	SYKESVILLE RD	2	34I	2,200
				.06	M00851J	OLD MC 32	2	22I	
				2.87					3,475
				3.72					6,475
				7.47					4,150
				7.57	US0029	COLUMBIA PIKE	2	24I	
				8.19	M00985	OLD FREDERICK RD			
				8.20					4,300
				8.24	M00985A	OLD FREDERICK RD			
				8.42	IS0070	EISENHOWER HWY STRUC #13001			
				9.13		STRUCTURE #13039 SUCKER BRANCH	2	22I	
				9.42	US0040	BALTO NATIONAL PIKE			

ROUTE NUMBER.....MD 10C  
INVENTORY DIRECTION.....NORTH  
NAME: NO NAME

SECONDARY	R	FAP	110 'U	12	UNDIVID	NONE			
PRIMARY					DIVIDED				
					UNDIVID				
					DIVIDED	FULL			
				.00			4	20I	14,200
				.90	US0001	ANNE ARUNDEL CO/L	2	32I	
				.94		WASHINGTON BLVD	2	34I	
				.99			2	30J	
				1.07			4	48I	
				1.69	IS0095	NO NAME STRUC #13049			
				1.82		STRUCTURE #13058 RAMP 7 TO I-95			
				2.21		ROAD END			

ROUTE NUMBER.....MD 103  
INVENTORY DIRECTION.....NORTH  
NAME: MEADOW RIDGE RD

SECONDARY	R	FAU	3141 U	14	UNDIVID	NONE			
				.00	US0001	BALTO WASH BLVD	2	20I	5,100
				.70			2	24I	
				.71	IS0095	NO NAME STRUC #13050			
				.81			2	20I	
				2.50					9,600
				2.59					
				4.26	M00104	WATERLOO RD	2	24I	
				4.33	M00103C	NO NAME			17,300
				4.39					
				5.99			3	45I	
				6.03					
				6.08	M00987	OLD COLUMBIA PIKE	4	44I	14,100

\* A,B = UNIMPROVED; C = GRADED & CRAINED; C,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 1D3      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: MEADOW RIDGE RD

PAGE..... 10  
DATE.....12/31/85  
COUNTY-HOWARD  
SHA DISTRICT.....7

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYP*	AADT
STATE	FEDERAL							
SECNDARY	R FAU 3141 U 14	UNDIVED	NONE	6.11 6.21	USDD29 COLUMBIA PIKE	1	I3I	14,100

ROUTE NUMBER.....MD 103A  
INVENTORY DIRECTION....NORTH  
NAME: MONTGOMERY RD

SECNDARY	R NFA	U 19	UNDIVED	NONE	.00 .11	CO1732 US0001	OLD WASH BLVD BALTO WASH BLVD	2	23I	1,710
----------	-------	------	---------	------	------------	------------------	----------------------------------	---	-----	-------

ROUTE NUMBER.....MD 1D3C  
INVENTORY DIRECTION....EAST  
NAME: NO NAME

SECNDARY	R NFA	U 19	UNDIVED	NONE	.00 .09	MDC1D3 MDD1D4	MONTGOMERY RD WATERLOO RD	2	24I	
----------	-------	------	---------	------	------------	------------------	------------------------------	---	-----	--

ROUTE NUMBER.....MD 1D4  
INVENTORY DIRECTION....NORTH  
NAME: WATERLOO RD

SECNDARY	R FAU 3140 U 16	UNDIVED	NONE		.00 1.06 1.10 1.13	M00108 MDD1D3C MDD1D3	CLARKSVILLE RD NO NAME MONTGOMERY RD	2 2 2	24I 30I 36I	10,100
----------	-----------------	---------	------	--	-----------------------------	-----------------------------	--	-------------	-------------------	--------

ROUTE NUMBER.....MD 1D5  
INVENTORY DIRECTION....NORTH  
NAME: PROPOSED

SECNDARY	R FAU 3139 U 16	UNDIVED	NONE		.00 .28	M001D8 MDC1D8	CLARKSVILLE PIKE CLARKSVILLE PIKE	2	24I	
----------	-----------------	---------	------	--	------------	------------------	--------------------------------------	---	-----	--

ROUTE NUMBER.....MD 108  
INVENTORY DIRECTION....EAST  
NAME: CLARKSVILLE PIKE

SECNDARY	R FAP 246 R 6	UNDIVED	NONE		.00 .00 1.53 3.43 3.76	MDC216 MDCU32 MDCQ32	MONTGOMERY CO/L STRUCTURE #15CD8 PATUXENT RIVER SCAGGSVILLE ROAD GUILFCRD RD SYKESVILLE RD	2	20I	4,725 16,375 11,150
	FAU 358I U 14									

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 108  
INVENTORY DIRECTION....EAST  
NAME: CLARKSVILLE PIKE

CONTINUED

PAGE..... 11  
DATE.....12/31/85  
COUNTY-HOWARD  
SHA DISTRICT.....7

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	R FAU 3581 U 14	UNDIVIDED	NONE	5.74	STRUC #13017 MID PATUXENT RIVER	2	20I	11,150
				6.77				13,200
				8.93		2	23I	
				9.41		2	24I	
				9.60	STRUCTURE #13016 PATUXENT RIVER			
				9.89				
				10.02		2	22I	
	NFA		19	10.17	US0029 COLUMBIA PIKE	2	20I	
	FAU 3139		16	10.52				10,800
		DIVIDED		10.63				
		UNDIVIDED		11.00		2	24I	
				11.30		2	32I	
		DIVIDED		11.70		2	24I	
		UNDIVIDED		11.80		2	34I	
				12.00				
				12.14		2	29I	
				12.18	MDD108A OLD MD 108	2	20I	
				12.26	MDD981 OLD WATERLOO RD			
				12.32	MDD104 WATERLOO RD			
				12.39	MDD981 WATERLOO RD	2	24I	16,300
		DIVIDED		14.43				
		UNDIVIDED		14.50	MDC957A OLD WATERLOO RD	2	30I	
	NFA		19	15.06	MDD175HA MD 175 SPUR	2	24I	17,775
				15.11		2	29I	
				15.17	MDD175 WATERLOO RD	3	36I	

ROUTE NUMBER.....MD 108A  
INVENTORY DIRECTION....EAST  
NAME: OLD MD 108

SECONDARY	R NFA		U 19	UNDIVIDED	NONE	.00	MDC108 CLARKSVILLE PIKE	2	12F
						.11	MDD981 NO NAME		

ROUTE NUMBER.....MD 144A  
INVENTORY DIRECTION....EAST  
NAME: OLD NATIONAL PIKE

SECONDARY	R NFA		R 9	UNDIVIDED	NONE	.00	CARROLL CO/L	2	24I	1,650
			8			.54	MDD144+C OLD NATIONAL PIKE			
						.99				
						2.52		2	20I	1,950
						3.82	MDD094 FLORENCE RD			2,650

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 144A CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: OLD NATIONAL PIKE

PAGE..... 12  
DATE.....12/31/85  
COUNTY-HOWARD  
SHA DISTRICT.....7

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL					
SECONDARY	R NFA	R 8	UNOIVED	NONE	4.59		2	20I	2,475
	FAS 1152	7			6.95	M00097 RCXBURY MILLS RD			1,450
					8.26				3,100
					9.26	STRUCTURE #13085 TERRAPIN BRANCH			
					9.44		2	24I	
					10.75	M00032 SYKESVILLE RD	2	22I	5,000
					13.56		2	24I	
			DIVIDED		15.21		2	36I	
					15.32	US0040 BALTO NATIONAL PIKE			

ROUTE NUMBER.....MD 144HB  
INVENTORY DIRECTION....EAST  
NAME: TWIN ARCH RD

SECONDARY	R NFA	R 9	UNOIVED	NONE	.00	CARROLL CO/L	2	20I	95
					.12	C00006 TWIN ARCH RD			

ROUTE NUMBER.....MD 144HC  
INVENTORY DIRECTION....NORTH  
NAME: OLD NATIONAL PIKE

SECONDARY	R NFA	R 9	UNOIVED	NONE	.00	M00144A OLD NATIONAL PIKE	2	20I	
					.04	ROAD END			

ROUTE NUMBER.....MD 175  
INVENTORY DIRECTION....NORTH  
NAME: WATERLOO RD

SECONDARY	R FAU 3603	U 16	UNOIVED	NONE	.00	ANNE ARUNDEL CO/L	2	28I	27,000
					.00	STRUCTURE #13043			
					.24		2	24I	
	3582		DIVIDED		1.10		4	48I	
				FULL	1.52	USCG01 WASHINGTON BLVD			40,300
					2.00	1S0095 NO NAME STRUC #13061			
					2.50				
				NONE	2.57	M00175FA MD 175 SPUR	5	60I	
					2.68	MDC108 WATERLOO RD	6	72I	
				FULL	2.88				
					2.95		5	60I	
					3.15	M00175FC MD 175 SPUR	4	48I	
					3.17	STRUCTURE #13092 APPLIANCE PARK E			
					3.47	M00175HC MD 175 SPUR			

\* A,B = UNIMPROVED; C = GRADEC & GRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 175 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: WATERLOO RD

PAGE..... 13  
DATE.....12/31/85  
COUNTY-HOWARD  
SHA DISTRICT.....7

SYSTEM		FLNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL								
SECONDARY	R FAU	3582 U 16	UNDIVIDED	FULL	3.72				
			DIVIDED		4.00		2	24I	40,300
				NONE	4.07		3	36I	
			UNDIVIDED	FULL	4.28		2	24I	
					4.72	STRUCTURE #13091 PED WALKWAY			
			DIVIDED		4.92				
			UNDIVIDED		5.27				
			DIVIDED		5.98				
					6.02	STRUCTURE #13C9D PED WALKWAY			
		3142			6.06				
					6.72	US0029 COLUMBIA PIKE STRUCTURE #13086	4	48I	
					6.98	STRUC#13087 L PATUXENT RIVER			
				NONE	7.09				
					7.14	CO0794 LITTLE PATUXENT PKWY (AHEAD)	5	60I	

ROUTE NUMBER.....MD 175HA  
INVENTORY DIRECTION....EAST  
NAME: MD 175 SPUR

SECONDARY	R NFA	U 19	UNDIVIDED	NONE	.00	MO0175 WATERLOO RD	1	12I	
					.12	MO0108 CLARKSVILLE RD			

ROUTE NUMBER.....MD 175HC  
INVENTORY DIRECTION....SOUTH  
NAME: MD 175 SPUR

SECONDARY	R NFA	U 19	UNDIVIDED	NONE	.00	MO0175 PATUXENT PKWY	1	15I	
					.11		2	30I	
					.18		1	15I	
					.32	MO0175 PATUXENT PKWY			

ROUTE NUMBER.....MD 176  
INVENTORY DIRECTION....EAST  
NAME: DORSEY RD

SECONDARY	R FAU	3606 U 16	UNDIVIDED	NONE	.00	US0001 WASHINGTON BLVD	2	24I	17,750
					.60	STRUCTURE #13C41 DEEP RUN			
					.71				
					.79		2	26I	
					.88	ANNE ARUNDEL CO/L	2	30I	
					.88	STRUCTURE #2051			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 195  
INVENTORY DIRECTION....NORTH  
NAME: PROPOSED

PAGE..... 14  
DATE.....12/31/85  
COUNTY-HOWARD  
SHA DISTRICT.....7

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT				
....STATE....	..FEDERAL...	CLASS	TYPE	CTL								
PRIMARY	R	FAI	195	U	11	OIVIDEO	FULL	.00 .04	ANNE ARUNDEL CO/L BALTIMORE CO/L	4	52J	35,225

ROUTE NUMBER.....MD 216  
INVENTORY DIRECTION....NORTH  
NAME: SCAGGSVILLE RD

SECONDARY	R	FAU	3605	U	16	OIVIDEO	PART	.00 .00 .19 .48 .58 .64 .86	PRINCE GEORGES CO/L STRUCTURE #13044 PATUXENT RIVER	4 2	50I 24I	17,300
						UNDIVIDED						
						OIVIDEO						
						UNOIVED	NONE	1.56 2.36	IS0095 NO NAME STRUC#13076	4 2	48I 24I	15,200
		NFA			19			2.67 3.01	C00091 M00983A	2 2	36I 36I	
								3.01 3.92	C00091 LEISHEAR RD (BACK)	2	22I	12,775
		FAU	3605		16			4.31		2	24I	
		FAS	1156	R	7	OIVIDEO		4.39 4.50	US0029 CCLUMBIA PIKE MD 216 SPUR	2 2	24I 20I	8,260
						UNOIVED		4.72 5.63 8.39	M00216D CLARKSVILLE PIKE	2		6,975

ROUTE NUMBER.....MD 216D  
INVENTORY DIRECTION....EAST  
NAME: MD 216 SPUR

SECONDARY	R	NFA		R	9	UNOIVED	NONE	.00 .02 .04 .07	M0C216 SCAGGSVILLE RD ROAD END	2 2 2	24I 21I 24I	
-----------	---	-----	--	---	---	---------	------	--------------------------	--------------------------------------	-------------	-------------------	--

ROUTE NUMBER.....MD 216UL  
INVENTORY DIRECTION....NORTH  
NAME: PROPOSED

SECONDARY	R	FAU	3605	U	16	UNOIVED	NONE	.00 .75	M0C216 M00216 SCAGGSVILLE RD SCAGGSVILLE RD	2	24I	
-----------	---	-----	------	---	----	---------	------	------------	--	---	-----	--

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 432  
 INVENTORY DIRECTION....EAST  
 NAME: OAKLAND MILLS RD

PAGE..... 15  
 DATE.....12/31/85  
 COUNTY-HOWARD  
 SHA DISTRICT.....7

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AADT		
STATE	FEDERAL	CLASS	CTL				LANES	WIOTH/TYPE*			
SECONDARY	R	NFA	U 19	UNDIVED	NONE	.00	MDD732	GUILFORD ROAD	2	30I	340
						.26		ROAD END			

ROUTE NUMBER.....MD 732  
 INVENTORY DIRECTION....NORTH  
 NAME: GUILFORD RD

SECONDARY	R	NFA	U 19	UNDIVED	NONE	.00		ANNE ARUNDEL CC/L	2	21I	7,325
						.00		STRUCTURE #13C29			
						1.80	USDDD1	WASHINGTON BLVD			
						2.85					
						3.07	ISDD95	NO NAME NBL	2	24I	
						3.18	ISDD95	NO NAME SBL			
						3.66	MDD432	OAKLAND MILLS RD	2	20I	
						3.88			2	24I	
						4.17	C01834	GUILFORD RD			

ROUTE NUMBER.....MD 732A  
 INVENTORY DIRECTION....EAST  
 NAME: OLD MD 32

SECONDARY	R	NFA	U 19	UNDIVED	NONE	.00	MDD732G	OLD COLUMBIA RD	2	40I	7,325
						.22			2	33I	
						.36			2	22I	
				DIVIDED		.84			2	24I	
				UNDIVED		.94			2	22I	
						1.17			3	36I	
						1.21	MDD732E	BROKEN LAND PKWY			

ROUTE NUMBER.....MD 732B  
 INVENTORY DIRECTION....EAST  
 NAME: GUILFORD RD

SECONDARY	R	FAU	3343 U 16	UNDIVED	NONE	.00	MDC732L	PINDELL SCHOOL RD (BACK)	2	24I	5,700
						.00	MDD032	NO NAME			
						.25		STRUC#13D26 MID-PATUXENT RIVER			
						.26			2	20I	
						1.21			2	24I	
						1.29	MDC732J	MARTIN RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 732C  
INVENTORY DIRECTION....EAST  
NAME: GUILFORD RD

PAGE.....16  
DATE.....12/31/85  
COUNTY-HOWARD  
SHA DISTRICT.....7

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
....STATE....	..FEDERAL...	CLASS	CTL					
SECNDARY	R	NFA	U 19	UNDIVIDED	NONE			
				.DD		2	2DI	99
				.23	OPC461			
				.27				
					CUL DE SAC			
					MILL RD			
					CUL DE SAC			

ROUTE NUMBER.....MD 732E  
INVENTORY DIRECTION....SOUTH  
NAME: BROKEN LAND PKWY

SECNDARY	R	FAU 36D4	U 16	DIVIDED	NONE			
				UNOIVEO		4	48I	10,000
				1.76	CO1161			
				1.79		2	24I	
				2.01	MDDD32			
				2.29				
				2.48	MDD732A			
					BROKEN LAND PKWY (BACK)			
					NO NAME			
					LITTLE PATUXENT RIVER			
					GUILFORD RD			

ROUTE NUMBER.....MD 732F  
INVENTORY DIRECTION....NORTH  
NAME: OLD COLUMBIA RD

SECNDARY	R	NFA	U 19	UNDIVIDED	NONE			
						2	44I	99
				1.73	CODD78			
				1.83	MDD732H			
				1.91	CODD78			
					OLD COLUMBIA RD (BACK)			
					SHAKER DR			
					OLD COLUMBIA RD (AHEAD)			

ROUTE NUMBER.....MD 732G  
INVENTORY DIRECTION....NORTH  
NAME: OLD COLUMBIA RD

SECONDARY	R	NFA	U 19	UNDIVIDED	NONE			
				DIVIDED		2	42I	99
				.69	CODD78			
				1.00		2	4DI	
				1.08		2	42I	
				1.25	MDD732A			
				1.25	CODD78			
					GUILFORD RD			
					OLD COLUMBIA RD (AHEAD)			

ROUTE NUMBER.....MD 732H  
INVENTORY DIRECTION....EAST  
NAME: SHAKER DR

SECNDARY	R	NFA	U 19	UNDIVIDED	NONE			
						2	4DI	99
				.92	CO147D			
				.98		2	36I	
				1.05	MDCD32			
				1.14	MDD732F			
				1.14	CO147D			
					SHAKER DR (BACK)			
					NO NAME			
					OLD COLUMBIA RD			
					SHAKER DR (AHEAD)			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 732J  
 INVENTORY DIRECTION.....EAST  
 NAME: MARTIN RD

PAGE..... 17  
 DATE.....12/31/85  
 COUNTY-HOWARD  
 SHA DISTRICT.....7

SYSTEM	FUNC	HWY	ACCESS	MILEPINT	MILEPINT	DESCRIPTION	MARKED	SURFACE	AACT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	.....	.....	LANES	WIDTH/TYPE*	
SECNDARY	R	NFA	U	19	UNDIVID	NONE			
				1.13	CD1238	MARTIN RD (BACK)	2	24I	99
				1.37	MDD732B	GUILFCRD RD			
ROUTE NUMBER.....MD 732K INVENTORY DIRECTION.....NORTH NAME: RIVERSEGE RD									
SECNDARY	R	NFA	U	19	DIVIDED	NONE			
				.00	USDD29	CCLUMBIA PIKE	4	52I	99
				.07	CO1878	RIVERSEGE RD (AHEAD)			
ROUTE NUMBER.....MD 732L INVENTORY DIRECTION.....EAST NAME: PINDELL SCHDDL RD									
SECNDARY	R	NFA	R	8	UNDIVID	NONE			
				.00	MDD732B	GUILFCRD RD (BACK)	2	24I	999
				.00	MDD32	NO NAME			
				.35	MDD732M	SANNER RD			99
				.44	CO093	PINDELL SCHDDL RD (AHEAD)			
ROUTE NUMBER.....MD 732M INVENTORY DIRECTION.....EAST NAME: SANNER RD									
SECNDARY	R	NFA	R	9	UNDIVID	NONE			
				.15	CO0108	SANNER RD (BACK)	2	24I	99
				.26	MDD732L	PINDELL SCHDDL RD	2	20I	999
				.30	CO0108	SANNER RD (AHEAD)			
ROUTE NUMBER.....MD 732N INVENTORY DIRECTION.....NORTH NAME: TEN DAKS RD									
SECNDARY	R	NFA	R	9	UNDIVID	NONE			
				5.93	CO0558	TEN DAKS RD (BACK)	2	24I	99
				5.96	MDD32	NO NAME			
ROUTE NUMBER.....MD 851 INVENTORY DIRECTION.....NORTH NAME: OLD MD 32									
SECNDARY	R	NFA	R	8	UNDIVID	NONE			
				.00	MDD032	SYKESVILLE RD	2	20I	152
				.42		CARRDLL CD/L			
				.42		STRUCTURE #13018 PATAPSCO RIVER			

\* A,B = UNIMPROVED; C = GRADED & CRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 851D  
INVENTORY DIRECTION....NORTH  
NAME: OLD MD 32

PAGE..... 18  
DATE.....12/31/85  
COUNTY-HOWARD  
SHA DISTRICT.....7

STATE	SYSTEM	FEDERAL	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	R	NFA	R 9	UNDIVIDED	NONE	.00	ROAD END	2	20G	75
						.09	C01820 OLD MD 32			
						.15	ROAD END			

ROUTE NUMBER.....MD 851F  
INVENTORY DIRECTION....NORTH  
NAME: DEER HILL RD

SECONDARY	R	NFA	R 9	UNDIVIDED	NONE	.00	M00032 SYKESVILLE RD	2	21G	75
						.15	ROAD END			

ROUTE NUMBER.....MD 851H  
INVENTORY DIRECTION....NORTH  
NAME: OLD MD 32

SECONDARY	R	NFA	R 9	UNDIVIDED	NONE	.00	ROAD END	2	20G	75
						.04	M00032B MD 32 SPUR			
						.21	M00032 SYKESVILLE RD			

ROUTE NUMBER.....MD 851J  
INVENTORY DIRECTION....NORTH  
NAME: OLD MD 32

SECONDARY	R	NFA	R 9	UNDIVIDED	NONE	.00	ROAD END	2	18H	75
						.05	M00099 OLD FREDERICK RD	2	20H	
						.22	ROAD END			

ROUTE NUMBER.....IS 895  
INVENTORY DIRECTION....NORTH  
NAME: HARBOR TUNNEL THRUWAY

PRIMARY	R	FAI	895 U 11	DIVIDED	FULL	.00	IS0095 NO NAME	4	39J	19,000
						.26		2	30J	
						.35		4	48J	
						.63	STRUCTURE #HOY003-1(NBL)			
						.63	STRUCTURE #HOY003-2(SBL)			
						1.04	US0001 WASHINGTON BLVD			
						1.04	STRUC #HOY006(NBL) PATAPSCO RIVER			
						1.04	BALTIMORE CO/L			
						1.04	STRUC #HOY007(SBL) PATAPSCO RIVER			

\* A,B = UNIMPROVED; C = GRADED & CRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 957  
 INVENTORY DIRECTION....NORTH  
 NAME: SERVICE RD

PAGE..... 19  
 DATE.....12/31/85  
 COUNTY-HOWARD  
 SHA DISTRICT.....7

STATE	SYSTEM	FEDERAL	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	R	NFA	U 19	UNDIVIDED	NONE	.00	ROAD END	2	24I	250
						.24	CO1519 PORT CAPITAL CR			
						.41	ROAD END			

ROUTE NUMBER.....MD 957A  
 INVENTORY DIRECTION....NORTH  
 NAME: OLD WATERLOO RD

SECNCARY	R	NFA	U 19	UNDIVIDED	NONE	.00	ROAD END	2	24I	550
						.95	MDC108 WATERLOO RD			

ROUTE NUMBER.....MD 958P  
 INVENTORY DIRECTION....NORTH  
 NAME: CRESTMOUNT RD

SECONDARY	R	NFA	U 19	UNDIVIDED	NONE	.00	WASHINGTON BLVD	2	24I	125
						.20	US0001 ROAD END			

ROUTE NUMBER.....MD 970C  
 INVENTORY DIRECTION....NORTH  
 NAME: WATERSVILLE RD

SECNCARY	R	NFA	R 8	UNDIVIDED	NONE	.15	CO0007 WATERSVILLE RC (BACK)	2	20I	999
						.20		2	24I	
						.31	IS007D EISENHOWER HWY STRUC #13083			
						.60	CO0007 W WATERSVILLE RD (AHEAD)			

ROUTE NUMBER.....MD 981  
 INVENTORY DIRECTION....NORTH  
 NAME: NO NAME

SECONDARY	R	NFA	U 19	UNDIVIDED	NONE	.00	MDD104 WATERLOO RD	2	18I	650
						.06	MDD108A OLD MD 108A			
						.11	MDC108 CLARKSVILLE PIKE			
						.31	CO1559 OAK RUN WAY			

ROUTE NUMBER.....MD 982  
 INVENTORY DIRECTION....NORTH  
 NAME: NORTHFIELD RD

SECONDARY	R	NFA	R 9	UNDIVIDED	NONE	.00	CO1575 COLUMBIA RC (BACK)	2	24I	
						.66	CO0047 CCLUMBIA RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 983  
INVENTORY DIRECTION....NORTH  
NAME: OLO SCAGGSVILLE RD

PAGE..... 2D  
DATE.....12/31/85  
COUNTY-HOWARD  
SHA DISTRICT.....7

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKEO	SURFACE	AAOT	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	.....	.....	LANES	WIDTH/TYPE*		
SECONDARY	R	NFA	U	19	UNOIVED	NONE	.00			
							.14	2	22I	450
							1.11	2	24I	
						CO0114				
						ROAD ENO				
						ALL SAINTS RO				
						ROAD ENO				

ROUTE NUMBER.....MO 983A  
INVENTORY DIRECTION....NORTH  
NAME: SERVICE RD

SECONDARY	R	NFA	U	19	UNOIVED	NONE	.00			
							.11	2	28I	125
							.70	2	20I	
						CO0091				
						MD0216				
						CUL DE SAC				
						LEISHIEAR RD				
						SCAGGSVILLE RD (A-FAO)				

ROUTE NUMBER.....MO 984  
INVENTORY DIRECTION....EAST  
NAME: ACCESS RO

SECONDARY	R	NFA	R	9	UNOIVED	NONE	.00			
							.25	2	20I	
						US0040				
						CO0285				
						BALTO NAT PIKE				
						NORMANDY OR				

ROUTE NUMBER.....MD 985  
INVENTORY DIRECTION....EAST  
NAME: OLD FREDERICK RD

SECONDARY	R	NFA	U	16	UNDIVED	NONE	.00			
							.11	2	18H	125
							.55	2	19H	
						M00099				
						RCAO ENO				
						OLD FREDERICK RD				

ROUTE NUMBER.....MO 985A  
INVENTORY DIRECTION....EAST  
NAME: OLD FREDERICK RO

SECONDARY	R	NFA	U	17	UNDIVED	NONE	.00			
							.07	2	24I	125
							.13	2	20I	200
							.29	2	24I	125
						M00099				
						RODGERS AVE				
						ROAD ENO				

ROUTE NUMBER.....MD 986  
INVENTORY DIRECTION....NORTH  
NAME: OLD COLUMBIA RD

SECONDARY	R	NFA	R	9	UNDIVED	NONE	.00			
								2	24I	125
						CO1470				
						SHAKER DRIVE (BACK)				

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS


STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 986      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: OLD COLUMBIA RD


PAGE..... 21  
DATE.....12/31/85  
COUNTY-HOWARD  
SHA DISTRICT.....7

.....STATE.....	SYSTEM, ..FEDERAL...	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	..... MILEPOINT DESCRIPTION .....	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	R NFA	R 9	UNDIVID	NONE	.33	ROAD END	2	24I	125
ROUTE NUMBER.....MD 986E INVENTORY DIRECTION....NORTH NAME: SERVICE RD									
SECCNDARY	R NFA	R 9	UNDIVID	NONE	.00	CUL DE SAC	2	2DI	
					.14	COD235 ALLVIEW DR	2	22I	
					.24	ROAD END			
ROUTE NUMBER.....MD 987 INVENTORY DIRECTION....NORTH NAME: OLD COLUMBIA PIKE									
SECONDARY	R NFA	U 17	UNDIVID	NONE	.00	USDD29 COLUMBIA PIKE	2	24I	8,299
					.05	USDD29HA US 29 SPUR	3	36I	
					.1D	MD01D3 MONTGOMERY RD			

\* A,B = UNIMPROVED; C = GRADED & CRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



**KENT  
COUNTY**



# KENT COUNTY

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 20  
INVENTORY DIRECTION....EAST  
NAME: ROCK HALL FAIRLEE RD

PAGE..... 1  
DATE.....12/31/85  
COUNTY-KENT  
SHA DISTRICT.....2

STATE	SYSTEM	FEDERAL	CLASS	FUNC	HWY TYPE	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYP*	AA0T		
SECONDARY	R	FAS	1294	R	7	UNOIVED	NONE	.00	COD155	ROCK HALL RD (BACK)	2	22I	3,225
	U							.00	MU0017	BEACH RD			
	R	FAP	296		6			.56		IN CORP LMTS ROCK HALL			
						DIVIDED		1.38	MDD445	N MAIN ST	2	24I	
								1.84		OUT CORP LMTS ROCK HALL			
						UNDIVIDED		1.88	MOD674	SHARP ST			
								1.99	MDC674A	NC NAME			
								2.03	MOD288	CROSBY RO	2	22I	
								5.40		STRUCTURE #14001 SHIPYARD CREEK			
								6.60	MDDD21	TOLCHESTER BEACH RD			3,575
								7.85	M00298B	NC NAME			
								7.93	MOD298	FAIRLEE STILLPOND RD			4,525
								8.70	MOD298A	FAIRLEE STILLPOND RO			
								11.60	M00446	BROAD NECK ROCK RD	2	24I	
								12.37		STRUCTURE #14002 EAST FORK			
								12.94					
	U							13.55	M00514	FLATLAND RO			5,475
								13.61		IN CORP LMTS CHESTERTOWN	2	44I	
								13.61		STRUCTURE #14003 RADCLIFF CREEK			
		FAS	1291		7			13.63		R/R #MDOE 526 455 L			
								13.72	M00291	MORGNEC RD			7,950
								13.74					
								14.15		R/R #MDOE 526 448 B	2	45I	
								14.17					
			1292					14.54	MDD698	MILL ST	2	39I	
								14.62					
								14.68			2	34I	
								14.71			2	31I	
								14.76	M00213	MAPLE ST & WASHINGTON ST	2	24I	

ROUTE NUMBER.....MD 21  
INVENTORY DIRECTION....EAST  
NAME: TOLCHESTER BEACH RD

SECONDARY	R	NFA		R	9	UNOIVED	NONE	.00		ROAD END	2	24I	675
					8			.37					
								.98	MDD445	TOLCHESTER RD			
								3.40	MDD020	ROCK HALL FAIRLEE RD			875

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 213  
INVENTORY DIRECTION....NORTH  
NAME: MAPLE AVE

PAGE..... 2  
DATE.....12/31/85  
COUNTY-KENT  
SHA DISTRICT.....2

SYSTEM ....STATE.....	FAS		FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKEO LANES	SURFACE WIDTH/TYPE*	AADT
	..FEDERAL...	1287								
SECONDARY	R	FAS	R 7	UNDIVED	NONE	.00	STRUCTURE #14D27 CHESTER RIVER	2	20I	15,375
	U					.00	QUEEN ANNES CO/L			
						.14	IN CORP LMTS CHESTERTOWN			
						.19		2	25I	
						.26		2	36I	
	R					.43	MDDD20 SPRING AVE			
						1.09				
						1.27				
						1.30	OUT CORP LMTS CHESTERTOWN	2	52I	
						1.32	M00291 MORGNEC RD			
						1.34				
	FAP	295	6			2.55	MDD297 SMITHVILLE RD		24I	9,625
						4.20	MDD855A OLD SEC MD 313			5,500
						4.76	MDD561 HASSENGERS CORNER RD			3,900
						6.06				3,600
						6.36	STRUCTURE #14DD8 MORGAN CREEK			
						7.37	MDD292 STILL PONO RD			3,475
						8.85	MDD448 TURNER CREEK RD			2,800
						8.94	R/R #MOOE 526 438 V			
						10.08	MDD855 OLD SEC MD 313			
						10.13	MDD855 OLD SEC MD 313			
						10.31	MDD298 FAIRLEE STILLPONO RD			
						11.90	MDD449 TURNER CREEK RD			
						11.97	MDC444A NO NAME			
						11.99	MDD444 CHESTERVILLE RD			3,300
						12.54	MDD447 MORGNEC RD			
						13.68	MDC537 DAVIS HILL RD			
						14.21	STRUCTURE #14DD7 WOODLAND CREEK			
	U					14.30	MDD537 DAVIS HILL RD			
						15.87	IN CORP LMTS GALENA			
						15.94		2	36I	
PRIMARY			291			16.12	MDD290 CHESTERVILLE GALENA RD			3,717
						16.12	MDC313 GALENA MASSEY RO			
						16.41		2	24I	
	R					16.61	OUT CORP LMTS GALENA			
						17.87	STRUCTURE #14CD6 SASSAFRAS RIVER			
						17.87	CECIL CO/L			

\* A,B = UNIMPROVED; C = GRADED & GRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 213UL  
INVENTORY DIRECTION....NORTH  
NAME: PROPCSED

PAGE..... 3  
DATE.....12/31/85  
COUNTY-KENT  
SHA DISTRICT.....2

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
.....STATE....	..FEDERAL...							
SECNDARY	R FAP 295 R 6	UNDIVIDED	NONE	.00 2.20	QUEEN ANNES CO/L AUGUSTINE HERM HWY	2	24I	4,2C2
ROUTE NUMBER.....MD 288 INVENTORY DIRECTION....EAST NAME: CROSBY RD								
SECNDARY	R NFA R 9	UNDIVIDED	NONE	.00 .32 2.59 2.93 3.33	M00020 ROCK HALL FAIRLEE RD  ROAD END	2 2 2	22I 20I 18I	675 875
ROUTE NUMBER.....MD 289 INVENTORY DIRECTION....NORTH NAME: QUAKER NECK RD								
SECONDARY	R NFA R 8	UNDIVIDED	NONE	.00 3.36 3.77 5.71 5.98 7.47 7.76 7.89 7.90 8.05	C00092 CLIFFS CITY ROAD (BACK) M0066I QUAKER NECK LANDING RD  M00664 WILKINS LANE STRUCTURE #140C9 RADCLIFF CREEK IN CORP LMTS CHESTERTOWN R/R #MODE 526 453 X M00150 HIGH STREET	2 2 2 2	20I 22I 28I 25I	850 950 875
ROUTE NUMBER.....MD 290 INVENTORY DIRECTION....NORTH NAME: CHESTERVILLE GALENA RD								
SECONDARY	R NFA R 8	UNDIVIDED	NONE	.00 .00 .12 1.03 1.11 1.78 5.50 5.54 6.98 7.24	QUEEN ANNES CC/L STRUCTURE #14C13 CHESTER RIVER  M0029I RIVER RD (AHEAD) M0029I RIVER RD (BACK)  R/R #M00E 526 433 L M0080I OLD SEC MD 3I3 M00313 GALENA MASSEY RD (AHEAD)	2 2 2 2 2	22I 20I 24I 20I 22I 24I	1,500 200

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 29C      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: CHESTERVILLE GALENA RD

PAGE..... 4  
DATE.....12/31/85  
COUNTY-KENT  
SHA DISTRICT.....2

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECNDARY	U FAS 1282 R 7	DIVIDED	NONE	7.96	MDD313 GALENA MASSEY RD (BACK)	3	50I	1,600
		UNDIVIDED		7.96	MDD213 AUGUSTINE HERM HWY			
				8.02		2	36I	
	R			8.11		2	24I	
				8.21	OUT CORP LMTS GALENA			
				8.56	STRUCTURE #14012 MILL CREEK			
				10.13	STRUCTURE #14011 SWANTOWN CREEK			
				11.81	STRUCTURE #1401D JACOBS CREEK			
	NFA	8		12.04	US03D1 BLUE STAR MEM HWY STRUC #14005			
				12.40	MDD299 MASSEY SASSAFRAS RD			

ROUTE NUMBER.....MD 291  
INVENTORY DIRECTION....EAST  
NAME: MORGNEC RD

SECNDARY	U FAP 296 R 6	DIVIDED	NONE	.00	MDD02D CHESTERTOWN FAIRLEE RD	4	48I	7,650
		UNDIVIDED		.02		2	24I	
	R			.11				
				.38	R/R #MDD 526 447 U			
		DIVIDED		.38	OUT CORP LMTS CHESTERTOWN			
				.50		2	26I	
				.58		4	48I	
	U			.60	MDC213 AUGUSTINE HERM HWY	4	52I	7,075
		UNDIVIDED		.60	IN CORP LMTS CHESTERTOWN			
				.69		2	24I	
	R			1.01	OUT CORP LMTS CHESTERTOWN			
	FAS 1284	7		1.25				
				2.42	STRUCTURE #14022 MORGAN CREEK	2	30I	
				2.56		2	24I	
				4.36	MDD859B NC NAME			
				4.51	MDD291A OLD MD 859B			
				5.04	MDD291B OLD MD 859B			3,300
				9.15	MDC290 CHESTERVILLE GALENA RD			2,775
				9.82	MDD29D CHESTERVILLE GALENA RD	2	22I	
				12.36	STRUCTURE #14014 MILLS BRANCH			
				12.49		2	24I	
				12.55	USD3D1 BLUE STAR MEM HWY	2	20I	6,400
	U			13.64	IN CORP LMTS MILLINGTON			
				13.79		2	28I	
				13.92		2	24I	
				14.08	MDC313 SASSAFRAS ST	2	39I	1,900
				14.12		2	37I	

\* A,B = UNIMPROVED; C = GRADED & CRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 291 CONTINUED  
 INVENTORY DIRECTION....EAST  
 NAME: MORGNEC RD

PAGE..... 5  
 DATE.....12/31/85  
 COUNTY-KENT  
 SHA DISTRICT.....2

STATE	SYSTEM	FEDERAL	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	U	FAS	1284 R	7	UNDIVID	NONE	14.13			
	R						14.20	R/R #MDDE 526 419 R	2	37I
							14.29		2	1,900
							14.32	OUT CORP LMTS MILLINGTON	2	33I
							18.57	STRUCTURE #14C15 CYPRESS BRANCH DELAWARE ST/L	2	24I
ROUTE NUMBER.....MD 291A										
INVENTORY DIRECTION....NORTH										
NAME: OLD MD 8598										
SECONDARY	R	NFA	R	9	UNDIVID	NONE	.00	MDD8598 NO NAME		
							.02	MDD291 MCRGNEC RD	2	24I
ROUTE NUMBER.....MD 291B										
INVENTORY DIRECTION....NORTH										
NAME: OLD MD 8598										
SECONDARY	R	NFA	R	9	UNDIVID	NONE	.00	MDD8598 NO NAME		
							.11	MDD291 MORGNEC RD	2	19G
ROUTE NUMBER.....MD 292										
INVENTORY DIRECTION....NORTH										
NAME: STILL POND RD										
SECONDARY	R	FAS	1285 R	7	UNDIVID	NONE	.00	MDD213 AUGUSTINE HERM RD	2	24I
							.05		2	700
							1.89	R/R #MDDE 526 440 W	2	15J
							2.82	MDD298 FAIRLEE STILLPOND RD	2	15H
							3.45		2	22I
							3.75	MDD566 STILLPOND HARMONY RD	2	21I
							4.21		2	20I
							4.33		2	22I
							4.58	MDD864 STILL POND RD	2	20I
							4.68	MDD864 STILL POND RD		
							5.51	MDD443 POND NECK RD		
							5.89	MDD442 RCYAL SWAN RD		
							6.86	MDD293B SCHOOL ST		
							6.86	IN CORP LMTS BETTERTON		
							7.10	MDD293C WHEELER AVE		
							7.29	MDD293A FIRST AVE	2	32I
							7.38	MDD293 ERICKSON AVE	2	20I
							7.43	ROAD END		

\* A,B = UNIMPROVED; C = GRADEC & CRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 293  
INVENTORY DIRECTION....NORTH  
NAME: ERICSON AVE

PAGE..... 6  
DATE.....12/31/85  
COUNTY-KENT  
SHA DISTRICT.....2

.....STATE.....	SYSTEM ..FEDERAL...	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	U NFA	R 9	UNDIVID	NONE	.00	MDD293B SCHOOL ST	2	2DI	200
					.24	MDD293C WHEELER AVE			
					.59		2	23I	
					.63	MDD292 MAIN ST			

ROUTE NUMBER.....MD 293A  
INVENTORY DIRECTION....EAST  
NAME: FIRST AVE

SECONDARY	U NFA	R 9	UNDIVID	NONE	.00	MDD292 MAIN ST	2	15J	165
					.25	MU0050 FIRST AVE (AHEAD)			

ROUTE NUMBER.....MD 293B  
INVENTORY DIRECTION....EAST  
NAME: SCHOOL ST

SECONDARY	U NFA	R 9	UNDIVID	NONE	.00	MDD293 ERICKSON AVE	2	21J	100
					.14	MDD292 MAIN ST			

ROUTE NUMBER.....MD 293C  
INVENTORY DIRECTION....EAST  
NAME: WHEELER AVE

SECONDARY	U NFA	R 9	UNDIVID	NONE	.00	MDD293 ERICKSON AVE	2	20J	100
					.16	MDD292 MAIN ST			

ROUTE NUMBER.....MD 297  
INVENTORY DIRECTION....NORTH  
NAME: WORTON RD

SECONDARY	R FAS 1287	R 7	UNDIVID	NONE	.00	MDD213 AUGUSTINE HERM HWY	2	22I	2,500
					2.13		2	30I	
					2.46		2	40I	
					2.84		2	22I	
					2.85	R/R #MDDE 526 442 K			
					3.39	MDC297A OLD MC 297			
	NFA	8			3.59	MDD298 FAIRLEE STILLPOND RD	2	2DI	600
		9			7.13				
					7.36	ROAD END			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 297A  
 INVENTORY DIRECTION....NORTH  
 NAME: OLD MD 297

PAGE..... 7  
 DATE.....12/31/85  
 COUNTY-KENT  
 SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL				
SECONDARY	R	NFA	R	9	UNDIVED NONE			
				.00	MDD297	SMITHVILLE RD	2	20I
				.17	MDD298	FAIRLEE STILLPOND RD		
ROUTE NUMBER.....MD 298 INVENTORY DIRECTION....EAST NAME: FAIRLEE STILLPOND RD								
SECONDARY	R	FAS 1286	R	7	UNDIVED NONE			
				.00	MDD2D	ROCK HALL FAIRLEE RD	2	22I 1,100
				.02	MDD298B	NO NAME		
				.33				
				.40	MDD298A	FAIRLEE STILLPOND RD	2	24I
				1.25				
				4.04				
				7.32	MDD297A	OLD MD 297		1,600
				7.39	MDC297	SMITHVILLE RD		2,200
				9.43	MDD56I	HASSENGERS CORNER RD		
				9.45	MDD856	OLD SEC MD 298		
				9.53	MDD856	OLD SEC MD 298		
				10.99	MDD292	STILL POND RD	2	19I 1,300
				12.31	MDD566	STILLPOND HARMONY RD	2	20I 2,100
				13.61	MDD448	CHESTER LOCUST RD		1,600
				14.91	MDD213	AUGUSTINE HERM HWY		

ROUTE NUMBER.....MD 298A  
 INVENTORY DIRECTION....EAST  
 NAME: NO NAME

SECONDARY	R	NFA	R	9	UNDIVED NONE			
				.00	MDD298	FAIRLEE STILLPOND RD	2	22H 600
				.18			2	2DH
				.48			2	36H
				.50	MDD2D	ROCK HALL FAIRLEE RD		

ROUTE NUMBER.....MD 298B  
 INVENTORY DIRECTION....NORTH  
 NAME: NO NAME

SECONDARY	R	NFA	R	9	UNDIVED NONE			
				.00	MDC298	FAIRLEE STILLPOND RD	2	20I
				.07	MDD2D	ROCK HALL FAIRLEE RD		

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 299  
INVENTORY DIRECTION....NORTH  
NAME: MASSEY SASSAFRAS RD

PAGE..... 8  
DATE.....12/31/85  
COUNTY-KENT  
SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT			
....STATE....	..FEDERAL...	CLASS	TYPE	CTL							
SECONDARY	R	NFA	R	8	UNDIVIDED NONE	.00	MDD313	GALENA MASSEY RD	2	22I	400
						.04		R/R #MDE 526 428 P			
						2.94		STRUCTURE #14C18 JACOBS CREEK			
						4.21	MDD290	SASSAFRAS GALENA RD			500
						4.72		STRUCTURE #14C17 HERRING BRANCH			
						5.18		CECIL CO/L			
						5.18		STRUCTURE #14C16 SASSAFRAS RIVER			

ROUTE NUMBER.....US 301  
INVENTORY DIRECTION....NORTH  
NAME: BLUE STAR MEM HWY

PRIMARY	R	FAP	127	R	2	DIVIDED PART	.00	QUEEN ANNES CO/L	4	48I	9,600
							.00	STRUCTURE #17D14 CHESTER RIVER			
							.17	MDD291	RIVER RD		
							3.62		R/R #MDE 526 431 X		
							4.18	MDD313	GALENA MASSEY RD		8,700
							7.80	MDD290	GALENA SASSAFRAS RC STRUC#14003		
							8.79		CECIL CO/L		
							8.79		STRUCTURE #14004 SASSAFRAS RIVER		

ROUTE NUMBER.....MD 313  
INVENTORY DIRECTION....NORTH  
NAME: GALENA MASSEY RD

SECONDARY	U	FAS	1283	R	7	UNDIVIDED NONE	.00	QUEEN ANNES CO/L	2	24I	1,600
							.00	STRUCTURE #17C30 CHESTER RIVER			
							.07		2	32I	
							.17	MDC291	CYPRESS ST	2	35I
							.33		2	27I	1,300
	R						.39		2	22I	1,600
							3.88	MDD299	OUT CORP LMTS MILLINGTON		800
							4.62		2	22I	
							5.26		2	24I	
							5.33	US0301	BLUE STAR MEM HWY		2,200
							6.71	MDD801	OLD SEC MD 313		
							7.14	MDC290	CHESTERVILLE GALENA RD		
							7.42	MDC801	OLD SEC MD 313		
							7.59		2	40I	
	U						7.67				
							7.86	MDC290	CHESTERVILLE GALENA RD		
							7.86	MDC213	AUGUSTINE HERMAN HWY		

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = 9LCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 442  
INVENTORY DIRECTION....EAST  
NAME: ROYAL SWAN RD

PAGE..... 9  
DATE.....12/31/85  
COUNTY-KENT  
SHA DISTRICT.....2

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
.....STATE.....	..FEDERAL...							
SECONDARY	R NFA	R 9	UNDIVIDED NONE	.00	MDD292 STILLPOND RD	2	9J	75
				.36	C00D45 ROSEDALE CANNERY RD			
ROUTE NUMBER.....MD 443 INVENTORY DIRECTION....EAST NAME: POND NECK RD								
SECNDARY	R NFA	R 8	UNDIVIDED NONE	.00	C00D53 CLARK RD	1	9J	1,050
				.88	MDD292 STILL POND RD			
ROUTE NUMBER.....MD 444 INVENTORY DIRECTION....NORTH NAME: POND NECK RD								
SECONDARY	R NFA	R 8	UNDIVIDED NONE	.00	R/R #MDDE 526 435 A	2	20J	200
				.00	C00D33 CHESTERVILLE LOCUST GROVE RD-BACK			
				1.53	MDD213 AUGUSTINE HERM HWY	2	20I	500
				1.55	MDD444A NO NAME			
				1.60	MDD449 TURNER CREEK RD	2	21I	
				1.96	MDD447 MORGNEC RD	2	20I	
		9		3.88		2	18I	
				4.29				
				4.58				
				4.62	C0D130 BELCHESTER RD (AHEAD)	2	16I	
ROUTE NUMBER.....MD 444A INVENTORY DIRECTION....SOUTH NAME: NO NAME								
SECONDARY	R NFA	R 9	UNDIVIDED NONE	.00	MDD444 POND NECK RD	2	12I	
				.01	MDD213 AUGUSTINE HERM HWY			
ROUTE NUMBER.....MD 445 INVENTORY DIRECTION....NORTH NAME: EASTERN NECK ISLAND RD								
SECONDARY	R NFA	R 8	UNDIVIDED NONE	.00	COC115 EASTERN NECK ISLAND RD.	2	18I	2,650
	U			.93		2	20I	
				5.47	IN CORP LMTS ROCK HALL			
				5.57		2	21I	
				5.82		2	27I	
				5.87	MDC674 SHARP ST E&W	2	24I	

\* A,B = UNIMPROVED; C = GRADED & CRAINED; C,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 445 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: EASTERN NECK ISLAND RD

PAGE..... 10  
DATE.....12/31/85  
COUNTY-KENT  
SHA DISTRICT.....2

.....STATE.....	SYSTEM ..FEDERAL...	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	..... MILEPOINT DESCRIPTION .....	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECNDARY	U NFA	R 8	UNDIVID	NONE	5.96				
					6.01	MDD020	2	29I	2,650
					6.02		2	22I	1,550
					6.40		2	18I	
	R				6.50	OUT CORP LMTS ROCK HALL			
					6.85		2	22I	
					8.00				500
					9.06	STRUCTURE #14D20 SWAN CREEK			
					9.36	STRUCTURE #14D19 SWAN CREEK			
					11.96	MDD021			
						TOLCHESTER BEACH RD			

ROUTE NUMBER.....MD 446  
INVENTORY DIRECTION....NORTH  
NAME: BROAD NECK RD

SECNDARY	R NFA	R 8	UNDIVID	NONE	.00	C0DD96	2	20I	650
					2.81				
					3.61	MDD020			
						BROAD NECK RD (BACK)			
						STRUCTURE #14D21 MILL POND			
						CHESTERTOWN FAIRLEE RD			

ROUTE NUMBER.....MD 447  
INVENTORY DIRECTION....NORTH  
NAME: MORGNEC RD

SECNDARY	R NFA	R 9	UNDIVID	NONE	.00	MDD213	2	18I	175
					.46	MDD449			
					.81		2	22I	
					.84	MDD444			
						AUGUSTINE HERM HWY			
						LOCUST GROVE RD			
						KENTMORE PARK RD			

ROUTE NUMBER.....MD 448  
INVENTORY DIRECTION....NORTH  
NAME: KENNEDYVILLE RD

SECNDARY	R NFA	R 8	UNDIVID	NONE	.00	C00D18	2	18J	400
					1.89				
					2.73	MDC213	2	20I	500
					2.81				
		9			4.10	MDD298	2	18I	
					5.31				300
					5.89		2	18H	
					5.94	C00D42			
						TURNERS CREEK RD (AHEAD)			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 449  
INVENTORY DIRECTION....EAST  
NAME: TURNER CREEK RD

PAGE..... 11  
DATE.....12/31/85  
COUNTY-KENT  
SHA DISTRICT.....2

SYSTEM		FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL								
SECONDARY	R NFA	R 9	UNDIVIDED	NONE	.00	MDD213 AUGUSTINE HERM RD	2	22I	125
					.07	MDD444 CHESTERVILLE ROAD	2	18I	
					.32	MDD447 MORGNEC RD			
ROUTE NUMBER.....MD 514 INVENTORY DIRECTION....NORTH NAME: FLATLAND RD									
SECONDARY	R NFA	R 8	UNDIVIDED	NONE	.00	MDD020 ROCKHALL FAIRLEE RD	2	24I	2,425
		9			.15		2	20I	
					3.76				
					3.77				
					3.79	CDD64 PORTERS GROVE HANESVILLE RD	2	20H	
ROUTE NUMBER.....MD 537 INVENTORY DIRECTION....EAST NAME: DAVIS HILL RD									
SECONDARY	R NFA	R 9	UNDIVIDED	NONE	.00	MDD213 AUGUSTINE HERM HWY	2	20H	100
					.04		2	15H	
					.65		2	20H	
					.71	MDD213 AUGUSTINE HERM HWY			
ROUTE NUMBER.....MD 561 INVENTORY DIRECTION....NORTH NAME: HASSENGERS CORNER RD									
SECONDARY	R NFA	R 9	UNDIVIDED	NONE	.00	MDD213 AUGUSTINE HERM HWY	2	24I	1,800
					.05		2	22H	
					2.23	R/R #MDDE 526 441 D			
					2.48	MDD298 FAIRLEE STILLPOND RD			
ROUTE NUMBER.....MD 566 INVENTORY DIRECTION....EAST NAME: STILL POND HARMONY RD									
SECONDARY	R FAS 1288	R 7	UNDIVIDED	NONE	.00	MDD292 STILL POND RD	2	20I	700
					.01	MDD857 OLD SEC MD 566			
					.36	MDD857 OLD SEC MD 566			
					1.19	MDD298 FAIRLEE STILLPOND RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 661  
INVENTORY DIRECTION....NDRTH  
NAME: QUAKER NECK LANDING RD

PAGE..... 12  
DATE.....12/31/85  
COUNTY-KENT  
SHA DISTRICT.....2

.....STATE.....	SYSTEM ..FEDERAL...	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPINT	MILEPOINT DESCRIPTION	MARKEO LANES	SURFACE WIOTH/TYPE*	AAOT
SECNDARY	R	NFA	R 9	UNDIVED	NDNE	.00			
						.89	2	16I	175
						2.22	2	18I	
					MDD289	QUAKER NECK RD			

ROUTE NUMBER.....MD 664  
INVENTORY DIRECTION....EAST  
NAME: WILKINS LANE

SECNDARY	R	NFA	R 9	UNOIVED	NONE	.00	MDD289	QUAKER NECK RD	2	20I	625
						1.65		RCAO END			

ROUTE NUMBER.....MD 674  
INVENTORY DIRECTION....EAST  
NAME: W SHARP ST

SECONDARY	U	NFA	R 9	UNDIVED	NONE	.00	MU007D	CHESAPEAKE AVE	2	22I	1,075
						.45			2	31I	
						.49	MDD445	MAIN ST N&S	2	28I	1,375
						.53			2	22I	
	R					.91		DUT CORP LMTS ROCK HALL			
						.91		STRUCTURE #I4023			
				DIVIDED		1.14	MDD674A	NO NAME	2	40I	
						1.16	MDD020	RDCK HALL FAIRLEE RD			

ROUTE NUMBER.....MD 674A  
INVENTORY DIRECTION....EAST  
NAME: NO NAME

SECNDARY	R	NFA	R 9	UNDIVED	NDNE	.00	MDD674	E SHARP ST	2	20I	
						.08	MDD020	RDCK HALL FAIRLEE RD			

ROUTE NUMBER.....MD 698  
INVENTORY DIRECTION....NDRTH  
NAME: MILL ST

SECONDARY	U	NFA	R 9	UNDIVED	NONE	.00	MDD020	HIGH ST	2	28I	325
						.11		ROAD END			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 801  
INVENTORY DIRECTION.....NDRTH  
NAME: OLD SEC MD 313

PAGE..... 13  
DATE.....12/31/85  
COUNTY-KENT  
SHA DISTRICT.....2

SYSTEM		FEDERAL	CLASS	FUNC	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYP*	AADT	
STATE	R											
SECONDARY	R	NFA	R	9	UNDIVID	NDNE	.DD .46 1.01 1.05	MDD313 MDD29D MDD313	GALENA MASSEY RD CHESTERVILLE GALENA RD GALENA MASSEY RD	2 2	15J 18H	75
ROUTE NUMBER.....MD 855 INVENTORY DIRECTION.....EAST NAME: OLD SEC MD 313												
SECONDARY	R	NFA	R	9	UNDIVID	NDNE	.DD .06	MDD213 MDD213	AUGUSTINE HERM HWY AUGUSTINE HERM HWY	2	16H	50
ROUTE NUMBER.....MD 855A INVENTORY DIRECTION.....NDRTH NAME: OLD SEC MD 313												
SECONDARY	R	NFA	R	9	UNDIVID	NDNE	.DD .07	MDD213	AUGUSTINE HERM HWY ROAD END	2	21H	25
ROUTE NUMBER.....MD 856 INVENTORY DIRECTION.....NDRTH NAME: OLD SEC MD 298												
SECONDARY	R	NFA	R	9	UNDIVID	NDNE	.DD .1D	MDD298 MDD298	STILL POND RD STILL POND RD	2	15J	50
ROUTE NUMBER.....MD 857 INVENTORY DIRECTION.....EAST NAME: OLD SEC MD 566												
SECONDARY	R	NFA	R	9	UNDIVID	NONE	.DD .39	MDD566 MDD566	STILL POND HARMONY RD STILL POND HARMONY RD	2	15H	100
ROUTE NUMBER.....MD 859B INVENTORY DIRECTION.....EAST NAME: NO NAME												
SECONDARY	R	NFA	R	9	UNDIVID	NONE	.DD .16 .63 .88	MDD291 MDD291A MDD291B	RIVER RD OLD MC 859B OLD MD 859B ROAD END	2 2	19G 15G	50

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 864  
 INVENTORY DIRECTION....NORTH  
 NAME: STILL POND RD

PAGE..... 14  
 DATE.....12/31/85  
 COUNTY-KENT  
 SHA DISTRICT.....2


SYSTEM		FUNC	HWY	ACCESS	MILEPOINT		MARKED	SURFACE	AADT
STATE	FEDERAL	CLASS	TYPE	CTL		DESCRIPTION	LANES	WIDTH/TYPE*	
SECNDARY	R NFA	R 9	UNDIVID	NONE	.DD	MDD292 STILL POND RD	2	16H	50
					.11	MDD292 STILL POND RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK


**MONTGOMERY  
COUNTY**

M






# MONTGOMERY COUNTY



MONTGOMERY COUNTY





STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 27  
INVENTORY DIRECTION....NORTH  
NAME: RIDGE RD

PAGE..... 1  
DATE.....12/31/85  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	CLASS	TYPE	CTL	MP	MP	DESCRIPTION	LANES	SURFACE	AADT	
STATE	FEDERAL										WIDTH/TYPE*		
SECONDARY	R	FAP	237	R	6	DIVIDED	NONE	.00	MDD355	URBANA PIKE	4	41I	13,415
						UNDIVIED		.01	MDD027F	SPUR FR MD 355			
								.02	MDD027G	SPUR TO MD 355	2	24I	
								2.82					
								3.73					10,600
								6.64					17,850
								6.70	MDD108	MAIN ST	3	38I	
								6.78			2	28I	15,000
								8.71			2	22I	
								8.87	MDD080	KEMPTOWN RD			11,475
								10.42		HOWARD CO/L			

ROUTE NUMBER.....MD 27F  
INVENTORY DIRECTION....NORTH  
NAME: SPUR FR MD 355

SECONDARY	R	NFA		U	19	UNDIVIDED	NONE	.00	MDD355	FREDERICK RD	2	20I	
								.03	MDD027	RIDGE RD			

ROUTE NUMBER.....MD 27G  
INVENTORY DIRECTION....WEST  
NAME: SPUR TO MD 355

SECONDARY	R	NFA		U	19	DIVIDED	NONE	.00	MDD027	RIDGE RD	4	40I	
								.01	MDD355	FREDERICK RD			

ROUTE NUMBER.....MD 28  
INVENTORY DIRECTION....EAST  
NAME: DICKERSON-BEALSVILLE RD

SECONDARY	R	FAP	233	R	6	UNDIVIDED	NONE	.00		FREDERICK CO/L	2	24I	2,075
								.92		R/R #B0 140 522 H			
								1.17					
								1.30			2	22I	
								1.86			2	24I	
								4.35	MDD109	STRUC#15001 LITTLE MONOCACY RIVER			
								6.03		BARNSVILLE RD			
								6.95					2,900
								7.93	MDD117	STRUC #15066 DRY SENECA CREEK			
								8.94		BUCKLEIDGE RD			1,300
								9.57	MDD121	WHITE GROUNDS RD			6,025
								9.81	MDD107	WHITE FERRY RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 28 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: DICKERSON-BEALSVILLE RD

PAGE..... 2  
DATE.....12/31/85  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM		FUNC	HWY	ACCESS					MARKED	SURFACE			
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT DESCRIPTION	.....	LANES	WIDTH/TYPE*	AADT		
SECONDARY	R	FAP	233	R	6	UNDIVIDED	NONE	10.21		STRUC#15DD2 LITTLE SENECA CREEK	2	24I	6,025
								12.24					4,202
						DIVIDED		12.33					6,025
						UNDIVIDED		12.43	MDD118	DARNSTOWN-GERMANTCWN RD			8,200
								13.18	MDD112	SENECA RD			8,600
								14.64					13,250
								14.97					
								15.70	MDD124	QUINCE ORCHARD RD	2	48I	16,700
								15.80			2	36I	
								15.90			2	24I	
								16.85		STRUCTURE #15DD3 MUDDY BRANCH			
								17.00	MDD899	AMERICAN WAY			
						DIVIDED		18.00					
								18.10			2	39I	
						UNDIVIDED		18.25			2	24I	
								18.63			2	36I	
								18.72			2	24I	
								18.83					
								19.30					28,950
								20.29		STRUCTURE #15DD4 WATTS BRANCH			
								20.29		IN CORP LMTS ROCKVILLE			
						DIVIDED		20.34			3	36I	
								20.42			4	48I	
								20.65		STRUCTURE #15DD5 WATTS BRANCH			
								20.76			4	54I	
								20.86	ISO270	WASH NATIONAL PIKE STRUC#15048			
								21.04			4	44I	
						UNDIVIDED		21.09			2	38I	
								21.24			2	34I	
								21.41			2	32I	
						DIVIDED		21.76			4	41I	
								21.78	MDD189	GREAT FALLS RD	3	36I	
						UNDIVIDED		21.82			4	44I	
						DIVIDED		22.13					
								22.25			4	48I	
								22.35			4	52I	
								22.44			4	50I	23,900
								22.45	MDD355	ROCKVILLE PIKE			
								22.56	MDD660	DODGE ST	4	52I	
								22.69		STRUC #15DD6 R/R #B0 140 497 C			
								22.88	MDD586	VEIRS MILL RD	4	52J	24,300
								23.20					29,100

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 28 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: DICKERSON-BEALSVILLE RD

PAGE..... 3  
DATE.....12/31/85  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

STATE	SYSTEM	FEDERAL	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
	SECONDARY	U	FAU 501D	U 14	DIVIDED	NONE	23.43	STRUCTURE #15147P ROCK CREEK	4	48J	29,100
		R					24.36	OUT CCRP LMTS ROCKVILLE			
							24.50	STRUCTURE #15C92 ROCK CREEK			
							24.77				
							24.94		5	6DJ	
							25.87	MDD655B OLD MD 28	4	48I	
							26.27	MDD655 OLD MC 28			
							26.54	MDD655C OLD MC 28			
							26.82	MDD115 MUNCASTER MILL RD			
			506D	16			26.96	MDD655A NO NAME			
					UNDIVIDED		27.04	MDD097 GEORGIA AVE			
							27.17				
							27.19	MDD928 OLD MC 609	2	24I	
							27.28	MDD28A NO NAME			
							27.34				
							28.96	STRUCTURE #15065 BUCKHORN BRANCH	2	20I	
							29.61	MDD182 LAYHILL RD			
	SECONDARY	R	NFA	U 19	UNDIVIDED	NONE	.00	MDD028 NORBECK RD	2	24I	
							.01	MDD928 OLD MC 609			
	SECONDARY	R	FAU 506D	U 16	UNDIVIDED	NONE	.00	MDD028 NORBECK RD (BACK)	2	20I	29,100
							.00	MDD182 LAYHILL RD			
							2.90	MDD198 SPENCERVILLE RD			
	PRIMARY	R	FAP 245	U 14	UNDIVIDED	NONE	.00	WASH D C LINE	6	67I	43,100
					DIVIDED		.00	MDD184 BLAIR RD	6	72I	42,200
							.18	MDD410 EAST WEST HWY/BURLINGTON AVE	6	72I	42,200
							.33	STRUC #15078 R/R #80 140 480 Y	6	91I	
							.45				

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 29 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: GEORGIA AVE

PAGE..... 4  
DATE.....12/31/85  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM		FUNC		HWY		ACCESS		MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
STATE	FEDERAL	CLASS	TYPE	CTL								
PRIMARY	R	FAP	245	U	14	DIVIDED	NONE	.61		6	72I	46,500
			109					.82	MDD384	6	66I	30,900
						UNOIVED		.82	MDD097			
								.85		6	62I	
								1.51	MDD391			
								1.66		6	72I	
						DIVIDED		1.71				
								1.74		6	68J	38,175
								1.85	MDD516			
								2.38	ISD495			
								2.39				41,575
								2.72	MDD193			
								2.73				48,900
								3.54				
						PART		3.55				43,700
								3.81	USDD29A			
								3.81	MDD895			
								4.62		4	54J	
				12				4.76	MDD650			37,000
								4.93		4	50J	
								5.11	USDD298			
								5.20	USDD29C			
								5.28				20,800
								5.63				
								6.19		4	48I	46,200
								6.91				32,575
				R	2			9.51				
								10.68	MDD198			
								12.38		4	48J	23,700
								12.38				

ROUTE NUMBER.....US 29A  
INVENTORY DIRECTION....NORTH  
NAME: SPUR

SECONDARY	R	NFA		U	19	UNDIVED	NONE	.00	USDD29	2	30I	
								.07	MDD895			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 298  
INVENTORY DIRECTION....EAST  
NAME: STEWART LA

PAGE..... 5  
DATE.....12/31/85  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
.....STATE....	..FEDERAL...							
SECONDARY R	NFA U 19	UNDIVED	NONE	.00	C01495 MILESTONE DRIVE	2	60H	
	FAU 5133 17			.02	US0029 COLUMBIA PIKE			999
				.05	M0G196A OLD COLUMBIA PIKE			

ROUTE NUMBER.....US 290  
INVENTORY DIRECTION....EAST  
NAME: SPUR

SECONDARY R	NFA U 19	UNDIVED	NONE	.00	M00196A OLD COLUMBIA PIKE	3	36I	
				.03	US0029 COLUMBIA PIKE			

ROUTE NUMBER.....MD 80  
INVENTORY DIRECTION....EAST  
NAME: KEMPTOWN RD

SECONDARY R	FAS 1074 R 7	UNDIVED	NONE	.00	FREDERICK CO/L	2	23I	4,600
				1.45	M0C027 RIDGE RD			

ROUTE NUMBER.....MD 82  
INVENTORY DIRECTION....EAST  
NAME: LELAND ST

SECONDARY R	FAU 5124 U 17	UNDIVED	NONE	.00	M00191 BRADLEY BLVD	2	36I	5,300
	NFA			.24		2	42I	
				.31	M00355 WISCONSIN AVE	2	37I	
				.36		2	24I	
				.38	M00245 46TH ST			
				.38	M0C055 LELAND ST (AHEAD)			

ROUTE NUMBER.....MD 95  
INVENTORY DIRECTION....EAST  
NAME: COMUS RD

SECONDARY R	NFA R 8	UNDIVED	NONE	1.14	C00200 COMUS RD (BACK)	2	17I	400
				1.99	M0C109 OLD HUNDRED RD			
				1.99	C00200 COMUS RD (AHEAD)			

ROUTE NUMBER.....MD 97  
INVENTORY DIRECTION....NORTH  
NAME: GEORGIA AVE

SECONDARY R	FAP 245 U 14	DIVIDED	NONE	.00	M00384 COLESVILLE RD	6	74J	50,425
-------------	--------------	---------	------	-----	----------------------	---	-----	--------

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 97 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: GEORGIA AVE

PAGE..... 6  
DATE.....12/31/85  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AADT
STATE	FEDERAL	CLASS	TYPE	CTL			LANES	WIDTH/TYPE*	
SECNDARY	R	FAP	245	U	14	DIVIDED NONE			
					.00	US0029			
					.13		6	74J	50,425
					.31		6	70J	
					.92	M00390	6	68J	
PRIMARY					.96				
SECNDARY					1.05		4	68J	20,100
					1.10	M00391	6	68J	
					1.44	IS0495			
					1.61	M00192			55,825
PRIMARY					2.41				60,200
SECNDARY					2.84				
					3.07	M00586			62,600
					3.10				
					3.47	M00193			13,300
					3.61				41,600
					4.38				58,200
					4.81	M00182			22,925
					4.99				55,950
					6.46		6	72J	
					7.00	M00185			
					7.79				
					8.82	M00028			29,800
					8.86	M00655A			23,325
					8.91				
					10.01		2	21I	
					10.17		2	24I	
					11.64		2	21I	
					11.84		4	48I	
					11.93	M00108			10,300
					12.12				
					12.29		2	60I	
					12.38		2	24I	
					13.68				
					13.88				
					13.98		2	30I	
					14.02		2	26I	
					14.18		2	22I	
					14.23				
					14.23				
					16.24				
					17.12	M00650			
					18.32				

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 97 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: GEORGIA AVE

PAGE..... 7  
DATE.....12/31/85  
COUNTY-MCMTGOMERY  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED	SURFACE	AAOT			
STATE.....	FEDERAL...	CLASS	TYPE	CTL		LANES	WIDTH/TYPE*				
SECNDARY	R	FAP	245 R	6	UNDIVIDED NONE	18.32	HOWARD CO/L	2	22I	10,300	
ROUTE NUMBER.....MD 107 INVENTORY DIRECTION....EAST NAME: FISHER AVE											
SECNDARY	U	FAS	1093 R	7	UNDIVIDED NONE	.00	MOD109	BEALLSVILLE RD	2	28I	4,800
						.04			2	20I	
						.18			2	19I	
						.59			2	22I	
	R					.68			2	18I	
						.85	OUT CORP LMTS POOLESVILLE		2	22I	
						.86			2	22I	
						3.30			2	18I	
						3.41	STRUC #15014 DRY SENECA CREEK		2	22I	
						3.55			2	22I	
						4.82	MDDD28	DARNESTOWN RD			
ROUTE NUMBER.....MD 108 INVENTORY DIRECTION....EAST NAME: MAIN ST											
SECNDARY	R	FAP	246 R	6	UNDIVIDED NONE	.00	MDDD27	RIDGE RD	2	36I	5,300
						.15	MDD124	WOODFIELD RD	2	21I	
						.31			2	23I	
						.45			2	24I	4,075
	U					4.47	MDD650	DAMASCUS RD	2	22I	5,500
						6.93		IN CORP LMTS LAYTONSVILLE	2	26I	5,950
						7.45			2	22I	
	R					7.81		OUT CORP LMTS LAYTONSVILLE	3	35I	
						7.92			2	22I	
						8.07			2	22I	
			U	14		10.93			2	36I	21,300
						12.09			2	22I	
						12.24			2	24I	
						12.77			2	22I	
						12.93			2	24I	
						13.21			2	22I	
						13.27			2	24I	
					DIVIDED	13.31			3	45I	
						13.36			4	50I	
						13.46	MDDD97	GEORGIA AVE	4	48I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SCIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 108 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: MAIN ST

PAGE..... 8  
DATE.....12/31/85  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT										
....STATE....	..FEDERAL...	CLASS	TYPE	CTL														
SECONDARY	R	FAP	246	U	14	DIVIDED	NONE	13.54										
								13.67										
						UNDIVIDED		13.71										
								13.75										
								13.89										
								13.99										
				R	6			14.87	MDD182	DR BIRD RD								11,800
								16.67	MDD650	NEW HAMPSHIRE AVE								7,150
								19.09		STRUCTURE #15008 PATUXENT RIVER								
								19.09		HOWARD CO/L								

ROUTE NUMBER.....MD 109  
INVENTORY DIRECTION....NORTH  
NAME: BEALLSVILLE RD

SECONDARY	U	FAS	1092	R	7	UNDIVIDED	NONE	.00	MDD107	FISHER AVE									
	R							.14											
								.39		OUT CORP LMTS POOLESVILLE									
								1.70											
								1.75											
								2.41	MDD028	DARNESTOWN RD									
								5.22		R/R #B0 140 520 W									
								5.73		IN CORP LMTS BARNESVILLE									
								6.16											
								6.53		OUT CORP LMTS BARNESVILLE									
								6.73		STRUC#15070 LITTLE MONOCACY RIVER									
	U							8.48	MDD095	COMUS RD									
	R							8.60											
								9.04											
								11.22											
								11.40	ISD270	WASH NATIONAL PIKE STRUC#15036									
								11.42		STRUC#15099 LITTLE BENNETT CREEK									
								11.91	MDD355	FREDERICK RD									

ROUTE NUMBER.....MD 112  
INVENTORY DIRECTION....EAST  
NAME: SENECA RD

SECONDARY	R	FAS	1098	R	7	UNDIVIDED	NONE	6.61	C02603	RIVER RD (BACK)									
								6.61	MDD190	RIVER RD									
								9.44	MDD028	DARNESTOWN RD									

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 115  
INVENTORY DIRECTION....EAST  
NAME: MUNCASTER MILL RD

PAGE..... 9  
DATE.....12/31/85  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	STATE	FEDERAL	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	R	FAU	5132 U 17	UNDIVIDED	NONE	.00	MDD124 WOODFIELD RD	2	19I	14,300
						2.07		2	27I	
						2.26		2	19I	
						2.30	STRUCTURE #15015 ROCK CREEK			
						4.51	STRUCTURE #15016 NORTH BRANCH			11,825
						5.39		2	24I	
						5.74		2	19I	
						5.85	MDD028 NORBECK RD			

ROUTE NUMBER.....MD 116UL  
INVENTORY DIRECTION....EAST  
NAME: PROPOSED

SECONDARY	R	FAU	5006 U 14	DIVIDED	NONE	.00	MDD189 FALLS ROAD	4	48I	1,049
			16			1.55				
						10.20	MDD2DDUL PROPOSED			

ROUTE NUMBER.....MD 117  
INVENTORY DIRECTION....EAST  
NAME: CLOPPER RD

SECONDARY	R	NFA	R 9	UNDIVIDED	NONE	.00	MDD028 DARNSTOWN RD	2	20I	2,500
						3.12	STRUC #15C18 BUCKLOOGE BRANCH	2	21I	
						3.57				
		FAS	1091 7			3.59	STRUC#15D95 R/R #R0 140 S17 L			
						4.13				
						5.17				
						5.22	MDD121 CLARKSBURG RD	2	24I	
						5.25				
						5.26	STRUC#3164 R/R #BC 140 516 E	2	28I	3,000
						5.28				
						6.18		2	21I	
						6.26		2	20I	
						6.26	STRUC#15D95 LITTLE SENECA CREEK			
		FAU	5052 U 16			6.36		2	21H	
						7.64	MDC118 DARNSTOWN-GERMANTOWN RD	2	20I	9,550
						8.78	STRUCTURE #15C94 GUNNERS BRANCH			
						9.39	STRUC#15D93 GREAT SENECA CREEK			
						10.22	IN CORP LMTS GAITHERSBURG	2	22H	
						11.08		2	36I	
						11.25	MDC124 QUINCE ORCHARD RD			20,100
						11.45		2	24I	
						11.72	ISC270 WASH NATIONAL PIKE STRUC #15045			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; C,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 117 CONTINUED  
 INVENTORY DIRECTION.....EAST  
 NAME: CLOPPER RD

PAGE..... 10  
 DATE.....12/31/85  
 COUNTY-MONTGOMERY  
 SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANS	SURFACE WIDTH/TYPE*	AADT	
STATE	FEDERAL	CLASS	CTL						
SECCNDARY	U	FAU 5052	U 16	UNDIVED	NONE	11.96	2	40I	20,100
				DIVIDED		12.05	2	26I	
				UNDIVED		12.18	2	34I	
						12.22	2	26I	
						12.38			
						12.50			
					MO0117A W DIAMOND AVE				
					MO0355 N FREDERICK AVE				

ROUTE NUMBER.....MD 117A  
 INVENTORY DIRECTION.....EAST  
 NAME: W DIAMOND AVE

SECONDARY	U	NFA	U 19	UNDIVED	NONE	.00	2	20I
						.11		
						.13		
					MO0355 S FREDERICK AVE			
					MO0355 S FREDERICK RD STRUC #15056			
					MO0117 W DIAMOND AVE			

ROUTE NUMBER.....MD 118  
 INVENTORY DIRECTION.....NORTH  
 NAME: DARNSTWN-GERMTWN

SECCNCARY	R	FAS 1096	R 7	DIVIDED	NONE	.00	2	33I	2,600
				UNDIVED		.04	2	24I	
						1.29			
						2.36			
		FAU 5012	U 16			4.00	2	22I	4,200
						4.97		9,900	
						4.99			
				DIVIDED		5.21	4	48I	
						5.32	6	72I	
			14			5.57			
						6.07	4	48I	18,900
						6.41	4	48I	
		FAP 237				6.80			
				UNDIVED		7.21	2	24I	16,300
						7.30	3	36I	
						7.30	4	45I	
				DIVIDED		7.37	3	36I	
						7.39			
					MO0355 FREDERICK RD				

ROUTE NUMBER.....MC 120  
 INVENTORY DIRECTION.....NORTH  
 NAME: AIRCRAFT OR

SECCNDARY	R	NFA	U 19	UNDIVED	NONE	.00	2	47I	1,000
-----------	---	-----	------	---------	------	-----	---	-----	-------

\* A,B = UNIMPROVED; C = GRADED & CRAINED; D,E = SCIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 12C CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: AIRCRAFT DR

PAGE..... 11  
DATE.....12/31/85  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

STATE	SYSTEM	FEDERAL	CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
	R	NFA	U 19	UNOIVED	NONE	.10				
						.28			33I	1,000
						.67	OP5030 LCCBURY DR	2	21I	

ROUTE NUMBER.....MD 12CA  
INVENTORY DIRECTION....NORTH  
NAME: WATERS RD

SECONDARY	R	NFA	U 19	UNOIVED	NONE	.00	MDD118 OARNSTOWN-GERMANTCWN RO	2	16I	950
						.53	ROAD ENO			

ROUTE NUMBER.....MD 121  
INVENTORY DIRECTION....NORTH  
NAME: WHITE GROUND RO

SECONDARY	R	NFA	R 8	UNOIVED	NONE	.00	M00028 OARNESTOWN RO	2	20I	200
						1.00	C00259 WHITE GROUND RO (AHEAD)			
						4.54	C00259 CLOPPER RO (AHEAD)			
						4.54	C00222 WHITE GROUND RO (BACK)			
						4.64	C00222 CLOPPER RO (BACK)			
						4.64	MOD117 OAWSONVILLE-BUCKLOO RO (AHEAD)			
						4.70	MOD117 OAWSONVILLE-BUCKLOO RD(BACK)	2	24I	1,300
						5.09	STRUCTURE #15021 TENMILE CREEK			
						8.30	MOD901 WHELAN LA			
						8.53	IS0270 WASH NATIONAL PIKE STRUC #15D70			
						8.55				
						9.16	MOD355 FREDERICK RO			4,000

ROUTE NUMBER.....MD 124  
INVENTORY DIRECTION....NORTH  
NAME: QUINCE ORCHARD RD

SECONDARY	R	FAP	233 U 14	DIVIDED	NONE	.00	MOD028 OARNESTOWN RO	2	24I	12,750
						.02		2	23I	
						.19		2	24I	
						.67		2	27I	
						.73		3	40I	
						.81	IN CORP LMTS GAITHERSBURG	2	54I	
						1.90		3	48I	
						2.04		4	48I	25,600
						2.71	MOD117 CLOPPER RO	4	44I	16,975
						2.91				16,000

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SCILL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 124 CONTINUED  
 INVENTORY DIRECTION....NORTH  
 NAME: QUINCE ORCHARD RD

PAGE..... 12  
 DATE.....12/31/85  
 COUNTY-MONTGOMERY  
 SHA DISTRICT.....3

SYSTEM	FUNC		HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED	SURFACE	AADT
	STATE	FEDERAL							
SECONDARY	U	FAP	233	U 14	NONE		2	44I	16,000
						STRUCTURE #15045	2	44I	
		FAU	5013				4	60I	
					ISD270	WASH NATIONAL PIKE STRUC#15044	4	52I	14,100
							4	60I	
			5054	16	UNOIVED		2	26I	11,950
					MDD355	FREDERICK AVE (AHEAD)	2	36I	
					MDD355	FREDERICK AVE (BACK)	2	32I	
							2	40I	
							2	28I	
	R						2	30I	
						OUT CORP LMTS GAITHERSBURG	2	20I	
							2	34I	
							2	20I	
							2	36I	
							2	31I	
							2	22I	
							2	25I	
							2	22I	
							2	34I	
							2	22I	
	FAS	1103	R	7			2	23I	12,800
					MDD115	MUNCASTER MILL RD	2	36I	
							2	24I	
							2	35I	
							2	24I	9,650
							2	25I	
							2	26I	
							2	25I	
							2	26I	6,475
							2	24I	
						STRUCTURE #15074 GOSHEN BRANCH	2	25I	
							2	24I	
							2	26I	
							2	24I	
						STRUC#15022 GREAT SENECA CREEK	2	27I	
							2	24I	
							2	26I	
							2	26I	
							2	24I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 124      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: QUINCE ORCHARD RD

PAGE..... 13  
DATE.....12/31/85  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL				
SECONDARY	R	FAS 1103	R 7	UNOIVED	NONE			
				14.68		2	22I	6,475
				15.09		2	24I	8,850
				15.56		2	22I	
				17.57	MO0108 MAIN ST			

ROUTE NUMBER.....MD 182  
INVENTORY DIRECTION....NORTH  
NAME: LAYHILL RD

SECONDARY	R	FAU 5059	U 16	DIVIDED UNOIVED	NONE			
				.00	MO0097 GEORGIA AVE	4	54J	13,300
				.04		4	55I	
				.12		4	48I	
				.18		2	21I	
				.33		2	34I	
				.44		2	33I	
				.73		2	20I	11,875
				1.15	STRUC #15025 NORTHWEST BRANCH			
				1.27		2	28I	7,000
				1.42		2	20I	
				2.42				5,500
				2.63		2	24I	
				2.82		2	20I	
				3.11	STRUCTURE #15024 BUCKHORN BRANCH			
				4.07	STRUCTURE #15023 BUCKHORN BRANCH			
				4.47	MO0028 NORBECK RD	2	21I	9,625
		FAS 1111	R 7	4.95				
				5.90	MO0182 DR 3IRD RD	2	20H	7,725
				6.61	MO0108 SANDY SPRING RD			

ROUTE NUMBER.....MD 184  
INVENTORY DIRECTION....EAST  
NAME: BLAIR RD

SECONDARY	U	FAU 5074	U 16	UNDIVIDED	NONE			
				.00	US0029 GEORGIA AVE	2	24I	10,872
				.00	WASH C C LINE			
				.19		2	30I	
				.24		2	24I	
				.34		2	36I	
				.39	WASH C C LINE			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; C,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MO 185  
INVENTORY DIRECTION....NORTH  
NAME: CONNECTICUT AVE

PAGE..... 14  
DATE.....12/31/85  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED	SURFACE	AAOT	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL		LANES	WIDTH/TYPE*		
SECONDARY	U	FAU 5007	U 14	DIVIDED	NONE				
				.00	MDD185E	CHEVY CHASE CIRCLE	4	54J	31,800
				.60	MDC191	BRAOLEY LA	4	59I	
				.90			4	64I	
				.96		OUT CORP LMTS CHEVY CHASE #3			
				.96		IN CORP LMTS CHEVY CHASE #5			
				1.27		OUT CORP LMTS CHEVY CHASE #5			
R				1.38	MDC410	EAST WEST HWY			50,350
				1.77			4	68J	
				1.84		R/R #B0 139 513 M			
				2.56			6	72J	43,900
				2.62	ISD495	CAPITAL BELTWAY STRUC#15123			
				2.75		STRUCTURE #15C30 ROCK CREEK			
				2.83			6	68J	
U				3.37		IN CORP LMTS CHEVY CHASE VIEW			44,800
				3.86		OUT CORP LMTS CHEVY CHASE VIEW			
				3.86		IN CORP LMTS KENSINGTON			
				4.24	MDD547	KNOWLES AVE			
				4.34		STRUC #15031 R/R #B0 140 490 E			
				4.40					
				4.54	MDC193	UNIVERSITY BLVD W	4	68I	63,100
R				4.60		OUT CORP LMTS KENSINGTON			32,400
				5.76		STRUCTURE #15052			
				5.83	MOD185A	MC 185 SPUR			
				5.87	MOD185C	MD 185 SPUR			28,675
				5.92	MDD586	VIERS MILL RD			
				5.94	MDD185B	MD 185 SPUR			
				5.94	MDD185C	MD 185 SPUR			
				6.01					28,000
				7.31		STRUCTURE #15091 TURKEY BRANCH			
				7.38		STRUCTURE #15088			
				8.02			4	78J	
				8.26			4	66J	
				8.30	MDC097	GEORGIA AVE			

ROUTE NUMBER.....MO 185A  
INVENTORY DIRECTION....SOUTH  
NAME: MO 185 SPUR

SECONDARY	R	NFA	U 19	UNDIVIDED	NONE	.00	MDD586	VIERS MILL RD	2	2DI	
						.13	MDD185	CONNECTICUT AVE			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SCIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 185B  
INVENTORY DIRECTION....WEST  
NAME: MD 185 SPUR

PAGE..... 15  
DATE.....12/31/85  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FLNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
....STATE....	..FEDERAL...	CLASS	CTL					
SECCNOARY	R	NFA	U 19	UNDIVED	NONE	.00	M00185 CONNECTICUT AVE	
						.01	M00586 VEIRS MILL RD	2 25I

ROUTE NUMBER.....MD 185C  
INVENTORY DIRECTION....NORTH  
NAME: MD 185 SPUR

SECCNOARY	R	NFA	U 19	UNDIVED	NONE	.00	M00586 VEIRS MILL RD	2 22I
						.02	M00185 CONNECTICUT AVE	

ROUTE NUMBER.....MD 185D  
INVENTORY DIRECTION....EAST  
NAME: MD 185 SPUR

SECCNOARY	R	NFA	U 19	UNDIVED	NONE	.00	M00185 CONNECTICUT AVE	2 18I
						.04	M00586 VEIRS MILL RD	

ROUTE NUMBER.....MD 185E  
INVENTORY DIRECTION....WEST  
NAME: CHEVY CHASE CIRCLE

SECCNOARY	U	NFA	U 19	UNDIVED	NONE	.00	M00185 WASH D C LINE	2 57I
						.03	M00185 CONNECTICUT AVE	2 55I
						.10	M00185 WASH D C LINE	

ROUTE NUMBER.....MD 186  
INVENTORY DIRECTION....NORTH  
NAME: BROOKVILLE RD

SECCNOARY	U	NFA	U 17	UNDIVED	NONE	.00	M00410 WASH D C LINE	2 20I	8,300
						.51		2 21I	5,400
						.60	OUT CORP LMTS CHEVY CHASE VILLAGE		
						.60	IN CORP LMTS CHEVY CHASE #3		
						.81		2 28I	
						.92		2 20I	
						.96	OUT CORP LMTS CHEVY CHASE #3	2 26I	
						.96	IN CORP LMTS CHEVY CHASE #5		
						1.01		2 24I	
						1.13		2 20I	
R						1.23	OUT CORP LMTS CHEVY CHASE #5	2 40I	
						1.54	M00410 EAST WEST HWY		

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 187  
INVENTORY DIRECTION....NORTH  
NAME: OLD GEORGETOWN RD

PAGE..... 16  
DATE.....12/31/85  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

STATE	SYSTEM	FEDERAL	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	R	FAU	5008 U 14	DIVIDED	NONE	.00	M00355 WISCONSIN AVE	4	66J	43,100
						.03		4	42I	
			5035 16			.29	MOD188 WILSON LA	4	44I	
						1.08		6	68I	
						1.75		4	68I	42,900
						2.64	ISO495 CAPITAL BELTWAY STRUC#15115			
						3.31				41,425
						3.39		6	68I	
						3.77	ISO270 WASH NATIONAL PIKE STRUC#15079	4	68I	52,275
						5.33	MDD355 ROCKVILLE PIKE			

ROUTE NUMBER.....MD 188  
INVENTORY DIRECTION....EAST  
NAME: WILSON LA

SECONDARY	R	FAU	5008 U 16	UNDIVIDED	NONE	.00	C04690 MACARTHUR BLVD	2	22I	5,900
						.67		2	48I	
						.72		2	48J	
			14	DIVIDED		.81		4	50J	
						.90	MDD190 RIVER RD			14,800
						.93		4	59I	
				UNDIVIDED		1.00		2	23I	
						1.07		2	24I	
						1.19		2	21I	
						1.92				9,325
						2.36	MDD191 BRADLEY BLVD			
						2.45		2	26I	7,675
						2.56		2	21I	
						3.14		2	26I	
						3.21		2	36I	
						3.27	MDD187 OLD GEORGETOWN RD			

ROUTE NUMBER.....MD 189  
INVENTORY DIRECTION....NORTH  
NAME: FALLS RD

SECONDARY	R	FAU	5006 U 16	UNDIVIDED	NONE	.00	C04690 MACARTHUR BLVD	2	24I	11,600
						1.84		2	48I	
			14			1.97	MDD190 RIVER RD	2	40I	14,725
						2.07		2	24I	
						3.51		2	38I	
						3.72		2	25I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 189 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: FALLS RD

PAGE..... 17  
DATE.....12/31/85  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MP	DESCRIPTION	LANES	SURFACE WIDTH/TYP*	AADT
SECONDARY	R FAU 5006 U 14	UNDIVD	NONE	3.95		2	24I	14,725
				4.32		2	36I	
				4.47		2	24I	
	5047 U 16			4.67				15,375
				5.15				
				5.91	IN CORP LMTS ROCKVILLE			
				6.57		2	43I	
				6.75		2	24I	12,925
				6.83	ISD270 WASH NATIONAL PIKE STRUC#15049			10,300
				7.10		2	21I	
	NFA 19 DIVIDED			7.60		4	45I	
				7.66	MD0028 W JEFFERSON ST	2	33I	
				7.68	MU3268 W MONTGOMERY AVE			

ROUTE NUMBER.....MD 190  
INVENTORY DIRECTION....EAST  
NAME: RIVER RD

SECONDARY	R FAS 1099 R 7	UNDIVD	NONE	.00	MOD112 SENECA RD	2	24I	2,200
				2.30	STRUCTURE #15007 MUDDY BRANCH			
				4.11		2	20I	
				4.43		2	24I	
	FAU 5005 U 16			4.66				10,100
				4.73	STRUCTURE #15098 WATTS BRANCH			
				6.48				
				8.12		2	35I	
				8.18	MDD189 FALLS RD			
				8.30		2	28I	
				9.06		2	20I	
				10.07	MD0191 BRADLEY BLVD	2	24I	
				10.49		2	27I	
				10.59		2	24I	
				10.81	STRUCTURE #15027 BUCK BRANCH			
				10.87				
			DIVIDED	11.16		4	50I	40,700
				11.36		4	55I	
				11.48		4	60I	
				11.58	ISD495 CAPITAL BELTWAY STRUC#15110			
				11.84				
				12.12	STRUCTURE #15028 BOOZE CREEK	4	48J	
				12.78	M00188 WILSON LA			
				12.86				38,300

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 19C CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: RIVER RD

PAGE..... 18  
DATE.....12/31/85  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL				
SECONDARY	R	FAU	50D5	U	14	DIVIDED	NONE	
					12.91	MDO19DA	SPUR	4
					13.40			4
					13.88	MDO614B	SPUR FR MD 614	48J
					13.88	MDO614A	SPUR TO MD 614	50J
					13.90	MDO614	GCLOSBORO RD	
					13.92	MDO614C	SPUR FR MD 614	
					13.92	MDO614C	SPUR TO MD 614	39,000
					14.91			4
					15.10		R/R #B0 139 521 E	54J
					15.37			4
					15.52		STRUCTURE #15C71 LITTLE FALLS	48J
					15.96		WASH D C LINE	
						UNDIVIDED		

ROUTE NUMBER.....MD 19DA  
INVENTORY DIRECTION....NORTH  
NAME: SP TO & FR MD 190

SECONDARY	R	NFA		U	19	UNDIVIDED	NONE	
					.00	C04600	RIVER RD SER DR	2
					.01	MDO190	RIVER RD	30I

ROUTE NUMBER.....MD 191  
INVENTORY DIRECTION....NORTH  
NAME: PERSIMMON TREE RD

SECONDARY	R	FAU	5031	U	16	UNDIVIDED	NONE	
					.00	C04690	MACARTHUR BLVD	2
					.21			2
					.47			2
					.56	ISO495	CAPITAL BELTWAY STRUC#151C5	
					.62	MDD996	NAVY TRUCK RD	
					17			2
					16			20I
					1.21			2
					1.80			30I
					1.89			2
					2.17			2
					2.68	MDO190	RIVER RD	2
					3.63		STRUCTURE #15D29 BUCK BRANCH	2
					3.79			2
					4.36			2
					4.45			4
					4.59	ISO495	CAPITAL BELTWAY STRUC#15111	4
					4.74			3
					4.83			2
						UNDIVIDED		2
								21I

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 191 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: PERSIMMON TREE RD

PAGE..... 19  
DATE.....12/31/85  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL	CLASS	CTL					
SECONDARY	R	FAU 5034	U 16	UNOIVED	NONE	5.54		
						6.83	2	22I
				DIVIDED		6.91	2	24I
				UNOIVED		6.97		13,900
						7.42		15,200
				DIVIDED	M00188 WILSON LA	8.20		
		5032				8.24	4	46J
					M00614 GOLOSBORO RD	8.34	5	46J
						8.38	5	58J
						8.73	6	68J
					STRUC #15090 R/R #B0 139 518 W	8.78		
				UNOIVED	M00082 LELAND ST	9.10	4	54I
						9.15	3	39I
					M00355 WISCONSIN AVE	9.29	2	26I
						9.88	2	22I
					M00185 CONNECTICUT AVE			

ROUTE NUMBER.....MD 192  
INVENTORY DIRECTION....EAST  
NAME: PLYERS MILL RD

SECONDARY	U	FAU 5038	U 16	DIVIDED	NONE	.29	C00302	PLYERS MILL RD (BACK)			
				UNOIVED		.39	M00185	CONNECTICUT AVE	4	36I	17,600
		5070				.45			3	36I	
						.46			2	36I	
						.52			2	24I	
						.66			2	22I	
	R					.87		OUT CORP LMTS KENSINGTON			
						1.09			2	24I	
						1.54			2	31I	3,800
						1.58			2	22I	
		5178				2.15	M00391	SEMINARY RD	2	32I	5,800
						2.20			2	24I	
						2.64			2	20I	
				DIVIDED		2.85	M00097	GEORGIA AVE	4	54J	10,300
				UNOIVED		2.88			2	34I	
						3.18			2	40I	
						3.25			2	22I	
						3.38		STRUCTURE #15146 SLIGO CREEK			
						3.41			2	26I	
						3.44	C00697	FOREST GLEN RD (AHEAD)			
						3.95	C00697	FOREST GLEN RD (BACK)	2	24I	
						4.20			2	28I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MO 192 CONTINUED  
 INVENTORY DIRECTION....EAST  
 NAME: PLYERS MILL RD

PAGE..... 20  
 DATE.....12/31/85  
 COUNTY-MCMTGOMERY  
 SHA OISTRICT.....3

STATE	SYSTEM	FEDERAL	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	R	NFA	U 19	UNDIVEO	NONE	4.34	COD692 SUTHERLAND RO (AHEAD)	2	28I	10,300

ROUTE NUMBER.....MD 193  
 INVENTORY DIRECTION....EAST  
 NAME: UNIVERSITY BLVD W

SECONDARY	U	FAU 5018	U 14	OIVIDEO	NONE	.00	M00185 CONNECTICUT AVE	4	68J	25,350
	R					.12	OUT CORP LMTS KENSINGTON			
						1.24	M00586 VEIRS MILL RO			
						1.39		4	62J	30,600
						1.46	M00097 GEORGIA AVE			
						1.50				29,100
						1.54		4	68J	41,900
						2.72	STRUCTURE #15C32 SLIGO CREEK			
						4.22		4	88J	
						4.32	USD029 CCLESVILLE RO	4	78J	37,825
						4.44		4	68J	
						4.82		7	84J	38,600
						4.91	IS0495 CAPITAL BELTWAY STRUC#15136			
						5.17	M00516 FRANKLIN AVE			
						5.40				41,900
						6.15	M00320 PINEY BRANCH RD			
						6.16				34,700
						6.58	MOD195 CARROLL AVE			
						6.70	PRINCE GEORGES CO/L			

ROUTE NUMBER.....MD 195  
 INVENTORY DIRECTION....NORTH  
 NAME: CARROLL AVE

SECONDARY	U	FAU 5075	U 16	UNDIVEO	NONE	.00	WASH C C LINE	4	46I	11,400
						.09		4	44I	
						.13		2	35I	
						.26		2	29I	
						.46	M00410 PHILACELPHIA AVE	4	48I	
						.53		2	36I	
						.60		2	31I	
						.66		2	30I	
						1.02	STRUCTURE #15C33 SLIGO CREEK			
						1.05		2	40I	
						1.16	M00787 FLOWER AVE			
	R					1.36	OUT CCRP LMTS TAKOMA PARK	2	26I	13,700

\* A,B = UNIMPROVED; C = GRADEC & CRAINEO; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITLMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 195 CONTINUED  
 INVENTORY DIRECTION....NORTH  
 NAME: CARROLL AVE

PAGE..... 21  
 DATE.....12/31/85  
 COUNTY-MONTGOMERY  
 SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL				
SECONDARY	R	FAU	5075	U	16	UNDIVIDED	NONE	
						1.43		
						1.62		
						1.79		
						1.92	MDD193	UNIVERSITY BLVD E
							2	37I
							2	34I
							2	32I
								13,700

ROUTE NUMBER.....MD 196  
 INVENTORY DIRECTION....NORTH  
 NAME: OLD COLUMBIA PIKE

SECONDARY	R	NFA		U	19	UNDIVIDED	NONE	
						.00		ROAD END
						.21		
						.36	C04552	OLD COLUMBIA PIKE (AHEAD)
							2	24I
							2	21I
								5,900

ROUTE NUMBER.....MD 196A  
 INVENTORY DIRECTION....NORTH  
 NAME: OLD COLUMBIA PIKE

SECONDARY	R	NFA		U	19	UNDIVIDED	NONE	
						.00		ROAD END
						.14		
						.20	USDD29B	STEWART LA
						.26	USDD29C	SPUR
						.28		
						.33		
						.72		ROAD END
							2	20I
							2	24I
								2,715

ROUTE NUMBER.....MD 198  
 INVENTORY DIRECTION....EAST  
 NAME: SPENCERVILLE RD

SECONDARY	R	FAP	248	R	6	UNDIVIDED	NONE	
						.00	MDD65D	NEW HAMPSHIRE AVE
						.07		
						.26		
						1.17		
						3.17		
						3.19		
						3.35		
						3.42		
						3.47		
						3.53	USDD29	COLUMBIA PIKE
						3.57		
						5.00		PRINCE GEORGES CO/L
							2	31I
							2	20I
							2	24I
								9,300
							2	21I
							2	22I
							2	22J
							4	48J
								13,000
							2	20I
								17,700

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 20GUL  
INVENTORY DIRECTION....EAST  
NAME: PROPOSED

PAGE..... 22  
DATE.....12/31/85  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL				
SECONDARY	R	NFA	U	19	DIVIDED	NONE	.00	
		FAU		5014			11.70	
							12.70	ISD270 WASH NATIONAL PIKE
							12.70	ISD370 PROPOSED (AHEAD)
		FAP		120			14.60	ISD370 PROPOSED (BACK)
							14.60	MDD116UL PROPOSED
							23.38	MDD116UL PROPOSED
							28.80	MONTGOMERY CO/L

ROUTE NUMBER.....IS 27C  
INVENTORY DIRECTION....EAST  
NAME: WASH NATIONAL PIKE

PRIMARY	R	FAI	270	R	1	DIVIDED	FULL	.00	FREDERICK CO/L	4	48I	36,100
								.20				
								.22	MDD109			
								.54				
								.63				
								2.78	CDD200			39,900
								4.08	MDD121			
								5.12				
								5.36	CDD231			46,317
								5.93				
				U	11			7.08				
								7.46				
								7.77	MDD118			
								8.57	CDD141			103,025
								9.86				
				U				10.36				
								11.06	MDD124			
								11.29				
				R				11.68	MDD117			
								11.68				
				U				12.41	CDD081			
								12.41				
				R				13.18				
								14.19	CDD212			
				U				14.19				
								15.89				
								16.07	MDD028			112,200
								17.06	MDD189			
								17.89				114,000

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 270      CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: WASH NATIONAL PIKE

PAGE..... 23  
DATE.....12/31/85  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

.....STATE.....	SYSTEM ..FEDERAL...	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
PRIMARY	R	FAI	27D	U 11	DIVIDED	FULL			
					18.04	OUT CCRP LMTS ROCKVILLE	6	72I	114,000
					18.42	COD144 MCNTRCSE RD STRUC#15068			133,800
	U				18.65		7	84I	
					19.60				
					19.76				
	R				19.80	COC164 STRUCTURE #15080 CLD FARM CREEK TUCKERMAN LA STRUC#15081			
					19.81		8	96I	
					19.88		6	72I	
					20.05	ISD27DY NO NAME	4	48I	64,000
					20.19	ISD27DY NO NAME STRUC#15082			
					21.07	MDD187 OLD GEORGETOWN RD STRUC#15079			
					22.32	COC326 GROSVENOR LA STRUC#15077			
					22.38		4	51J	63,425
					22.44		4	54J	
					22.53	ISD495 CAPITAL BELTWAY STRUC#15116			
					22.72	CAPITAL BELTWAY			

ROUTE NUMBER.....IS 27CY  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

PRIMARY	R	FAI	27D	U 11	DIVIDED	FULL					
						.00	ISD495	CAPITAL BELTWAY	4	48I	69,800
						.17	ISD495	CAPITAL BELTWAY STRUC#15112			
						.91	COD166	DEMOCRACY BLVD STRUC#15097			
						1.73	ISD27D	WASH NATIONAL PIKE STRUC#15082			
						2.04	ISD27D	WASH NATIONAL PIKE			

ROUTE NUMBER.....MD 320  
INVENTORY DIRECTION....NORTH  
NAME: PINEY BRANCH RD

SECONDARY	U	FAU	SD73	U 16	UNDIVIDED	NONE					
						.00		WASH D C LINE	2	36I	18,200
						.32			4	56I	
						.38	MDD410	PHILADELPHIA AVE	4	44I	18,700
						.50			2	50I	
	R					.54		OUT CCRP LMTS TAKOMA PARK			
						1.03			4	51I	21,875
						1.18	MDD391	DALE CR	4	45I	
						1.40		STRUCTURE #15051 SLIGO CREEK	4	48I	
						1.60			5	62I	
					DIVIDED	1.64	MDD787	FLOWER AVE	4	48I	22,375
						1.99			5	55J	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 32C CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: PINEY BRANCH RD

PAGE..... 24  
DATE.....12/31/85  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL						
SECONDARY	R	FAU 5D73	U 16	DIVIDED	NONE	2.1D MDD193	UNIVERSITY BLVD E	5	55J	22,375
						2.13		4	48I	19,250
						2.74	PRINCE GEORGES CO/L			

ROUTE NUMBER.....MD 355  
INVENTORY DIRECTION....NORTH  
NAME: WISCONSIN AVE

SECONDARY	R	FAP 247	U 14	UNOIVED DIVIDED	NONE	.00	WASH C C LINE	6	72I	39,675
						.03		4	60I	
						.58	OUT CORP LMTS CRUMMOND			
						1.04		5	65I	
						1.16	MDD191 BRAOLEY BLVD	6	74I	52,000
						1.37	MDD082 LELAND ST			
						1.54		6	76I	
						1.56	STRUC#1505D R/R #B0 139 516 H			
						1.57		6	84I	
						1.64	MDD41D MONTGOMERY LA (EBL)			
						1.72	MDD0187 OLD GEORGETOWN RD	6	64J	37,000
						1.72	MD 41C EAST WEST Fwy (WBL)			
						2.36		6	68J	44,875
						3.86		6	72J	58,100
						3.99	ISD495 CAP BELTWAY STRUC#15121 & #1512D			
		FAU 5113				4.06	ISD495 CAPITAL BELTWAY STRUC#15119			
						4.14	IS 27D STRUC#15118 (WBL)			
						4.16	RAMP 2 FR IS495 STRUC#15116 (WBL)			
						4.55		6	70I	
						4.76		6	68I	
						5.31	MDD547 STRATHMORE AVE			
						5.33				72,900
						6.42	MDD187 OLD GEORGETOWN RD	8	88I	
						6.67		7	78I	63,325
						6.86		6	68I	
						7.11	IN CORP LMTS ROCKVILLE			
						8.51		6	68J	
						9.13		4	54I	
						9.23				37,000
						9.24	MDD28 JEFFERSON ST/VEIRS MILL RD			
						9.33		5	72I	
				UNOIVED		9.54		6	72I	
				DIVIDED		9.6D				
						10.62	OUT CCRP LMTS ROCKVILLE			50,900

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 355 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: WISCONSIN AVE

PAGE..... 25  
DATE.....12/31/85  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AA DT
SECONDARY	R FAU 5113 U 14	DIVIDED	NONE	12.73		2	76I	66,700
	U	UNDIVIDED		12.89	IN CORP LMTS GAITHERSBURG	2	34I	
		DIVIDED		13.31		4	76I	
				14.14		2	76I	
		UNDIVIDED		14.19		2	36I	
				14.32		2	41I	
				14.39	MDD117A W DIAMOND AVE	2	27I	
				14.49	MDD117A W DIAMOND AVE			
				14.49	MDD117 W DIAMOND AVE			
				14.50	STRUC#15045 R/R #B0 14D 5C8 M			
		DIVIDED		14.61	MDD124 E DIAMOND AVE	4	48I	
				15.09		5	60I	
				15.14		5	68I	
				15.15		5	61I	
				15.31		5	60I	
		UNDIVIDED		15.55	MDD124 MONTGOMERY VILLAGE AVE	4	47I	25,200
	R			15.95		2	24I	
				16.75	OUT CCRP LMTS GAITHERSBURG			
				16.87	STRUC#15055 GREAT SENECA CREEK			
				16.97		2	34I	
				17.31		2	24I	
				18.51				10,600
	FAP 237 R 6			19.20	MDD118 GERMANTOWN RD			
				19.63	MDD27F SPUR TO MD 27			
	FAS 1C73 7			19.65				
				19.66	MDD27 RIDGE RD	2	21I	5,700
				19.68	MDD27G SPUR FR MD 27			
				21.30	STRUC#15054 LITTLE SENECA CREEK			
				23.07	MDD121 CLARKSBURG RD			
				23.62				4,200
				24.05				2,400
				26.54				
				26.64	MDD109 STRUC#15053 LITTLE BENNETT CREEK			
				27.02	OLD HUNDRED RD FREDERICK CO/L			

ROUTE NUMBER.....IS 370  
INVENTORY DIRECTION....EAST  
NAME: PROPOSED

SECONDARY	R FAI 370 U 11	DIVIDED	NONE	.00	MDD2DDUL PROPOSED	6	72I	69,500
				.00	ISC270 WASH NATIONAL PIKE			
				1.90	MDC2DDUL PROPOSED (AHEAD)			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 384  
INVENTORY DIRECTION....EAST  
NAME: COLESVILLE RD

PAGE..... 26  
DATE.....12/31/85  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
SECONDARY R FAP 109 U 14		DIVIDED	NONE	.00	WASH D C LINE	6	72I	16,597
				.00 M00390	16TH ST			
				.23 M00410	EAST WEST HWY			23,950
				.50 U50029	COLESVILLE RD			
				.50 M00097	GEORGIA AVE			

ROUTE NUMBER.....MD 390  
INVENTORY DIRECTION....NORTH  
NAME: 16TH ST

SECONDARY R FAU 5021 U 14		DIVIDED	NONE	.00	WASH D C LINE	4	62I	27,900
				.00 M00384	COLESVILLE RD			
				.16 M00410	EAST WEST HWY	4	68J	31,300
				.17				31,100
				.61	STRUC#15089 R/R #BC 140 483 L			
				-1.10 M00097	GEORGIA AVE			

ROUTE NUMBER.....MD 391  
INVENTORY DIRECTION....EAST  
NAME: SEMINARY RD

SECONDARY R FAU 5070 U 16		UNDIVIDED	NONE	.00	M00192	FOREST GLEN RD	4	48I	8,700
				.10	IS0495	CAPITAL BELTWAY STRUC#15129			
				.27			2	28I	
				.46			2	32I	
				.58			2	31I	
				.72			2	33I	18,200
		DIVIDED		.92			4	40I	
				.94	M00097	GEORGIA AVE	4	54I	7,800
		UNDIVIDED		.97					
				1.04			2	32I	
				1.24			2	35I	
				1.79			2	22I	
				1.92			2	32I	
				1.97	U50029	COLESVILLE RD			
				1.99					9,200
				2.38			2	38I	
				2.50			4	34I	5,400
				2.73			2	36I	
				3.00			2	25I	
				3.16			2	30I	
				3.26	M00320	PINEY BRANCH RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 396  
INVENTORY DIRECTION....EAST  
NAME: MASSACHUSETTES AVE

PAGE..... 27  
DATE.....12/31/85  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

STATE	SYSTEM	FEDERAL	CLASS	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	R	FAU	5033	U 16	UNDIVIDED	NONE	.00	MDD614 GOLDSBORO RD	2	24I	17,375
							.05		2	36I	
							.65		4	50I	
							1.14		4	62I	
							1.47				
							1.50	R/R #B0 139 523 S			15,200
							1.52	STRUCTURE #15057 LITTLE FALLS			
					DIVIDED		1.58		4	56I	
					UNDIVIDED		1.88		4	50I	26,600
							2.23	WASH D C LINE			

ROUTE NUMBER.....MD 410  
INVENTORY DIRECTION....EAST  
NAME: EAST WEST HWY

SECONDARY	R	FAU	5008	U 14	DIVIDED	NONE	.00	MDD355 WISCONSIN AVE	2	64I	31,900
					UNDIVIDED		.08		2	39I	
							.48	STRUC#15058 R/R #B0 139 515 B			
							.49		2	40I	
							.73		2	44I	21,400
							.98	MDD185 CONNECTICUT AVE	2	40I	18,300
							1.38	MDD186 BROOKVILLE RD			
							1.42				29,600
							1.85		4	62I	
							1.93	STRUCTURE #15059 ROCK CREEK			
							2.00		4	40I	
							2.15		2	50I	
							2.50		4	48I	
							3.18	STRUCTURE #15060			
					DIVIDED		3.39		2	40I	
							3.41		4	51I	
					UNDIVIDED		3.44	MDD390 16TH ST	4	50I	
							3.47		4	46I	
							3.67	MDD384 COLESVILLE RD	2	50I	15,600
							3.73		4	41I	
					DIVIDED		4.01		4	36I	
							4.17		2	35I	
					UNDIVIDED		4.20	USDD29 GEORGIA AVE			
							4.22		4	36I	14,700
							4.29	STRUC#15061 R/R #B0 140 479 E			
					DIVIDED		4.35		4	58I	
					UNDIVIDED		4.39		2	26I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 41G CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: EAST WEST HWY

PAGE..... 28  
DATE.....12/31/85  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL	CLASS	TYPE	CTL					
SECONDARY	U	FAU	5CQ8	U	14	UNDIVIDED	NONE		
					4.51	IN CORP LMTS TAKOMA PARK		28I	14,700
					4.54			26I	
					4.89			36I	
					4.92	MDD320 PINEY BRANCH RD			
					5.13			23I	
					5.24			20I	
					5.51	MDD195 CARROLL AVE (AHEAD)			
					5.59	MDD195 CARROLL AVE (BACK)			
					5.83	PRINCE GEORGES CO/L			

ROUTE NUMBER.....IS 495  
INVENTORY DIRECTION....EAST  
NAME: CAPITAL BELTWAY

PRIMARY	R	FAI	495	U	11	DIVIDED	FULL		
					.00	BEG BRIDGE IN VIRGINIA		72I	129,269
					.06	VIRGINIA ST/L			
					.06	STRUCTURE #15100 PCTOMAC RIVER			
					.34	STRUCTURE #15101 CEO CANAL			
					.39	GV0006 GEO WASH MEM PKWY STRUC#15142			
					.56	STRUCTURE #15104 RAMP #7			
					1.11	MDD191 PERSIMMON TREE RD STRUC#15105			
					1.78	COO148 SEVEN LOCKS RD STRUC#15106			
					1.88	STRUCTURE #15108 THOMAS BRANCH			
					1.90	STRUC#15109 RAMP 4 TO IS 495X			
					1.90	IS0495X CABIN JOHN PKWY			
					2.23			8	96I
					2.38	MDD190 RIVER RD STRUC#15110			
					3.39			9	99I
					3.72	MDD191 BRADLEY BLVD STRUC#15111			
					3.80			5	60I
					3.97	IS0270Y NO NAME STRUC#15112			73,900
					4.10			6	72I
					4.23	COO167 GREENTREE RD STRUC#15113			
					4.85	COO837 FERNWOOD RD STRUC#15114			
					5.64	MDD187 OLD GEORGETOWN RD STRUC#15115			
					6.59	ISC270 WASH NATIONAL PIKE		7	87I
					6.73	MDD355 ROCKVILLE PK STRUC#15120 & 15121			
					6.80			7	84I
					7.15			6	72I
					7.41	COO319 CEDAR LA STRUC#15122			
					8.31	MDD185 CONNECTICUT AVE STRUC#15123			
					8.34				151,500

\* A,B = UNIMPROVED; C = GRADED & CRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 495 CONTINUED  
 INVENTORY DIRECTION....EAST  
 NAME: CAPITAL BELTWAY

PAGE..... 29  
 DATE.....12/31/85  
 COUNTY-MONTGOMERY  
 SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED	SURFACE	AADT		
STATE	FEDERAL	CLASS	CTL			LANES	WIDTH/TYPE*			
PRIMARY	R	FAI	495 U 11	DIVIDED FULL	8.50	CO0538	KENSINGTON PKWY STRUC#15124	6	72I	151,500
					9.24		STRUCTURE #15126 ROCK CREEK			
					9.64					
					9.65	CO1227	FOREST GLEN DR STRUC#15127	8	96I	
					9.84		STRUC#15128 R/R #B0 140 487 W			
					9.91	MO0391	SEMINARY RD BR STRUC#15129			
					10.38					
					10.54	MDD097	GEORGIA AVE BR STRUC#1513C	8	96J	
					11.04		STRUCTURE #15131 SLIGO CREEK			
					11.15	GV0007	SLIGO CREEK PKWY STRUC#15133			
					11.69	CO0675	BRUNETT AVE STRUC#15134			
					11.98	US0029	CCLESVILLE RD STRUC#15135			130,800
					12.63	MDD193	UNIVERSITY BLVD E STRUC#15136			
					12.78					
					13.24		STRUC #15137 NORTHWEST BRANCH			145,508
					14.21	MDD650	NEW HAMPSHIRE AVE STRUC#15138			
					14.39		STRUCTURE #16139 RAMP 1			
					14.49		PRINCE GEORGES CO/L			

ROUTE NUMBER.....IS 495X  
 INVENTORY DIRECTION....NORTH  
 NAME: CABIN JOHN PKWY

SECONDARY	R	FAU	5003 U 12	DIVIDED FULL	.00	GV0006	GEO WASH PKWY	4	54I	135,515
					.12		STRUCTURE #15CB7 THOMAS BRANCH			
					.24		STRUCTURE #15085 THOMAS BRANCH			
					.26					
					1.05		STRUCTURE #15CB4 BOOZE CREEK	4	48I	
					1.25		CAPITAL BELTWAY (IS 495 SB/L)			
					1.29		STRUC #15109 RAMP 4 TO MD 190			
					1.32					
					1.50			3	36I	
					1.52	ISC495	CAPITAL BELTWAY	3	34I	110,302

ROUTE NUMBER.....MC 516  
 INVENTORY DIRECTION....EAST  
 NAME: FRANKLIN AVE

SECONDARY	R	NFA	U 17	UNDIVIDED NONE	.00	US0029	COLESVILLE RD	2	30I	4,700
					.32			2	33I	
					.44			2	28I	
					.50			2	36I	

\* A,B = UNIMPROVED; C = GRADEC & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 516 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: FRANKLIN AVE

PAGE..... 30  
DATE.....12/31/85  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

....STATE....	SYSTEM ..FEDERAL...	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
SECCNDARY	R NFA	U 17	UNDIVIDED	NONE	.57	MD0787	FLOWER AVE	2	36I	4,700
					.59					10,100
					.90	MD0193	UNIVERSITY BLVD E			

ROUTE NUMBER.....MD 547  
INVENTORY DIRECTION....EAST  
NAME: STRATHMORE AVE

SECCNDARY	R FAU 5D44	U 16	UNDIVIDED	NONE	.00	MD0355	ROCKVILLE PIKE	2	29J	13,100
					.06			2	20I	
	U				.63		IN CORP LMTS GARRETT PARK			12,375
	R				1.08		OUT CCRP LMTS GARRETT PARK			
					1.13		STRUCTURE #15062 ROCK CREEK			
					1.27			2	28I	
					1.63			2	36I	
	U				1.64		IN CORP LMTS KENSINGTON			
					1.72			4	48I	
					1.80	MD0185	CONNECTICUT AVE			

ROUTE NUMBER.....MD 586  
INVENTORY DIRECTION....EAST  
NAME: VEIRS MILL RD

SECCNDARY	U FAU 5C11	U 14	DIVIDED	NONE	.00	MD0028	FIRST ST	2	48I	31,575
					.24			4	48J	
	R				1.37		OUT CORP LMTS ROCKVILLE	4	48I	
					1.49			4	48I	
					1.68		STRUCTURE #15063 ROCK CREEK	4	48J	
					2.41			4	48J	
					2.85			4	58J	
					3.03		STRUCTURE #15C75 TURKEY BRANCH	4	48J	42,100
					3.68					
					3.96	MD0185A	MD 185 SPUR			
					3.99	MD0185B	MC 185 SPUR			
					4.01	MD0185	CONNECTICUT AVE	4	68J	37,800
					4.02	MD0185C	MD 185 SPUR			
					4.06	MD0185D	MC 185 SPUR			
					4.76			4	58J	
					5.11			4	68J	
					5.35	MD0193	UNIVERSITY BLVD W			
					5.36					28,100
					5.66			4	58J	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 586 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: VEIRS MILL RO

PAGE..... 31  
DATE.....12/31/85  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS											
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	.....	MARKED	SURFACE			
										LANES	WIDTH/TYPE*			AADT
SECONDARY	R	FAU	SCI1	U	14	DIVIDED	NONE	5.78	MDD097	GEORGIA AVE		4	58J	28,100
ROUTE NUMBER.....MD 605 INVENTORY DIRECTION....NORTH NAME: TAKOMA AVE														
SECONDARY	U	NFA		U	19	UNDIVIDED	NONE	.00		WASH D C LINE		2	36J	3,843
								.13				2	30J	
								.27	MUDD10	ALBANY AVE				
								.27	MU122D	TAKOMA AVE (AHEAD)				
ROUTE NUMBER.....MD 614 INVENTORY DIRECTION....NORTH NAME: GOLDSBORO RD														
SECONCARY	R	FAU	SD32	U	16	UNDIVIDED	NONE	.00	C0469D	MACARTHUR BLVD		2	34I	11,725
								.32				2	27I	
								.40				2	36I	
								.46	MDD396	MASSACHUSETTS AVE		2		
								.50				2		
								.57				2	30I	16,300
								.79				2	20I	
								.92				2	29I	
								.97				2	20I	
						DIVIDED		1.01				2	24I	
								1.02	MDD614B	SPUR TO MD 19D		4	54J	
								1.02	MDD614C	SPUR FR MD 19C				
								1.04	MDDI90	RIVER RD				
								1.06	MDD614D	SPUR TO MD 19C				
								1.06	MDD614A	SPUR FR MD 19C				
						UNDIVIDED		1.11				2	27I	
								1.44				2	26I	
								1.83				4	48I	
						DIVIDED		1.93				4	48J	
								1.96	MDDI91	BRADLEY BLVD				
ROUTE NUMBER.....MD 614A INVENTORY DIRECTION....EAST NAME: SPUR FR MD 190														
SECONCARY	R	NFA		U	19	UNDIVIDED	NONE	.00	MDDI9D	RIVER RD		2	20J	
								.02	MDC6I4	GOLDSBORO RD				

\* A,B = UNIMPROVED; C = GRADE & CRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 614B  
 INVENTORY DIRECTION....SOUTH  
 NAME: SPUR TO MD 19D

PAGE..... 32  
 DATE.....12/31/85  
 COUNTY-MONTGOMERY  
 SHA DISTRICT.....3

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL					
SECNDARY	R NFA	U 19	UNDIVED	NONE	.00 MDC614	GOLDSBORO RD	2	20J	
					.02 MD0190	RIVER RD			
ROUTE NUMBER.....MD 614C INVENTORY DIRECTION....WEST NAME: SPUR FR MD 19D									
SECNDARY	R NFA	U 19	UNOIVED	NONE	.00 MDD190	RIVER RO	2	20J	
					.02 MDD614	GCLDSBORO RD			
ROUTE NUMBER.....MD 614D INVENTORY DIRECTION....NORTH NAME: SPUR TO MD 19D									
SECNDARY	R NFA	U 19	UNDIVED	NONE	.00 MDD614	GOLDSBORO RD	2	20J	
					.02 MDD190	RIVER RD			
ROUTE NUMBER.....MD 65D INVENTORY DIRECTION....NORTH NAME: NEW HAMPSHIRE AVE									
SECNDARY	R FAP	249 U 14	OIVIOED	NONE	.00	PRINCE GEORGES CO/L	4	68J	45,775
					.66		4	70J	
					.75		6	72J	
					.88	ISD495 CAPITAL BELTWAY STRUC#15138			47,900
					.97		4	68J	
					2.43		6	72J	44,400
					2.54	MDC895 LCKKWOOD DR			
					2.66		4	54J	
					2.81	USDD29 COLESVILLE RD STRUC#15067			
					2.85				43,600
					2.93		4	68J	
					3.47		6	76J	38,600
					5.21		4	48I	28,725
			UNDIVED		5.28		2	34I	
					5.49		2	20I	
					7.63		2	22I	13,500
					7.92		2	20I	
		R 6			8.76	MDC198 SPENCERVILLE RD			13,050
	FAS 1109	7			11.15	MDC108 CLARKSVILLE RD	2	22I	4,300
					12.48		2	20I	
					12.80		2	24I	

\* A,B = UNIMPROVED; C = GRADED & CRAINED; D,E = SCIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MC 65D CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: NEW HAMPSHIRE AVE

PAGE..... 33  
DATE.....12/31/85  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

STATE	SYSTEM	FEDERAL	CLASS	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	R	FAS	11D9	R	7	UNDIVIDED NONE	13.03	STRUCTURE #15D17 PAWLINGS RIVER	2	22I	4,300
							13.14		2	23I	
							13.20		2	22I	
		NFA			8		14.53		2	2DI	
		FAS	11D2		7		17.5D	MDD097 GEORGIA AVE	2	23I	
		NFA			8		18.15		2		
							22.76	MDD108 LAYTONSVILLE RD			

ROUTE NUMBER.....MC 655  
INVENTORY DIRECTION....NORTH  
NAME: OLD MD 28

SECONDARY	R	NFA		U	19	UNDIVIDED NONE	.DD	MDD28 NORBECK RD	2	18I	600
							.59	MDD115 MUNCASTER MILL RD	3	25I	
							.84		2	28I	
							1.06		2	22I	
						DIVIDED	1.29		2	24I	
						UNDIVIDED	1.55		2	22I	
							2.05	ROAD END			

ROUTE NUMBER.....MC 655A  
INVENTORY DIRECTION....SOUTH  
NAME: NO NAME

SECONDARY	R	NFA		U	19	UNDIVIDED NONE	.DD	MDD97 GEORGIA AVE (BACK)	2	12I	
							.04	MDD28 NORBECK RD			

ROUTE NUMBER.....MC 655B  
INVENTORY DIRECTION....EAST  
NAME: OLD MD 28

SECONDARY	R	NFA		U	19	UNDIVIDED NONE	.DD	MDD28 NORBECK RD	2	18I	
							.39	OP3667 CARROLLTON RD			

ROUTE NUMBER.....MC 655C  
INVENTORY DIRECTION....EAST  
NAME: OLD MD 28

SECONDARY	R	NFA		U	19	UNDIVIDED NONE	.DD	MDD28 NORBECK RD	2	18I	
							.28	CO1338 WESTBLRY RD			

\* A,B = UNIMPROVED; C = GRADED & CRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 66C  
INVENTORY DIRECTION....NORTH  
NAME: DODGE ST

PAGE..... 34  
DATE.....12/31/85  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

STATE	SYSTEM	FEDERAL	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECCNDARY	U	NFA	U 19	UNDIVIDED	NONE	.00	MDD355 ROCKVILLE PIKE	2	38J	13,025
						.04	MDD028 VEIRS MILL RD			

ROUTE NUMBER.....MD 787  
INVENTORY DIRECTION....NORTH  
NAME: FLOWER AVE

SECCNDARY	U	FAU	5185 U 17	UNDIVIDED	NONE	.00	MDD195 PRINCE GEORGES CO/L	2	30I	7,100
	R					.10	CARROLL AVE	2	30I	
						.26	OUT CORP LMTS TAKCMA PARK	2	31I	
						.34		2	31I	
						.48		2	30I	8,825
						.96		2	31I	
						1.04		2	36I	
						1.09	MDD320 PINEY BRANCH RD	2	38I	9,600
						1.23		2	32I	
						1.44		2	31I	
		NFA				1.53		2	29I	
						1.63		2	32I	
						1.99	MDD516 FRANKLIN AVE	2	32I	

ROUTE NUMBER.....MD 895  
INVENTORY DIRECTION....NORTH  
NAME: LOCKWOOD DR

SECCNDARY	R	FAU	5133 U 16	UNDIVIDED	NONE	.00	USGD29 CCLUMBIA PIKE	2	40J	3,360
						.03	USDD29A SPUR	2	30I	
						.33		2	26I	
						.55		2	38I	
						.72		2	38J	
				DIVIDED		.77		4	56J	
						.80	MDD650 NEW HAMPSHIRE AVE			

ROUTE NUMBER.....MD 898  
INVENTORY DIRECTION....EAST  
NAME: NO NAME

SECCNDARY	U	NFA	U 19	UNDIVIDED	NONE	.00	ROAD END	2	22I	225
						.07	SPUR FR IS 27C			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 895  
INVENTORY DIRECTION.....EAST  
NAME: AMERICAN WAY

PAGE..... 35  
DATE.....12/31/85  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FEDERAL	CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	R	NFA	U 19	UNDIVIDED NONE	.00	C04133 CHERRY GROVE DR	2	16H	125
					.21	STRUCTURE #15C83 MUDDY BRANCH			
					.30	M00028 DARNESTOWN RD			

ROUTE NUMBER.....MD 901  
INVENTORY DIRECTION.....NORTH  
NAME: WHELAN LA

SECONDARY	R	NFA	R 9	UNDIVIDED NONE	.00	M00121 CLOPPER RD	2	16I	300
					.74	OPC901 NO NAME (AHEAD)			


ROUTE NUMBER.....MD 928  
INVENTORY DIRECTION.....NORTH  
NAME: OLD MD 609

SECONDARY	R	NFA	R 9	UNDIVIDED NONE	.00	ROAD END	2	20I	
					.01	M00028A NO NAME			
					.10				
					.19	M00028 NORBECK RD	2	24I	

ROUTE NUMBER.....MD 996  
INVENTORY DIRECTION.....SOUTH  
NAME: EGGERT DR

SECONDARY	R	NFA	U 19	UNDIVIDED NONE	.00	M00191 PERSIMMON TREE RD	2	24H	
					.50	C05177 EGGERT DR (AHEAD)			


\* A,B = UNIMPROVED; C = GRADEC & CRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK




**PRINCE GEORGES  
COUNTY**

PG






PRINCE GEORGES COUNTY



WASHINGTON, D.C.

PRINCE GEORGES CO.





STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 1  
INVENTORY DIRECTION....NORTH  
NAME: RHODE ISLAND AVE

PAGE..... 1  
DATE.....12/31/85  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

.....STATE.....	SYSTEM	FEDERAL...	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	U	FAP	251 U 14	DIVIDED	NONE	.00	WASH DC LINE	4	68I	16,600
						.16		4	67I	
						.39	IN CORP LMTS BRENTWOOD	4	68I	
						.39	OUT CORP LMTS MT RAINER			
						.48	M00208 38 TH ST			16,000
						.87	IN CORP LMTS NORTH BRENTWOOD			
						.87	OUT CORP LMTS BRENTWOOD			
						1.14	IN CORP LMTS HYATTSVILLE			
						1.14	OUT CCRP LMTS NORTH BRENTWOOD			
						1.14	STRUC #16005 NORTHWEST BRANCH			
				UNOIVED		1.43		4	48I	
						1.58		4	40I	
						1.61		3	48I	
						1.69		2	45I	
						1.76		4	44I	
						1.82	US0001AL BLADENSBURG RD	4	50I	24,550
						2.41	IN CORP LMTS RIVEROALE			
						2.41	OUT CORP LMTS HYATTSVILLE			
						2.61	OUT CCRP LMTS RIVEROALE			
						2.62	M00410 EAST WEST HWY			22,800
						3.12	IN CORP LMTS COLLEGE PARK			
						3.15				
						3.22	M00500 QUEENS CHAPEL RD	4	53I	
						3.47		4	52I	29,425
				DIVIDED		3.54		4	58I	
						3.86		4	64I	27,930
				UNOIVED		4.38		4	52I	29,425
						4.41	STRUCTURE #16C04 PAINT BRANCH	2	53I	
						4.86				
						5.06	M0043D GREENBELT RD	4	53I	
						5.28	M00193 GLENDALE RD STRUC#16003	2	53I	48,500
						5.38				
						5.87		4	53I	
						6.08		4	48I	
						6.18	OUT CCRP LMTS COLLEGE PARK	4	53I	
				DIVIDED		6.30		5	48I	
						6.46	I50095 CAPITAL BELTWAY STRUC#16134	4	54I	
						6.47				
				UNOIVED		6.66				27,750
						7.15		4	46I	
						7.39		4	59I	
						7.62		4	49I	
								4	46I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SCIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 1 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: RHODE ISLAND AVE

PAGE..... 2  
DATE.....12/31/85  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FLNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL						
SECONDARY	R	FAP	251	U 14	UNDIVED NONE	8.05	M00212 POWDER MILL RD	4	46I	27,750
						8.63				24,350
						11.72				11,500
					DIVIDED	12.92		4	56I	
						13.20		4	44I	
						13.26		7	87I	
						13.45		7	83I	
						13.49		7	76I	
	U				UNDIVED	13.50	IN CORP LMTS LAUREL			
					DIVIDED	13.60	M00198 GORMAN AVE	6	64I	
						13.84		6	72I	
						14.11	M00979 MAIN ST			
						14.16		6	68I	
						14.19		6	70I	
						14.24	HOWARD CO/L			
						14.24	STRUCTURE #16C01 PATUXENT RIVER			

ROUTE NUMBER.....US 1A  
INVENTORY DIRECTION....NORTH  
NAME: BLADENSBURG RD

SECONDARY	U	FAU	5C81	U 16	DIVIDED NONE	.00				
						.47	M00208 WASH DC LINE	4	48I	30,625
						.75	38TH AVE			
						.84		4	62I	
						.93		4	48I	
						.93	OUT CORP LMTS COLMAR MANOR			
						.99	IN CORP LMTS BLADENSBURG			
						1.02	STRUCTURE #16C08 ANACOSTIA RIVER			
						1.05	M00450 ANNAPCLIS RD	4	56I	11,925
						1.49	OUT CORP LMTS BLADENSBURG			
						1.49	STRUCTURE #16C07 ANACOSTIA RIVER			
						1.49	IN CORP LMTS HYATTSVILLE			
					UNDIVED	1.55		2	36I	
						1.86	R/R #B0 140 254 A			
						2.03	STRUC#16006 R/R #B0 140 9C6 S			
						2.08	USC001 BALTO AVE			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 3  
 INVENTORY DIRECTION.....NORTH  
 NAME: ROBERT CRAIN HWY

PAGE..... 3  
 DATE.....12/31/85  
 COUNTY-PRINCE GEORGES  
 SHA DISTRICT.....3

.....STATE.....	SYSTEM ..FEDERAL...	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
PRIMARY	R FAP	117 R	2	DIVIDED NONE	.00	IS0068 JOHN HANSON HWY STRUC#16085	4	48I	24,100
			U 14		.00	US0301 BLUE STAR MEM HWY (BACK)			
			R 2		.60				
					1.28				
					1.37	M00976 COLUMBIAN WAY			
					1.65	M00976 COLUMBIAN WAY			
					2.25	M00450 ANNAPCLIS RD			
					2.53	ANNE ARUNOEL CO/L			
					2.53	STRUCTURE #I6D83 PATUXENT RIVER			

ROUTE NUMBER.....MD 4  
 INVENTORY DIRECTION.....NORTH  
 NAME: PENNSYLVANIA AVE

PRIMARY	R FAP	259 R	2	DIVIDED PART	.00	ANNE ARUNOEL CO/L	4	48I	34,614
					.00	STRUC#16095&#16011 PATUXENT RIVER			
					.08	M00004PA MARLBORO PIKE			
					.52	M00726 GREEN LANDING RD STRUC#16096			
					1.44	US0301 BLUE STAR MEM HWY STRUC#16097			26,500
					1.65	STRUC#16098 R/R #CR 529 575 M			
					1.71	STRUCTURE #16108			
					2.07	M00717 WATER ST STRUC#16099			
					2.27	STRUCTURE #16100 WESTERN BRANCH			
					2.92	C01212 OLD CRAIN HWY STRUC#16101			25,875
			U 12		3.61	M009800 NO NAME STRUC #16C102			
					6.36	M00223 WOODYARD RD STRUC#16181			34,400
					7.46				
					7.73	M00004PB OOWER HOUSE RD	5	50I	
					7.95		4	48I	46,500
					8.49	M00337 ALLENTOWN RD			32,975
					9.44	IS0095 CAPITAL BELTWAY STRUC#16159			
					9.45				
					9.81				57,400
					12.01	M00458 SILVERHILL RD			30,325
					14.36				12,375
					14.43	WASH DC LINE			24,000

ROUTE NUMBER.....MD 4PA  
 INVENTORY DIRECTION.....WEST  
 NAME: MARLBORO PIKE

SECONDARY R NFA U 19 UNOIVED NONE .00 M00004 PENNSYLVANIA AVE 2 24I

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MC 4PA CONTINUED  
INVENTORY DIRECTION....WEST  
NAME: MARLBORO PIKE

PAGE..... 4  
DATE.....12/31/85  
COUNTY-PRINCE GEORGES  
SHA DISTRIC.....3

SYSTEM ....STATE....	..FEDERAL...	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
SECONDARY	R	NFA	U 19	UNOIVED	NONE	.51	M00726 GREEN LANOING RD	2	24I	
ROUTE NUMBER.....MC 4PB INVENTORY DIRECTION....NORTH NAME: DOWER HOUSE RO										
SECONDARY	R	NFA	U 19	UNOIVED	NONE	.00 .03	M00004 PENNSYLVANIA AVE C02064 PENN AVE ACCESS RO	2	24I	
ROUTE NUMBER.....MC 5 INVENTORY DIRECTION....NORTH NAME: BRANCH AVE										
PRIMARY	R	FAP	121 U 12	OIVIDEO	PART	2.53	US0301 BLUE STAR MEM HWY (BACK)	4	48I	29,825
						2.66	USD301 BLUE STAR MEM HWY SB/L			
						3.05	MOD373 ACCOKEEK RD			
						5.19	STRUC #16196 PISCATAWAY CREEK			
						6.65	STRUC #16182 PISCATAWAY CREEK			
						6.81				38,750
						7.74		4	48J	
						7.87	M00223 WCOODYARD RD	5	60I	50,825
						9.30				50,750
						9.45				
						10.22		5	72I	
						10.36		6	72I	
						10.73	M00337 ALLENTOWN RD	5	60I	45,625
						10.85		5	60J	
						11.35		5	70J	50,975
						11.68		4	48J	
						11.75		4	48I	
						11.98	IS0095 CAPITAL BELTWAY STRUC#16164			50,400
						12.51	M0C967C AUTH RD			
						12.61				
						12.79	M0C967A OXFORD LANE			
						13.17	MDC967B BRANCH RD			
						13.54	MDD414 ST BARNABAS RD STRUC#16193			38,300
						14.10	MOD458 SILVER HILL RD			48,375
						14.44	MDO414 OLD SILVER HILL RC			
						14.76	MDD637 BRANCH AVE			
						14.86	MDC637A NC NAME			
						14.97		2	34I	
				UNOIVED		15.00				

12  
121

14

\* A,B = UNIMPROVED; C = GRADED & CRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 5 CONTINUED  
INVENTORY DIRECTION.....NORTH  
NAME: BRANCH AVE

PAGE..... 5  
DATE.....12/31/85  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

STATE	SYSTEM	FEDERAL	CLASS	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
PRIMARY	R	FAP	121	U	14	UNDIVIDED PART	15.1D 15.35	WASH DC LINE	2	34I	47,700
ROUTE NUMBER.....US 50 INVENTORY DIRECTION.....EAST NAME: JOHN HANSON HWY											
PRIMARY	R	FAP	130	U	12	DIVIDED FULL	.00	WASH D C LINE	6	72I	110,000
							.23	MDD295 GLADYS SPELLMAN PKWY			
							.29	MDD295 GLADYS SPELLMAN PKWY	4	48I	
							.51	MDD201 KENILWORTH AVE STRUC#16D27			61,400
	U						1.02	STRUC#161D7 R/R#80 14D 266 U			
							1.35	IN CORP LMTS CHEVERLY			
	R						1.48	MDD459 COLUMBIA PARK RD STRUC#16117			
							1.78	OUT CORP LMTS CHEVERLY			
							2.72	STRUC#161D6 RAMP 5 FR MD 2D2			46,825
	U						2.84	MDD202 LANDOVER RD STRUC#161D5			
							3.59	IN CORP LMTS LANDOVER HILL			
	R						3.77	OUT CORP LMTS LANDOVER HILL			
							4.13	C02282 ARDWICK-ARDMORE RD STRUC#16115			
							4.33	STRUC#16114 R/R #ATK 529 590 P			
							4.55	USDD50PA ARDWICK-ARDMORE RD STRUC#16113			54,900
							4.93	ISDD68 JCHN HANSON HWY (AHEAD)			
ROUTE NUMBER.....US 50CPA INVENTORY DIRECTION.....NORTH NAME: ARDWICK ARDMORE RD											
SECNDARY	R	FAU	52D8	U	17	UNDIVIDED FULL	.00	C0DD65 ARDWICK-ARDMORE RD (BACK)	2	42I	5,150
		NFA					.08	USDD50 JOHN HANSON HWY STRUC#16113			
							.11	C04231 GARDEN CITY DRIVE			
ROUTE NUMBER.....IS 68 INVENTORY DIRECTION.....EAST NAME: JOHN HANSON HWY											
PRIMARY	R	FAI	68	U	11	DIVIDED FULL	.00	USDD50 JCHN HANSON HWY (BACK)	4	48I	54,900
							.44	ISDD95 CAPITAL BELTWAY STRUC #16146			75,400
							.66	C0DD74 WHITEFIELD CHAPEL RD STPUC#16116			
							1.16	MDC7D4 MARTIN L KING JR Fwy STRUC#16D92			48,775
							2.19	C0CD67 LCTTSFORD VISTA RD STR#16C91			
							2.58	STRUCTURE #16C9D FOLLY BRANCH			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 68 CONTINUED  
INVENTORY DIRECTION.....EAST  
NAME: JOHN HANSON HWY

PAGE..... 6  
DATE.....12/31/85  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL						
PRIMARY	R	FA1	68	U 11	DIVIDED FULL	3.68	M00556 ENTERPRISE RD STRUC#16089	4	48I	48,775
						5.23	C00059 CHURCH RD STRUC#16088			
						6.35	STRUC#16087 R/R #CR 532 284 B			
	U					6.75	IN CORP LMTS BOWIE			45,000
						6.95	M00197 BCWIE RD STRUC#16C86			
	R					7.72	OUT CORP LMTS BOWIE			
				R 1		8.21	M00003 ROBERT CRAIN HWY STRUC #16085			
						8.21	US0301 BLUE STAR MEM HWY STRUC #16085			
						9.44	STRUCTURE #2D26 PATUXENT RIVER			
						9.44	ANNE ARUNDEL CO/L			

ROUTE NUMBER.....IS 95  
INVENTORY DIRECTION.....NORTH  
NAME: CAPITAL BELTWAY

PRIMARY	R	FA1	95	U 11	DIVIDED FULL	.00	VIRGINIA ST/L	6	72I	98,400
						.53	STRUCTURE #16173 POTOMAC RIVER			
						1.23				
						1.71	ISO295 GEO WASH MEM PKWY STRUC#16171	5	60I	92,700
						2.03		8	96I	
						2.57	GVO130 FARM RD STRUC#16170			
						2.84	M00210 INDIAN HEAD HWY STRUC#16169			
						3.04				102,000
						3.33	C01203 LIVINGSTON RD STRUC#16168			
						4.42	M00414 ST BARNABAS RD STRUC#16167			105,800
						5.74	C00123 TEMPLE HILL RD STRUC#16166			
						6.72	STRUCTURE #16165 HENSEN CREEK			
						7.35	M00005 BRANCH AVE STRUC#16164			114,800
						8.29	C00127 AUTH RD STRUC#16163			
						9.13	C00081 SLITLAND RD STRUC#16162			
						9.75	C00483 FORESTVILLE RD STRUC#16161			127,700
						10.04	GVO119 SUITLAND PKWY STRUC#16160			
						10.82	M00004 PENNSYLVANIA AVE STRUC#16159			134,277
						12.26	C00089 O'ARCY RD STRUC#16158			
						13.19	C00974 RITCHIE MARLBORO RD STRUC#16157			
						14.57	STRUCTURE #16156 SOUTHWEST BRANCH			
						14.82	M00214 CENTRAL AVE STRUC#16153			125,000
						16.60	M00202 LANDOVER RD STRUC#16150			133,600
	U					17.37	IN CORP LMTS GLENARDEEN			
						17.53	M00140 GLENARDEEN PKWY STRUC#16149	8	96J	
	R					17.68	OUT CORP LMTS GLENARDEEN			
						17.94	C00065 AROMORE ARDWICK RD STRUC#16148			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 95 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: CAPITAL BELTWAY

PAGE..... 7  
DATE.....12/31/85  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

STATE	SYSTEM	FEDERAL	CLASS	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
PRIMARY	R	FAI	95	U	II	DIVIDED FULL	18.14	MOD704	MARTIN KING JR HWY STRUC#16148	8	96J	133,600
							18.58	IS0068	JCHN HANSON HWY STRUC#16145			142,300
							19.44		STRUC#16145 R/R #ATK 529 591 W			
	U						19.63	MOD450	ANNAPOLIS RD STRUC#16144			126,375
	R						19.85		IN CORP LMTS NEW CARROLLTON			
							20.18		OUT CORP LMTS NEW CARROLLTON			
							21.00	C00042	GOODLUCK RD STRUC#16143			
	U						21.71		IN CORP LMTS GREENBELT			
							21.77					
							22.15	MOD295	GLADYS SPELLMAN PKWY			135,000
							22.48	MOD193	GREENBELT RD STRUC#16141			
							23.06	MOD201	KENILWORTH AVE STRUC#16140			135,700
	R						23.81		STRUCTURE #16137 INDIAN CREEK			
							23.95		OUT CORP LMTS GREENBELT			
	U						24.18		STRUCTURE #16136			
							24.43		IN CORP LMTS COLLEGE PARK			
	R						24.87	C0I291	RHODE ISLAND AVE STRUC#16135			
							25.21		OUT CORP LMTS COLLEGE PARK			140,000
							25.21	US0001	BALTO AVE STRUC#16134			
							25.96	C00014	CHERRY HILL RD STRUC#16175			
							26.38		STRUCTURE #16130 RAMP 1 OV S8L			
							26.51		STRUC#16129,16127 RAMP 1 FR I-95X			
							26.59	IS0095X	NC NAME STRUC#16126 & #16125			85,283
							26.59	IS0495	CAPITAL BELTWAY			
							26.84		STRUCTURE #16128 PAINT BRANCH			
							26.92		STRUCTURE #16129			
							27.01		STRUCTURE #16124 PAINT BRANCH			
							27.58	C0DDI4	CHERRY HILL STRUC#16044			
							28.79		STRUC#16040 LITTLE PAINT BRANCH			
							29.04	MOD2I2	POWDER MILL RD STRUC#16205			87,167
							29.26		STRUC#16024 LITTLE PAINT BRANCH			
							29.89	C00002	OLD GUNPOWDER RD STRUC #16203			
							30.42		STRUC#16194 INDIAN CREEK			
							32.09	C00008	VAN OLSEN RD STRUC#16195			
							32.90		STRUCTURE #162C2 RAMP 7 FR MD 198			82,500
							33.21		STRUC#16201 RAMP 5 TO MD 198			
	U						33.22	MODI98	SANDY SPRING RD STRUC#16200			
	R						33.30		IN CORP LMTS LAUREL			
							34.20		OUT CORP LMTS LAUREL			
							34.28	C00003	BROOKLYN BRIDGE RD STRUC#16199			
							34.61		HCWARC CO/L			
							34.61		STRUCTURE #16197 PATUXENT RIVER			

\* A,B = UNIMPROVED; C = GRADEC & CRAINED; D,E = SCIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 95X  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

PAGE..... 8  
DATE.....12/31/85  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL				
PRIMARY	R	FAI	95 U 11	DIVIDED	FULL			
				.00	ROAD END	8	96J	26,367
				.30	IS0095 CAPITAL BELTWAY STRUC#16126#16123			
				.30	IS0495 CAPITAL BELTWAY			

ROUTE NUMBER.....MD 193  
INVENTORY DIRECTION....EAST  
NAME: UNIVERSITY BLVD

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
SECONDARY	R	FAU	5018 U 14	DIVIDED	NONE			
				.00	MONTGOMERY CO/L	6	68J	29,025
				.33	M00650 NEW HAMPSHIRE AVE			33,600
				.91	M00212 RIGGS RD			39,300
				1.63		4	48J	24,325
				1.74	STRUCTURE #16018 NORTHWEST BRANCH			
				1.81		4	51J	
				1.98		4	54J	
				2.11	M00193B CAMPUS DR			
				2.22	IN CORP LMTS COLLEGE PARK	4	48J	20,600
				3.22	OUT CCRP LMTS COLLEGE PARK			
				3.44		4	48I	34,800
				3.94	STRUCTURE #16019 PAINT BRANCH			
				3.94	IN CORP LMTS COLLEGE PARK			
				4.02		4	54J	
				4.09	US0001 BALTO AVE STRUC#16003			
				4.16		5	61I	32,775
				4.19	M00193C NC NAME			
				4.23	M00193D NC NAME	5	59I	
				4.60	M00430 GREENBELT RD	6	68I	
				4.74	STRUC#16070 R/R #BC 140 9C1 H			
				4.76	IN CORP LMTS BERWYN HEIGHTS			
				4.76	OUT CCRP LMTS COLLEGE PARK			
				5.04		7	80I	
				5.50		6	68I	
				5.77	IN CORP LMTS GREENBELT			
				5.77	OUT CCRP LMT BERWYN HEIGHTS			
				5.83	M0C201 KENILWORTH AVE	4	48I	32,200
				6.43	IS0095 CAPITAL BELTWAY STRUC#16141			35,900
				6.53		5	60I	
				6.73	M00968 ENT NAT GUARD ARMCRY			
				6.76	M0C193A0 NO NAME	4	50I	
				6.84	M00193A SCUTHWAY	5	58I	
				6.87	M00193AA NC NAME			
				6.90	M0C295 GLADYS SPELLMAN PKWY			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 193  
INVENTORY DIRECTION....EAST  
NAME: UNIVERSITY BLVD

CONTINUED

PAGE..... 9  
DATE.....12/31/85  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	STATE	FEDERAL	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	U	FAU	SG18	U 14	DIVIDED NONE	7.06	IN CORP LMTS GREENBELT	4	48I	32,075
	R					7.59		5	60I	
						8.08	OUT CORP LMTS GREENBELT	4	48I	
						8.22		3	48I	
						9.71		2	48I	
						9.87				
						10.44	MOD564 LANHAN BOWIE RD			
				16		10.55	R/R #ATK 903 350 M			17,700
						12.85	MDD450 ANNAPCLIS RD			
					UNDIVIDED	13.03				9,000
						13.07		2	30I	3,725
					DIVIDED	13.82		2	20I	
						14.02	ISD068 JOHN HANSON HWY STRUC#16089	2	28I	
						14.09	MDD974 OLD MD 556			
					UNDIVIDED	14.26		2	46I	
						14.34		2	21I	
						14.57		2	20I	
						14.84				
						17.32	STRUCTURE #16D75 NORTHWEST BRANCH	2	40I	6,700
						17.37	MOD214 CENTRAL AVE			
						17.37	MOD556 WATKINS PARK DR (AHEAD)			

ROUTE NUMBER.....MD 193A  
INVENTORY DIRECTION....EAST  
NAME: SOUTHWAY

SECONDARY	U	FAU	S195	U 17	DIVIDED NONE	.00	MOD193 GLENNDAL RD	4	32I	7,668
						.04	MOD193AD NC NAME	4	60I	
					UNDIVIDED	.06	MOD193AA NC NAME			
						.22		2	20I	
						.23	MUD470 SOUTHWAY (AHEAD)			

ROUTE NUMBER.....MD 193AA  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

SECONDARY	U	NFA		U 19	UNDIVIDED NONE	.00	MOG193 GREENBELT RD	2	20I	
						.06	MOC193A SOUTHWAY (AHEAD)			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 193AD  
INVENTORY DIRECTION.....SOUTH  
NAME: NO NAME

PAGE..... 10  
DATE.....12/31/85  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS						MARKED	SURFACE		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT DESCRIPTION	.....	LANES	WIDTH/TYPE*	AAOT	
SECONDARY	U	NFA	U	19	UNDIVIDED	NONE	.00	MOD193A	SOUTHWAY (BACK)	2	20I	
							.10	MOD193	GREENBELT RD (AHEAD)			

ROUTE NUMBER.....MD 193B  
INVENTORY DIRECTION.....EAST  
NAME: CAMPUS DR

SECONDARY	R	NFA	U	19	DIVIDED	NONE	.00	MOD193	UNIVERSITY BLVD	4	48I	
							.11	COD232	ADELPHI RD			

ROUTE NUMBER.....MD 193C  
INVENTORY DIRECTION.....SOUTH  
NAME: NO NAME

SECONDARY	U	FAU	5018	U	14	UNDIVIDED	NONE	.00	MO0193	UNIVERSITY BLVD	2	27J	999
								.09			2	39J	
								.17	MO0193E	NO NAME	2	28J	
								.20	MO0430	GREENBELT RD			

ROUTE NUMBER.....MD 193D  
INVENTORY DIRECTION.....NORTH  
NAME: NO NAME

SECONDARY	U	FAU	5018	U	14	UNDIVIDED	NONE	.00	MO0430	GREENBELT RD	2	27J	999
								.13			2	27I	
								.16	MO0193	UNIVERSITY BLVD			

ROUTE NUMBER.....MD 193E  
INVENTORY DIRECTION.....SOUTH  
NAME: NO NAME

SECONDARY	U	FAU	5018	U	14	UNDIVIDED	NONE	.00	MO0193C	NO NAME	2	27J	999
								.02	MO0430	GREENBELT RD			

ROUTE NUMBER.....MD 197  
INVENTORY DIRECTION.....NORTH  
NAME: COLLINGTON RD

SECONDARY	R	FAU	5094	U	16	UNDIVIDED	NONE	.00	US0301	BLUE STAR MEM HWY	2	24I	20,100
	U					DIVIDED		.43		IN CORP LMTS BOWIE	4	39I	
						UNDIVIDED		1.28			2	28I	
								1.40					

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 197 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: COLLINGTON RD

PAGE..... 11  
DATE.....12/31/85  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	STATE	FEDERAL	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPNT	MILEPNT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	U	FAU	5094	U 14	UNDIVD NDNE	1.46	ISCD68 JOHN HANSON HWY STRUC#16D86	2	28I	25,700
						1.48		2	22I	
	R					1.62		2	24I	
	U					1.77	OUT CORP LMTS BOWIE			
						2.02	IN CORP LMTS BOWIE			
						2.80				
						2.88		3	36I	
						2.97	MDD45D ANNAPCLIS RD	4	53I	
		NFA		19		4.94		4	62I	15,800
						5.03		2	20I	
		FAU	5079	16		5.27	STRUCTURE #16D21 HORSEPEN BRANCH			
						5.67				
						6.34				
						6.39		2	24I	
						6.43		2	20I	
		NFA		17		6.44	STRUC#16D2D R/R #ATK 529 596 F			
						6.46	MDD564 9TH ST	2	28I	
						6.52				
	R					6.61		2	20I	7,800
						6.72		2	22I	
		FAU	5094	14		8.28	OUT CORP LMTS BOWIE			
						11.82				11,900
						11.94		2	36I	12,800
						12.11	MDD295 GLADYS SPELLMAN PKWY	2	50I	
						12.13				
						12.19	MDD197A NO NAME	2	48I	31,225
					DIVIDED	12.32				
						12.40	STRUCTURE #16208 PATUXENT RIVER	4	48I	
						13.09				
						13.35		4	60I	
						13.93	STRUCTURE #16206 CROW BRANCH	5	60I	18,225
						14.18				
	U					14.74	IN CORP LMTS LAUREL	4	48I	
						14.74	STRUCTURE #16209 BEAR BRANCH			
						14.93	MDD198 FORT MEADE RD			
SECONDARY	R	NFA		U 19	DIVIDED NONE	.DD	ROAD END	1	12I	
					UNDIVD	.18		1	17I	

ROUTE NUMBER.....MD 197A  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 197A      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

PAGE..... 12  
DATE.....12/31/85  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AAAT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	.....	.....	LANES	WIDTH/TYPE*	
SECONDARY	R	NFA	U 19	UNDIVID	NONE	.2D MDD197 BOWIE RD	1	17I	
ROUTE NUMBER.....MD 197UL INVENTORY DIRECTION....NORTH NAME: PROPOSED									
SECONDARY	R	FAU 5094	U 14	UNOIVED	NONE	.00 MOD197 BOWIE RO .75 C04458 NEW JERICO RO	2	24I	
ROUTE NUMBER.....MD 198 INVENTORY DIRECTION....EAST NAME: SANDY SPRING RD									
SECONDARY	R	FAP 248	U 14	UNOIVED OIVIDED	NONE	.00 MONTGOMERY CO/L .51 .78 1.2D ISD095 NO NAME STRUC#162CO 1.25 1.46 STRUCTURE #162D1 RAMP 7 1.79 1.96 IN CORP LMTS LAUREL 2.23 2.36 OUT CORP LMTS LAUREL 2.69 IN CORP LMTS LAUREL 2.97 3.06 MOC216 7TH ST 3.24 3.48 3.55 USOD01 2ND ST 3.58 3.63 3.69 STRUCTURE#16D77 R/R #BO 14D 894 A 3.91 3.95 MDC197 BOWIE RO 3.97 4.01 OUT CORP LMTS LAUREL 4.10 4.31 ANNE ARUNDEL CO/L 4.31 STRUCTURE #16Q78 PATUXENT RIVER	2 4 6 4 6 6 6 4 4 2 2 2 2 2 4 4 2	22I 5DI 48I 5DI 72I 76I 32I 34I 28I 26I 48I 43I 43I 48I 48I	21,275

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 200UL  
INVENTORY DIRECTION....EAST  
NAME: PROPOSED

PAGE..... 13  
DATE.....12/31/85  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

STATE	SYSTEM	FEDERAL	CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	R	FAP	120	U	12	01V10E0	NONE			
		NFA			19	.00	MONTGOMERY CO/L	4	48I	
						2.55				
						14.40	IS0068 JOHN HANSON HWY			
ROUTE NUMBER.....MD 2D1 INVENTORY DIRECTION....NORTH NAME: KENILWORTH AVE										
SECONDARY	R	FAP	111	U	12	01V10E0	FULL			
						.00	WASH D C LINE	6	68J	67,500
						.13		6	72J	
						.30	M00965 KENILWORTH AVE STRUC#16028			
						.32	STRUCTURE #16G28 BEAVEROAM CREEK			
						.33	R/R #ATK 529 588 N			
						.49	USD050 JOHN HANSON HWY STRUC#16027			33,000
						.51		4	48J	
	FAU	5019			14	.68				
						.84	M00459 KENILWORTH AVE			
						.95	STRUC#16D26 R/R #80 140 265 M			
						1.13	M00295 GLADYS SPELLMAN PKWY			
						1.31	M007690 OLO RIVER RD			
						1.38	M00769C 52ND AVE	4	68J	
						1.71		4	48I	29,100
	U					1.90	NONE IN CORP LMTS BLANDENSBURG			
						1.96	M002D1A NC NAME			
						2.14	M00450 ANNAPCLIS RD STRUC#16025			23,900
						2.25	M00769C 52ND ST			
	R					2.47	OUT CORP LMTS BLANDENSBURG	4	48J	
	U					2.85	IN CORP LMTS EOMONSTON			32,300
	R					3.27	OUT CORP LMTS EOMONSTON			
						3.42		6	68J	
						3.84	M00412A RIVERDALE RD			
						3.86	STRUCTURE #16024			
						3.95	M00410 EAST WEST HWY			34,300
						4.16		5	58J	
						4.39		4	48J	
						4.62	PART	6	72I	
	U					4.73	STRUCTURE #16C23			
						4.81	IN CORP LMTS GREENBELT			
						4.83	STRUCTURE #16C22			
						4.95		4	50I	
	R					6.06	OUT CORP LMTS GREENBELT			
						6.19	M00434 PCNTIAC ST			27,275

\* A,B = UNIMPROVED; C = GRADED & DRAINED; G,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 2D1 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: KENILWORTH AVE

PAGE..... 14  
DATE.....12/31/85  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL	CLASS	TYPE	CTL				
SECONDARY	U	FAU 5G19	U 14	DIVIDED	PART	6.46	IN CORP LMTS GREENBELT	27,275
	R					6.58	OUT CCRP LMTS GREENBELT	
	U					6.61	IN CORP LMTS GREENBELT	43,900
						6.71	MDD193 GREENBELT RD	
						6.94		
			16		FULL	7.25	ISD495 CAPITAL BELTWAY STRUC#16140	31,400
						7.44		
					NONE	7.53		
						7.69		
					UNDIVIDED	7.89		16,325
	R					7.96	OUT CORP LMTS GREENBELT	
						8.35	STRUCTURE #16111 BEAVERDAM CREEK	
						9.50	MDD212 POWDER MILL RC	

ROUTE NUMBER.....MD 2D1A  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

SECONDARY	R	NFA	U 19	UNDIVIDED	NONE	.00	MDD2D1 KENILWORTH AVE	40I
						.07	MDD769C 152ND AVE	

ROUTE NUMBER.....MD 2D2  
INVENTORY DIRECTION....NORTH  
NAME: LANDCOVER RD

SECONDARY	R	FAP 255	R 6	UNDIVIDED	NONE	.00	MDD725 OLD CRAIN HWY	11,900
						.02	STRUCTURE#16D32 COLLINGTON BRANCH	
						.04		
						.51		
						4.29	MDD556 WATKINS PARK DR	30,275
						4.37	MDD2D2A NO NAME	23,275
			U 14			5.40		
					DIVIDED	6.10		32,500
						7.61	MDD214 CENTRAL AVE	
						9.58	ISDD95 CAPITAL BELTWAY STRUC#16150	31,975
						9.90		
						10.37	STRUCTURE #16198 CATTAIL BRANCH	29,400
						11.02	MDD7D4 MARTIN L KING JR FWY STRUC#16030	35,300
						11.29	MDC977H PROSPECT ST	
						12.14	STRUC#16119 BEAVER DAM CREEK	
						12.28	STRUC#16029 R/R #ATK 529 589 V	
	FAU 5024					12.36	USDD50 JOHN HANSON HWY STRUC#161C5	40,300

\* A,B = UNIMPROVED; C = GRADED & CRAINED; C,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 202 CONTINUED  
 INVENTORY DIRECTION....NORTH  
 NAME: LANOVER RO

PAGE..... 15  
 DATE.....12/31/85  
 COUNTY-PRINCE GEORGES  
 SHA OISTRIC.....3

STATE	SYSTEM	FEDERAL	CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKEO LANES	SURFACE WIDTH/TYPE*	AADT
	SECNDARY	R	FAU	5024	U	14	DIVIOEO NONE			
		U				12.64		6	68J	36,975
						13.31				
						13.43	MO02028 IN CORP LMTS CHEVERLY			35,875
		R			16	13.48	MO0295 GLAOYS SPELLMAN PKWY			
						13.48	OUT CORP LMTS CHEVERLY			37,100
						13.61				
						14.03	MO0450 ANNAPOLIS RO (AHEAO)	6	64I	

ROUTE NUMBER.....MD 202A  
 INVENTORY DIRECTION....NORTH  
 NAME: NO NAME

	SECNDARY	R	NFA		U	19	UNDIVEO NONE			
						.00	MO02D2 LANOVER RD	2	13H	
						.09	MDD556 ENTERPRISE RD			

ROUTE NUMBER.....MD 202B  
 INVENTORY DIRECTION....SOUTH  
 NAME: NO NAME

	SECONARY	U	NFA		U	19	DIVIDEO NONE			
						.00	MO02D2 LANOVER RD	2	36I	8,400
						.08		2	32I	
						.15		2	28I	
						.17	ENT HCSPITAL			
						.17	RAMP 4 FR MD 295			

ROUTE NUMBER.....MD 208  
 INVENTORY DIRECTION....NORTH  
 NAME: 38TH ST

	SECONDARY	U	NFA		U	17	UNOIVED NONE			
						.00	USD001A BLADENBURG RO	2	36I	11,400
						.14		2	40I	
						.23	IN CORP LMTS BRENTWOOD			
						.23	STRUC#16033 R/R #PO 140 9C9 M			
						.23	OUT CCRP LMTS COTTAGE CITY			
						.28		2	38I	
						.37		4	36I	
						.40	USD001 RPOE ISLAND AVE			
						1.10	STRUCTURE #16034 NORTHWEST BRANCH	2	27I	10,400
						1.10	IN CORP LMTS HYATTSVILLE			
						1.10	OUT CCRP LMTS BRENTWOOD			
		FAU	5080		16	1.41		4	41I	13,300
						1.51		2	42I	

\* A,B = UNIMPROVED; C = GRADED & CRAINED; O,E = SCIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 208 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: 39TH ST

PAGE..... 16  
DATE.....12/31/85  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM		FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL								
SECONDARY	U FAU	5D8D U 16	UNDIVIDED	NONE	1.59		2	24I	13,300
			DIVIDED		1.69		2	75I	
					1.76		4	62J	
					1.85	MDD500 QUEENS CHAPEL RD (AHEAD)			

ROUTE NUMBER.....MD 21C  
INVENTORY DIRECTION....NORTH  
NAME: INDIAN HEAD HWY

SECONDARY	R FAP	263 R 6	UNDIVIDED	PART	.00	CHARLES CO/L	2	24I	14,025
			DIVIDED		3.40	MDD373 ACCOKEEK RD			14,975
		U 14			4.02		4	48I	
					5.87	STRUCTURE #16C37 PISCATAWAY CREEK	2	48I	
					6.74		4	48I	
					6.88				19,925
					10.68	STRUCTURE #16C36 HENSON CREEK			
					11.30	STRUCTURE #16C35 CAREY BRANCH	4	48J	41,825
					13.13	MDD414 OXON HILL RD	4	55J	42,700
					13.21		4	84I	
					13.24	ISDD95 CAPITAL BELTWAY STRUC#16169			49,000
					13.27		4	48J	
	U				13.58	IN CORP LMTS FOREST HEIGHTS			
	R				14.10	OUT CORP LMTS FOREST HEIGHTS			
			UNDIVIDED		14.44		2	44J	36,800
					14.50	WASH D C LINE			

ROUTE NUMBER.....MD 21CA  
INVENTORY DIRECTION....EAST  
NAME: SERVICE RD A

SECONDARY	R NFA	U 19	UNDIVIDED	NONE	.00	CDD582 KIRBY HILL RD	2	16I	
					.04		2	18F	
					.19		2	16E	
					.26	RCAD END			

ROUTE NUMBER.....MD 21CB  
INVENTORY DIRECTION....NORTH  
NAME: SERVICE RD B

SECONDARY	R NFA	R 9	UNDIVIDED	NONE	.00	RCAD END	2	24I	
					.49	STRUCTURE #16C35 CAREY BRANCH			
					.51	C03976 BARRETT RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 210B CONTINUED  
INVENTORY DIRECTION.....NORTH  
NAME: SERVICE RD B

PAGE..... 17  
DATE.....12/31/85  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

STATE	SYSTEM	FEDERAL	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
	SECONDARY	R	NFA	R	9	UNDIVIDED	NONE .54 ROAD END	2	24I	
ROUTE NUMBER.....MD 210C INVENTORY DIRECTION.....SOUTH NAME: SERVICE RD C										
	SECONDARY	R	NFA	R	9	UNDIVIDED	NONE .DD COD118 OLD FCRT RD .D3 ROAD END	2	24I	
ROUTE NUMBER.....MD 210D INVENTORY DIRECTION.....NORTH NAME: SERVICE RD D										
	SECONDARY	R	NFA	U	19	UNDIVIDED	NONE .DD RCAD END .21 .47 COD416 FORT WASHINGTON RD .6D .62 RCAD END	2 2 2	24I 18G 18E	
ROUTE NUMBER.....MD 210E INVENTORY DIRECTION.....NORTH NAME: SERVICE RD E										
	SECONDARY	R	NFA	R	9	UNDIVIDED	NONE .DD COD12D2 LIVINGSTON RD .D7 1.14 1.35 1.4D ROAD END	2 2 2 2	24I 16I 24I 3DE	
ROUTE NUMBER.....MD 210F INVENTORY DIRECTION.....NORTH NAME: SERVICE RD F										
	SECONDARY	R	NFA	U	19	UNDIVIDED	NONE .DD COD118 OLD FCRT RD .13 RCAD END	2	24F	
ROUTE NUMBER.....MD 210I INVENTORY DIRECTION.....SOUTH NAME: OLD PALMER RD										
	SECONDARY	R	NFA	R	9	UNDIVIDED	NONE .DD ROAD END .12	2 2	24I 2DI	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK





STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 214 CONTINUED  
INVENTORY DIRECTION.....EAST  
NAME: E CAPITOL ST

PAGE..... 20  
DATE.....12/31/85  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
STATE	FEDERAL	CLASS	CTL					
SECNDARY	R	FAU 5114	U 14	3.64		4	54I	30,100
				3.98		4	48I	
				4.56	MOD202 LANDOVER RD			33,000
				4.62	MOD977F NO NAME			
				4.81		3	36I	
				4.89		2	22I	
				6.27	STRUCTURE #16C46 WEST BRANCH			
				6.29		3	30I	
				6.66	STRUCTURE #16047 NORTHEAST BRANCH			
				6.75	MOD193 ENTERPRISE RD			11,000
				6.75	MOD556 WATKINS PARK DR			
				6.91		2	22I	
				7.79		3	36I	
				7.91		2	22I	
			DIVIDED PART	9.20		4	48I	10,625
				9.41	MOD978A HALL RD			
				9.87	R/R #CR 529 571 K			
				10.08	MDD978A OLD MD 214			
				10.14	MOD214C NO NAME			
				10.40	MOC978B OLD MD 214			
	FAP	254 R 6		10.71	STRUCTURE #16103 (US 301 SB/L)			
				10.87	US0301 BLUE STAR MEM HWY STRUC #16104			
				10.89				10,075
				11.22	MOD978B OLD MD 214			
			UNDIVIDED	11.29		2	24I	
			NONE	11.36				
				13.38	STRUCTURE #2054 PATUXENT RIVER			
				13.38	ANNE ARUNDEL CO/L			

ROUTE NUMBER.....MD 214C  
INVENTORY DIRECTION.....EAST  
NAME: NO NAME

SECNDARY	R	NFA	U 19	UNDIVIDED	NONE	.00	MOD214	CENTRAL AVE (BACK)	2	20I	
						.10	MOD978A	OLD MD 214 (AHEAD)			

ROUTE NUMBER.....MD 216  
INVENTORY DIRECTION.....NORTH  
NAME: 7TH ST

SECNDARY	U	FAU 5261	U 17	UNDIVIDED	NONE	.00	MDC198	GORMAN AVE	2	44I	5,200
						.11	MDO198	TALBOT AVE (MD 198 WB/L)			

\* A,B = UNIMPROVED; C = GRADED & CRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 216 CONTINUED  
INVENTORY DIRECTION....NDRTH  
NAME: 7TH ST

PAGE..... 21  
DATE.....12/31/85  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL				
SECONDARY	U	FAU	5261	U 17	UNDIVIDED NDNE	.43		
					DIVIDED PART	.49	2	26I
				16		.53	4	44I
						.62	4	54I
						.62		
					HOWARC CO/L			
					STRUCTURE #13C44 PATUXENT RIVER			5,200

ROUTE NUMBER.....MD 218  
INVENTORY DIRECTION....EAST  
NAME: SUITLAND RD

SECONDARY	R	FAU	51D1	U 16	UNDIVIDED NDNE	.DD		
					DIVIDED	.14	2	36I
						1.62		13,300
						1.64	4	72J
				MDD458	SILVER HILL RD			18,000

ROUTE NUMBER.....MD 223  
INVENTORY DIRECTION....NDRTH  
NAME: PISCATAWAY RD

SECONDARY	R	FAU	5C3D	U 14	UNDIVIDED NONE	.DD	CD12D2	LIVINGSTON RD	1	13I	3,300
						.12			2	22I	
						.71			2	24I	
						.78	MDD223A	DLD MD 223			
						.89		STRUCTURE #16C52 PISCATAWAY CREEK			
						4.94					11,100
					DIVIDED	7.24			2	50I	19,000
						7.52			4	48I	
					UNDIVIDED	7.56	MDCDD5	BRANCH AVE			20,800
						8.09			2	36I	
						8.14			2	50I	
						8.20			2	24I	
						8.68			2	52I	
						8.74			2	24I	
						10.19		STRUCTURE #16C51 PISCATAWAY CREEK			
						10.24					18,550
						10.64			2	34I	
						10.70			2	24I	
						10.93			2	22I	
						11.46			2	24I	
					DIVIDED	12.27			4	48I	
						12.60	MOCDD4	PENNSYLVANIA AVE STRUC#16181			
					UNDIVIDED	12.72			2	18H	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 223      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: PISCATAWAY RD

PAGE..... 22  
DATE.....12/31/85  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT				
....STATE....	..FEDERAL...	CLASS	TYPE	CTL								
SECONDARY	R	FAU	5D3D	U 14	UNDIVID	NONE	12.82	CODD79	MELWOC RD (AHEAD)	2	18H	18,550

ROUTE NUMBER.....MD 223A  
INVENTORY DIRECTION....NORTH  
NAME: OLD MD 223

SECONDARY	R	NFA		U 19	UNDIVID	NONE	.DD .11	MDD223	PISCATAWAY RD ROAD END	2	2DI	
-----------	---	-----	--	------	---------	------	------------	--------	---------------------------	---	-----	--

ROUTE NUMBER.....IS 295  
INVENTORY DIRECTION....NORTH  
NAME: GEO WASH MEM PKWY

PRIMARY	R	FAI	295	U 11	UNDIVID DIVIDED	FULL	.DD .38 .72	ISDD95	CAPITAL BELTWAY STRUC#16191 WASH C C LINE	4	48J	64,568
---------	---	-----	-----	------	--------------------	------	-------------------	--------	--	---	-----	--------

ROUTE NUMBER.....MD 295  
INVENTORY DIRECTION....NORTH  
NAME: GLADYS SPELLMAN PKWY

.00	US0050	JCHN HANSON HWY
.15	USCD5D	JOHN HANSON HWY STRUC#16118
.67		R/R #B0 14D 264 F
.79	MDD2D1	KENILWORTH AVE STRUC#16D27
1.66	MDD2D2	LANDOVER RD
1.98	MDD45D	ANNAPCLIS RD
4.51		IN CORP LMTS GREENBELT
6.01	ISDD95	CAPITAL BELTWAY STRUC#16142
6.37	MDD193	GLENDALE RD
7.56		OUT CORP LMTS GREENBELT
11.52	MDD197	BOWIE RD
12.38		ANNE ARUNDEL CO/L

ROUTE NUMBER.....US 301  
INVENTORY DIRECTION....NORTH  
NAME: BLUE STAR MEM HWY

PRIMARY	R	FAP	117	R 2	DIVIDED	NONE	.DD .DD .65 2.53	MDD0C5	STRUCTURE #16C58 MATTAWOMAN CREEK CHARLES CO/L STRUCTURE #16057 TIMOTHY BRANCH BRANCH RD	4	48I	48,525   25,275
---------	---	-----	-----	-----	---------	------	---------------------------	--------	---	---	-----	--------------------------

\* A,B = UNIMPROVED; C = GRADED & CRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 301 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: BLUE STAR MEM HWY

PAGE..... 23  
DATE.....12/31/85  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

STATE	SYSTEM	FEDERAL	CLASS	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AADT
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	LANES	WIDTH/TYPE*	.....
PRIMARY	R	FAP	117	R 2	DIVIDED	NONE	2.93	M00381	BRANDYWINE RD	4	48I	25,275
				U 14			7.80					
				R 2			8.05	M00976A	OLD US 301			
							8.13					
							9.20					
							10.11					
							10.34	M00382	STRUCTURE #16055 CHARLES BRANCH	4	49I	
							13.44		SHOPPING CROOM RD			23,700
							13.73		R/R #CR 529 576 U			
							13.83	M00976C	STRUCTURE #16054 WESTERN BRANCH			
							14.10		ACCESS RD			
							14.80	M00004	MARLBORO RD STRUC#16097			
							16.42	M00725	OLD CRAIN HWY			23,575
							19.57	M00976B	OLD US 301	4	48I	
							19.96	M00978B	OLD MD 214			
							20.09	M00214	CENTRAL AVE STRUC#16104			22,425
							21.83					27,000
							23.15	M00197	BOWIE RD			
							23.76					
							23.98	M00003	ROBERT CRAIN HWY (AHEAD)	4	52I	
							23.98	I00068	JOHN HANSON HWY			
ROUTE NUMBER.....MD 32C												
INVENTORY DIRECTION....NORTH												
NAME: PINEY BRANCH RD												
SECONDARY	R	FAU	5073	U 16	UNDIVIDED	NONE	.00		MONTGOMERY CO/L	5	62I	17,229
					DIVIDED		.07			4	54I	
							.08		STRUCTURE #16C65 NORTHWEST BRANCH			
							.09					
							.13	M00650	NEW HAMPSHIRE AVE	4	42I	
ROUTE NUMBER.....MD 332												
INVENTORY DIRECTION....EAST												
NAME: CENTRAL AVE												
SECONDARY	U	FAU	5095	U 16	UNDIVIDED	NONE	.00		WASH CO LINE	2	32I	11,700
							.05			2	31I	
							.10			2	30I	
							.15			2	40I	9,180
							.23			2	30I	
							.28			2	35I	

\* A,B = UNIMPROVED; C = GRADED & CRAINED; C,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 332 CONTINUED  
 INVENTORY DIRECTION.....EAST  
 NAME: CENTRAL AVE

PAGE..... 24  
 DATE.....12/31/85  
 COUNTY-PRINCE GEORGES  
 SHA DISTRICT.....3

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED	SURFACE	AADT
STATE	FEDERAL	CLASS	TYPE	CTL			LANES	WIDTH/TYPE*	
SECONDARY	U	FAU	5095	U 16	UNDIVIDED	NONE	.35		
	R						.57	OUT CCRP LMTS CAPITOL HEIGHTS	9,180
							.64		
							.76		
					1.07	MDD214		CENTRAL AVE	

ROUTE NUMBER.....MD 337  
 INVENTORY DIRECTION.....NORTH  
 NAME: ALLENTOWN RD

SECONDARY	R	FAU	5104	U 16	DIVIDED	NONE	.00	MDDDD5	BRANCH AVE	28,625
							.14			
							.78			
							1.61			27,675
							1.76			
							2.21			
					UNDIVIDED		2.55			
							2.65	GVD124	ALLENTOWN RD (AHEAD)	
							2.81	GVD119	SUITLAND PKWY (AHEAD)	
							3.34	GVD119	SUITLAND PKWY (BACK)	18,000
							3.37			
							3.41	MD0004	PENN AVE	

ROUTE NUMBER.....MD 373  
 INVENTORY DIRECTION.....EAST  
 NAME: ACCOKEEK RD

SECONDARY	R	FAP	264	R 6	UNDIVIDED	NONE	.00	MDD210	INDIAN HEAD HWY	9,900
		FAS	1196	7			2.13			2,300
							7.98			
					DIVIDED		8.09			2,126
							8.11	MDDDD5	BRANCH AVE	
					UNDIVIDED		8.14			2,300
							8.23	MDD631	OLD MD 5	
							8.23	COD599	BRANDYWINE RD	

ROUTE NUMBER.....MD 381  
 INVENTORY DIRECTION.....NORTH  
 NAME: AQUASCO RD

SECONDARY	R	FAS	1198	R 7	UNDIVIDED	NONE	.00		STRUCTURE #16C6D SWANSON CREEK	2,650
							.00		CHARLES CO/L	

\* A,B = UNIMPROVED; C = GRADED & CRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 381 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: AQUASCO RD

PAGE..... 25  
DATE.....12/31/85  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL						
SECONDARY	R	FAS	1198	R	7	UNDIVIDED	NONE			
					.14					
					5.22	M0C382	STRUC#16112 R/R #CR 530 632 V	2	24I	2,650
					8.52		CROOM RD			2,500
					13.12		R/R #CR 532 285 H			7,100
					13.35		R/R #CR 532 294 G			
					14.57			2	30I	
					14.60	US0301	BLUE STAR MEM HWY			

ROUTE NUMBER.....MD 382  
INVENTORY DIRECTION....NORTH  
NAME: DAVIS SHOP RD

SECONDARY	R	FAS	1200	R	7	UNDIVIDED	NONE			
					.00		CHARLES CO/L	2	20I	800
					.00		STRUCTURE #16066 SWANSON CREEK			
			1197		.64	M00381	ACCOCEEK RD	2	24I	
					1.91			2	16I	
					1.98		STRUC #16064 BLACK SWAMP CREEK			
					2.00			2	24I	
					3.09					
					6.44		STRUCTURE #16C63 ROCK CREEK			3,000
					9.65		STRUCTURE #16C62 MATAPONI CREEK			
					13.89		R/R #CR 529 583 E			
					14.09		STRUCTURE #16C61 SOUTHWEST BRANCH			
					15.38	USC301	BLUE STAR MEM HWY			

ROUTE NUMBER.....MD 41G  
INVENTORY DIRECTION....EAST  
NAME: EAST WEST HWY

SECONDARY	U	FAU	5008	U	14	UNDIVIDED	NONE			
					.00		MONTGOMERY CO/L			
					.29			2	37I	13,300
					.41			6	72J	
					.44	M00650	NEW HAMSHIRE AVE	6	68J	16,500
					.44		OUT CORP LMTS TAKOMA PARK			
					.54			5	76I	
					.82			4	40I	18,700
					1.01			4	44I	
					1.07		STRUCTURE #16C67 SLIGO CREEK			
					1.22			6	72J	
					1.30	M00212	RIGGS RD			39,900
					1.45			4	48I	18,900
					1.99		STRUCTURE #16C68 NORTHWEST BRANCH			

\* A,B = UNIMPROVED; C = GRADED & CRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 41C CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: EAST WEST HWY

PAGE..... 26  
DATE.....12/31/85  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

.....STATE.....	SYSTEM ..FEDERAL...	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT	
SECONDARY	R	FAU	SC08	U	14	DIVIDED	NONE			
	U				2.35			5	6DI	18,900
					2.79			4	48I	
	R				2.79	MDD41DA	IN CORP LMTS HYATTSVILLE			
					3.12	MDD50D	BELCREST RD			
					3.12		QUEENS CHAPEL RD	6	68I	25,600
					3.64	USC001	OUT CORP LMTS HYATTSVILLE			
	U				3.64		BALTO AVE	4	54I	33,500
					3.65		IN CORP LMTS RIVERDALE			
					3.90		STRUC#16187 R/R #80 140 904 D			
	R				4.31		STRUCTURE #16192 NORTHEAST BRANCH			
					4.34		OUT CORP LMTS RIVERDALE			
	U				4.44		STRUCTURE #16188 ANACOSTIA RIVER			
	R				4.50		IN CORP LMTS RIVERDALE			
					4.73		OUT CORP LMTS RIVERDALE	6	78I	30,200
					4.73	MDD2D1	KENILWORTH AVE			
					5.08			2	42I	
					5.26	COD593	62ND PL			
					5.26	COD3D2	RIVERDALE RD (AHEAD)			

ROUTE NUMBER.....MD 41CA  
INVENTORY DIRECTION....NORTH  
NAME: BELCREST RD

SECONDARY	R	NFA		U	19	DIVIDED	NONE		
					.00	MDD50D	QUEENS CHAPEL RD	4	56J
					.04			2	60J
					.07			2	24J
					.14		OUT CORP LMTS HYATTSVILLE		
					.22			4	54J
					.23		IN CORP LMTS HYATTSVILLE		
					.25	MDC41D	EAST WEST HWY		

ROUTE NUMBER.....MD 41CUL  
INVENTORY DIRECTION....EAST  
NAME: PROPOSED

SECONDARY	R	FAU	SC08	U	14	DIVIDED	NONE		
					17				
					.00	MDD295	GLADYS SPELLMAN PKWY	6	72I
					1.60	USC050	JOHN HANSON HWY	4	48I
					2.07	CO2458	PENNSY DRIVE		

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 412A  
 INVENTORY DIRECTION....EAST  
 NAME: RIVERDALE RD

PAGE..... 27  
 DATE.....12/31/85  
 COUNTY-PRINCE GEORGES  
 SHA DISTRICT.....3

SYSTEM	FLNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
.....STATE.....	..FEDERAL...	CLASS	TYPE	CTL				
SECONDARY	U	NFA	U	19	UNDIVIDED	NONE	.00 MU0090 LAFAYETTE AVE	2 34I 7,431
		FAU 5190		17			.13	
					DIVIDED		.52	
							.81	
							.95 M00201 KENILWORTH AVE	2 40J 7,616

ROUTE NUMBER.....MD 414  
 INVENTORY DIRECTION....EAST  
 NAME: OXON HILL RD

SECONDARY	R	FAU	U	14	DIVIDED	NONE	.00 M00210 INDIAN HEAD HWY	4 39I 18,850
					UNDIVIDED		.15	
					DIVIDED		1.26	
							1.56	22,750
							1.66	
							1.67 IS0095 CAPITAL BELTWAY STRUC#16167	34,500
							1.96	
							3.22	
							3.50	37,600
							3.97	
							4.08 M00005 BRANCH AVE STRUC#16193	
							4.32 M00967A BEOFORD WAY	
							4.67 M00458 SILVER HILL RD	5 60J 26,600
							4.71	29,800
							4.80	
							5.12 M00414A OLD SILVER HILL RD	2 48I 24I
							5.15 M00005 BRANCH AVE	

ROUTE NUMBER.....MD 414A  
 INVENTORY DIRECTION....NORTH  
 NAME: OLD SILVER HILL RD

SECONDARY	R	NFA	U	19	UNDIVIDED	NONE	.00 M00414 ST BARNABAS RD	2 32I
							.07 C01196 ANDOVER PLACE	

ROUTE NUMBER.....MD 43G  
 INVENTORY DIRECTION....EAST  
 NAME: GREENBELT RD

SECONDARY	U	FAU	U	14	UNDIVIDED	NONE	.00 US0001 BALTIMORE AVE	4 46I 19,118
							.02	
							.08 M00193C NO NAME	6 72I

\* A,B = UNIMPROVED; C = GRADEC & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 43C      CONTINUED  
INVENTORY DIPECTION....EAST  
NAME: GREENBELT RD

PAGE..... 29  
DATE.....12/31/85  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS							MARKED	SURFACE		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPCNT	.....	MILEPOINT	DESCRIPTION	.....	LANES	WIDTH/TYPE*	AADT	
SECNCARY	U	FAU	5C18	U	14	UNDIVID	NONE	.12	MDC193D	NO NAME	6	64I	19,118
								.12	MDD193E	NO NAME			
								.32			2	48I	
								.37			4	44I	
								.49	MDDI93	UNIVERSITY BLVD			

ROUTE NUMBER.....MD 434  
INVENTORY DIRECTION....EAST  
NAME: BERWYN RD

SECONDARY	U	NFA		U	17	UNDIVID	NONE	.00	MUD540	54TH AVE	2	16I	4,800
								.13		STRUCTURE #16072 INDIAN CREEK			
								.27			2	28I	
								.36			2	16I	
								.47			2	18I	
								.55			2	20I	
		FAU	5196					.68					
								.85			2	22I	
		R						.94		OUT CORP LMTS BERWYN HEIGHTS	2	24I	
								.97	MDD20I	KENILWORTH AVE			

ROUTE NUMBER.....MD 450  
INVENTORY DIRECTION....EAST  
NAME: ANNAPOLIS RD

SECONDARY	U	FAU	5G24	U	16	UNDIVID	NONE	.00	USDDDIAL	BLADENSBURG RC (BACK)	2	26J	38,400
								.11			5	62J	
								.16			5	62I	
								.19		R/R #B0 14D 258 C			
								.26	MDC20I	KENILWORTH AVE STRUC#I6025			31,800
								.32	MDC769C	52ND ST			
								.42	MDD769B	EDMONSTON RD			
		R	5G23			DIVIDED		.94	MDC202	LANDOVER RD	6	68I	23,400
								.94		OUT CORP LMTS BLADENSBURG			
								1.12			6	68J	
								1.46			6	72I	
					14			1.54	MDC295	GLADYS SPELLMAN PKWY			35,700
								2.60		IN CORP LMTS LANDOVER HILL			
		U						3.18		OUT CORP LMTS LANGOVER HILL			
		R						3.33			7	88I	
						UNDIVID		3.54			4	72I	
						DIVIDED		4.22					40,475

\* A,B = UNIMPROVED; C = GRADEC & CRAINED; G,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 45C CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: ANNAPOLIS RD

PAGE..... 29  
DATE.....12/31/85  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	STATE	FEDERAL	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	U	FAU	5023	U 14	DIVIDED	NONE	4.23			
	R						IN CORP LMTS NEW CARROLLTON	4	72I	40,475
							4.49			
							OUT CORP LMTS NEW CARROLLTON	6	72I	
							4.60			
							4.66			
							4.70 IS0095	7	84I	
							CAPITAL BELTWAY STRUC#16144			
							4.75			
							4.96 MOD564	6	72I	47,200
							LANHAM BOWIE RD	2	24I	17,600
							5.23			
							STRUC#16014 R/R #ATK 529 592 D			
							5.59			
							STRUCTURE #16213 BALDHILL BRANCH	2	36I	
							5.67		24I	
							5.90		36I	
							6.09		24I	
							7.19 OP0369			
							R.R. AVE STRUC#16C15			
							7.49			
							STRUCTURE #16C16 FOLLY BRANCH			
							7.55 MOD704			
							MARTIN LUTHER KING JR HWY			17,000
							7.90 MDD953			
							GLENDALE RD			
							8.68			
							8.82 MDD193	2	48I	
							ENTERPRISE RD & GLENDALE BLVD	4	52I	17,900
							8.86		48I	
							8.93		36I	
							9.05		24I	
	U						10.99			
	R						IN CORP LMTS BOWIE			
							11.23			
							OUT CORP LMTS BOWIE			
							11.39			
							STRUC#16D17 R/R #CR 529 616 P			
	U						11.41			
							IN CORP LMTS BOWIE			13,000
							11.55 MDD197			
							BCWIE RD			
							12.22			
							12.51	2	37I	
							12.78	2	24I	
							12.99	2	48I	
	R						OUT CCRP LMTS BOWIE	2	24I	
							13.04	3	35I	
							13.13	4	46I	
							13.26	2	34I	
							14.07	4	48I	
							14.33 MDCD03			
							ROBERT CRAIN HWY			

ROUTE NUMBER.....MD 45B  
INVENTORY DIRECTION....EAST  
NAME: SILVER HILL RD

SECONDARY	R	FAU	5026	U 14	DIVIDED	NONE	.00	MDD005	BRANCH AVE	6	72I	43,825
							.25	MDD414	ST BARNABAS RD	6	72J	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; C,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 458 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: SILVER HILL RD

PAGE..... 30  
DATE.....12/31/85  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT				
....STATE....	..FEDERAL...	CLASS	TYPE	CTL								
SECONDARY	R	FAU	5026	U 14	DIVIDED	NONE	1.42	MDD218	SUITLAND RD	6	72J	34,350
			5023				2.21			5	60I	
			5026				2.31	MDD004	PENNSYLVANIA AVE	6	72I	28,100
							2.42	MDD972A	STATE RD			
							2.73					
							3.13	CDD367	WALKER MILL RD	6	78I	

ROUTE NUMBER.....MD 459  
INVENTORY DIRECTION....NORTH  
NAME: COLUMBIA PARK DR

SECNDARY	U	FAU	5212	U 17	UNDIVIDED	NONE	.00	C03668	COLUMBIA PARK DRIVE (BACK)	2	30I	8,403
			5211				.03	USDD50	JOHN HANSON HWY			
		NFA					.06					
							.10			2	24I	
	R						.14		OUT CORP LMTS CHEVERLY			
							.45	MDD9738	TUXEDO RD			
							.51		R/R #B0 140 266 J			
							.64			2	23I	
							.87			2	24I	
					DIVIDED		.95			4	52J	
							1.08			4	36J	
					UNDIVIDED		1.18			2	29J	
							1.24	MDD201	KENILWORTH AVE			

ROUTE NUMBER.....IS 495  
INVENTORY DIRECTION....EAST  
NAME: CAPITAL BELTWAY

PRIMARY	R	FAI	495	U 11	DIVIDED	FULL	.00		MONTGOMERY CO/L	8	96I	140,000
							.40	MDD212	RIGGS RD STRUC #16174 & #16120			
							1.12	ISD095	NO NAME STRUC #16122 & #16123			
							1.12	ISD095X	NO NAME			

ROUTE NUMBER.....MD 5DC  
INVENTORY DIRECTION....EAST  
NAME: QUEENS CHAPEL RD

SECNDARY	R	FAU	5077	U 16	DIVIDED	NONE	.00		WASH D C LINE	4	54J	32,500
							.07			6	62J	
	U						.36		IN CORP LMTS MT RAINIER	6	68J	
							.74	MDC501	CHILLUM RD			39,100

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 500 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: QUEENS CHAPEL RD

PAGE..... 31  
DATE.....12/31/85  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL				
SECONDARY	U	FAU 5077	U 16	DIVIDED	NONE	.84		
						.84		
						.84		
						.94		
				UNDIVIDED		1.17	MDD208	HAMILTON ST
				DIVIDED		1.52		
						1.99	MDD410A	BELCREST RD
	NFA		17	UNDIVIDED		2.23	MDD410	EAST WEST HWY
						2.23		OUT CCRP LMTS HYATTSVILLE
						2.23		IN CORP LMTS UNIVERSITY PARK
						2.27		
						2.56		
						2.58		STRUC #16212C NORTHEAST BRANCH
						2.62		
						2.65		
						2.94	US0001	BALTO AVE

ROUTE NUMBER.....MD 501  
INVENTORY DIRECTION....EAST  
NAME: CHILLUM RD

SECONDARY	R	FAU 5082	U 16	DIVIDED	NONE	.00	MDD212	RIGGS RD	4	54J	16,700
				UNDIVIDED		.06			2	48I	
						.45	MDD211	SARGEANT RD			
						.82		STRUCTURE #16074 SLIGO CREEK			
				DIVIDED		1.51			4	58I	
						1.66			5	65J	
						1.69	MDD500	QUEENS CHAPEL RD			

ROUTE NUMBER.....MD 556  
INVENTORY DIRECTION....NORTH  
NAME: WATKINS PARK DR

SECONDARY	R	NFA	R 9	UNDIVIDED	NONE	.00	MDD202	LARGO RD	2	17H	9,500
						.11	MDD202A	NO NAME			
		FAS 1179	7			.37					
						.65			2	15G	9,575
		NFA	U 19			1.10					
						1.96	MDD556A	NO NAME	2	46I	
		FAS 1179	R 7			2.10			2	30I	
						2.29	MDD214	CENTRAL AVE			
						2.29	MDD193	UNIVERSITY BLVD (AHEAD)			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 556A  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

PAGE..... 32  
DATE.....12/31/85  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPER*	AADT
SECONDARY	R NFA	U 19	UNDIVIDED	NONE	.00	M00556	2	156	
					.09	WATKINS PARK CR ROAD END			

ROUTE NUMBER.....MD 564  
INVENTORY DIRECTION....EAST  
NAME: LANHAM BOWIE RD

SECONDARY	R FAU	5079 U 16	UNDIVIDED	NONE	.00	M00450	2	43I	14,000
					.09		2	49I	
					.20		2	24I	
					.69	STRUCTURE #16210 BALOHILL BRANCH			
					.89		2	48I	
					1.00		2	46I	
					1.25		2	36I	
					1.29		2	24I	
					1.79		2	36I	9,993
					1.89		2	24I	14,000
					2.92	M00953A			10,600
					3.03	MDD193			
					4.12				7,925
	U				4.95				
					5.48		2	30I	
					5.64	M00197			
						CHESTNUT AVE			

ROUTE NUMBER.....MD 631  
INVENTORY DIRECTION....NORTH  
NAME: OLD MD 5

SECONDARY	R NFA	R 9	UNDIVIDED	NONE	.00	M00373	2	18H	75
					.03	C00599			
					.35	ACCOKEEK RO BRANDYWINE RO ROAD END			

ROUTE NUMBER.....MD 637  
INVENTORY DIRECTION....EAST  
NAME: NAYLOR RD

SECONDARY	R FAU	5103 U 16	UNDIVIDED	NONE	.00		2	50I	14,900
					.06		2	35I	
					.10		2	24I	
					.40		2	28I	
					.46		2	42I	
			DIVIDED		.54		2	29J	
						WASH D C LINE			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SCILL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 637 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: NAYLCR RD

PAGE..... 33  
DATE.....12/31/85  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL	U 16	NONE	.60	MDCDD5	BRANCH AVE	2	29J	14,900
SECNCARY R FAU 5103 U 16 DIVIDED NONE .60 MDCDD5 BRANCH AVE 2 29J 14,900									
ROUTE NUMBER.....MD 637A INVENTORY DIRECTION....WEST NAME: NO NAME									
SECNDARY	R NFA	U 19	NONE	.00 .03	MDDDD5 MDC637	BRANCH AVE NAYLOR RD	2	17J	
ROUTE NUMBER.....MD 650 INVENTORY DIRECTION....NORTH NAME: NEW HAMPSHIRE AVE									
SECNDARY	R FAP	U 14	NONE	.00 .43 .82 .82 1.26 1.86 1.86 2.63 2.76 2.80 3.17	MDD410 MDD193 MDD320	WASH C C LINE IN CORP LMTS TAKOMA PARK EAST WEST HWY STRUCTURE #16C8D SLIGO CREEK UNIVERSITY BLVD OUT CCRP LMTS TAKOMA PARK STRUCTURE #16D79 NORTHWEST BRANCH PINEY BRANCH RD MONTGCMERY CO/L	6 6 6 6	68J	37,300 30,800 32,700 27,700 38,178
ROUTE NUMBER.....MD 694 INVENTORY DIRECTION....NORTH NAME: AGRICULTURAL FARM									
SECONDARY	R NFA	U 19	NONE	.00 .10	MDD212	ROAD END POWDER MILL RC	2	20H	75
ROUTE NUMBER.....MD 704 INVENTORY DIRECTION....EAST NAME: MARTIN LUTHER KING JR HWY									
SECNCARY	U FAU	U 14	NONE	.00 .21 .26 .84 .90 .94		WASH C C LINE OUT CORP LMTS SEAT PLEASANT STRUCTURE #16C84	6 6 6 7	64I 66I 68I 82I	33,200

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 704 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: MARTIN LUTHER KING JR HWY

PAGE..... 34  
DATE.....12/31/85  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED LANS	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL	CLASS	CTL						
SECONDARY	R	FAU	5025	U	14	DIVIDED NONE			
					1.07		6	68I	33,200
					1.50		6	74I	34,300
					1.64		6	72I	
					2.50	STRUCTURE #16C83 BEAVERDAM CREEK			
					2.58				23,400
					2.85				
					3.01	M00202 LANDOVER RD STRUC#1603D	4	48I	
					3.16		6	72I	26,300
	U				3.43				
	R				3.83				
					4.15				
					4.42	IS0095 CAPITAL BELTWAY STRUC#16147	4	48I	25,325
					4.57				16,800
					4.88		4	48J	
					5.02		4	51J	
					5.21	IS0068 JOHN HANSON HWY STRUC#16092			
					5.48		4	48J	
					5.49	STRUCTURE #16082 BALD HILL BRANCH			
					5.56		5	60I	
					6.00		2	22H	
					6.74	STRUCTURE #16C81 FOLLY BRANCH			
					6.80	M00450 ANNAPOLIS RD (AHE#0)			

ROUTE NUMBER.....MD 717  
INVENTORY DIRECTION....NORTH  
NAME: WATER ST

SECONDARY	R	NFA		R	9	UNDIVIDED NONE			
		FAS	1382		7		2	30I	625
	U								
					.00	M00004 ROAD END			
					.06	PENNSYLVANIA AVE STRUC#16C99			
					.25	STRUCTURE #161C9 WEST BRANCH			
					.25	IN CORP LMTS UPPER MARLBORO			
					.28		2	40I	
					.40	M00725 MAIN ST			

ROUTE NUMBER.....MD 725  
INVENTORY DIRECTION....EAST  
NAME: OLD MARLBORO PIKE

SECONDARY	R	FAS	1194	R	7	UNDIVIDED NONE			
	U						2	24I	12,815
					.00	C00099 BROWN STATION RD			
					.15	STRUC#16009 FED SPRING BRANCH			
					.15	IN CORP LMTS UPPER MARLBORO			
					.71		2	35I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SCIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 725  
INVENTORY DIRECTION.....EAST  
NAME: OLD MARLBORO PIKE

CONTINUED

PAGE..... 35  
DATE.....12/31/85  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT		
STATE	FEDERAL	CLASS	CTL							
SECONDARY	U	FAS 1194	R 7	UNDIVIDED	NONE	.76	MDD717 WATER ST	2	35I	12,815
						.90		2	27I	
	R					1.12		2	24I	
		FAP 255	6			1.19	OUT CORP LMTS UPPER MARLBORO			
						1.18	STRUC#16D1D FED SPRING BRANCH			
						1.23	MDD202 LARGO RD			
						1.32	R/R #CR 529 574 F			
						1.85	USC3D1 BLUE STAR MEM HWY			

ROUTE NUMBER.....MD 726  
INVENTORY DIRECTION.....NORTH  
NAME: GREEN LANDING RD

SECONDARY	R	NFA	R 9	UNDIVIDED	NONE	.00	C04026 MARLBORO HUNT CLUB	2	24I	2,575
						.07	MDDDD4 PENNSYLVANIA AVE STRUC#16C96			
						.27	MDCDD4PA MARLBORO PIKE			

ROUTE NUMBER.....MD 769B  
INVENTORY DIRECTION.....NORTH  
NAME: EDMONSTON RD

SECONDARY	U	NFA	U 19	UNDIVIDED	NONE	.00	MDD45D ANNAPCLIS RD	2	34I	7,481
						.07		2	30I	
						.12		2	23I	
						.45	C03168 OLD EDMONSTON RD (AHEAD)			

ROUTE NUMBER.....MD 769C  
INVENTORY DIRECTION.....NORTH  
NAME: FIFTY SECOND AVE

SECONDARY	R	NFA	U 19	UNDIVIDED	NONE	.00	MDC2D1 KENILWORTH AVE	2	37I	9,019
						.04		2	37J	
						.15		4	48I	
						.23		2	37I	
	U					.37	IN CORP LMTS BLADENSBURG	2	24I	
						.81	MDD201A NO NAME			
						.82		2	35I	
						.89		2	36I	
						.94	MDD45D ANNAPCLIS RD	2	40I	
						1.00		2	18I	
						1.05	MDC2D1 KENILWORTH AVE			

\* A, B = UNIMPROVED; C = GRADED & DRAINED; D, E = SOIL, GRAVEL, STONE; F, G = LOW TYPE BITUMINUS; H, I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 769D  
INVENTORY DIRECTION.....NDRTH  
NAME: DLO RIVER RD

PAGE..... 36  
DATE.....12/31/85  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
SECONDARY	R NFA	U 19	UNDIVIDED NONE	.DD	ROAD END	2	22I	9,634
				.15	R/R #80 140 263 Y			
				.21		2	20I	
				.30	M002D1 KENILWORTH AVE			

ROUTE NUMBER.....MD 950  
INVENTORY DIRECTION.....NDRTH  
NAME: GARDEN CITY DR

SECONDARY	R NFA	U 17	UNDIVIDED NONE	.34	C04231 GARDEN CITY DRIVE (BACK)	3	38I	999
				.62		2	22I	
				.78	CD3137 CDBB RD			

ROUTE NUMBER.....MD 953  
INVENTORY DIRECTION.....NDRTH  
NAME: GLEN DALE RD

SECONDARY	R NFA	U 19	UNDIVIDED NONE	.DD	MDD193 ENTERPRISE RD	2	24I	1,999
				.49		2	48I	
				.84		2	60I	
				.90		2	18I	
				1.32	M00450 ANNAPOLIS RD	2	22I	
				2.72		2	28I	
				3.36		2	26I	
				3.50	C00113 N LANCSDALE ST			

ROUTE NUMBER.....MD 953A  
INVENTORY DIRECTION.....NDRTH  
NAME: GLENN DALE RD

SECONDARY	R NFA	U 19	UNDIVIDED NONE	.00	CD29D1 OLIVALL ST	2	26I	25
				.03		2	36I	
				.09	MDC564 LANTHAM BOWIE RD	2	26I	
				.18	RCAD END			

ROUTE NUMBER.....MD 963  
INVENTORY DIRECTION.....EAST  
NAME: DEPUTY LANE

SECONDARY	R NFA	R 9	UNDIVIDED NONE	.00	CDD36D HILL RD	2	20I	
				.07	DPCD95 DEPUTY LANE (AHEAD)			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 964  
 INVENTORY DIRECTION.....SOUTH  
 NAME: TRUMAN RD

PAGE..... 37  
 DATE.....12/31/85  
 COUNTY-PRINCE GEORGES  
 SHA DISTRICT.....3

STATE	SYSTEM	FEDERAL	CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECNDARY	R	NFA	R	9	UNDIVID NONE	.DD	ROAD END	2	26I	
						.D3		2	22H	
						.10	C00441 TRUMAN RD (AHEAD)			

ROUTE NUMBER.....MD 965  
 INVENTORY DIRECTION.....NORTH  
 NAME: KENILWORTH AVE

SECNDARY	R	NFA	R	9	UNDIVID NONE	.DD	WASH DC LINE	2	26J	
						.I1		2	24J	
						.32	MDD201 KENILWORTH AVE			
						.5I		2	26J	
						.62	WASH D C LINE			

ROUTE NUMBER.....MD 967  
 INVENTORY DIRECTION.....SOUTH  
 NAME: SERVICE RD

SECNDARY	R	NFA	R	9	UNDIVID NONE	.DD	C0D6D7 COLE BROOK DR	2	38I	
						.I7	ROAD END			

ROUTE NUMBER.....MD 967A  
 INVENTORY DIRECTION.....NORTH  
 NAME: OXFORD DRIVE

SECNDARY	R	NFA	R	9	UNDIVID NONE	.DD	MDDDD5 BRANCH AVE	2	20I	
						.3D		2	24I	
						.97	MDD4I4 OXON HILL RD			

ROUTE NUMBER.....MD 967B  
 INVENTORY DIRECTION.....NORTH  
 NAME: OLD BRANCH RD

SECONDARY	R	NFA	R	9	UNDIVID NONE	.DD	MDDDD5 BRANCH AVE	2	20I	
						.36	C02606 BRANCH RD			

ROUTE NUMBER.....MD 967C  
 INVENTORY DIRECTION.....NORTH  
 NAME: AUTH RD

SECNDARY	R	NFA	U	19	UNDIVID NONE	.DD	C02577 KEPPLER RD	2	26I	
						.14		2	22I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; C,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 967C      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: AUTH RD

PAGE..... 38  
DATE.....12/31/85  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

.....STATE.....	SYSTEM ..FEDERAL...	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	R NFA	U 19	UNDIVIDED	NONE	.28	MDD005	BRANCH AVE	2	22I	
ROUTE NUMBER.....MD 967D INVENTORY DIRECTION....NORTH NAME: SERVICE RD MD 5										
SECONDARY	R NFA	R 9	UNDIVIDED	NONE	.DD .06	C00931	SCHULTZ RD ROAD END	2	30F	
ROUTE NUMBER.....MD 968 INVENTORY DIRECTION....EAST NAME: ENT NAT GUARD ARMORY										
SECONDARY	R NFA	R 9	UNDIVIDED	NONE	.DD .D6	MDD193	UNIVERSITY BLVD ROAD END	2	26I	
ROUTE NUMBER.....MD 972A INVENTORY DIRECTION....EAST NAME: STATE RD										
SECONDARY	R NFA	U 19	DIVIDED UNDIVIDED DIVIDED	NONE	.DD .10 .41 .43	MDD458 C03074	SILVER HILL RD MARLBORO PIKE	4 5 4	54J 56I 56I	6,125
ROUTE NUMBER.....MD 973B INVENTORY DIRECTION....EAST NAME: TUXEDO RD										
SECONDARY	R NFA	U 19	UNDIVIDED	NONE	.DD .D6	MDD4S9	CHEVERLY AVE & ARBOR RD ROAD END	2	18H	75
ROUTE NUMBER.....MD 974 INVENTORY DIRECTION....NORTH NAME: OLD MD 556										
SECONDARY	R NFA	U 19	UNDIVIDED	NONE	.DD .1D	MDD193	ROAD END GLENDALE RC	2	18H	75

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 976  
INVENTORY DIRECTION....NORTH  
NAME: COLUMBIAN WAY

PAGE..... 39  
DATE.....12/31/85  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPER*	AADT			
....STATE....	..FEDERAL...	CLASS	TYPE	CTL							
SECONDARY	R	NFA	R	9	UNDIVIDED NONE	.00 .30	MDDDD3 MDDDD3	ROBERT CRAIN HWY ROBERT CRAIN HWY	2	24F	
ROUTE NUMBER.....MD 976A INVENTORY DIRECTION....NORTH NAME: OLD US 301											
SECONDARY	R	NFA	U	19	UNDIVIDED NONE	.00 .07 .22	USD301	BLUE STAR MEM HWY ROAD END	2	24I	125
ROUTE NUMBER.....MD 976B INVENTORY DIRECTION....EAST NAME: OLD US 301											
SECONDARY	R	NFA	R	9	UNDIVIDED NONE	.00 .22	USD301	ROAD END BLUE STAR MEM HWY	2	24H	75
ROUTE NUMBER.....MD 976C INVENTORY DIRECTION....EAST NAME: OLD MD 214											
SECONDARY	R	NFA	R	9	UNDIVIDED NONE	.00 .15	USD301	BLUE STAR MEM HWY ROAD END	2	25I	
ROUTE NUMBER.....MD 977F INVENTORY DIRECTION....NORTH NAME: OLD LARGO RD											
SECONDARY	R	NFA	U	19	UNDIVIDED NONE	.00 .03 .07 .13 .32 .40	MDC214 MDC202	ROAD END CENTRAL AVE LANDOVER RD	2 2 1 2 2	16J 30I 12I 24I 15I	100
ROUTE NUMBER.....MD 977H INVENTORY DIRECTION....NORTH NAME: PROSPECT ST											
SECONDARY	R	NFA	U	19	UNDIVIDED NONE	.00 .06	MDC202	LARGO RD	2 2	21I 20I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 977H CONTINUED  
 INVENTORY DIRECTION....NORTH  
 NAME: PROSPECT ST

PAGE..... 40  
 DATE.....12/31/85  
 COUNTY-PRINCE GEORGES  
 SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL				
SECONDARY	R	NFA	U 19	UNDIVID	NONE	.11 .18	RCAD END	2 18I

ROUTE NUMBER.....MD 978A  
 INVENTORY DIRECTION....EAST  
 NAME: HALL RD

SECONDARY	U	NFA	U 19	UNDIVID	NONE	.00	M00214	CENTRAL AVE	2	20I	275
						.44		R/R #CR 529 57D D			
						.47		IN CORP LMTS BOWIE			
						.48		STRUCTURE#16D48 COLLINGTON BRANCH			
		FAU 5246	17			.53					
	R					.55		OUT CORP LMTS BOWIE			
						.63	M00214C	NO NAME			
						.67	M00214	CENTRAL AVE			

ROUTE NUMBER.....MD 978B  
 INVENTORY DIRECTION....EAST  
 NAME: OLD MD 214

SECONDARY	R	NFA	R 9	UNDIVID	NONE	.00	M00214	CENTRAL AVE	2	22I	275
						.36			2	38I	
						.53	US0301	BLUE STAR MEM HWY			
						.71			2	24I	
						.89	M00214	CENTRAL AVE			

ROUTE NUMBER.....MD 979  
 INVENTORY DIRECTION....EAST  
 NAME: MAIN ST

SECONDARY	U	FAU 5262	U 16	UNDIVID	NONE	.00	US00D1	2ND ST	2	40I	8,225
						.06		WASHINGTON ST (US 1 SB/L)			

ROUTE NUMBER.....MD 9800  
 INVENTORY DIRECTION....EAST  
 NAME: NO NAME

SECONDARY	R	FAS 1191	R 7	UNDIVID	NONE	.00	C04D24	OLD MARLBORO PIKE	2	34I	3,150
						.01			2	26I	
				DIVIDED		.10			2	39I	
				UNDIVIDED		.20		STRUCTURE #161C2 PENN AVE(WB/L)	2	20I	
						.34			2	16I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS


STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 98CD CONTINUED  
 INVENTORY DIRECTION....EAST  
 NAME: NO NAME

PAGE..... 41  
 DATE.....12/31/85  
 COUNTY-PRINCE GEORGES  
 SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT					
....STATE....	..FEDERAL...	CLASS	TYPE	CTL									
SECONDARY	R	FAS	1191	R	7	UNDIVID	NONE	.39	MDDDD4	PENN AVE(EB/L)	2	16I	3,150



\* A,B = UNIMPROVED; C = GRADED & DRAINED; C,E = SCIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK



**QUEEN ANNES  
COUNTY**

QA





QUEEN ANNES COUNTY

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MO 8  
INVENTORY DIRECTION.....NORTH  
NAME: KENT POINT RD

PAGE..... 1  
DATE.....12/31/85  
COUNTY-QUEEN ANNES  
SHA DISTRICT.....2

STATE	SYSTEM	FEDERAL	FLNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AACT
SECONDARY	R	NFA	R 9	UNDIVID	NONE	.00	ROAD END	2	2DI	2,600
		FAS 13D3	7			.97				
						4.27	M00802 OLD MD 33			
						5.17	M00008B VESTFIELD RD			
						5.29	M00802 OLD MD 33			
						5.76				9,350
						5.77		2	28I	
						6.72		2	24I	
		NFA	9			7.82		2	24J	
						7.85	M00759C OLD US 50			
						8.01		4	48J	
						8.16	US0050 BLUE STAR MEM HWY			
						8.24		2	34J	
						8.27		2	30J	
						8.30		2	34J	8,250
						8.31	M00759B OLD US 50			

ROUTE NUMBER.....MO 8A  
INVENTORY DIRECTION.....EAST  
NAME: BATTS NECK RD

SECONDARY	R	NFA	R 9	UNDIVID	NONE	.00	M00008 KENT POINT RD	2	22I	
						.10	M00802 OLD MD 33			

ROUTE NUMBER.....MO 8B  
INVENTORY DIRECTION.....SOUTH  
NAME: VESTFIELD RD

SECONDARY	R	NFA	R 9	UNDIVID	NONE	.00	M00802 OLD MD 33	2	20H	
						.08	M00008 KENT POINT RD			

ROUTE NUMBER.....MO 8UL  
INVENTORY DIRECTION.....NORTH  
NAME: PROPOSED

SECONDARY	R	FAS 13D3	R 7	UNDIVID	NONE	.00	M00008 KENT POINT RD	2	2DI	8,456
						.20	US0050 BLUE STAR MEM HWY			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 18A  
INVENTORY DIRECTION....EAST  
NAME: LOVE POINT RD

PAGE..... 2  
DATE.....12/31/85  
COUNTY-QUEEN ANNES  
SHA DISTRICT.....2

SYSTEM		FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL								
SECONDARY	R NFA	R 8	UNDIVID	NONE	.00	C00220 THIRD ST (BACK)	2	22I	3,256
		9			2.81				4,048
					3.27		2	20I	
					3.61		2	25I	
		8			3.67		2	20I	4,149
					3.80	M007598 OLD US 50	2	24I	
					3.92		2	22I	
					4.39	STRUCTURE #17001 COX CREEK			
					4.87	US0050QA SPUR	2	25I	
					5.17	C00197 CASTLE MARINA RD			

ROUTE NUMBER.....MD 188  
INVENTORY DIRECTION....EAST  
NAME: COX NECK RD

SECONDARY	R NFA	R 8	UNDIVID	NONE	.00	US0050 BLUE STAR MEM HWY	2	27I	1,392
					.03		2	22I	
					.10		2	20I	
					.56	M00552 DOMINION RD			
					2.18	US0050 BLUE STAR MEM HWY			

ROUTE NUMBER.....MD 18C  
INVENTORY DIRECTION....EAST  
NAME: QUEENSTOWN RD

SECONDARY	R NFA	R 9	UNDIVID	NONE	.00	M00213 BLUE STAR MEM HWY	2	30I	1,850
					.07	M00018E OLD US 50	2	22I	
					.40	M000835 SEWARD MARINA RD	2	20I	
					1.18		2	22I	
	FAS 130I	7			1.30	M00018F NO NAME			
					3.58		2	20I	
					5.15		2	24I	
					5.21	US0050 BLUE STAR MEM HWY			1,450
					5.27		2	22I	
					5.50	M00456E RAILROAD AVE	2	20I	
					5.55	US0301 BLUE STAR MEM HWY			
					5.58	IN CORP LMTS QUEENSTOWN			
	U				5.98		2	25I	
					6.04	M00456A DEL RHODES AVE			
					6.05		2	27I	
					6.17		2	22I	
					6.29		2	21J	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 18C CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: QUEENSTOWN RD

PAGE..... 3  
DATE.....12/31/85  
COUNTY-QUEEN ANNES  
SHA DISTRICT.....2

STATE	SYSTEM	FEDERAL	CLASS	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
	R	FAS	I30I	R	7	UNDIVIDED NONE	6.41		2	21J	1,450
							6.49	OUT CORP LMTS QUEENSTOWN	2	20H	1,225
							6.91				
							9.06	STRUCTURE #17CC2 REED CREEK			
	U						12.01	IN CORP LMTS CENTREVILLE-	2	22J	
							12.38	WYE MILLS CENTREVILLE RD			
								M002I3			
	R	NFA		R	9	UNDIVIDED NONE	.00	ROAD END	2	20J	
							.15	M000I8C QUEENSTOWN RD			
	R	FAS	I30I	R	7	DIVIDED NONE	.00	QUEENSTOWN RD	4	48I	612
							.02	US0050 BLUE STAR MEM HWY			
	R	NFA		R	8	UNDIVIDED NONE	.00	LOVE POINT RD	2	24I	999
							1.00	M000I8A LOVE POINT RD			
	R	NFA		R	9	UNDIVIDED NONE	.00	M002I3 CENTREVILLE CHURCH HILL RC	2	24I	1,600
							.10		2	22I	
							.16	IN CORP LMTS CHURCH HILL			
							.43				
		FAS	1298		7		.47	M00300 CHURCH HILL SUDLERVILLE RD	2	30I	
							.57		2	32I	
	U						.75		2	28I	
							.88		2	30I	
							1.05	M000I9A MAIN ST	2	36I	
							1.10		2	26I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 19 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: MAIN ST

PAGE..... 4  
DATE.....12/31/85  
COUNTY-QUEEN ANNES  
SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS								
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AADT
									LANES	WIDTH/TYPE*	
SECONDARY	U	FAS	1298	R	7	UNDIVIDED	NONE	1.17	2	29I	1,600
	R							1.24	2	22I	700
								1.46			
								2.06	MOD405		
								3.91			
								3.94	US0301	24I	600
								4.00		22I	1,200
								5.37			
								8.23			
								8.67	MDD313		

ROUTE NUMBER.....MD 19A  
INVENTORY DIRECTION....NORTH  
NAME: MAIN ST

SECONDARY	R	FAS	1298	R	7	UNDIVIDED	NONE	.00	MOD213		750
								.06		24I	
	U							.28		22I	
								.28			
								.30		26I	
								.35		28I	
								.49	MDD019		

ROUTE NUMBER.....US 50  
INVENTORY DIRECTION....EAST  
NAME: BLUE STAR MEM HWY

PRIMARY	R	FAP	130	R	2	DIVIDED	PART	.00			37,497
								.00		66I	
								1.46		66J	
								1.89		60I	
								2.89	MDD08UL	PROPOSED	
								2.94			
								3.13	MDD08	KENT POINT ROAD	
								4.06			
								4.52	USDD5DCA	SPUR	
								4.76	MDD018B	COX NECK RD	
								5.26	MDD0552	DOMINION RD	
								6.49			
								6.76	MDD018B	OLD STEVENSVILLE RD	
								7.11			
								7.37	MDD018C	QUEENSTOWN RD	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SCIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 5C CONTINUED  
INVENTORY DIRECTION.....EAST  
NAME: BLUE STAR MEM HWY

PAGE..... 5  
DATE.....12/31/85  
COUNTY-QUEEN ANNES  
SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED	SURFACE	AAOT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL		LANES	WIDTH/TYPE*	
PRIMARY	R	FAP 130	R 2	OIVIOEO	PART			
					NONE			
				7.70	M00835 SEWARD MARINA RO	4	48I	37,497
				8.58	M00018F NO NAME			
				11.93	US0301 BLUE STAR MEM HWY			25,000
				12.18	M00D18C QUEENSTOWN RO			
				13.06	STRUCTURE #17007 WYE RIVER			
				13.56	M00456A RAILROAD AVE			
				13.64	USDD5DQB SPUR			
				15.61	STRUCTURE #17008 WYE EAST RIVER			
				16.49	M00662B US 50 SPUR			
				16.56	M0D662 WYE MILLS RO			
				17.44	M0D213 WYE MILLS CENTREVILLE RO			24,000
				18.13	STRUC #17009 WYE MILLS COMM LAKE			
				18.94	TALBOT CO/L			

ROUTE NUMBER.....US 50QA  
INVENTORY DIRECTION.....EAST  
NAME: SPUR

SECONDARY	R	NFA	R 9	OIVIOEO	NONE			
				.00	USDD5D BLUE STAR MEM HWY	4	36J	
				.02	M0DD18A LGVE POINT RO			

ROUTE NUMBER.....US 50QB  
INVENTORY DIRECTION.....EAST  
NAME: SPUR

SECONDARY	R	NFA	R 8	UNDIVEO	NONE			
				.00	USCD5D BLUE STAR MEM HWY	2	22I	999
				.10	M0D456A DEL RHODES AVE			

ROUTE NUMBER.....MC 213  
INVENTORY DIRECTION.....NORTH  
NAME: WYE MILLS CENTREVILLE RO

SECONDARY	R	NFA	R 8	UNOIVED	NONE			
				.00	M0C662 WYE MILLS EASTON RD	2	22I	4,325
				.80	OIVIDED	2	40J	
		FAP 295	6	UNDIVED				
				.82	USDD5D BLUE STAR MEM HWY			
				.83				
				.86				
				3.65	STRUCTURE #17C22 CONKEY CREEK	2	24I	
				4.21	M0D309 STARR RD			4,450
				5.20	DIVIOED			
				5.25	USC3D1 BLUE STAR MEM HWY	2	40I	
				5.29	UNOIVED	2	22I	7,025

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 213 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: WYE MILLS CENTREVILLE RD

PAGE..... 6  
DATE.....12/31/85  
COUNTY-QUEEN ANNES  
SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED	SURFACE	AA DT			
....STATE....	..FEDERAL...	CLASS	CTL			LANES	WIDTH/TYPE*				
SECONDARY	U	FAP	295 R	6	UNDIVIDED	NONE	6.45	IN CORP LMTS CENTREVILLE	2	22I	7,025
							6.54		2	21I	
					MDD018C		6.79	QUEENSTOWN RD	2	29I	8,550
							7.08	STRUCTURE #17D21 MILL STREAM			
					DIVIDED		7.09		4	50I	
							7.11		4	65I	
							7.16		4	60I	
							7.34		4	59I	
							7.54		4	57I	
					MDD304		7.61	WATER ST	4	56I	4,500
							7.64		4	56H	
							7.67		4	54J	
							7.74		4	57I	
							7.82		4	60I	
					UNDIVIDED		7.91		2	32I	7,072
							7.93	STRUCTURE #17C20 GRAVEL RUN			
							8.04		2	46I	4,500
					MDD305		8.14	HOPE RD	2	22I	
							8.30		2	31I	7,072
							8.52		2	21I	4,500
R							8.56	STRUC#17D19 THREE BRIDGES BRANCH			
							8.56	OUT CORP LMTS CENTREVILLE			
							9.26		2	29I	
							10.73	STRUCTURE #17D41 ISLAND CREEK			
							12.97	STRUC#17D18 GRANNY FINLEY BRANCH			
							15.78		2	24I	
					MDD019A		15.89	MAIN ST			
U							16.21	IN CORP LMTS CHURCH HILL			
							16.21	STRUCTURE #17D44 SOUTHEAST CREEK			
R							16.48	OUT CORP LMTS CHURCH HILL			4,900
					MDD300		16.80	CHURCH HILL SUDLERVILLE RD			
					MDD019		17.22	MAIN ST			
							17.70	STRUCTURE #17C16 BROWNS BRANCH			
							18.41				6,800
					MDD544		21.47	MCGINNES RD			11,250
FAS	1287			7			21.72				
							22.92		2	20H	
							23.09	KENT CO/L			
							23.09	STRUCTURE #14027 CHESTER RIVER			

\* A,B = UNIMPROVED; C = GRADED & CRAINED; C,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 213UL  
INVENTORY DIRECTION....NORTH  
NAME: PROPOSED

PAGE..... 7  
DATE.....12/31/85  
COUNTY-QUEEN ANNES  
SHA OISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL						
SECONDARY	R	FAP	295 R 6	UNOIVED	NONE	.00	M00213 CHESTERTOWN CHURCH HILL RD	2	24I	
						1.37	KENT CO/L			

ROUTE NUMBER.....MD 290  
INVENTORY DIRECTION....NORTH  
NAME: OUDLEY CROSS RD

SECONDARY	R	NFA	R 8	UNOIVED	NONE	.00	M00300 CHURCH HILL SUOLERVILLE RD	2	24I	1,700
						1.00	STRUCTURE #17023 RED LION BRANCH			
						1.21	US0301 BLUE STAR MEM HWY STRUC #17011			1,100
						2.43				1,400
						3.72	M00544 MCGINNES RD			
						4.28				
						4.63		2	22J	
						4.83	KENT CO/L	2	24H	
						4.83	STRUCTURE #14C13 CHESTER RIVER			

ROUTE NUMBER.....MD 300  
INVENTORY DIRECTION....EAST  
NAME: CHURCH HILL SUOLERVILLE RD

SECONDARY	R	FAP	298 R 6	UNOIVED	NONE	.00	M00213 CENTREVILLE CHURCH HILL RD	2	24I	900
						.01	IN CORP LMTS CHURCH HILL			
						.16	M00019 MAIN ST	2	22I	
						.37	OUT CORP LMTS CHURCH HILL			
						3.89				
						3.95	US0301 BLUE STAR MEM HWY	2	24I	3,000
						4.01				2,000
						5.46	STRUCTURE #17024 RED LION BRANCH	2	22I	
						5.55	M00290 OUDLEY CORNERS RD			2,600
						7.24				
						7.26	IN CORP LMTS SUOLERSVILLE	2	40I	
						7.33	M00837 CHURCH CIRCLE	2	35I	
						7.39	M00313 SUOLERSVILLE COLOBOROUGH RD			1,900
						7.45				
						7.52		2	36I	
						7.54	R/R #MODE 526 411 L	2	32I	
						7.70				
						7.85	OUT CORP LMTS SUOLERSVILLE	2	24I	
						7.86				
						8.80	STRUCTURE #17025 UNICORN BRANCH	2	22I	
						11.88	STRUCTURE #17026 ANDOVER BRANCH			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 3DC CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: CHURCH HILL SUCLERVILLE RD

PAGE..... 8  
DATE.....12/31/85  
COUNTY-QUEEN ANNES  
SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED	SURFACE	AADT				
....STATE....	..FEDERAL...	CLASS	TYPE	CTL		LANES	WIDTH/TYPE*					
SECONDARY	R	FAP	298	R	6	UNDIVIDED	NONE	12.2D 13.65	STRUCTURE #17D27 ANDOVER BRANCH DELAWARE ST/L	2	22I	1,775

ROUTE NUMBER.....US 3D1  
INVENTORY DIRECTION....NORTH  
NAME: BLUE STAR MEM HWY

PRIMARY	R	FAP	127	R	2	DIVIDED	PART	.DD 11.93 12.06 12.48 12.82 12.99 13.1D 13.76 17.56 17.75 19.8D 2D.67 21.59 22.15 22.33 22.4D 25.09 26.74 28.72 28.83 3D.25 32.56 34.72 35.0D 38.13 39.17 39.64 39.64	US0050 MDD018C MDD456A MDD213 MDD304 MDD305 MDD834 MDD405 MDD019 MDD3D2 MDD3D0 MDD29D MDD544	SEE US 50 BLUE STAR MEM HWY (BACK) STRUC #17D1D US SC W/BL QUEENSTOWN RD IN CORP LMTS QUEENSTOWN DEL RHODES AVE OUT CORP LMTS QUEENSTOWN WYE MILLS CENTREVILLE RD STRUCTURE #17C15 OLD MILL STREAM CENTREVILLE RUTHBLRG RD R/R #MDDE 526 382 I HOPE RD HAYDEN HOPE RC BRIDGETOWN RD MAIN ST BARCLAY RD CHURCH HILL SUCLERSVILLE RD DUDLEY CROSS RD STRUC #17D11 STRUCTURE #17D12 RED LION BRANCH MCGINNES RD STRUCTURE #17C13 UNICORN BRANCH KENT CO/L STRUCTURE #17C14 CHESTER RIVER	4 4 4	48I 48J 48I	15,425 11,025 15,075 8,203 7,525 10,000 8,800 6,825
---------	---	-----	-----	---	---	---------	------	--	--	---	-------------	-------------------	--

ROUTE NUMBER.....MD 3D2  
INVENTORY DIRECTION....EAST  
NAME: BARCLAY RD

SECONDARY	R	NFA		R	8	UNDIVIDED	NONE	.DD .D4	USC3D1	BLUE STAR MEM HWY	2 2	2DI 22I	1,400
-----------	---	-----	--	---	---	-----------	------	------------	--------	-------------------	--------	------------	-------

\* A,B = UNIMPROVED; C = GRADE & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 302 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: BARCLAY RD

PAGE..... 9  
DATE.....12/31/85  
COUNTY-QUEEN ANNES  
SHA DISTRICT.....2

STATE	SYSTEM	FEDERAL	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
	SECONDARY	R	NFA	R	8	UNDIVIDED	NONE			
						2.00				
						3.36	STRUCTURE #17C28 DONKEY CREEK	2	22I	1,300
						3.45	IN CORP LMTS BARCLAY			
						3.46	R/R #MDDE 526 4D1 F			
						3.49	MDD313 SUDLERSVILLE GOLDSBOROUGH RD	2	30I	1,425
						3.62				
						3.69	OUT CORP LMTS BARCLAY			
						3.71				
						7.78	CAROLINE CO/L	2	22I	

ROUTE NUMBER.....MD 303  
INVENTORY DIRECTION....NORTH  
NAME: OLD CORDOVA RD

	SECONDARY	U	NFA	R	8	UNDIVIDED	NONE			
						.00	TALBOT CO/L	2	21I	450
						.20	OUT CORP LMTS QUEEN ANNE			
			FAS 1305		7	.25	MDD309 CORDOVA RD	2	24I	
						.42	MDD404 WYE MILLS QUEEN ANNE RD			

ROUTE NUMBER.....MD 304  
INVENTORY DIRECTION....EAST  
NAME: CORSICA NECK RD

	SECONDARY	R	NFA	R	8	UNDIVIDED	NONE			
						.00	COD142 SPIDER WEB RD	2	20H	975
						2.44	IN CORP LMTS CENTREVILLE			
						2.44	STRUCTURE #17C29 CORSICA CREEK			
						3.32	MDD213 COMMERCE ST			
						3.50	R/R #MDDE 526 378 N			
			FAS 1300		7	4.02	OUT CORP LMTS CENTREVILLE	2	24I	2,600
						5.85	US0301 BLUE STAR MEM HWY			1,400
						10.09	MDD481 RLTHSBURG RD	2	22I	800
						11.35	STRUCTURE #17D42 GERMAN BRANCH			
						13.96	MOD405 PRICE STATION RD	2	22H	1,450
						14.85	STRUCTURE #5018 MASON BRANCH			
						14.85	CAROLINE CO/L			

ROUTE NUMBER.....MD 305  
INVENTORY DIRECTION....EAST  
NAME: HOPE RD

	SECONDARY	U	NFA	R	8	DIVIDED	NONE			
						UNDIVIDED				
						.00	MDD213 CENTREVILLE CHURCH HILL RD	2	36I	750
						.02		2	41I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 305 , CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: HOPE RD

PAGE..... 10  
DATE.....12/31/85  
COUNTY-QUEEN ANNES  
SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
....STATE....	..FEDERAL...	CLASS	CTL					
SECONDARY	R NFA	R 8	UNDIVID	NONE	.4D			
					2.93			
					2.94	USD3D1	BLUE STAR MEM HWY	600
					3.0D			
					3.14		R/R #MDDE 526 383 K	
					5.15	CODD94	HAYDEN HOPE RD	

ROUTE NUMBER.....MD 309  
INVENTORY DIRECTION....NORTH  
NAME: STARR RD

SECONDARY	R FAS	13D5 R	7	UNDIVID	NONE	.0D	TALBOT CO/L	1,070
		13D2				.23	MDD3D3	
						.36	MDC4D4	
						.8D		
						1.08		
						2.16		
						2.44	MDD481	425
						3.17		
						3.25		
						6.61		
						7.63		
						8.48		
						8.85		
						9.17		
						9.21	MDD213	
							WYE MILLS CENTREVILLE RD	

ROUTE NUMBER.....MD 313  
INVENTORY DIRECTION....NORTH  
NAME: SUDLERSVILLE GOLDBOROUGH RD

SECONDARY	R FAS	1283 R	7	UNDIVID	NONE	.0D	CAROLINE CO/L	1,725
						.0D	STRUCTURE #5DC3 LCNG MARSH DITCH	
						1.66		1,200
						1.95	MDCD19	
						5.36	WALNUT ST	
						5.42	IN CORP LMTS BARCLAY	
						5.7D	MDC3D2	
						5.75	BARCLAY RD	
						5.84	R/R #MDDE 526 402 M	
						5.88		
						6.02	OUT CORP LMTS BARCLAY	2,100

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MO 405 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: PRICE STATION RD

PAGE..... 12  
DATE.....12/31/85  
COUNTY-QUEEN ANNES  
SHA OISTRICT.....2

STATE	SYSTEM	FEDERAL	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT	DESCRIPTION	MARKEO LANES	SURFACE WIDTH/TYP*	AADT
	SECONDARY	R	NFA	R 8	UNOIVED	NONE	8.67	M00019 WALNUT ST	2	22I	400
ROUTE NUMBER.....MD 456A INVENTORY DIRECTION....NORTH NAME: DEL RHODES AVE											
	SECONDARY	R	NFA	R 9	UNOIVED	NONE	.00	US0050 BLUE STAR MEM HWY	2	24I	1,000
				8			.02	US0050CB SPUR	2	22I	
							.47	STRUCTURE #17035 WYE RIVER			
							.47	IN CORP LMTS QUEENSTOWN			
							.56	MDD456E RAILCAD AVE			
					DIVIDED		.85		2	24I	
					UNOIVED		.88	US0301 BLUE STAR MEM HWY			
							.92				
							.93		2	22I	
							1.12		2	24I	
							1.21	MDD018C MAIN ST			
ROUTE NUMBER.....MD 456B INVENTORY DIRECTION....EAST NAME: RAILROAD RD											
	SECONDARY	R	NFA	R 9	UNOIVED	NONE	.00	M00018C QUEENSTOWN RD	2	24I	300
							.50	IN CORP LMTS QUEENSTOWN			
							.70	MDD456A DEL RHODES AVE			
ROUTE NUMBER.....MD 481 INVENTORY DIRECTION....NORTH NAME: RUTHSBURG RD											
	SECCNDARY	R	NFA	R 8	UNOIVED	NONE	.00	MDD309 STARR RD	2	20I	900
							2.59	STRUCTURE#17036 BLOCKSTON BRANCH			
							5.14	MDD304 CENTREVILLE RUTHSBURG RD			
ROUTE NUMBER.....MD 544 INVENTORY DIRECTION....EAST NAME: MCGINNES RD											
	SECCNDARY	R	FAS	1296 R 7	UNOIVED	NONE	.00	MDD0213 CHESTERTOWN CHURCH HILL RD	2	24I	1,800
							2.98	STRUCTURE #17C37 FOREMAN BRANCH			
							4.76				1,600
							5.97	STRUCTURE #17C45 PEARL CREEK			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 544 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: MCGINNES RD

PAGE..... 13  
DATE.....12/31/85  
COUNTY-QUEEN ANNES  
SHA DISTRICT.....2

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	R FAS 1296 R	7	UNDIVIDED NONE	7.04	MDD29D DUDLEY CROSS RD	2	24I	1,600
				7.60	STRUCTURE #17C38 RED LION BRANCH			
				9.36	US0301 BLUE STAR MEM HWY			
				9.56	MDD313 SUDLERSVILLE MILLINGTON RD			

ROUTE NUMBER.....MD 552  
INVENTORY DIRECTION....NORTH  
NAME: DOMINION RD

SECONDARY	R NFA	R 9	UNDIVIDED NONE	.00	CO0I99 LITTLE CREEK RD (BACK)	2	18G	1,800
		8		.04		2	24I	
			DIVIDED	.35				
				2.13	MDD188 OLD STEVENSVILLE RD	3	32I	
				2.20		2	30I	
				2.22	US005D BLUE STAR MEM HWY			

ROUTE NUMBER.....MD 662  
INVENTORY DIRECTION....NORTH  
NAME: WYE MILLS EASTON RD

SECONDARY	R NFA	R 8	UNDIVIDED NONE	.00	TALBOT CO/L	2	21I	675
		9		.06	STRUCTURE #17C39 WYE EAST RIVER			
				.08	MDD213 WYE MILLS CENTREVILLE RD	2	22I	
				1.38	MDD662B US 50 SPUR	2	24I	
				1.40	US005D OCEAN GATEWAY			

ROUTE NUMBER.....MD 662B  
INVENTORY DIRECTION....SOUTH  
NAME: US 50 SPUR

SECONDARY	R NFA	R 9	UNDIVIDED NONE	.00	US005D OCEAN GATEWAY	2	16J	
				.08	MDC662 WYE MILLS EASTON RD			

ROUTE NUMBER.....MD 759B  
INVENTORY DIRECTION....EAST  
NAME: OLD US 50

SECONDARY	R NFA	R 9	UNDIVIDED NONE	.00	ROAD END	2	20I	200
				.20	MDC008 KENT POINT RD			
				.25		2	22I	
				.37	MDD018A LOVE POINT RD			

\* A,B = UNIMPROVED; C = GRADE & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 759C  
INVENTORY DIRECTION....NORTH  
NAME: OLD US 50

PAGE..... 14  
DATE.....12/31/85  
COUNTY-QUEEN ANNES  
SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AADT			
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	.....	.....	LANES	WIDTH/TYPE*				
SECONDARY	R	NFA	R	9	UNOIVED	NONE	.00	M00008	KENT POINT RO	2	24J	50
							.03	C00329	PIER 1 RO			

ROUTE NUMBER.....MD 802  
INVENTORY DIRECTION....NORTH  
NAME: OLD MD 33

SECONDARY	R	NFA	R	9	UNOIVED	NONE	.00	M00008	KENT POINT RO	2	22I	425
							.04			2	16G	
							.29	M00008A	BATTS NECK RO	2	17G	
							.93	M00008B	VESTFIELD RO			
							.98			2	22I	
							1.03	M00008	KENT POINT RO			

ROUTE NUMBER.....MD 834  
INVENTORY DIRECTION....EAST  
NAME: HAYDEN HOPE RO

SECONDARY	R	NFA	R	9	DIVIDED	NONE	.00	C00403	WHITE MARSH RO	2	48I	300
					UNOIVED		.02	US0301	BLUE STAR MEM HWY WBL	2	24I	
					DIVIDED		.13	US0301	BLUE STAR MEM HWY EBL	2	48I	
					UNOIVED		.14			2	18F	
							.16	C00094	HAYDEN HOPE RO (AHEAD)			
							.16		R/R #M00E 526 389 B			

ROUTE NUMBER.....MD 835  
INVENTORY DIRECTION....NORTH  
NAME: SEWARD MARINA RO

SECONDARY	R	NFA	R	9	UNOIVED	NONE	.00	M00018C	QUEENSTOWN RO	2	24I	
							.12	US0050	BLUE STAR MEM HWY			
							.23			2	20I	
							.50	C00185	SEWARD MARINA RO			

ROUTE NUMBER.....MD 837  
INVENTORY DIRECTION....NORTH  
NAME: CHURCH CIRCLE

SECONDARY	U	NFA	R	9	UNOIVED	NONE	.00	M00300	MAIN ST	2	44G	150
	R						.04		OUT CORP LMTS SUOLERSVILLE			
	U						.09		IN CORP LMTS SUOLERSVILLE			
							.12	M00313	CHURCH ST			

\* A,B = UNIMPROVED; C = GRADED & CRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS


STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 838  
 INVENTORY DIRECTION....NORTH  
 NAME: CARMICHAEL RD

PAGE..... 15  
 DATE.....12/31/85  
 COUNTY-QUEEN ANNES  
 SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS	MILEPINT	MILEPINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT		
....STATE....	..FEDERAL...	CLASS	CTL							
SECONDARY	R	NFA	R	8	UNDIVIDED	NONE	5.13 CDD156 CARMICHAEL RD (BACK)	2	13L	175
							5.19 STRUCTURE #17C4D WYE NARROWS			
							5.26 COD4D5 WYE ISLAND RD (AHEAD)			

\* A,B = UNIMPROVED; C = GRADED & CRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK



**ST. MARYS  
COUNTY**



ST. MARYS COUNTY

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 4  
 INVENTORY DIRECTION.....NORTH  
 NAME: ST ANDREWS CHURCH RD

PAGE..... 1  
 DATE.....12/31/85  
 COUNTY-SAIN MARYS  
 SHA DISTRICT.....5

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANS	SURFACE WIDTH/TYPE*	AADT				
STATE	FEDERAL	CLASS	CTL									
PRIMARY	R	FAP	259 R	6	UNDIVID	NONE	.00	M00005	LEONARDTOWN RD	2	22I	6,550
				2	DIVIDED		6.17	MDD235	THREE NOTCH RD	2	24I	7,050
					UNDIVID		6.67					
					DIVIDED		7.15					
					UNDIVID		7.42					
					DIVIDED		7.72					
					UNDIVID		7.93					
							8.27		STRUCTURE #18C33 KINGSTON CREEK			
					DIVIDED		8.34					
					UNDIVID		8.58					
							8.64					
							9.52		CALVERT CO/L	2	28J	
							9.52		STRUCTURE #4019 PATUXENT RIVER			

ROUTE NUMBER.....MD 5  
 INVENTORY DIRECTION.....NORTH  
 NAME: POINT LOOKOUT RD

SECONDARY	R	NFA		R	9	UNDIVID	NONE	.00				
					8			.07	CUL DE SAC	2	14I	2,500
								.58		2	20I	
								1.34				
								1.72		2	24I	
		FAS	1225		7			2.96		2	20I	
								3.99				
								4.82	M00005F	2	22I	
								6.86	MDD235	2	24I	3,350
								10.40				
								12.82	M00584			
								13.07	MDD584			
								13.38				
								13.87				
								14.88				4,575
								15.24	MDD489			4,600
								16.73				3,175
								17.12				
		FAP	272		6			19.14	MDC246			
								19.20	M00005A			8,400
								19.24				
								19.42	MDD471			9,150
								19.74				8,199
								19.84				9,150

\* A,B = UNIMPROVED; C = GRADEC & GRAINED; C,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 5 CONTINUED  
INVENTORY DIRECTION.....NORTH  
NAME: POINT LOOKOUT RD

PAGE..... 2  
DATE.....12/31/85  
COUNTY-SAINT MARYS  
SHA DISTRICT.....5

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AADT	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	.....	.....	LANES	WIDTH/TYPE*		
SECONDARY	R	FAP	272	R	6	UNDIVIDED	NONE			
					20.54					
					20.60	MDC249		2	34I	9,150
					20.64					
					25.43					
					26.70	MDC244	STRUCTURE #18C05 MCLDIER RUN			
					27.42		BEAVUE RD			12,500
					27.47		STRUCTURE #18C04 GLEBE RUN			
					27.53	MDC0004		3	36I	
					27.58		ST ANDREWS CHURCH RD			
					27.95	MDC0005UL	PROPOSED	2	24I	
	FAS	1221			28.24		STRUCTURE #18DD3 TOWN RUN			
					28.24		IN CORP LMTS LEONARDTOWN			
					28.30					
		1220			28.52	MDC326	WASHINGTON ST	2	4DI	
					28.60			4	74I	14,600
					28.62			4	3DI	
					28.62			4	5DI	
	FAP	272			28.92	MDC245	WASHINGTON ST			
					28.92	MDC0005UL	PROPOSED			
					30.18		STRUCTURE #18DC2 MCINTOSH RUN			
					30.21		OUT CORP LMTS LEONARDTOWN			
					30.32	MDC243	CCMPTON RD	4	49I	11,200
					31.02	MDC005C	MD 5 SPUR			
					31.06	MDC234	COMPTON RD			5,000
					31.23			2	24I	
					34.86	MDC247	LOVEVILLE RD			4,300
					35.93	MDC242	COLTON POINT RD	2	26I	
					36.04			2	24I	
					36.68		STRUCTURE #18CD1 CLEMENTS CREEK			
					37.41	MDC238	MADDOX RD			6,200
					37.56	MDC005B	MD 5 SPUR			
					37.91			2	24G	
					40.57			2	32I	
					40.62	MDC235	THREE NOTCH RD	4	46I	16,000
					42.79			4	48I	
					44.88	MDC236	THOMPSON CORNER RD			
					45.08	MDC236A	OLD MD 236			
					45.13	MDC006	LAPLATA NEW MARKET RD			
					45.17					13,250
					46.18	MDC863A	SERVICE RD			
					46.34	MDC863A	SERVICE RD			
					47.62		CHARLES CO/L			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 5A  
INVENTORY DIRECTION....EAST  
NAME: MD 5 SPUR

PAGE..... 3  
DATE.....12/31/85  
COUNTY-SAINT MARYS  
SHA DISTRICT.....5

SYSTEM	FEDERAL	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPINT	MILEPINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	R NFA	R 9	UNDIVIDED	NONE	.00 MDD005 .16 MDC246	POINT LOOKOUT RD GREAT MILLS RD	2	2DI	
ROUTE NUMBER.....MD 5B INVENTORY DIRECTION....EAST NAME: MD 5 SPUR									
SECONDARY	R NFA	R 9	UNDIVIDED	NONE	.00 MDD238 .10 .11 MDD005	BUDDS CREEK RD WALDORF LEONARDTOWN RD	2 2	2DI 3DI	
ROUTE NUMBER.....MD 5C INVENTORY DIRECTION....EAST NAME: MD 5 SPUR									
SECONDARY	R NFA	R 9	UNDIVIDED	NONE	.00 MDD234 .08 MDCDD5	BUDDS CREEK RD WALDORF LEONARDTOWN RD	2	16I	
ROUTE NUMBER.....MD 5F INVENTORY DIRECTION....NORTH NAME: OLD MD 5									
SECONDARY	R NFA	R 9	UNDIVIDED	NONE	.00 MDCDD5 .02 .19	WALDORF LEONARDTOWN RD ROAD END	2 2	3DI 2DI	99
ROUTE NUMBER.....MD 5UL INVENTORY DIRECTION....NORTH NAME: PROPOSED									
SECONDARY	R FAP 272	R 6	DIVIDED	NONE	.00 MDCDD5 .83 MDCDD5	POINT LOOKOUT RD JEFFERSON ST	4	48I	
ROUTE NUMBER.....MD 6 INVENTORY DIRECTION....EAST NAME: LAPLATA NEW MARKET RD									
SECONDARY	R FAS 121D NFA	R 7 8	UNDIVIDED	NONE	.00 1.19 MDCDD5 1.24 MDCDD5 1.28 3.80	CHARLES CO/L WALDORF LEONARDTOWN RD S/BL WALDORF LEONARDTOWN RD N/BL	2 2 2	24I 2DI 16H	1,000 1,300 1,200

\* A,B = UNIMPROVED; C = GRADED & DRAINED; C,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 6 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: LAPLATA NEW MARKET RD

PAGE..... 4  
DATE.....12/31/85  
COUNTY-SAINT MARYS  
SHA DISTRICT.....5

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECNDARY	R NFA	R 8	UNDIVIDED NONE	4.85	STRUCTURE #I8D12 SWAMP CREEK	2	16H	1,200
				5.19		2	18H	
				5.97		2	16H	
				7.16	STRUCTURE #I8D13 PERSIMMON CREEK	2	18H	
				8.88		2	20H	
				9.55		2	40I	
				9.62	M00235 THREE NOTCH RD			

ROUTE NUMBER.....MD 234  
INVENTORY DIRECTION....EAST  
NAME: BUDOS CREEK RD

SECONDARY	R FAP 272 R	6	UNDIVIDED NONE	.00	STRUCTURE #I8C14 BUODS CREEK	2	24I	2,075
				.00	CHARLES CO/L			
				.88	M00236 THOMPSON CORNER RD			
				1.33				2,900
				4.69	STRUCTURE #I8C15 HAYDEN RUN			
				4.92	M00238 BUODS CREEK RD			2,100
				8.51				2,152
				9.16	M00242 COLTON POINT RD			4,500
				9.44	STRUCTURE #I8C16 CLEMENTS CREEK			
				12.63	M00005C MD 5 SPUR	2	27I	
				12.64	M00005B MD 5 SPUR			
				12.66	M00005 WALDORF LEONARDTOWN RD			

ROUTE NUMBER.....MD 235  
INVENTORY DIRECTION....NORTH  
NAME: THREE NOTCH RD

SECNDARY	R FAP 265 R	6	UNDIVIDED NONE	.00	M00005 WALDORF LEONARDTOWN RD	2	24I	1,600
				1.08		3	36I	
				1.18		2	24I	
				2.53		3	36I	
				2.74				2,700
				2.83		2	24I	
				4.62		3	36I	
				4.75		2	24I	
				6.69		3	36I	
				6.81		2	24I	
				6.90		3	36I	
				7.03		2	24I	
				7.50		3	36I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 235 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: THREE NOTCH RD

PAGE..... 5  
DATE.....12/31/85  
COUNTY-SAINT MARYS  
SHA DISTRICT.....5

.....STATE.....	SYSTEM R FAP	FEDERAL... 265	FUNC CLASS R 6	HWY TYPE UNDIVIDED	ACCESS CTL NONE	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
						7.68	MDD489 PARK HALL RD.	3	36I	2,700
						7.72		2	24I	5,200
						7.98		3	36I	
						8.07		2	36I	
						8.11		2	24I	
						9.08		3	36I	
						9.21		2	24I	
						9.54				
						9.90	MDC712 FOREST PARK RD	4	48I	2,600
			U 14			10.50				11,100
						11.83		4	55I	
						11.95		4	62I	
						11.98		4	55I	19,269
						11.99	MDD246 LEXINGTON PARK RD			
						12.16		4	50I	20,800
						12.22		4	59I	
						12.76		4	50I	
						13.38		4	48I	
			R 2			14.97	MDD237 CHANCELLORS RUN RD			
						15.40				
						16.55				23,900
						16.66	MDDDD4 ST ANCREWS CHURCH RD	4	50I	
						16.70				
						19.95		4	48I	12,500
						20.55	MDC944 OLD MD 235			12,400
						20.78	MDD245 HCLLYWOOD RD			
						20.80				
						21.72				10,200
						21.84				9,481
						23.95		4	46I	10,200
						25.92	MDC472 SANDGATE RD	2	48I	
						26.67	MDD247 LOVEVILLE RD			
						26.69				
						27.18		4	48I	9,000
						28.02		2	48I	
						29.37	MDDDD6 NEW MARKET TURNER RD	4	46I	
						30.75	MDDDD5 LEONARDTOWN RC	2	46I	9,700

\* A,B = UNIMPROVED; C = GRADEC & CRAINED; C,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 236  
INVENTORY DIRECTION....NORTH  
NAME: THOMPSON CORNER RD

PAGE..... 6  
DATE.....12/31/85  
COUNTY-SAIN MARYS  
SHA DISTRICT.....5

.....STATE.....	SYSTEM		..FEDERAL...	CLASS	FUNC	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
	R	FAS											
SECONDARY	R	FAS	1217	R	7	UNDIVID	NONE	.00	MDD234	BUDDS CREEK RC	2	24I	1,000
								.06	MDD868G	OLD MD 234	2	20I	
								6.05			2	22I	
								6.11	MDD236A	OLD MD 236	2	24I	
								6.18	MDD005	LEONARDTOWN RD S/BL			
								6.22	MDD005	LEONARDTOWN RD N/BL			

ROUTE NUMBER.....MD 236A  
INVENTORY DIRECTION....NORTH  
NAME: OLD MD 236

SECONDARY	R	NFA		R	9	UNDIVID	NONE	.00	MDD236	THOMPSON CORNER RC	2	20I	425
								.18	MDD005	WALDORF LEONARDTOWN RD			

ROUTE NUMBER.....MD 237  
INVENTORY DIRECTION....NORTH  
NAME: CHANCELLORS RUN RD

SECONDARY	R	FAS	1223	R	7	UNDIVID	NONE	.00	MDD246	GREAT MILLS RD	2	20I	3,472
								2.21					3,949
								2.90			2	24I	
								2.99	MDD235	THREE NOTCH RD			

ROUTE NUMBER.....MD 238  
INVENTORY DIRECTION....NORTH  
NAME: MAOCCX RD

SECONDARY	R	FAS	1219	R	7	UNDIVID	NONE	.00	MDD242	COLTON POINT RD	2	20I	800
								4.72					900
								5.74		STRUCTURE #18018			
								6.96		STRUCTURE #18017			
		NFA			8			7.25	MDD234	DEEP FALLS RD	2	21I	
								10.85	MDD005B	MC 5 SPUR			
								10.96	MDD005	WALDORF LEONARDTOWN RD			

ROUTE NUMBER.....MD 239  
INVENTORY DIRECTION....EAST  
NAME: BUSHWOOD WHARF RD

SECONDARY	R	NFA		R	9	UNDIVID	NONE	.00		ROAD END	2	18H	200
					8			1.08	MDD520	WHITE NECK RD			
								1.64	MDD242	COLTON POINT RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; C,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 242  
INVENTORY DIRECTION.....NORTH  
NAME: COLTON POINT RD

PAGE..... 7  
DATE.....12/31/85  
COUNTY-SAIN MARYS  
SHA DISTRICT.....5

STATE	SYSTEM	FEDERAL	CLASS	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPER*	ADT
SECONDARY	R	NFA	R	8	UNOIVED	NONE	.00	COG141 BEACH RD	2	20I	1,300
		FAS 1218	7				3.05	MDD470 OAKLEY RD			
							4.42	MDD239 BUSHWOOD WHARF RD			2,900
							5.41	MDD238 MADDOX RD	2	24I	3,300
							6.12	STRUCTURE #18C22 TOMAKOKIN CREEK			
							7.00	MDD470 OAKLEY RD			
							7.55				
							8.06	STRUCTURE #18C21	2	22I	
							8.23				
							8.71		2	24I	
							8.93	MDD234 DEEP FALLS RD	2	22I	
							9.46	STRUCTURE #18C20 CLEMENTS CREEK			1,300
							9.73				
							9.84		2	30I	
							10.06		2	38I	
							11.11		2	22I	
							11.22		2	38I	
							11.31	STRUCTURE #18C19 LOCUST RUN	2	22I	
							11.43		2	38I	
							11.51		2	30I	
							11.56		2	38I	
							12.05		2	22I	
							12.10		2	30I	1,900
							12.91		2	22I	
							12.93		2	36I	
							12.94	MDD005 WALDORF LEONARDTOWN RD	2	30I	

DIVIDED

ROUTE NUMBER.....MD 243  
INVENTORY DIRECTION.....NORTH  
NAME: COMPTON RD

SECONDARY	R	NFA	R	9	UNOIVED	NONE	.00	ROAD END	2	22G	4,300
		FAS 1222	7				.11		2	18I	
							1.53		2	20I	
							3.20				3,600
							4.41				
							4.49	MDD943 OLD MD 243	2	24I	
							4.66	MDD005 WALDORF LEONARDTOWN RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; C,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 244  
INVENTORY DIRECTION....EAST  
NAME: BEAUVUE RD

PAGE..... 8  
DATE.....12/31/85  
COUNTY-SAIN MARYS  
SHA DISTRICT.....5

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL						
SECONDARY	R	NFA	R	8	UNDIVIDED NONE	.00	MDDDD5 POINT LOOKOUT RD	2	24I	1,300
						.10		2	18H	
						1.21	STRUCTURE #18C23 MOLDIER RUN			
				9		2.05				
						5.95	STRUC #18D24 POPLAR HILL CREEK			
				8		10.11				1,600
						10.28		2	20I	
						10.66		2	40I	
						10.69	MDD249 PINEY POINT RD			

ROUTE NUMBER.....MD 245  
INVENTORY DIRECTION....NORTH  
NAME: WASHINGTON ST

SECONDARY	U	FAS	122D	R	7	UNDIVIDED NONE	.00	MDDDD5 JEFFERSON ST	2	37I	5,425
							.54		2	22I	
							.96	OUT CORP LMTS LEONARDTOWN			
							1.81			22I	4,300
							2.56		2	22I	
							3.62	STRUCTURE #18D25 BROOKS RUN			
							5.28		2	24I	
							5.34	MDD235 THREE NOTCH RD	2	27I	
							5.39		2	20I	1,700
							7.66	CDD185 STEER HORN NECK RD			

ROUTE NUMBER.....MD 246  
INVENTORY DIRECTION....EAST  
NAME: GREAT MILLS RD

SECONDARY	R	FAP	272	R	6	UNDIVIDED NONE	.00	MDDDD5 PCINT LOOKOUT RD	2	24I	11,075
							.16	MDDDD5A MC 5 SPUR			
							.81		2	22I	
				U	14	DIVIDED	.98	MDD237 CHANCELLORS RUN RD	2	28I	
						UNDIVIDED	1.06		2	24I	
							1.65		3	36I	
							1.91		4	50I	
							2.16		4	48I	
							2.35		4	52I	
						DIVIDED	2.90		4	48I	
						UNDIVIDED	3.24		4	52I	
		NFA		R	9	DIVIDED	3.31	MDD235 THREE NOTCH RD	4	44I	
						UNDIVIDED	3.36		3	44I	

\* A,B = UNIMPROVED; C = GRADED & CRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 246 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: GREAT MILLS RD

PAGE..... 9  
DATE.....12/31/85  
COUNTY-SAINT MARYS  
SHA DISTRICT.....5

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
.....STATE.....	..FEDERAL...							
SECNDARY	R NFA	R 9	UNDIVID	NONE	3.39	ROAD END	3 44I	11,075

ROUTE NUMBER.....MD 247  
INVENTORY DIRECTION....NORTH  
NAME: LOVEVILLE RD

SECNDARY	R FAS 1224 NFA	R 7 9	UNDIVID	NONE	.00	MDDDD5 WALDORF LEONARDTOWN RD	2 22I	2,700
					2.88	MDD235 THREE NOTCH RD	2 20H	
					2.94	CODD65 QUEEN TREE RD		

ROUTE NUMBER.....MD 249  
INVENTORY DIRECTION....NORTH  
NAME: PINEY POINT RD

SECNDARY	R NFA	R 8	UNDIVID	NONE	.00	COD327 INDIGO POINT RD (BACK)	2 20I	1,000
					1.44		2 24H	
					1.48	STRUCTURE #18D26 ST GEORGE CREEK		
	FAS 1227	7			1.67		2 24I	
					2.43			
					3.33			
					6.66	MDD244 BEAUVUE RD		3,375
			DIVIDED		6.72			
					9.85			4,000
					9.87	MDDDD5 PCINT LOOKOUT RD	2 32I	

ROUTE NUMBER.....MD 326  
INVENTORY DIRECTION....NORTH  
NAME: WASHINGTON ST

SECNDARY	U FAS 1220	R 7	UNDIVID	NONE	.00	ROAD END	2 30I	1,700
			DIVIDED		.22		2 60I	
					.29		4 99I	
					.33	MDDDD5 FENWICK ST		

ROUTE NUMBER.....MD 470  
INVENTORY DIRECTION....NORTH  
NAME: OAKLEY RD

SECNDARY	R NFA	R 8	UNDIVID	NONE	.00	MDD242 COLTON PT RD	2 18H	700
					2.89	STRUCTURE #18C27 TOMAKOKIN CREEK		
					3.78	MDD242 CCLTON POINT RD		

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 471  
INVENTORY DIRECTION....NORTH  
NAME: INDIAN BRIDGE RD

PAGE..... ID  
DATE.....12/31/85  
COUNTY-SAIN MARYS '  
SHA DISTRICT.....5

SYSTEM	FUNC	HWY	ACCESS						MARKED	SURFACE		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	LANES	WIDTH/TYPE*	AADT	
SECNDARY	R	NFA	R	9	UNDIVED	NONE	.00	MDD005	PCINT LOOKOUT RD	2	18H	975
							.34		STRUCTURE #18C28 ST MARYS RIVER			
							1.00		STRUCTURE #18C29 JARBOESVILLE RUN			
							1.02	CO0232	INDIAN BRIDGE RD (AHEAD)			

ROUTE NUMBER.....MD 472  
INVENTORY DIRECTION....NORTH  
NAME: SANDGATES RD

SECNDARY	R	NFA	R	8	UNDIVED	NONE	.00	MDD235	THREE NOTCH RD	2	20I	1,600
				9			2.40					
							2.59	CO0636	SANDGATES RD (AHEAD)			

ROUTE NUMBER.....MD 489  
INVENTORY DIRECTION....EAST  
NAME: PARK HILL RD

SECNDARY	R	NFA	R	8	UNDIVED	NONE	.00	MDD005	POINT LOOKOUT RD	2	18H	900
							1.21			2	25I	
							1.29	MDD235	THREE NOTCH RD			

ROUTE NUMBER.....MD 52C  
INVENTORY DIRECTION....NORTH  
NAME: BAILEY RD

SECONDARY	R	NFA	R	9	UNDIVED	NONE	.00		ROAD END	2	18H	500
				8			.67					
							2.64	MDD239	BUSHWOOD WHARF RD			

ROUTE NUMBER.....MD 584  
INVENTORY DIRECTION....NORTH  
NAME: OLD POINT LOOKOUT RD

SECNDARY	R	NFA	R	9	UNDIVED	NONE	.00	MDC005	PCINT LOOKOUT RD	2	18I	450
							.04			2	22H	
							.13			2	18H	
							.38			2	20I	
							.41	MDC005	PCINT LOOKOUT RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 712  
 INVENTORY DIRECTION....NORTH  
 NAME: FOREST PARK RD

PAGE..... 11  
 DATE.....12/31/85  
 COUNTY-SAINT MARYS  
 SHA DISTRICT.....5

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT			
....STATE....	..FEDERAL...	CLASS	TYPE	CTL							
SECONDARY	R	NFA	R	8	UNDIVIDED NONE	.00 1.11	MDD235 C00663	PCINT LOOKOUT RD PINE HILL RUN RD	2	22H	2,100

ROUTE NUMBER.....MD 863A  
 INVENTORY DIRECTION....NORTH  
 NAME: SERVICE RD

SECONDARY	R	NFA	R	9	UNDIVIDED NONE	.00 .17	MDD005 MDD005	PCINT LOOKOUT RD PCINT LOOKOUT RD	2	20I	
-----------	---	-----	---	---	----------------	------------	------------------	--------------------------------------	---	-----	--

ROUTE NUMBER.....MD 868G  
 INVENTORY DIRECTION....EAST  
 NAME: OLD MD 234

SECONDARY	R	NFA	R	9	UNDIVIDED NONE	.00 .07	MDD236	THOMPSONS CORNER RD ROAD END	2	16H	50
-----------	---	-----	---	---	----------------	------------	--------	---------------------------------	---	-----	----

ROUTE NUMBER.....MD 943  
 INVENTORY DIRECTION....NORTH  
 NAME: OLD MD 243

SECONDARY	U	NFA	R	9	UNDIVIDED NONE	.00 .18	MDD243 MDD005	CCMPTON RD PCINT LOOKOUT RD	2	20I	650
-----------	---	-----	---	---	----------------	------------	------------------	--------------------------------	---	-----	-----


ROUTE NUMBER.....MD 944  
 INVENTORY DIRECTION....NORTH  
 NAME: OLD MD 235

SECONDARY	R	NFA	R	9	UNDIVIDED NONE	.00 2.23	C00203 MDD235	CLARKS MILL RD THREE NOTCH RD	2	24I	1,800
-----------	---	-----	---	---	----------------	-------------	------------------	----------------------------------	---	-----	-------



ROUTE NUMBER.....MD 945  
 INVENTORY DIRECTION....NORTH  
 NAME: OLD MD 235

SECONDARY	R	NFA	R	9	UNDIVIDED NONE	.00 .06 .10 .11		ROAD END SPUR TO MD 235 SPUR FR MD 235 ROAD END	2	24I	1,000
-----------	---	-----	---	---	----------------	--------------------------	--	--	---	-----	-------

\* A,B = UNIMPROVED; C = GRADEC & CRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLCCK



**SOMERSET  
COUNTY**



SOMERSET COUNTY

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 13  
INVENTORY DIRECTION....NORTH  
NAME: OCEAN HIGHWAY

PAGE..... 1  
DATE.....12/31/85  
COUNTY-SOMERSET  
SHA DISTRICT.....1

SYSTEM	FUNC	HWY	ACCESS						MARKED	SURFACE	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT DESCRIPTION	.....	LANES	WIDTH/TYPE*	AAOT
PRIMARY	R	FAP	129	R	2	DIVIDED	PART	.00			
								.00			
								.26	M00364		
								.66			14,325
								2.10	M00667		
								3.63	M00920Q		14,000
								3.63	M00920P		
								5.78			
								6.68	M00920H	48I	10,375
								6.68	M00920F		
								7.08			
								7.87	M00673A	4	
								7.87	M0C920B		13,000
								8.27			
								8.48	M0C413		
								10.63			
								10.81	M00920		
								11.19			
								11.77	M00920		
								11.80			
								11.87	M00675	4	
								12.03	M006750		14,800
								12.57			
								13.42	M0C363		14,000
								13.48			17,500
								14.14	M00362		
								15.19			20,200
								15.36	M00675	4	
								15.42			
								16.92	M00529	4	
								19.56			
								20.28		4	48I
								20.28			

ROUTE NUMBER.....MC 357  
INVENTORY DIRECTION....EAST  
NAME: CHARLES CANNON RD

SECONDARY	R	NFA		R	9	UNDIVIDED	NONE	.00	C00119			975
		FAS	1372		7			.33	M00413	2	20I	775
		NFA			8			.36	M0C667	2	15I	
								1.57	C00166			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 358  
INVENTORY DIRECTION....NORTH  
NAME: JACKSONVILLE ROAD

PAGE..... 2  
DATE.....12/31/85  
COUNTY-SOMERSET  
SHA DISTRICT.....1

STATE	SYSTEM	FEDERAL	CLASS	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
	R	FAS	1377	R	7	UNDIVED NONE	.00 .09 .85	M00413 W MAIN ST OUT CORP LMTS CRISFIELD COD128 PLANTATION RD (AHEAD)	2	22I	3,474

ROUTE NUMBER.....MD 361  
INVENTORY DIRECTION....EAST  
NAME: FAIRMOUNT RD

	R	NPA FAS	1376	R	8 7	UNDIVED NONE	.00 .81 3.33 5.62	COG111 FAIRMONT RUMBLEY RD (BACK) M00413 CRISFIELD WESTOVER RD	2	22I	900 1,800 2,000
--	---	------------	------	---	--------	--------------	----------------------------	---	---	-----	-----------------------

ROUTE NUMBER.....MD 362  
INVENTORY DIRECTION....EAST  
NAME: MT VERNON RD

	R	NFA FAS	1369	R	8 7	UNDIVED NONE	.00 .00 .76 .93 2.68 3.24 5.79 5.91 5.99 6.01 6.23	CO0013 BOBTOWN RD CO0001 MT VERNON RD (BACK) STRUCTURE #19CD5 MONIE CREEK M00920A MARKET ST US0013 OCEAN HIGHWAY IN CORP LMTS PRINCESS ANNE M00675 SOMERSET AVE	2 2 2	20I 24I 48I	1,600 5,100
--	---	------------	------	---	--------	--------------	--	--	-------------	-------------------	----------------

ROUTE NUMBER.....MD 363  
INVENTORY DIRECTION....EAST  
NAME: DEAL ISLAND RD

	R	NFA FAS	1370	R	9 7	UNDIVED NONE	.00 2.73 3.26 3.51 3.63 3.76 4.87 5.06 6.16	ROAD END STRUCTURE #19CD6 UPPER THROFARE STRUCTURE #19CD7 ROCK CREEK STRUCTURE #19CD8 PARK CREEK	2 2 2 2	20I 22I 19I 22I	700 2,100 2,300
--	---	------------	------	---	--------	--------------	---	---	------------------	--------------------------	-----------------------

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 363  
INVENTORY DIRECTION....EAST  
NAME: DEAL ISLAND RD

CONTINUED

PAGE..... 3  
DATE.....12/31/85  
COUNTY-SOMERSET  
SHA DISTRICT.....1

SYSTEM	FEDERAL	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	R FAP	322 R 6	UNOIVED	NONE	6.70				
					7.79				
					13.09	MDD627 STRUCTURE #19019	2	22I	1,500
					15.80	ORIOLE RD			1,900
					16.16		2	24I	
					16.49		2	22I	
					18.01				2,825
					18.09		2	24I	
					18.13		2	22I	
					18.18	STRUCTURE #19DD9 PANOKIN RIVER			
	U FAS 1374	7			18.19	USDD13 OCEAN HWY	2	24J	
					18.19	IN CORP LMTS PRINCESS ANNE			
					18.23				
					18.30	MUD210 MANSION AVE (AHEAD)	2	25I	
ROUTE NUMBER.....MD 364 INVENTORY DIRECTION....NORTH NAME: DIVICING CREEK RD									
SECONDARY	R FAS	1366 R 7	UNOIVED	NONE	.00	MDD675A OLD US 13	2	24I	1,075
		1351			.10	USDD13 OCEAN HWY	2	22I	
					.14				
					2.81	STRUCTURE #19C10 DIVIOING CREEK			
					2.81	WORCESTER CO/L			
ROUTE NUMBER.....MD 380 INVENTORY DIRECTION....NORTH NAME: MAIN ST									
SECONDARY	R NFA	R 8	UNDIVIDED	NONE	.00	COO152 APE HOLE RD	2	22I	1,000
					.00	COC147 BIRDTOWN RD (BACK)			
					.82				
					1.56	MUD310 W MAIN ST (AHEAD)			3,200
					1.56	IN CORP LMTS CRISFIELD			
ROUTE NUMBER.....MD 388 INVENTORY DIRECTION....EAST NAME: E ANTIOCH AVE									
SECONDARY	U FAS	1368 R 7	UNDIVIDED	NONE	.00	MOC675 SOMERSET AVE	2	21I	1,700
					.05		2	20I	
					.11	R/R #CR 530 246 K	2	21I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MC 388 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: E ANTIOCH AVE

PAGE..... 4  
DATE.....12/31/85  
COUNTY-SOMERSET  
SHA DISTRICT.....1

STATE	SYSTEM	FEDERAL	CLASS	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANS	SURFACE WIDTH/TYPE*	AAOT
SECCNDARY	U	FAS	1368	R	7	UNDIVED NONE	.20		2	22I	1,700
	R						.48				450
							1.68				
							2.38	C00217 WEST POST OFFICE RD (AHEAD)			

ROUTE NUMBER.....MD 413  
INVENTORY DIRECTION....NORTH  
NAME: W MAIN ST

SECCNDARY	U	FAS	1375	R	7	DIVIDED NONE	.00	M00210 DOCK ST	4	70I	10,800
							.06		4	68I	
							.33		4	68J	
							.37		4	58J	
							.55		4	68J	
							.67		6	68J	
							1.10		4	68J	
							1.35	M00460 HALL HIGHWAY			
							1.40	M00358 JACKSONVILLE RD			
	R	FAP	323	6		UNDIVED	1.49	OUT CCRP LMTS CRISFIELD			
							1.53		2	22I	
							1.55			22I	10,300
							1.66		2	48I	
							3.45	M00667 CRISFIELD MARION RD			
							3.56		2	30I	
							5.95	M00667 CRISFIELD MARION RD	2	24I	5,258
							6.67	M00357 CHARLES CANNON RD			4,650
							10.75	STRUCTURE #19C11 ANNESSEX RIVER			
							10.86		2	22I	
							13.34	M00361 FAIRMOUNT RD			5,300
							13.65		2	21I	
							14.06	M00673A LAYFIELD RD	2	20I	
							14.61	US0013 OCEAN HWY			

ROUTE NUMBER.....MD 460  
INVENTORY DIRECTION....EAST  
NAME: HALL HIGHWAY

SECCNDARY	U	NFA		R	9	UNDIVED NONE	.00	C00130 BYRD RD (BACK)	2	22I	1,425
					8		.25				1,459
							.27	STRUCTURE #19C13 ANNESSEX RIVER			
							.28		2	40I	
							.78	M00413 MARYLAND AVE			

\* A,B = UNIMPROVED; C = GRADED & CRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 529  
INVENTORY DIRECTION....NORTH  
NAME: HALL HIGHWAY

PAGE..... 5  
DATE.....12/31/85  
COUNTY-SOMERSET  
SHA DISTRICT.....1

STATE	SYSTEM	FEDERAL	FUNC CLASS	HWY TYPE	ACCESS CTL	MP	MP	DESCRIPTION	LANES	SURFACE WIDTH/TYPER*	AADT
MD	R	NFA	R 9	UNDIVIDED	NONE	.00	MDC675	SOMERSET AVE	2	22I	200
						.25		R/R #CR 530 244 W			
						2.57		R/R #CR 530 241 B			
						2.59	USDD13	OCEAN HWY			
<p>ROUTE NUMBER.....MD 598 INVENTORY DIRECTION....NORTH NAME: OLD PR ANNE-WESTOVER RD</p>											
MD	U	NFA	R 8	UNDIVIDED	NONE	.00	C00086	OLD PR ANNE-WESTOVER RD(BACK)	2	2DI	844
						.01		R/R #CR 530 248 Y			
						.04	MDD675	SOMERSET AVE			
<p>ROUTE NUMBER.....MD 627 INVENTORY DIRECTION....EAST NAME: ORIOLE RD</p>											
MD	R	NFA	R 9	UNDIVIDED	NONE	.00	C00055	CRAB ISLAND RD (BACK)	2	18I	550
			8			.00	C00056	ORIOLE BACK RD			562
						.52					
						1.25					
						2.48	MDD363	DEAL ISLAND RD	2	22I	
<p>ROUTE NUMBER.....MD 667 INVENTORY DIRECTION....EAST NAME: CRISFIELD MARION RD</p>											
MD	R	NFA	R 8	UNDIVIDED	NONE	.00	MUD120	CHESAPEAKE AVE	2	17I	1,800
			9			1.02			2	21I	
						2.42					
						2.77	MDD413	CRISFIELD WESTOVER RD			
						5.81	MDD413	CRISFIELD WESTOVER RD	2	24I	
	FAS	1372	7			6.55	MDC357	CHARLES CANNON RD	2	2DI	2,425
						10.39			2	22I	
						10.52		STRUCTURE #19D19 PARUMSCO CREEK			
						12.65		STRUCTURE #19C17 REHOBETH BRANCH			
						12.70					
						17.61	USCD13	OCEAN HWY			1,350

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 673A  
INVENTORY DIRECTION....EAST  
NAME: LAYFIELD RD

PAGE..... 6  
DATE.....12/31/85  
COUNTY-SOMERSET  
SHA DISTRICT.....1

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECNDARY	R FAS 1378 R 7	UNDIVD	NONE	.00	MDC413 WESTOVER CRISFIELD RD	2	22I	1,279
		DIVDED		.45		2	43I	
		UNDIVD		.49		2	24I	
				.53	USCD13 OCEAN HWY			
				.53	MDD92DB SERVICE RD (AHEAD)			

ROUTE NUMBER.....MD 675  
INVENTORY DIRECTION....NORTH  
NAME: SOMERSET AVE

SECNDARY	R FAS 1373 R 7	UNDIVD	NONE	.00	USDD13 OCEAN HWY	1	13I	1,200
				.18	MDD675D NO NAME	2	21I	
	U			.79	IN CORP LMTS PRINCESS ANNE			
				.88		2	24I	
				.89	MDD598 OLD PR ANNE-WESTOVER RD			
				.97		2	31I	
				1.10		2	24I	
				1.21		2	36I	
				1.32	MDD388 E ANTIOCH AVE			
				1.41		2	54I	
				1.51		2	56I	3,750
				1.61	MDD918 E BROAD ST	2	36I	
				1.69	STRUCTURE #19D02 MANOKIN RIVER	2	25I	
				1.95		2	20I	
				2.02		2	27I	
				2.15		2	24I	
	R			2.22	OUT CCRP LMTS PRINCESS ANNE			
				2.22	MDD362 MT VERNON RD			
				2.79	MDD529 OLD LCRETTO RD			
		DIVDED		3.30		2	36I	
				3.39	USDD13 OCEAN HWY			

ROUTE NUMBER.....MD 675A  
INVENTORY DIRECTION....NORTH  
NAME: MARKET ST

SECNDARY	R FAS 1366 R 7	UNDIVD	NONE	.00	WORCESTER CO/L	2	24I	3,766
				.00	STRUCTURE #23D04 PCCOMCKE RIVER			
				.32	MDC364 DIVIDING CREEK RD			
				.32	COD261 OLD PCCOMCKE RD (AHEAD)			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 675D  
 INVENTORY DIRECTION....SOUTH  
 NAME: NO NAME

PAGE..... 7  
 DATE.....12/31/85  
 COUNTY-SOMERSET  
 SHA DISTRICT.....1

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED	SURFACE	AAOT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL		LANES	WIDTH/TYPE*	
SECNDARY	R	NFA	R	9	UNDIVED NONE			
				.00	M00675	SOMERSET AVE		
				.04	US0013	OCEAN HWY	2	30H
ROUTE NUMBER.....MD 918 INVENTORY DIRECTION....EAST NAME: E BRCAD ST								
SECNDARY	U	NFA	R	9	UNDIVED NONE			
				.00	M00675'	SOMERSET AVE	2	48I
				.06			2	30I
				.10		OUT CORP LMTS PRINCESS ANNE		3,050
				.10		STRUCTURE #19C15		
				.19		R/R #CR 53D 243 P		
				.22	SRO008	NO NAME		
ROUTE NUMBER.....MD 920 INVENTORY DIRECTION....NORTH NAME: US 13 SERVICE RD								
SECNDARY	R	NFA	R	9	UNDIVED NONE			
				.00	US0013	OCEAN HWY	2	20G
				.97	US0013	OCEAN HWY		
ROUTE NUMBER.....MD 92DA INVENTORY DIRECTION....NORTH NAME: US 13 SERVICE RD								
SECNDARY	R	NFA	R	9	UNDIVED NONE			
				.00	M00362	MT VERNON RD	2	18G
				.42		ROAD END		
ROUTE NUMBER.....MD 92DB INVENTORY DIRECTION....NORTH NAME: US 13 SERVICE RD								
SECNDARY	R	NFA	R	9	UNDIVED NONE			
				.00	M00673A	LAYFIELD RD (BACK)	2	18G
				.00	US0013	OCEAN HWY		
				.32	C00239	CAMP RD		
ROUTE NUMBER.....MD 92DC INVENTORY DIRECTION....EAST NAME: US 13 SERVICE RD								
SECNDARY	R	NFA	R	9	UNDIVED NONE			
				.00		ROAD END	2	20I
				.01		SPUR TO US 13		

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 92CC      CONTINUED  
INVENTORY DIRECTION.....EAST  
NAME: US 13 SERVICE RD

PAGE..... 8  
DATE.....12/31/85  
COUNTY-SOMERSET  
SHA DISTRICT.....1

.....STATE.....	SYSTEM ..FEDERAL...	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
	R NFA	R 9	UNDIVIDED	NONE	.17	ROAD END	2	2DI	
ROUTE NUMBER.....MD 92DD INVENTORY DIRECTION.....EAST NAME: US 13 SERVICE RD									
	R NFA	R 9	UNDIVIDED	NONE	.00 .14 .42	ROAD END SPUR TO US 13 ROAD END	2	2DI	
ROUTE NUMBER.....MD 92DE INVENTORY DIRECTION.....EAST NAME: US 13 SERVICE RD									
	R NFA	R 9	UNDIVIDED	NONE	.00 .01 .03	ROAD END SPUR TO US 13 ROAD END	2	2DI	
ROUTE NUMBER.....MD 92CF INVENTORY DIRECTION.....EAST NAME: US 13 SERVICE RD									
	R NFA	R 9	UNDIVIDED	NONE	.00 .00 .03 .08	US00I3 OCEAN HWY M00920H US 13 SERVICE RD (BACK) M00920G US 13 SERVICE RD ROAD END	2	2DI	
ROUTE NUMBER.....MD 92CG INVENTORY DIRECTION.....EAST NAME: US 13 SERVICE RD									
	R NFA	R 9	UNDIVIDED	NONE	.00 .09	M00920F US 13 SERVICE RD ROAD END	2	2DI	
ROUTE NUMBER.....MD 92CH INVENTORY DIRECTION.....SOUTH NAME: US 13 SERVICE RD									
	R NFA	R 9	UNDIVIDED	NONE	.00 .00 .09	US00I3 OCEAN HWY M00920F US 13 SERVICE RD (BACK) ROAD END	2	2DI	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 92CJ  
 INVENTORY DIRECTION....EAST  
 NAME: US 13 SERVICE RD

PAGE..... 9  
 DATE.....12/31/85  
 COUNTY-SOMERSET  
 SHA DISTRICT.....1

STATE	SYSTEM	FEDERAL	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT	
	SECONDARY	R	NFA	R	9	UNDIVIDED NONE	.00 .21 .23	ROAD END SPUR TO US 13 ROAD END	2	20I	
	ROUTE NUMBER.....MD 92CK INVENTORY DIRECTION....NORTH NAME: US 13 SERVICE RD										
	SECONDARY	R	NFA	R	9	UNDIVIDED NONE	.00 .18	CO0196 WALTER JOHNSON RD ROAD END	2	20I	
	ROUTE NUMBER.....MD 92DL INVENTORY DIRECTION....EAST NAME: US 13 SERVICE RD										
	SECONDARY	R	NFA	R	9	UNDIVIDED NONE	.00 .64 .83	CO0188 MENNONITE RD SPUR TO US 13 ROAD END	2	20I	
	ROUTE NUMBER.....MD 92DM INVENTORY DIRECTION....NORTH NAME: US 13 SERVICE RD										
	SECONDARY	R	NFA	R	9	UNDIVIDED NONE	.00 .03 .04	CO0196 ROAD END WALTER JOHNSON RD ROAD END	2	20I	
	ROUTE NUMBER.....MD 92CN INVENTORY DIRECTION....EAST NAME: US 13 SERVICE RD										
	SECONDARY	R	NFA	R	9	UNDIVIDED NONE	.00 .01 .10	ROAD END SPUR TO US 13 ROAD END	2	20I	
	ROUTE NUMBER.....MD 92CO INVENTORY DIRECTION....EAST NAME: US 13 SERVICE RD										
	SECONDARY	R	NFA	R	9	UNDIVIDED NONE	.00 .01 .11	ROAD END SPUR TO US 13 ROAD END	2	20I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 92CP  
INVENTORY DIRECTION.....NORTH  
NAME: US 13 SERVICE RD

PAGE..... 10  
DATE.....12/31/85  
COUNTY-SOMERSET  
SHA DISTRICT.....1

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
.....STATE.....	..FEDERAL...							
SECCNDARY	R NFA	R 9	UNDIVED NONE	.00	MDD92DQ US 13 SERVICE RD (BACK)	2	20I	
				.00	US0013 OCEAN HWY			
				.28	ROAD END			

ROUTE NUMBER.....MD 92GQ  
INVENTORY DIRECTION.....SOUTH  
NAME: US 13 SERVICE RD

SECCNDARY	R NFA	R 9	UNDIVED NONE	.00	US0013 OCEAN HWY	2	20I	
				.00	MDD92DP US 13 SERVICE RD (BACK)			
				.20	ROAD END			

ROUTE NUMBER.....MD 92QR  
INVENTORY DIRECTION.....NORTH  
NAME: US 13 SERVICE RD

SECONDARY	R NFA	R 9	UNDIVED NONE	.00	ROAD END	2	20I	
				.03	SPUR TO US 13			
				.05	ROAD END			

ROUTE NUMBER.....MD 92OS  
INVENTORY DIRECTION.....EAST  
NAME: US 13 SERVICE RD



SECONDARY	R NFA	R 9	UNDIVED NONE	.00	ROAD END	2	20I	
				.02	SPUR TO US 13			
				.10	ROAD END			

ROUTE NUMBER.....MD 92CT  
INVENTORY DIRECTION.....NORTH  
NAME: US 13 SERVICE RD

SECONDARY	R NFA	R 9	UNDIVED NONE	.00	ROAD END	2	20I	
				.02	SPUR TO US 13			
				.05	ROAD END			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

**TALBOT  
COUNTY**



TALBOT COUNTY



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 33  
 INVENTORY DIRECTION....EAST  
 NAME: TILGHMAN ISLAND RD

PAGE..... 1  
 DATE.....12/31/85  
 COUNTY-TALBOT  
 SHA DISTRICT.....2

STATE	SYSTEM	FEDERAL	FLNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
SECONDARY	R	NFA	R 8	UNOIVED	NONE	.00	COC159 BLACK WALNUT RD (BACK)	2	23I	2,400
		FAS 1322	7			.09		2	20I	
						.81		2	18I	
						.88	STRUCTURE #20001 KNAPPS NARROWS			
						.93				
						1.34		2	21I	
						3.78	M00840C OLD MD 33	2	24I	2,000
						4.17	M00840C OLD MD 33			
						6.84				
						8.15	M00840A OLD MD 33			2,100
						9.71	M00451A NO NAME			2,200
						10.17	M00451 EASTON CLAIRBORNE RD			
						10.22	M00451B NO NAME			2,900
		FAP 308	6			10.99	M00579 LONG POINT RD			
	U					13.22	IN CORP LMTS ST MICHAELS			9,300
						13.31		2	30I	
						13.47		2	36I	7,000
						13.59		2	30I	
						13.92		2	34I	
						14.01		2	32I	
	R					14.07		2	24I	
						14.30	OUT CORP LMTS ST MICHAELS			
						16.56	M00329 ROYAL OAK RD			
						17.24	STRUCTURE #20002 OAK CREEK			
						18.72	M00329 ROYAL OAK RD			
						18.89				
						21.25	M00370 UNIONVILLE RD	2	25I	9,150
						22.00				11,675
	U		U 14			22.98	IN CORP LMTS EASTON			8,800
						22.98	M00322 EASTON PKWY	2	24I	
						23.32				
						23.49	M00565A N WASHINGTON ST	2	26I	

ROUTE NUMBER.....US 50  
 INVENTORY DIRECTION....EAST  
 NAME: OCEAN GATEWAY

PRIMARY	R	FAP	130 R	2	DIVIDED	NONE	.00	QUEEN ANNE CO/L	4	48I	18,689
							.00	M00404 WYE MILLS QA RD			
							1.64	STRUCTURE #20003 MILL CREEK			
							2.33	M00662A OLD WYE MILLS EASTON RD			
							2.80	M00662B OLD WYE MILLS EASTON RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 50 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: OCEAN GATEWAY

PAGE..... 2  
DATE.....12/31/85  
COUNTY-TALBOT  
SHA DISTRICT.....2

SYSTEM	STATE	FEDERAL	CLASS	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYP*	AADT
PRIMARY	R	FAP	130	R 2	DIVIDED	NONE	3.66	STRUCTURE #20004 SKIPTON CREEK	4	48I	18,689
							4.01	STRUCTURE #20005 SKIPTON CREEK			
							4.68	M00662B OLD WYE MILLS EASTON RD			
							4.68	M00662C OLD WYE MILLS EASTON RD			
							5.96	STRUCTURE #20006 POTTS MILL CREEK			
							7.03	STRUCTURE #20007 POTTS MILL CREEK			
							8.58	M00662C OLD WYE MILLS EASTON RD			
				U 14			8.77	M00309 BLACK DOG ALLEY			19,075
	U						9.70	IN CORP LMTS EASTON			
							9.74	M00322 EASTON PKWY			
							11.26	M00328 EASTON DENTON RD			23,700
							11.60	M00331 DOVER RD			19,375
	R						12.08	OUT CORP LMTS EASTON			
	U						12.36	IN CORP LMTS EASTON			
							13.07	STRUCTURE #20008 PAPERMILL POND			
							13.89	M00322A NO NAME			
	R			R 2			13.99	OUT CORP LMTS EASTON			
							14.17	M00322 WASHINGTON ST			
							14.56	STRUC #20009 PEACHBLOSSOM CREEK			
							14.82	M00565 EASTON TRAPPE RD			
	U						18.72	IN CORP LMTS TRAPPE			
							19.89		4	56I	
							20.18	M00565 MAIN ST			13,550
	R						20.20	OUT CORP LMTS TRAPPE			
							20.24		4	48I	
							24.32		4	41I	
					UNOIVED		24.56		2	60I	
							24.61		2	24I	
							25.65	DORCHESTER CO/L			
							25.65	STRUCTURE #9005 CHOPTANK RIVER			

ROUTE NUMBER.....MD 303  
INVENTORY DIRECTION....NORTH  
NAME: OLD CORDOVA RD

SECONDARY	R	NFA		R 9	UNOIVED	NONE	.00	M00309 CORDOVA RD	2	24J	200
							.03	STRUCTURE #20C12 TUCKAHOE CREEK			
							.04	R/R #M00E 529 962 E			
							1.42		2	25J	400
							3.60	STRUCTURE #20C10 NORWICK CREEK			
							3.64	M0C404AL MILLSBORO DENTON RD (AHEAD)			
	U			8			3.72	M0C404AL MILLSBORO DENTON RD (BACK)	2	21I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 303  
 INVENTORY DIRECTION....NORTH  
 NAME: OLD CORDOVA RD

CONTINUED

PAGE..... 3  
 DATE.....12/31/85  
 COUNTY-TALBOT  
 SHA DISTRICT.....2

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	A40T
STATE	FEDERAL							
SECONDARY	U NFA	R 8	UNDIVED NONE	3.84	QUEEN ANNES CO/L	2	21I	400

ROUTE NUMBER.....MD 309  
 INVENTORY DIRECTION....NORTH  
 NAME: CORDOVA RD

SECONDARY	R FAS I305	R 7	UNDIVED NONE	.00	US0050 OCEAN GATEWAY	2	27I	5,125
				.14		2	24I	4,750
				.55				4,570
				2.79				2,900
				6.81	M00303 OLD CORDOVA RD			3,000
				9.35	STRUCTURE #20024 NORWICH CREEK			1,050
				9.39	M00404AL MILLSBORO DENTON RD			
				9.41	R/R #M00E 529 939 K			
				9.56	QUEEN ANNES CO/L			

ROUTE NUMBER.....MD 322  
 INVENTORY DIRECTION....NORTH  
 NAME: EASTON PKWY

SECONDARY	U FAP 309	R 6	DIVIDED NONE	.00	US0050 OCEAN GATEWAY	4	48I	7,175
			UNDIVED	.08	M00322A NO NAME			
				.53	M00565A S WASHINGTON ST			
				.67				
			PART	1.04	STRUCTURE #20027	2	24I	
				1.59	M00333 PEACH BLOSSOM RD			
				2.41	M00334 EASTON POINT RD & PORT ST			
		U 14	NONE	2.98	M00033 EASTON CLAIBORNE RD & BAY ST			9,275
				4.60				9,025
				4.66	M00565A N WASHINGTON AVE			
				4.77				
			DIVIDED	4.92		2	26I	
			UNDIVED	5.03	US0050 OCEAN GATEWAY E/BL	2	24I	
				5.12	US0050 OCEAN GATEWAY W/BL	1	22I	

ROUTE NUMBER.....MD 322A  
 INVENTORY DIRECTION....NORTH  
 NAME: NO NAME

SECONDARY	U NFA	U 19	UNDIVED NONE	.00	US0050 OCEAN GATEWAY	2	16I	
				.07	M00322 EASTON PKWY			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 328  
 INVENTORY DIRECTION....EAST  
 NAME: EASTON DENTON RD

PAGE..... 4  
 DATE.....12/31/85  
 COUNTY-TALBOT  
 SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYP*	AAOT					
....STATE....	..FEDERAL...	CLASS	TYPE	CTL									
SECONDARY	U	FAP	302	R	6	UNOIVED	NONE	.00	US0050	OCEAN GATEWAY	2	20I	5,775
	R							.45		OUT CORP LMTS EASTON			
								2.35		STRUCTURE #200I3 WOOTENAU CREEK	2	24I	2,625
								4.24					
								5.5I		STRUC #200I4 BEAVER DAM BRANCH			
								8.93		CAROLINE CO/L			
								8.93		STRUCTURE #50I2 TUCKAHOE CREEK			

ROUTE NUMBER.....MD 329  
 INVENTORY DIRECTION....EAST  
 NAME: ROYAL OAK RD

SECONDARY	R	NFA		R	8	UNOIVED	NONE	.00	M00033	EASTON CLAIBORNE RD	2	18I	1,300
								.13			2	17H	
								1.04			2	18H	2,000
								1.95					2,525
								3.25			2	18I	
								3.34	M00033	EASTON CLAIBORNE RD			

ROUTE NUMBER.....MD 331  
 INVENTORY DIRECTION....NORTH  
 NAME: EASTON PRESTON RD

SECCNOARY	R	FAP	304	R	6	UNOIVED	NONE	.00		CAROLINE CO/L	2	24J	12,100
								.00		STRUCTURE #20023 CHOPTANK RIVER	2	24I	
								.08					
	U							3.8I		IN CORP LMTS EASTON			
		FAU	7602	U	14			3.96	US0050	OCEAN GATEWAY			13,100
								4.03			2	32I	
								4.04			4	32I	
								4.17			2	32I	
								4.42		R/R #M00E 529 987 A			
								4.47	MU0280	DOVER ST			

ROUTE NUMBER.....MD 333  
 INVENTORY DIRECTION....NORTH  
 NAME: MORRIS ST

SECONDARY	U	FAS	I324	R	7	UNOIVED	NONE	.00		STRUCTURE #20C25 TRED AVON RIVER	2	24F	3,075
								.00		IN CORP LMTS OXFORD			
								.05			2	23I	
								.29			2	24I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 333 CONTINUED  
INVENTORY DIRECTION.....NORTH  
NAME: MORRIS ST

PAGE..... 5  
DATE.....12/31/85  
COUNTY-TALBOT  
SHA DISTRICT.....2

STATE	SYSTEM	FEDERAL	CLASS	FUNC	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYP*	AADT
	U	FAP	310	R	6	UNDIVID NONE	.92				
	R						.96	OUT CCRP LMTS OXFORD	2	24I	3,075
							4.32				
							6.08	STRUCTURE #2DD17 TRIPPES CREEK			5,725
							7.59	STRUC #2DD16 PEACH BOTTOM CREEK			
	U						8.84	IN CORP LMTS EASTCN			
		FAU	7604	U	16		9.46	STRUCTURE #2DC15 PAPER MILL POND			
							9.58	EASTON PKWY			
							9.78	MDD322			
							9.96	MDD565A S WASHINGTON ST	2	42I	
	R	NFA		R	9	UNDIVID NONE	.00	ROAD END	2	19H	1,625
	U			U	17		.38		2	21I	3,425
							.40	IN CORP LMTS EASTON			
							.44	MDD322 EASTON PKWY			1,670
							.47				
							1.06	MDD565A S WASHINGTON ST	2	20I	
	R	FAS	1321	R	7	UNDIVID NONE	.00	MDD33 EASTON CLAIBORNE RD	2	31I	2,375
							.02		2	18H	
							.96	STRUCTURE #2DD18 MILES RIVER			
							1.12				
							1.58	CDD45 UNIONVILLE RD (AHEAD)	2	20H	
	R	NFA		R	8	UNDIVID NONE	.00	QUEEN ANNES CC/L	2	22I	350
							.04	MDD662A OLD WYE MILLS EASTON RD			
							.68				
							1.05				500
	FAP		3DD		6		1.07	USD05D OCEAN GATEWAY	2	29I	
							1.09		2	34I	9,600
									2	24I	

\* A,B = UNIMPROVED; C = GRADEC & CRAINED; C,E = SCIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 404 CONTINUED  
 INVENTORY DIRECTION....EAST  
 NAME: WYE MILLS QA RD

PAGE..... 6  
 DATE.....12/31/85  
 COUNTY-TALBOT  
 SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	PILEPOINT	DESCRIPTION	MARKED	SURFACE	AA DT		
STATE	FEDERAL	CLASS	TYPE	CTL			LANES	WIDTH/TYPE*			
PRIMARY	R	FAP 30D R	6	UNDIVED	NONE	5.80					
						5.86	MDD404AL	STRUCTURE #17043	2	24I	9,600
						5.89		MILLSBORO DENTON RD			7,875
								QUEEN ANNES CO/L			

ROUTE NUMBER.....MD 404AL  
 INVENTORY DIRECTION....EAST  
 NAME: MILLSBORO DENTON RD

SECONDARY	R	NFA	R	8	UNDIVED	NONE	.00	MDD404	WYE MILLS QA RD	2	22I	1,400
							.42		STRUCTURE #20019 NORWICH CREEK			
							.88	MDD309	CORDOVA RD			
							1.17		R/R #MDDE 502 443 Y			
							1.37	MDD303	OLD CORDOVA RD	2	2DH	
							1.38		R/R #MDDE 529 94I L	2	22I	
	U						1.42		IN CORP LMTS QUEEN ANNE			
							1.45	MDD303	MAIN ST			
							1.53	MDD518	FIRST ST			
							1.55		R/R #MDDE 529 942 T			
	R						1.82		OUT CORP LMTS QUEEN ANNE			
							1.83		CAROLINE CO/L			
							1.83		STRUCTURE #5017 TUCKAHOE CREEK			

ROUTE NUMBER.....MD 451  
 INVENTORY DIRECTION....NORTH  
 NAME: EASTON CLAIBORNE RD

SECONDARY	R	NFA	R	8	UNDIVED	NONE	.00	MDD033	EASTON CLAIBORNE RD	2	24I	500
							.02	MDD451B	NO NAME			
							.50	MDD451A	NO NAME			
							1.15			2	20I	
				9			1.39					
							1.75		ROAD END			

ROUTE NUMBER.....MD 451A  
 INVENTORY DIRECTION....NORTH  
 NAME: NO NAME

SECONDARY	R	NFA	R	9	UNDIVED	NONE	.00	MDD033	EASTON CLAIBORNE RD	2	18G	150
							.39	MDD451	EASTON CLAIBORNE RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 451B  
 INVENTORY DIRECTION....NORTH  
 NAME: NO NAME

PAGE..... 7  
 DATE.....12/31/85  
 COUNTY-TALBOT  
 SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL				
SECONDARY	R	NFA	R	9	UNDIVIDED NONE			
				.00	MDD033	EASTON CLAIBORNE RD		
				.07	MDD451	EASTON CLAIBORNE RD	2	16I 600
ROUTE NUMBER.....MD 518 INVENTORY DIRECTION....NORTH NAME: FIRST ST								
SECONDARY	U	NFA	R	9	UNDIVIDED NONE			
				.00	MDD404AL	TALBOT AVE		
				.06		QUEEN ANNES CO/L	2	30I 175
ROUTE NUMBER.....MD 565 INVENTORY DIRECTION....NORTH NAME: S MAIN ST								
SECONDARY	U	NFA	R	8	UNDIVIDED NONE			
				.00	US0050	OCEAN GATEWAY	2	22I 1,275
				.19			2	24I
				.49			2	28I
				.61			2	20I
				.94			2	22I
				1.29				
				1.32		OUT CGRP LMTS TRAPPE		
				3.24				
				5.50				1,300
				5.84	MDD565B	OLD SEC MD 565		
				5.90	US0050	OCEAN GATEWAY	2	30I
ROUTE NUMBER.....MD 565A INVENTORY DIRECTION....NORTH NAME: S WASHINGTON ST								
SECONDARY	U	NFA	U	17	UNDIVIDED NONE			
				.00	MDD322	EASTON PKWY	2	24I 4,700
				.56			2	20I
				.66			2	30I
				.70			2	40I
				1.04			2	32I
				1.23			2	38I
				1.29	MDD333	PEACH BLOSSOM RD	2	30I 9,900
				1.51			2	38I
				2.17	MDD033	BAY ST	2	40I 5,300
				2.19			2	44I
				2.31			2	40I
				2.35			4	44I

\* A,B = UNIMPROVED; C = GRADED & DRAINED; C,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 565A CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: S WASHINGTON ST

PAGE..... 8  
DATE.....12/31/85  
COUNTY-TALBOT  
SHA DISTRICT.....2

STATE	SYSTEM	FEDERAL	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
	U	FAU	76D3	U 16	UNDIVED NONE	2.42		2	24I	5,300
						3.53	M00839 SERVICE RD	1	14I	
						3.58	M00322 EASTON PKWY			

ROUTE NUMBER.....MD 565B  
INVENTORY DIRECTION....NORTH  
NAME: OLD SEC MD 565

	R	NFA		R 9	UNDIVED NONE	.00	M00565 EASTON TRAPPER RD	2	15J	4,600
						.18	ROAD END			

ROUTE NUMBER.....MD 579  
INVENTORY DIRECTION....NORTH  
NAME: LONG POINT RD

	R	NFA		R 9	UNDIVED NONE	.49	C0D210 LONG POINT RD (BACK)	2	20I	400
						.99				900
						3.02				1,400
						4.03	M00841 MAY PORT RD	2	24I	
						4.66				
		FAS	1323	7		4.76				
						8.02	M00033 EASTON CLAIBORNE RD			

ROUTE NUMBER.....MD 662A  
INVENTORY DIRECTION....NORTH  
NAME: OLD WYE MILLS EASTON RD

	R	NFA		R 9	UNDIVED NONE	.00	US0050 OCEAN GATEWAY	2	20I	800
						.76	STRUCTURE #20020 MILL CREEK	2	18I	
						1.90				
						3.02	M00404 WYE MILLS QA RD			

ROUTE NUMBER.....MD 662B  
INVENTORY DIRECTION....NORTH  
NAME: OLD WYE MILLS EASTON RD

	R	NFA		R 9	UNDIVED NONE	.00	M00662C OLD WYE MILLS EASTON RD (BACK)	2	18H	200
						.00	US0050 OCEAN GATEWAY	2	16H	
						.68				
						.70	STRUCTURE #20C21 SKIPTON CREEK	2	15H	
						.91		2	18H	
				8		1.80				

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 662B CONTINUED  
 INVENTORY DIRECTION....NORTH  
 NAME: OLD WYE MILLS EASTON RD

PAGE..... 9  
 DATE.....12/31/85  
 COUNTY-TALBOT  
 SHA DISTRICT.....2

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
....STATE....	..FEDERAL...							
SECCNDARY R NFA	R 9	UNDIVED	NONE	1.90 2.18	US0050 OCEAN GATEWAY	2	15H	200
ROUTE NUMBER.....MD 662C INVENTORY DIRECTION....NORTH NAME: OLD WYE MILLS EASTON RD								
SECCNDARY R NFA	R 9	UNDIVED	NONE	.00 .30 2.77 4.84 4.84	COD277 AIRPORT RD STRUCTURE #2DC22 POTTS MILL CREEK US0050 OCEAN GATEWAY MDD662B OLD WYE MILLS EASTON RD (AHEAD)	2 2	24I 20I	1,200
ROUTE NUMBER.....MD 839 INVENTORY DIRECTION....EAST NAME: SERVICE RD								
SECCNDARY U NFA	U 19	UNDIVED	NONE	.00 .22	MDD565A N WASHINGTON ST ROAD END	2	20I	1,025
ROUTE NUMBER.....MD 84DA INVENTORY DIRECTION....EAST NAME: OLD MD 33								
SECCNDARY R NFA	R 9	UNDIVED	NONE	.00 .26	MDD033 TILGHMAN ISLAND RD ROAD END	2	18H	75
ROUTE NUMBER.....MD 840B INVENTORY DIRECTION....EAST NAME: OLD MD 33								
SECCNDARY R NFA	R 9	UNDIVED	NONE	.00 .09	CDD083 MACKS LANE ROAD END	2	16H	75
ROUTE NUMBER.....MD 840C INVENTORY DIRECTION....NORTH NAME: OLD MD 33								
SECCNDARY R NFA	R 9	UNDIVED	NONE	.00 .02 .38 .44	MDD033 TILGHMAN ISLAND RD MDD033 TILGHMAN ISLAND RC	2 2 2	24I 18H 20I	75

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 841  
 INVENTORY DIRECTION....NORTH  
 NAME: MAYPORT RD


PAGE..... 10  
 DATE.....12/31/85  
 COUNTY-TALBOT  
 SHA DISTRICT.....2

SYSTEM			FUNC	HWY	ACCESS	MILEPOINT		DESCRIPTION	MARKED	SURFACE	AADT	
STATE	FEDERAL	CLASS	TYPE	CTL					LANES	WIDTH/TYPE*		
SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	M00579	LONG POINT RD	2	16F	75
							.17	C0C148	MAYPORT RD (AHEAD)			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SCIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLCK

**WASHINGTON  
COUNTY**

# PENNSYLVANIA



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 11  
 INVENTORY DIRECTION....NORTH  
 NAME: WILLIAMSPORT PIKE

PAGE..... 1  
 DATE.....12/31/85  
 COUNTY-WASHINGTON  
 SHA DISTRICT.....6

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED	SURFACE	AAOT
....STATE....	..FEDERAL...	CLASS	CTL			LANES	WIDTH/TYPE*	
SECNOARY	R	FAU 80G1	U 16	UNOIVED	NONE			
	U			.00	WEST VIRGINIA ST/L			
				.13	IN CORP LMTS WILLIAMSPORT	2	19I	3,800
				.31	STRUCTURE #21CC1 POTOMAC RIVER			
				.32	R/R #B0 832 398 S			
				.63	M00068 CONOCCCHEAGUE ST			
				.76	M00063 GREENCASTLE PIKE			
	R		14	DIVIDED	FULL			
				1.48	OUT CCRP LMTS WILLIAMSPORT	4	48I	11,800
				1.70	IS0081 NO NAME STRUC#21083	4	55I	8,875
				1.91		4	68I	
				2.00		3	68I	
				2.20		2	26I	
				2.85		2	24I	
				2.92	IS0070 NATIONAL PIKE STRUC#21112			
				2.99				
				3.51	R/R #CR 534 9C3 M	2	26I	
				3.96				
				4.31		4	36I	
				4.42		3	42I	
				4.58		2	60I	
	U			5.24	IN CORP LMTS HAGERSTOWN	2	38I	
				5.52				
				5.65	BEGIN HAGERSTOWN MAINTENANCE	4	48I	
				5.66	R/R #NW 469 311 A			
				5.88	US0011A VIRGINIA AVE			
				6.45	R/R #B0 832 379 M			
				6.95	US0040 W WASHINGTON ST			
				7.06	US0040 W FRANKLIN ST			
				7.74	R/R #B0 831 840 D			
				7.87	R/R #B0 831 844 F			
	R			UNOIVED				
				8.62	END HAGERSTOWN MAINTENANCE	2	42I	13,200
				8.71	OLT CORP LMTS OF HAGERSTOWN			
				8.75				
				8.90		2	32I	
				8.94		2	44I	
				9.10		2	32I	
				9.35		2	30I	
				9.49		2	24I	
				9.61		3	32I	
				9.89		2	24I	
				12.67	PENNSYLVANIA ST/L			16,600

\* A,B = UNIMPROVED; C = GRAOLD & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 11A  
INVENTORY DIRECTION....EAST  
NAME: VIRGINIA AVE

PAGE..... 2  
DATE.....12/31/85  
COUNTY-WASHINGTON  
SHA OISTRICT.....6

.....STATE.....	SYSTEM ..FEDERAL...	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPCINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT		
SECONDARY	U	NFA	U 19	UNDIVED	NONE	.00	US0011	VIRGINIA AVE	1	15I	50
						.03			2	37I	
						.17		ROAD END			
ROUTE NUMBER.....MD 34											
INVENTORY DIRECTION....EAST											
NAME: BOONSBORO SHEPTOWN PIKE											
SECONDARY	R	FAP	222 R 6	UNOIVED	NONE	.00		BEGIN STRUCTURE IN W VIRGINIA	2	24J	4,300
						.01		W VIRGINIA ST/L			
						.09		STRUCTURE #21C02 POTOMAC RIVER			
						.20			2	40J	
						.38			2	24J	
						1.46			2	28I	
						1.57		R/R #NW 469 339 R			
						1.81			2	24J	
						2.01			2	24I	
						2.35			2	24H	
						2.50		IN CORP LMTS SHARPSBURG			
	U					2.51					
						2.89			2	38I	
						2.92			2	40I	
						3.13			2	36I	
						3.43			2	40I	
						3.52			2	38I	
						3.61	M00065	N CHURCH ST			
						3.68					3,650
						3.75			2	40I	
						3.97		OUT CORP LMTS SHARPSBURG	2	24I	
	R					4.10					
						4.81		STRUCTURE #210C3 ANTIETAM CREEK			
	U					6.45	M00845A	OLD MD 34			
						6.45		IN CORP LMTS KEEDYSVILLE			
						6.64		STRUCTURE #21050 L ANTIETAM CREEK			
						7.69	M00845A	OLD MD 34			
	R					7.74		OUT CORP LMTS KEEDYSVILLE			
						8.60		STRUCTURE #21C44			
						9.12		IN CORP LMTS BOONSBORO			
						9.34		STRUCTURE #21005 BEAVER CREEK			
	U					9.54					5,750
						9.60			2	27I	
						9.64			2	28I	

\* A,B = UNIMPROVED; C = GRADE & CRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 34 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: BOONSBORO SHEPTOWN PIKE

PAGE..... 3  
DATE.....12/31/85  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	PILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	U FAP 222 R 6	UNDIVIDED	NONE	9.99				
				10.04	US0D4DAL MAIN ST	2	29I	5,750
ROUTE NUMBER.....MD 34A INVENTORY DIRECTION....NORTH NAME: NORTH MAIN ST								
SECONDARY	R NFA R 9	UNDIVIDED	NONE	.00	MDD845A OLD MD 34			
				.10	ROAD END	2	24I	
ROUTE NUMBER.....US 40 INVENTORY DIRECTION....EAST NAME: NATICNAL PIKE								
SECONDARY	R FAS 1042 R 7	UNDIVIDED	NONE	17.28	IS0070 NO NAME (BACK)	1	18I	
				17.53	IS0070 NO NAME (W/BL)STRUC#21093	1	20I	1,400
				17.60		2	32I	
				17.69		2	22I	
				17.77	STRUCTURE #21010 LICKING CREEK			
				17.86		2	37I	
				18.16		2	24I	
				20.24	MDD056 BIG PCOLE RD			
				20.98				1,700
				22.18		3	36I	
				22.35		4	48I	
				23.04		3	36I	
				23.55		3	40I	
				24.45	IN CORP LMTS CLEARSPRING	2	24I	
				24.46				
				24.57		2	34I	
				24.76	MDD068 WMSPT CLEAR SPRING RD	2	40I	
				24.88	OUT CCRP LMTS CLEARSPRING	2	38I	3,100
				26.07	STRUC#21011 L CONCCOCHEAGUE CREEK	2	24I	
				27.22	MDD057 ST PAUL CHURCH RD			
				27.70				
				27.84		2	30I	8,000
				29.17		2	24I	
				31.82	MDD063 STRUC #21012 CONOCCHEAGUE CREEK			
				32.93	GREEN CASTLE PIKE			
			DIVIDED FULL	33.03				
			UNDIVIDED	33.03		5	62I	8,502
			DIVIDED	33.09		2	16I	
				33.09	MDC144WB OLD NATIONAL PIKE	2	16I	
				33.51	COC120 MCDUAE RD STRUC #21064	4	50I	6,375

\* A,B = UNIMPROVED; C = GRADED & CRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; F,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 4C CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: NATIONAL PIKE

PAGE..... 4  
DATE.....12/31/85  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

.....STATE.....	SYSTEM R U	FEDERAL... FAP	CLASS 218	FUNC U	HWY TYPE 14	ACCESS CTL FULL	MILEPOINT	.....	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECCNDARY	R	FAP	218	U	14	DIVIDED	34.59	ISDD81	NO NAME STRUC#21052	4	50I	25,200
	U						34.91		IN CORP LMTS HAGERSTOWN	6	76I	
						NONE	35.24					
							36.05		STRUC #21066 R/R #CR 534 896 E			
							36.05		STRUC #21066 R/R #B0 831 843 Y			
							36.27	USCO11	SUMMIT AVE	4	76I	
							36.58			6	76I	
							36.78			4	48I	
							37.07	MOCO64	N CLEVELAND ST			
							37.75		STRUCTURE #21C14 ANTIETAM CREEK			
	R						37.93		OUT CORP LMTS HAGERSTOWN			
	U						38.80		IN CORP LMTS HAGERSTOWN			
							38.91					23,500
	R						39.45		OUT CORP LMTS HAGERSTOWN			
							40.10			6	80I	
		FAS	1058	R	7		40.17	ISDD7D	NO NAME STRUC #21123			5,300
							40.25			4	48I	
						UNDIVED	40.78			2	24I	
							40.80		STRUC #21015 LANDIS SPRING CREEK			
							40.86			2	28I	
							40.95			2	24I	
							42.34		STRUCTURE #21C16 BEAVER CREEK			
							43.02	MDDD66	MAPLEVILLE RD			
							44.58		STRUCTURE #21C17 L BEAVER CREEK			
							45.26			2	30I	
							45.36			2	24I	
							45.86			2	30I	
							45.99			4	43I	
							46.20			3	32I	
							46.43	ISDD7D	NO NAME STRUC #21136			
							46.46		FREDERICK CO/L			
ROUTE NUMBER.....US 4CAL							.00	MU2000	S POTCMAC ST			
INVENTORY DIRECTION....EAST							.93		R/R #B0 139 499 U			
NAME: E BALTO ST							1.61		OUT CCRP LMTS HAGERSTOWN	2	24I	4,875
	SECONDARY	FAU	8003	U	14	UNDIVED	2.04		STRUCTURE #21C18 ANTIETAM CREEK			
	U						2.05		IN CORP LMTS FUNKSTOWN			
							2.19			2	40I	

\* A,B = UNIMPRDVED; C = GRADED & CRAINED; C,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 4CAL CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: E BALTO ST

PAGE..... 5  
DATE.....12/31/85  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM	STATE	FEDERAL	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
SECONDARY	U	FAU	8003 U 14	UNDIVIDED	NONE	2.26		2	42I	4,875
						2.36		2	43I	
						2.41		2	35I	
			8027			2.44		2	38I	
						2.49		2	35I	
						2.55		2	22I	
						2.69		2	24I	
	R	FAP	225 R 6			2.80				
						3.17	ISD070 OUT CORP LMTS FUNKSTOWN			
						5.08	M00741 NO NAME STRUC #21121			
						5.28	OLD NATIONAL PIKE			
						6.84	STRUC #21019 LANDIS SPRING BRANCH			
						7.19	STRUCTURE #21020 BEAVER CREEK			
	U					9.28	M00068 STRUCTURE #21021 BEAVER CREEK			
						9.28	LAPPANS RD			7,875
						9.72	IN CORP LMTS BOONSBORO			
						9.85	M00066 MAPLEVILLE RD	2	48I	
						9.91		2	46I	7,800
						10.04		2	48I	
						10.11		2	40I	
						10.32	M00034 POTOMAC ST	2	46I	
						10.59				
	R					10.82	OUT CORP LMTS BOONSBORO	2	24I	
						11.07	M00067 ROHRERSVILLE RD			
						11.12	M00858A OLD MC 67			7,600
						11.76				
						11.95		2	38I	
						12.79	FREDERICK CO/L	2	24I	
ROUTE NUMBER.....US 4DSC										
INVENTORY DIRECTION....EAST										
NAME: SCENIC US 40										
SECONDARY	R	NFA	R 9	UNDIVIDED	NONE	.00	M00903 MOUNTAIN RD (BACK)	2	36I	400
						.33	M00903B MOUNTAIN RD			
						5.15				
						5.45	M00144WB OLD US 40	2	24I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 48  
INVENTORY DIRECTION....EAST  
NAME: NATIONAL PIKE

PAGE..... 6  
DATE.....12/31/85  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANS	SURFACE WIDTH/TYPE*	AAOT		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL						
PRIMARY	R	FAP	100 R	2	DIVIOEO PART	.00	ALLEGANY CO/L	4	60I	9,950
						.00	STRUC #21047 SIDELING HILL CREEK			
						.62	STRUCTURE #21CC6 BEAR CREEK			
						.95				
						1.00	RAMP TO US 40SC	5	60I	
						1.54	M00903 MCUNTAIN RD			
						3.26	M00902 RICE RD			
						5.21	M00144WB WOODMONT RD			
						5.25				
						6.58	C00014 SANDY MILE RD STRUC #21071	4	48I	9,600
						8.04	C00749 CREEK RD STRUC #21C76			
						8.68		4	48J	3,484
						8.88	STRUCTURE #21C88			
						9.04	IS0070 NO NAME (AHEAD)			

ROUTE NUMBER.....MD 56  
INVENTORY DIRECTION....EAST  
NAME: BIG POOL RD

SECNDARY	R	NFA		R	8	UNDIVED NONE	.00	US0040 NATIONAL PIKE	2	I8H	275
							1.35		2	22I	
							1.48	IS0070 NO NAME STRUC#21096			
							1.88		2	I6J	400
							2.84		2	16H	
							4.40	STRUCTURE #21022 GREEN SPRING RUN			
							4.43		2	Y8I	
							4.98		2	16I	
							6.69		2	16H	375
							8.64	STRUC#21023 L CONCOCCHEAGUE CREEK			
							9.02		2	16I	
							9.47		2	22I	
							9.56	M00068 LAPPANS RD			

ROUTE NUMBER.....MD 57  
INVENTORY DIRECTION....NORTH  
NAME: ST PAULS CHURCH RD

SECNDARY	R	FAS	1043	R	7	UNDIVED NONE	.00	US0040 NATIONAL PIKE	2	24I	875
							4.06	M0C494 FAIRVIEW RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 58  
INVENTORY DIRECTION....EAST  
NAME: CEARFOSS PIKE

PAGE..... 7  
DATE.....12/31/85  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

STATE	SYSTEM	FEDERAL	CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
SECCNDARY	R	FAS	1047	R 7	UNOIVED NONE	.00	M00063 GREEN CASTLE PIKE			
					DIVIDED	.16		2	20I	4,600
						2.67		2	24I	
						3.09		4	48I	
	U	FAU	8002	U 14		3.22	IS0081 NO NAME STRUC #21C51	4	52I	
						3.25	IN CORP LMTS HAGERSTOWN			8,300
						3.49	MU2200 SALEM AVE (AHEAD)			

ROUTE NUMBER.....MD 6C  
INVENTORY DIRECTION....EAST  
NAME: POTOMAC AVE

SECCNDARY	U	FAP	221	U 14	UNOIVED NONE	.00	MU1810 NORTHERN AVE	3	44I	10,800
	R					.18	OUT CCRP LMTS HAGERSTOWN			
					DIVIDED	.26		2	24I	
					UNOIVED	.60		2	30I	
				R 6		.76		2	24I	
						1.83				
						1.96				
						4.05	STRUCTURE #21C24 MARSH RUN			8,800
						4.20		2	24J	8,700
						4.47	STRUCTURE #21C25 L ANTIETAM CREEK			
						4.87	M0C062 LEITERSBURG CHEWSVILLE RD	2	24I	
						5.29	M00060A MD 418 SPUR			
						5.39	M00418 LEITERSBURG RINGCLO RD			
						7.03				
						7.32	PENNSYLVANIA ST/L			4,575

ROUTE NUMBER.....MD 6CA  
INVENTORY DIRECTION....EAST  
NAME: MD 418 SPUR

SECCNDARY	R	NFA		R 9	UNOIVED NONE	.00	M00060 PCTOMAC AVE	1	16I	
						.12	M00418 LEITERSBURG RINGOLO RD			

ROUTE NUMBER.....MD 62  
INVENTORY DIRECTION....NORTH  
NAME: LEITERSBURG CHEWSVILLE RD

SECCNDARY	R	NFA		R 9	UNOIVED NONE	.00	M0C804E CLO MD 64	2	24I	1,725
						.02	R/R #80 831 826 H			
						.22		2	22I	

\* A,B = UNIMPROVED; C = GRADE & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 62 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: LEITERSBURG CHEWSVILLE RD

PAGE..... 8  
DATE.....12/31/85  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
....STATE....	..FEDERAL...	CLASS	CTL					
SECONDARY	R	NFA	R 8	UNDIVIDED NONE	.38 3.34 3.94	M0006D	STRUC#21D26 LITTLE ANTIETAM CREEK LEITERSBURG RD	2 22I 1,725

ROUTE NUMBER.....MD 63  
INVENTORY DIRECTION....NORTH  
NAME: WILLIAMSPORT SPIELMAN RD

SECONDARY	R	NFA	R 9	UNDIVIDED NONE	.00 .05 .48 1.44 2.61 3.92 6.44 6.55 6.60 6.77 8.11 8.33 8.71 9.21 9.77	M00065	SHARPSBURG PIKE	2 2 2 18I 18H 16H	600
			8				R/R #NW 469 324 B		
						MDD632	DOWNSVILLE PIKE R/R #CR S34 909 D	2 2 18H 241	1,100
						MOD843D	OLD MD 63		
						M00068	LAPPANS RD (AHEAD)		
						US0D11	E POTOMAC ST (BACK)		
	FAU	8D11	U 16				OUT CORP LMTS WILLIAMSPDRT		2,900
	FAS	104S	R 7				STRUCTURE #21058		
							STRUC #21057 R/R #B0 832 394 P		
							STRUCTURE #2106D	4 48I	3,000
				DIVIDED	10.02				
				UNDIVIDED	10.30	IS0D70	NO NAME STRUC #211D8	2 24I	4,200
					10.49				
					10.53	MOD843F	SERVICE RD 8		
					11.89	US0040	NATIONAL PIKE		
					12.19	MD0843I	NO NAME		
					12.69				3,300
					15.55	MD0494	FAIRVIEW RD		
					15.57	MDC058	CLEARFOSS AVE		
					17.15		PENNSYLVANIA ST/L		

ROUTE NUMBER.....MD 64  
INVENTORY DIRECTION....EAST  
NAME: N CLEVELAND ST

SECONDARY	R	FAU	8C02	U 14	UNDIVIDED NONE	.DD .59 .69 1.17	US0040	NATIONAL PIKE STRUCTURE #21026 L ANTIETAM CREEK OUT CORP LMTS HAGERSTOWN	2 24I	5,500
-----------	---	-----	------	------	----------------	---------------------------	--------	--	----------	-------

\* A,B = UNIMPRDVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 64 CONTINUED  
 INVENTORY DIRECTION.....EAST  
 NAME: N CLEVELAND ST

PAGE..... 9  
 DATE.....12/31/85  
 COUNTY-WASHINGTON  
 SHA DISTRICT.....6

....STATE....	SYSTEM	FEDERAL...	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPDIINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	R	FAP	226 U 14	UNOIVED	NDNE	1.68	STRUCTURE #21C28 ANTIETAM CREEK	2	24I	5,500
						3.28				10,950
						3.53				10,800
						4.13	M008048 OLD MD 64			
						4.37				
						4.90	M008048 OLD MD 64			7,700
						6.30				
						6.64				
						7.01	STRUCTURE #21D29 BEAVER CREEK			9,250
						7.92	MDC066 MAPLEVILLE RD			
			R 6			8.17	MDC844 CENTER LANE			7,500
						8.62	MDD077 FOXVILLE RD			
						8.69	MDD491 RAVEN ROCK RD			
						9.98	M00066 STRUC #21D59 R/R #80 831 821 A			
						11.16	MAPLEVILLE RD			
						12.56	MDD418 STRUCTURE #21D31			2,825
						12.75	LEITHERSBURG RINGOLD RD			
						13.50	PENNSYLVANIA ST/L			1,975

ROUTE NUMBER.....MD 65  
 INVENTORY DIRECTION.....NDRTH  
 NAME: N CHURCH ST

SECONDARY	U	FAP	221 R 6	UNDIVED	NDNE	.00	M00034 E MAIN ST	2	28I	4,750
						.05		2	30I	
						.10		2	24I	
						.15				
						5.73	MDD063 OUT CORP LMTS SHARPSBURG			
						6.80	MDD068 WILLIAMSPORT SPIELMAN RD			
						10.38	LAPPANS RD			5,200
						10.42				9,500
			U 14	DIVIDED		10.59	ISD07D NO NAME STRUC #21118			
						10.60				
						10.72		3	38I	11,400
						10.81		2	24I	
						11.13				
						11.80	IN CORP LMTS HAGERSTOWN			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 66  
 INVENTORY DIRECTION....NORTH  
 NAME: MAPLEVILLE RD

PAGE..... 10  
 DATE.....12/31/85  
 COUNTY-WASHINGTON  
 SHA DISTRICT.....6

SYSTEM		FUNC		HWY		ACCESS		MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL	CLASS	TYPE	CTL								
SECONDARY	U	FAS	1066	R	7	UNOIVED	NONE	.00	US0040AL NATIONAL PIKE	2	20H	3,500
	R							.36	OUT CORP LMTS BOONSBORO			
								1.15		2	20I	
								1.39		2	20H	
								1.80		2	22I	
								2.17		2	20I	
								3.26	STRUC #21033 LITTLE BEAVER CREEK			
								4.30	US0040 BALTO NATIONAL PIKE			
								4.74		2	24I	2,200
								5.12	STRUCTURE #21132 BLACKROCK RUN			
								5.20		4	76I	
						DIVIDED		5.26		4	48I	
								5.39	IS0070 NO NAME STRUC #21131			
						UNOIVED		5.52		4	76I	4,300
								5.61	M00910B NO NAME	2	24I	
								5.69	M00066A NO NAME			
								6.44		2	20I	
								6.91		2	22I	
								7.56	STRUCTURE #21032 BEAVER CREEK			
								9.18				3,300
								9.98				
	FAU	6031		U	16			10.41	M00064 SMITHSBURG PIKE	2	20I	4,250
	NFA				17			10.61	STRUCTURE #21045 BEAVER CREEK			
								10.96	R/R #80 831 816 C			
								11.04				3,100
								11.17	IN CORP LMTS SMITHSBURG			
					19			11.86	OUT CORP LMTS SMITHSBURG	2	18I	900
								12.81		2	20I	
								12.95	M00064 SMITHSBURG PIKE			

ROUTE NUMBER.....MD 66A  
 INVENTORY DIRECTION....NORTH  
 NAME: NO NAME

SECONDARY	R	NFA		R	9	UNOIVED	NONE	.00	ROAD END	2	10E	
								.02	M00066 MAPLEVILLE RD			

ROUTE NUMBER.....MD 67  
 INVENTORY DIRECTION....NORTH  
 NAME: ROHRERSVILLE RD

SECONDARY	R	FAP	223	R	6	UNOIVED	NONE	.00	USC340 JEFFERSON PIKE STRUC #21138	2	40J	2,650
-----------	---	-----	-----	---	---	---------	------	-----	------------------------------------	---	-----	-------

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 67 CONTINUED  
 INVENTORY DIRECTION....NORTH  
 NAME: ROHRERSVILLE RD

PAGE..... II  
 DATE.....12/31/85  
 COUNTY-WASHINGTON  
 SHA DISTRICT.....6

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED	SURFACE	AADT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL		LANES	WIDTH/TYPE*	
SECNDARY	R	FAP	223 R 6	UNDIVID	NONE			
				.02				
				.12		2	25I	2,650
				.17	STRUCTURE #21137	2	45J	
				.20				
				.25	MDD067C SOUTH CONNECTION	2	24I	
		233		1.67	MDD067E NORTH CONNECTION			
		223		2.11	MDD067F SCHOOL ENT			
		224		2.64				
		223		2.95				1,900
				4.02	MDD067C NO NAME			
				7.23	MDD858F OLD MD 67			
		233		7.78	STRUC#21072 LITTLE ANTIETAM CREEK			
		223		8.18	MDD858F OLD MD 67			3,750
		233		8.25	MDD067A NO NAME			
		223		10.13	STRUCTURE #21068 DOG CREEK			
				12.18	STRUCTURE #21067 BEAVER CREEK			
				12.33	USDD4DAL HAGERSTOWN FRED RD			

ROUTE NUMBER.....MD 67A  
 INVENTORY DIRECTION....EAST  
 NAME: NO NAME

SECONDARY	R	NFA	R 9	UNDIVID	NONE			
				.00	MDD858F OLD MD 67	2	I6H	
				.08	MDD067 ROHRERSVILLE RD			

ROUTE NUMBER.....MD 67B  
 INVENTORY DIRECTION....NORTH  
 NAME: NO NAME

SECNDARY	R	NFA	R 9	UNDIVID	NONE			
				.00	C00992 OLD MD 67	2	20H	
				.09	RCAD END			

ROUTE NUMBER.....MD 67C  
 INVENTORY DIRECTION....EAST  
 NAME: NO NAME

SECONDARY	R	NFA	R 9	UNDIVID	NONE			
				.00	MDD067 RCHRSVILLE RD	2	20I	
				.03	C00993 OLD MC 67			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 67D  
INVENTORY DIRECTION....EAST  
NAME: SCUTH CONNECTION

PAGE..... 12  
DATE.....12/31/85  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONCARY R NFA	R 9	UNDIVIDED	NONE	.00 .32	M00067 RCHRRERSVILLE RD C0C994 OLD MD 67	2	20I	
ROUTE NUMBER.....MD 67E INVENTORY DIRECTION....EAST NAME: NDRTH CONNECTION								
SECONCARY R NFA	R 9	UNDIVIDED	NONE	.00 .04	M00067 RCHRRERSVILLE RC C0D994 OLD MD 67	2	20I	
ROUTE NUMBER.....MD 67F INVENTORY DIRECTION....EAST NAME: SCHOOL ENT								
SECONCARY R NFA	R 9	UNDIVIDED	NONE	.00 .11	M00067 RDHRRERSVILLE RD RCAD END	2	22I	
ROUTE NUMBER.....MD 68 INVENTORY DIRECTION....EAST NAME: WMSPT CLEARSPRING RD								
SECONCARY R FAP 218	R 6	UNDIVIDED	NONE	.00 .08 .19 .47 .93 1.99 2.74 3.69 4.19 6.84 7.14 7.18 7.20 7.25 7.38	US0040 BALTO NATIONAL PIKE OUT CORP LMTS CLEARSPRING IS0070 NC NAME STRUC#21099 M00960 NC NAME M00056 STRUC #21035 CONOCHEAGUE CREEK BIG PCDL RD M00068UL PROPOSED R/R #B0 832 401 X US0011 STRUC #21036 CONOCHEAGUE CREEK IN CORP LMTS WILLIAMSPORT E POTCMAC ST	4 2	48I 24I	1,275
FAS 1044	7							
NFA	9					2	20I	1,200
FAS 8012	U 16	DIVIDED		8.19	US0011 OUT CORP LMTS WILLIAMSPORT	4	48I	3,000
FAS 1056	R 7	UNDIVIDED		8.36	IS0081 NO NAME STRUC #21077	2	24I	1,300
				8.50		2	24I	
				8.59	M00063 WILLIAMSPT SPIELMAN RD (BACK)			
				8.65	STRUC #21085 R/R #CR 534 908 W	2	20I	3,600
				10.38				

\* A,B = UNIMPROVED; C = GRADED & DRAINED; C,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 68  
 INVENTORY DIRECTION....EAST  
 NAME: WMSPT CLEARSPRING RD

CONTINUED

PAGE..... 13  
 DATE.....12/31/85  
 COUNTY-WASHINGTON  
 SHA DISTRICT.....6

SYSTEM	FLNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT	
SECCNCARY	R FAS 1056 R	7	UNDIVID NONE	10.56	MDD632 OCWNSVILLE PIKE	2	20I	3,600	
				12.04	R/R #NW 469 321 F				
				12.38					
				13.46	MDC065 SHARPSBURG PIKE			2,600	
				14.50					
				15.36	STRUCTURE #21037 ANTIETAM CREEK			1,700	
				15.40	STRUCTURE #21038 BEAVER CREEK				
				15.73	STRUCTURE #21039 BEAVER CREEK				
				16.98					
				18.66	USDD40AL HAGERSTOWN FRED RD			1,300	
ROUTE NUMBER.....MD 68UL INVENTORY DIRECTION....EAST NAME: PROPOSED									
SECCNDARY	R FAS 1044 R	7	UNDIVID NONE	.00	MDC068 WMSPT CLEARSPRING RD	2	24I		
				2.75	IN CORP LMTS WILLIAMSPORT				
ROUTE NUMBER.....IS 70 INVENTORY DIRECTION....EAST NAME: NO NAME									
PRIMARY	R FAI 70 R	1	DIVIDED FULL	.00	PENNSYLVANIA ST/L	4	48J	16,000	
				.63	USC048 NATIONAL PIKE STRUC#21088			23,000	
				.64	STRUCTURE #21087				
				.73	USD522A NO NAME				
	U			1.02	USC048 NATIONAL PIKE				
				1.04	IN CORP LMTS HANCOCK				
				1.15	STRUCTURE #21089				
				1.16	US0522 WARFORDSBURG RD STRUC#21090				
				1.30					
	R			1.40	MUD280 PENNA AVE STRUC#21091	5	60J		
				1.87	OUT CORP LMTS HANCOCK				
				1.95					
	U			2.21		6	72J		
				2.24	IN CORP LMTS HANCOCK	5	60J		
				2.80					
	R			2.91	OLT CCRP LMTS HANCOCK	4	48J		
				2.91	STRUCTURE #21092 TONOLCWAY CREEK				
				3.21	STRUCTURE #21063				
				3.28					
				3.59	MOC144WB OLO US 40	4	50I		

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 7C CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: NO NAME

PAGE..... 14  
DATE.....12/31/85  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL	CLASS	TYPE	CTL					
PRIMARY	R	FAI	7D R	1	DIVIDED	FULL			
					4.47	STRUCTURE #21D62	4	5DI	23,DCD
					5.93	STRUCTURE #21D61			
					6.76		4	48I	26,500
					9.26	USDD4D NATIONAL PIKE			
					9.49	STRUCTURE #21D93			
					9.78	STRUCTURE #21C94 LICKING CREEK			
					11.27	CODD64 ERNESTVILLE RD STRUC #21D95			
					12.12	MDDD56 BIG PCOL RD STRUC #21D96			27,700
					15.20	C00075 BCYD RD STRUC #21143			
					17.41	CODD91 BIG SPRING RD STRUC #21D98			
					17.85	MDDD68 WMSPR CLEARSPRING RD STRUC #21C99			
					18.62	COD818 ASHTON RD STRUC #211DD			
					19.2D	STRUCTURE #211D1			
					19.71	CODD88 ST PAUL RD STRUC #211D2			
					21.41	STRUC #211D4 MEADCW BROOK CREEK			
					21.63	COD758 RIDGE RD STRUC #21144			
					23.06	STRUC #211D6 CONOCOCHIEGUE CREEK			
					23.55	COD110 WALNUT PT RD STRUC #211D7			
					24.41	MDDD63 WILLIAMSPT SPIELMN RD STRUC#21108			
					25.1D	STRUC #211D9 CONOCOCHIEGUE CREEK			26,500
					25.5D	STRUC #21110 R/R #B0 832 39D M			
		U	11		NONE				
					25.62	COD473 HOPEWELL RD STRUC #21074			
					26.03	ISDC81 NC NAME STRUC #21073			
					26.38	USDD11 WILLIAMSPORT PIKE STRUC #21112			
					26.73	STRUC #21113 R/R #CR 534 9D4 U			
					27.03	COD453 BOWEN RD STRUC #21114			33,000
					28.11	MDD632 DOWNSVILLE PIKE STRUC #21115			
		R	1		FULL				
					28.64	STRUC #21117 R/R #NW 469 314 V			
					29.48	MDCD65 SHARPSBURG PIKE STRUC #21118			26,500
					29.53				
					29.66	STRUC #21119 R/R #B0 14D 612 G			
					3D.43	STRUCTURE #2112D ANTIETAM CREEK			
					31.02	USDD40AL HAGERSTOWN FRED RC STRUC #21121			
					31.69	COD343 BEAVER CREEK RD STRUC #21122			
					32.02		6	72I	
					32.1D	USDD4D NATIONAL PIKE STRUC #21123			29,300
					32.17		4	48I	
					32.68	STRUC #21125 LANDIS SPRING BRANCH			
					33.67	COD315 WHITEHALL RD STRUC #21126			
					34.65	STRUCTURE #21127 BEAVER CREEK			
					34.73	MDCD66 MAPLEVILLE RD STRUC #21131			3D,200
					35.39	STRUCTURE #21133 BLACK ROCK CREEK			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; C,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 7D CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: NO NAME

PAGE..... 15  
DATE.....12/31/85  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

.....STATE.....	SYSTEM ..FEDERAL...	FUNC CLASS	Hwy TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
PRIMARY	R FAI	70 R	1	DIVIDED FULL	35.51	C00345 BLACK ROCK RD STRUC #21134	4	48I	30,200
					36.05		5	60I	
					36.73	C00314 MT LENA RD STRUC #21135			
					38.43				
					38.71	US0040 BALTO NATIONAL PIKE STRUC #21136	6	72I	
					38.84	FREDERICK CO/L			
ROUTE NUMBER.....MO 77 INVENTORY DIRECTION....EAST NAME: FOXVILLE RD									
SECONDARY	R FAS	1060 R	7	UNDIVIDED NONE	.00	M00064 SMITHSBURG PIKE	2	24I	1,900
					.30		2	22I	
					2.57				
					3.10	FREDERICK CO/L			1,400
ROUTE NUMBER.....IS 81 INVENTORY DIRECTION....NORTH NAME: NO NAME									
PRIMARY	R FAI	81 R	1	DIVIDED FULL	.00	W VIRGINIA ST/L	4	60J	22,000
					.12	STRUCTURE #21078 POTOMAC RIVER			
					.23				
			U	11	.89	M00068 WMSPT CLEARSPRING RD STRUC #21077	4	48I	29,500
					2.37	US0011 WILLIAMSPORT PIKE STRUC #21083			28,900
					2.47	STRUCTURE #21082			
					3.63	STRUCTURE #21141			
					3.64	IS0070 NO NAME STRUC #21073			
					3.66	STRUCTURE #21142			20,200
					4.08	STRUCTURE #21080 SEMPLE RD			
					4.64	C00666 HALFWAY BLVD STRUC #21079			
					4.92	STRUC #21075 R/R #80 832 387 E			
					6.49	M00144WA WASHINGTON ST STRUC #21069			
					6.88	US0040 BALTO NATIONAL PIKE STRUC #21052			
					7.73	M00058 SALEM ST STRUC #21051			34,600
					8.11	C00817 MAUGANVILLE RD STRUC #21055			38,500
				NONE	8.30	STRUC #21056 R/R #CR 534 890 N			
					9.62	C00146 MAUGANS AVE STRUC #21053			
				FULL	10.45	C00140 SHOWALTER RD STRUC #21054			20,100
					12.12	PENNSYLVANIA ST/L			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 144WA  
INVENTORY DIRECTION....EAST  
NAME: OLD US 40

PAGE..... 16  
DATE.....12/31/85  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
SECCNDARY	R NFA	U 17	DIVIDED NONE	.00	US0040 NATIONAL PIKE	2	32I	4,000
			UNDIVID	.06		2	24I	
				1.31	IS0081 NC NAME STRUC #21C69			
				1.93	C0D477 PARK AVE			

ROUTE NUMBER.....MD 144WB  
INVENTORY DIRECTION....EAST  
NAME: OLD US 40

SECCNDARY	R FAS 1028	R 7	UNDIVID NONE	.00	US0048 NATIONAL PIKE	2	28I	1,275
				.04	US0040SC SCENIC US 40	2	24I	
				.25	STRUC #210D7 L TONOLOWAY CREEK			
				.44		2	22H	
				2.65		2	24H	
	U			2.96	IN CORP LMTS HANCCCK			
				3.02		2	24I	
				3.33		2	41I	
				3.47	USD522 WARFORDSBURG RD STRUC#21124			11,175
				3.48	STRUCTURE #21CC8 TONOLOWAY CREEK			
				3.50	M0D894 RCUND TOP RD			
				3.57	USD522C NO NAME			
				3.66		2	40I	
				3.86		2	36I	
				3.97		2	32I	
				4.02		2	30I	
				4.46		2	40I	
				4.58		2	24I	
	R			4.69	OUT CCRP LMTS HANCOCK			
				5.13	STRUCTURE #21CC9 TONOLOWAY CREEK			
				5.71		2	19I	
				5.78	IS0070 NO NAME			

ROUTE NUMBER.....MD 18CA  
INVENTORY DIRECTION....NORTH  
NAME: OLD US 340

SECCNDARY	R NFA	R 9	UNDIVID NONE	.00	C0C995 JEFFERSON PIKE	2	20H	
				.04	ROAD END			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 34C  
INVENTORY DIRECTION....EAST  
NAME: NO NAME

PAGE..... 17  
DATE.....12/31/85  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL	9	NONE	.00	USD340 JEFFERSON PIKE	2	18H	175
SECONDARY	R NFA	9	UNDIVIDED	.09	C0D626 SANDY HOOK RD			
ROUTE NUMBER.....US 34C INVENTORY DIRECTION....EAST NAME: JEFFERSON PIKE								
PRIMARY	R FAP 104	2	UNDIVIDED	.00	BEG BRIDGE IN W VIRGINIA	2	26J	9,897
				.02	W VIRGINIA ST/L			
				.02	STRUCTURE #21041			
			PART	.42	R/R #B0 141 358 K			
				.43				
			DIVIDED	.45	M0D340 NC NAME	2	34I	
				.64				
				1.58	M0D067 ROHRERSVILLE RD STRUC#21138	4	48I	
				1.74				
				1.77	STRUC #21034 R/R #B0 140 531 G	4	54I	
				1.81				
				1.91		4	60I	
				2.31	FREDERICK CO/L	4	48I	
ROUTE NUMBER.....MD 418 INVENTORY DIRECTION....EAST NAME: LEITERSBURG RINGOLC RD								
SECONDARY	R FAS 1062	7	UNDIVIDED	.00	M0D060 LEITERSBURG RD	2	24I	3,100
	NFA	9		.03	M0D060A MC 418 SPUR			
				2.81	M0D064 SMITHSBURG PIKE			3,300
				2.88	M0C8460 NC NAME			
				4.69	PENNSYLVANIA ST/L			
ROUTE NUMBER.....MD 491 INVENTORY DIRECTION....NORTH NAME: RAVEN ROCK RD								
SECONDARY	R FAS 1061	7	DIVIDED	.00	M0C064 SMITHSBURG PIKE	2	30I	2,100
			UNDIVIDED	.08		2	24I	
				1.22	STRUC#21086 LITTLE ANTIETAM CREEK			
				4.78	FREDERICK CO/L			
	1064			4.79	FREDERICK CO/L			1,900
				5.02				
				5.17	M0C550 FORT RITCHIE RD	2	22I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MO 494  
INVENTORY DIRECTION....EAST  
NAME: FAIRVIEW RD

PAGE..... 18  
DATE.....12/31/85  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

....STATE....	SYSTEM ..FEDERAL...	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	R FAS	IC43 R	7	UNOIVED	NONE	.00 PENNSYLVANIA ST/L	2	24I	1,000
		IC46				.86 MO0057 ST PAULS CHURCH RC			725
						3.66 STRUC #21042 CONOCOCCHEAGUE CREEK			
						6.72	2	18I	1,950
						6.86	2	24I	
						6.90 MO0063 GREENCASTLE PIKE			

ROUTE NUMBER.....US 522  
INVENTORY DIRECTION....NORTH  
NAME: WARFORDSBURG RD

SECCNOARY	R FAP	217 R	6	UNOIVED	NONE	.00 BEGIN STRUCTURE IN W VIRGINIA	2	24J	6,643
						.13 W VIRGINIA ST/L			
						.13 STRUCTURE #21C43 POTOMAC RIVER			
	U					.31 IN CORP LMTS HANCOCK			
						.46 R/R #80 832 432 W			
						.54 US0522B NC NAME			
						.63 MO0I44WB OLD US 40 STRUC#21I124			
						.66 MO0894 ROUND TOP RD			
						.69	2	39J	4,700
				DIVIOED		.70	2	28J	
						.72 US0522C NO NAME	3	36J	
						.81 MO0894 ROUNOTOP RD	4	52J	
						.87	4	42J	
						I.19	4	46I	
						I.21 IS0070 NC NAME STRUC #21C89			
				UNOIVED		I.24 US0522A NO NAME	2	26J	
						I.38 IS0070 NC NAME			

ROUTE NUMBER.....US 522A  
INVENTORY DIRECTION....SOUTH  
NAME: NO NAME

SECONDARY	U NFA		R 9	UNOIVED	NONE	.00 IS0070 NO NAME	2	16J	
						.44 US0522 WARFORDSBURG RD			

ROUTE NUMBER.....US 522B  
INVENTORY DIRECTION....EAST  
NAME: NO NAME

SECONDARY	U NFA		R 9	UNOIVED	NONE	.00 MO0I44WB OLD US 40	2	22J	
						.14 US0522 WARFORDSBURG RD			

\* A,B = UNIMPROVED; C = GRADEC & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 522C  
 INVENTORY DIRECTION....WEST  
 NAME: NO NAME

PAGE..... 19  
 DATE.....12/31/85  
 COUNTY-WASHINGTON  
 SHA DISTRICT.....6

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AA DT
SECONDARY	U NFA	R 9	NONE	.00	MDD144WB OLD US 4D			
				.08	MDC735 HIGH ST	2	4DI	
				.17				
				.19		4	36I	
				.20	USD522 WARFORDSBURG RD	4	4DI	

ROUTE NUMBER.....MD 55G  
 INVENTORY DIRECTION....NORTH  
 NAME: FORT RITCHIE RD

SECONDARY	R FAS 1063	R 7	NONE	.00				
				.05	FREDERICK CO/L	2	2DI	3,325
				.11		2	24I	
				.19		2	22I	
				.29		2	2DI	
				.34		2	21I	
	1064			.99		2	2DI	
				1.44	MDD491 MC AFEE HILL RD	2	22I	
				1.67	R/R #80 831 799 N			
				1.84		2	21I	
				1.89		2	22I	
				1.91		2	3DI	
				1.92	STRUC #21040 R/R #80 831 800 F			
				2.05	C00781 PENNSVILLE RD (AHEAD)	2	24I	

ROUTE NUMBER.....MD 615  
 INVENTORY DIRECTION....NORTH  
 NAME: TIMBER RIDGE RD

SECONDARY	R NFA	R 9	NONE	.00				
	FAS 1040	7		.39	BEG STATE MAINT @RAMP 7 FR I-70	2	24I	400
				.53				
	NFA	9		1.80		2	2DI	
				1.93				
				1.99		2	18I	
				4.05		2	16H	
				4.35	PENNSYLVANIA ST/L	2	14H	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; C,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 632  
INVENTORY DIRECTION....NORTH  
NAME: DOWNSVILLE PIKE

PAGE..... 20  
DATE.....12/31/85  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
SECONDARY	R NFA	R 8	UNDIVIDED NONE	.00	MDD63 WMSPORT SPIELMAN RD	2	36I	1,900
				.17		2	24H	
				.22		2	24I	
	FAS 1055	7	DIVIDED	2.26	MDD68 LAPPANS RD			4,100
				4.84		3	36I	
	FAU 8007	U 16	UNDIVIDED	4.97	IS007D NO NAME STRUC #21115			11,000
				5.17		2	24I	
				5.48		3	36I	
				5.60		2	24I	
				5.74	R/R #NW 47D 733 P			
				5.95	IN CORP LMTS HAGERSTOWN			
				6.20		2	22I	
				6.77	MUD67D DOWNSVILLE PIKE			
				6.77	MU1552 MARYLAND AVE #2 (AHEAD)			

ROUTE NUMBER.....MD 735  
INVENTORY DIRECTION....EAST  
NAME: HIGH ST

SECONDARY	U NFA	R 9	UNDIVIDED NONE	.37	MU017D HIGH ST (BACK)	2	20I	175
				.46	US0522C NO NAME			

ROUTE NUMBER.....MD 741  
INVENTORY DIRECTION....NORTH  
NAME: OLD NATIONAL PIKE

SECONDARY	R NFA	R 9	UNDIVIDED NONE	.00	US0040DAL NATIONAL PIKE	2	20H	175
				.10	ROAD END			

ROUTE NUMBER.....MD 8049  
INVENTORY DIRECTION....EAST  
NAME: OLD MD 64

SECONDARY	R NFA	U 19	UNDIVIDED NONE	.00	MDD64 SMITHSBURG PIKE	2	24I	175
				.04		2	20I	
				.19	MDD62 LEITERSBURG CHEWSVILLE RD	2	28I	
		R 9		.46		2	24I	
				.57		2	20I	
			DIVIDED	.79		2	32I	150
				.80	MDD64 SMITHSBURG PIKE			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; C,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 905B  
 INVENTORY DIRECTION.....NORTH  
 NAME: OLD LEITERSBURG RD

PAGE..... 21  
 DATE.....12/31/85  
 COUNTY-WASHINGTON  
 SHA DISTRICT.....6

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEP DINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AA DT
.....STATE.....	..FEDERAL...							
SECONDARY	R NFA	R 9	UNDIVIDED NONE	.DD .12 .14	CDD232 ROCKY FUDGE RD ROAD END	2 2	18H 2DH	150
ROUTE NUMBER.....MD 943B INVENTORY DIRECTION.....NDRTH NAME: OLD MD 63								
SECONDARY	R NFA	R 9	UNDIVIDED NONE	.DD .12	DPD104 C0097D NC NAME OLD MD 63 (AHEAD)	2	20H	300
ROUTE NUMBER.....MD 943D INVENTORY DIRECTION.....NORTH NAME: OLD MD 63								
SECONDARY	R NFA	R 9	UNDIVIDED NONE	.DD .16	MDD063 GREENCASTLE PIKE ROAD END	2	18H	75
ROUTE NUMBER.....MD 843F INVENTORY DIRECTION.....NDRTH NAME: SERVICE RD B								
SECONDARY	U NFA	U 19	UNDIVIDED NONE	.DD .05	MDD063 RCAD END GREENCASTLE PIKE	2	16G	
ROUTE NUMBER.....MD 843I INVENTORY DIRECTION.....EAST NAME: NO NAME								
SECONDARY	R NFA	R 9	UNDIVIDED NONE	.DD .04	MDD063 C0D967 GREENCASTLE PIKE OLD MC 63	2	2DI	
ROUTE NUMBER.....MD 844 INVENTORY DIRECTION.....EAST NAME: CENTER LA								
SECONDARY	R NFA	U 19 R 9	UNDIVIDED NONE	.83 .92 1.05 1.12	MDD064 SMITHSBURG PIKE STRUCTURE #21C49 BEAVER CREEK RCAD END	2	12H	600

\* A,B = UNIMPRDVED; C = GRADED & DRAINED; C,E = SOIL, GRAVEL, STONE; F,G = LCW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLDCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
. BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 845A  
INVENTORY DIRECTION....NORTH  
NAME: OLD MD 34

PAGE..... 22  
DATE.....12/31/85  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE#	AADT
STATE	FEDERAL	CLASS	TYPE	CTL					
SECCNDARY	U NFA	R 9	UNDIVID	NONE	.00	MDD034 BOONSBORO SHEPHERD RD	2	24H	575
					.05		2	30I	
					.08		2	32I	
					.12		2	27I	
					.18		2	22I	
					.24		2	26I	
					.29		2	24I	
					.35		2	30I	
					.50		2	32I	
					.57	STRUCTURE #21004 L ANTIETAM CREEK			
					.58		2	26I	
					.61		2	32I	
					.66		2	42I	
					.67		2	27I	
					.88		2	30I	
					.93		2	32I	
					1.00		2	24I	
					1.16	MDD034A NORTH MAIN ST			
					1.25	MDD034 BOONSBORO SHEPHERD RD			

ROUTE NUMBER.....MD 846B  
INVENTORY DIRECTION....EAST  
NAME: OLD MD 418

SECCNDARY	R NFA	R 9	UNDIVID	NONE	.00	ROAD END	2	18H	50
					.06	MDD846C NO NAME			
					.10	RCAD END			

ROUTE NUMBER.....MD 846D  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

SECCNDARY	R NFA	R 9	UNDIVID	NONE	.00	MDC846B OLD MD 418	2	18F	
					.04	MDD418 MIDVALE RD			

ROUTE NUMBER.....MD 847C  
INVENTORY DIRECTION....NORTH  
NAME: OLD MD 64

SECCNDARY	R NFA	R 9	UNDIVID	NONE	.00	COD243 WELTY CHURCH RC	2	16I	75
					.14	ROAD ENC			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 858A  
INVENTORY DIRECTION....EAST  
NAME: OLD MD 67

PAGE..... 23  
DATE.....12/31/85  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

STATE	SYSTEM	FEDERAL	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
SECONDARY	R	NFA	R 9	UNDIVIDED	NONE	.00 .07	ROAD END US004DAL HAGERSTOWN FRED RD	2	20H	50
ROUTE NUMBER.....MD 858E INVENTORY DIRECTION....NORTH NAME: OLD MD 67										
SECONDARY	R	NFA	R 9	UNDIVIDED	NONE	.65 .73 1.12	COD990 OLD MD 67 (BACK) ROAD END	2 2	22H 24H	200
ROUTE NUMBER.....MD 858F INVENTORY DIRECTION....NORTH NAME: OLD MD 67										
SECONDARY	R	NFA	R 9	UNDIVIDED	NONE	.00 .13 .35 .38 .44 .74 .75 .80 .96 .98 1.02	MDD067 ROHRERSVILLE RD     STRUCTURE #21C47 L ANTIETAM CREEK  MDD067A NO NAME MDD067 ROHRERSVILLE RD	2 2 2 2 2 2 2	24I 20H 22H 34H 24H 16H 22H 24I	450
ROUTE NUMBER.....MD 858G INVENTORY DIRECTION....NORTH NAME: OLD MD 67										
SECONDARY	R	NFA	R 9	UNDIVIDED	NONE	.22 .55	COC991 OLD MD 67 (BACK) ROAD END	2	18H	50
ROUTE NUMBER.....MD 878 INVENTORY DIRECTION....NORTH NAME: OLD MD 58										
SECONDARY	U	NFA	U 19	UNDIVIDED	NONE	.00 .05 .11	MUC235 BROADFORDING RD ROAD END	2 2	20I 20H	50

\* A,B = UNIMPROVED; C = GRADED & CRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 894  
INVENTORY DIRECTION....NORTH  
NAME: ROUNDTOP RD

PAGE..... 24  
DATE.....12/31/85  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AAOT		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL			LANES	WIDTH/TYPE*			
SECONDARY	U	NFA	R	9	UNDIVIDED	NONE	.00	MDO144WB OLD US 40	2	28I	225
							.04	USD522 WARFORDSBURG RD STRUC #21124			
							.06		4	46I	
							.10		2	2DI	
							.14		2	18I	
							.53		2	1DI	
							.64	ROAD END			

ROUTE NUMBER.....MD 902  
INVENTORY DIRECTION....NORTH  
NAME: RICE RD

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.35	C000I1 RICE RD (BACK)	2	22I	.200
							.51	USDD48 NATIONAL PIKE			
							.72	C00DI1 RICE RD (AHEAD)			

ROUTE NUMBER.....MD 903  
INVENTORY DIRECTION....SOUTH  
NAME: MOUNTAIN RD

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.12	C00DD6 MCOUNTAIN RD (BACK)	2	22I	200
							.86	M00905 BOTTENFIELD RD			
							.91	USDD48 NATIONAL PIKE			
							1.16	USDD4DSC SCENIC US 40 (AHEAD)			

ROUTE NUMBER.....MD 903B  
INVENTORY DIRECTION....EAST  
NAME: MOUNTAIN RD

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	1.01	C00D02 MCOUNTAIN RD (BACK)	2	22I	200
							1.08	M00903C MOUNTAIN RD			
							1.31	USDD4DSC SCENIC US 40			

ROUTE NUMBER.....MD 903C  
INVENTORY DIRECTION....SOUTH  
NAME: MOUNTAIN RD

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	C01DD0 MCOUNTAIN RD (BACK)	2	22I	200
							.05	MDC903B MOUNTAIN RD	2	2DI	
							.08	C01DD1 MOUNTAIN RD (AHEAD)			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS


STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 905  
 INVENTORY DIRECTION....NORTH  
 NAME: BOTTENFIELD RD


PAGE..... 25  
 DATE.....12/31/85  
 COUNTY-WASHINGTON  
 SHA DISTRICT.....6

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
.....STATE.....	..FEDERAL...							
SECONDARY	R NFA	R 9	UNDIVIDED NONE	.00	MDD9D3 MCUNTAIN RD	2	22I	200
				.34	MDD9D5A NO NAME			
				.37	C00007 BOTTENFIELD RD (AHEAD)			
ROUTE NUMBER.....MD 905A INVENTORY DIRECTION....WEST NAME: NO NAME								
SECONDARY	R NFA	R 9	UNDIVIDED NONE	.00	MDD905 BOTTENFIELD RD	2	12I	200
				.02	C0D998 NO NAME (AHEAD)			
ROUTE NUMBER.....MD 910B INVENTORY DIRECTION....NORTH NAME: NO NAME								
SECONDARY	R NFA	R 9	UNDIVIDED NONE	.00	MDDD66 MAPLEVILLE RD	2	16F	125
				.12		2	18J	
				.15	ROAD END			
ROUTE NUMBER.....MD 960 INVENTORY DIRECTION....WEST NAME: NO NAME								
SECONDARY	R NFA	R 9	UNDIVIDED NONE	.00	MDDD68 WMSPT CLEARSPRING RD	2	12E	
				.08		2	14F	
				.13	ROAD END			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK



**WICOMICO  
COUNTY**



DELAWARE

WICOMICO COUNTY



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 12  
INVENTORY DIRECTION....NORTH  
NAME: SALISBURY-SNOW HILL RD

PAGE..... 1  
DATE.....12/31/85  
COUNTY-WICOMICO  
SHA DISTRICT.....1

STATE	SYSTEM	FEDERAL	CLASS	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	R	FAP	320	R 6	UNDIVID	NONE	.00	WORCESTER CO/L	2	22I	3,700
							.52				3,350
					DIVIDED		3.89		2	23I	
							4.24		2	50I	
		FAU	8603	U 14			4.62	USDD13 OCEAN HWY			
					UNDIVID		4.63		4	50I	6,250
							4.90		2	48I	
							4.99		2	22I	
	U						5.71	IN CORP LMTS SALISBURY			
	R						5.88	OUT CORP LMTS SALISBURY			
							6.53	IN CORP LMTS SALISBURY			
							7.22	STRUCTURE #22C38 BEAVER DAM CREEK			
							7.26	MU1632 MAIN ST			

ROUTE NUMBER.....US 13  
INVENTORY DIRECTION....NORTH  
NAME: OCEAN HWY

STATE	SYSTEM	FEDERAL	CLASS	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
PRIMARY	R	FAP	129	R 2	DIVIDED	PART	.00	SOMERSET CO/L	4	48I	15,225
						FULL	.00	STRUCTURE #19CD1 PASSERDYKE CREEK			
							.55	USDD13BU OCEAN HWY			
							1.02	USDD13BU OCEAN HWY STRUC #22031			
							2.21	COD172 MEADOW BRIDGE RD STRUC #22D42			
							2.73	MDD513 ST LUKES LA STRUC #22D41			
							4.14	COD729 COLBOURNE MILL RD STRUC#22D37			
							5.35	MDD12 SALISBURY SNOW HILL STRUC #22D40			
							6.61	COG243 JOHNSON RD STRUC #22D35			
							7.45	STRUCTURE #22C36 PARKER POND			
							7.87	MDD35D MT HERMON RD STRUC #22D24			
							8.74	USDD50 THE OCEAN GATEWAY STRUC #22033			
							9.11	MDC346 OLD OCEAN CITY RD STRUC #22D32			11,100
							9.50	STRUCTURE #22C31			
							9.50	R/R #CR 53D 466F			
					UNDIVID		11.41	COG406 ZION RD STRUC #22C34			
					DIVIDED		11.57				
						NONE	12.00	USDD13BU OCEAN HWY	1	15I	
							12.10		2	72I	6,675
							12.65		4	48I	
							13.61				
							13.91	MDD675B STRUCTURE #22CD2 LEONARD POND	4	48J	23,860
							15.89	MDC054 MARKET ST			
							15.89	DELMAR RD			16,950
							15.89	DELAWARE ST/L			

\* A,B = UNIMPROVED; C = GRADED & CRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 13A  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

PAGE..... 2  
DATE.....12/31/85  
COUNTY-WICOMICO  
SHA DISTRICT.....1

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED	SURFACE	AADT				
....STATE....	..FEDERAL...	CLASS	TYPE	CTL		LANES	WIDTH/TYPE*					
SECONDARY	R	FAU	8601	U	16	DIVIDED	NONE	.00	USCD13BU OCEAN HWY	2	34J	357
								.03	C00728 DISHRCON RD			

ROUTE NUMBER.....US 13BU  
INVENTORY DIRECTION....NORTH  
NAME: OCEAN HIGHWAY

SECONDARY	R	FAP	317	R	6	UNDIVIDED	PART	.00	USDD13 OCEAN HWY (BACK)	1	12I.	9,800
								.07				15,784
								.12		2	24I	9,800
								.43	USDD13 OCEAN HWY STRUC #22D43			
						DIVIDED		.87	USDD13A NC NAME	4	48I	
	U			U	14		NONE	1.31	IN CORP LMTS FRUITLAND			
								2.64	E CEDAR LA			
								2.67	OUT CORP LMTS FRUITLAND			
	R							2.69				
								3.02	STRUCTURE #22C05 TONYTANK POND			
	U							3.03	IN CORP LMTS SALISBURY			
	R							3.09	OUT CORP LMTS SALISBURY			
	U							4.07	IN CORP LMTS SALISBURY			
								4.17		4	46I	
						UNDIVIDED		4.87		4	56I	
						DIVIDED		5.06		4	46I	
								5.39		4	48I	
								5.42	STRUCTURE #22C04			
								5.60	USDD50 THE OCEAN GATEWAY STRUC #22D26			25,500
								5.90	R/R #CR 53D 498 L			
								6.60	STRUC #22D03 R/R #CR 53D 216 T			
								6.63		4	62I	
								6.79		4	60I	
								7.15		4	54I	
	R							7.29	OUT CORP LMTS SALISBURY			
								7.76		4	48I	
				R	2			8.01	USDD13 OCEAN HWY STRUC #22D21			
								8.38	USDD13 OCEAN HWY (AHEAD)			

ROUTE NUMBER.....US 5C  
INVENTORY DIRECTION....EAST  
NAME: THE OCEAN GATEWAY

PRIMARY	R	NFA		R	8	UNDIVIDED	NONE	.00	DORCHESTER CO/L	2	30I	14,800
								.00	STRUCTURE #90C7 NANTICOKE RIVER			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 50 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: THE OCEAN GATEWAY

PAGE..... 3  
DATE.....12/31/85  
COUNTY-WICOMICO  
SHA DISTRICT.....1

STATE	SYSTEM	FEDERAL	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
PRIMARY	R	NFA	R 8	UNOIVED	NONE	.10				
						.34				
						.51	STRUCTURE #22006 VIENNA SWAMP	2	24I	14,800
						1.79	STRUCTURE #22007 VIENNA SWAMP			
		FAP 130	2	DIVIDED		1.83		4	24I	
						1.88		2	24I	
	U					3.65		4	48I	
						4.38	IN CORP LMTS MARDELA SPRINGS			
						4.51	SHARPTOWN-MARDELA ST			
	R					4.58				11,500
						4.64	OUT CORP LMTS MARDELA SPRINGS			
						9.25	STRUCTURE #22008 BARREN CREEK			
						10.39	QUANTICO RD			15,100
		316	6			12.00	LILLIAN ST			
						14.37				
	U					14.75				20,200
						14.80		6	68J	
						14.80	IN CORP LMTS SALISBURY			
			U 14		PART	14.87	R/R #MOOT 530 504 M			
						14.87	MAIN ST	6	72J	24,300
						15.33	R/R #CR 530 488 F			
						15.50	STRUCTURE #22028 WICOMICO RIVER			
						15.59				25,700
						15.88				
						15.99	OCEAN HWY STRUC #22026	4	54J	
						16.06	STRUC #22027 R/R #CR 530 221 P			
						16.25				
						16.78	M00346 E MAIN ST	6	72J	20,200
						16.83				
						16.90				
						17.07		5	60I	23,300
	R					17.10		5	48I	
						17.10		4	48I	
						19.29	OUT CORP LMTS SALISBURY			
		130 R 2				19.36	SALISBURY BYPASS STRUC#22033			15,275
						23.81				
						25.16	M009928 SERVICE RD			
						25.68				14,700
						26.55				
	U					29.34	M009920 SERVICE RD			
						29.34	IN CORP LMTS WILLAROS			
						29.45	WHITON RD			
	R					30.04	OUT CORP LMTS WILLAROS			14,060
						30.44	STRUCTURE #22030 MURRAY BRANCH			
						30.94	WORCESTER CO/L			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LCW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 5C CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: THE OCEAN GATEWAY

PAGE..... 4  
DATE.....12/31/85  
COUNTY-WICOMICO  
SHA DISTRICT.....1

STATE	SYSTEM	FEDERAL	CLASS	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
PRIMARY	R	FAP	13D	R	2	DIVIDED PART	3D.94	STRUCTURE #220D1 PCCOMOKE RIVER	4	48I	14,060

ROUTE NUMBER.....US 5DUL  
INVENTORY DIRECTION....EAST  
NAME: PROPOSED

SECONDARY	R	FAP	13D	R	2	DIVIDED NONE	.00	DORCHESTER CO/L	4	48I	1,024
							1.83	USDD5D			
							12.00	USDD5D			
				U	12		12.65	COD416			
							15.85	USDD13			

ROUTE NUMBER.....MD 54  
INVENTORY DIRECTION....EAST  
NAME: DELMAR RD

SECONDARY	R	NFA		R	8	UNDIVIDED NONE	.00	MDD313	SHARPTOWN-MARDELA ST	2	24I	1,000
							.15			2	22I	
							.71			2	24I	
							1.12			2	22I	
							2.25					925
							2.33		STRUCTURE #22022			
							3.29		DELAWARE ST/L			
							9.59		DELAWARE ST/L	2	31I	4,225
	U						9.66		IN CORP LMTS DELMAR			
							9.81		R/R #CR 53D 210 C			
		FAS	1344		7		10.03	MDD6750	BI-STATE BLVD			
							10.55			2	24I	
	R						10.57		OUT CORP LMTS DELMAR			
						DIVIDED	10.86			2	32I	
							10.92	USDD13	OCEAN HWY			
							10.92		BEG DELAWARE MAINTENANCE			
						UNDIVIDED	15.15		END DELAWARE MAINTENANCE	2	23I	
							19.99	MDD353	PITTSVILLE RD			

ROUTE NUMBER.....MD 313  
INVENTORY DIRECTION....NORTH  
NAME: SHARPTOWN-MARDELA ST

SECONDARY	R	FAS	1337	R	7	DIVIDED NONE	.00	USDD5D	THE OCEAN GATEWAY	2	27I	1,400
						UNDIVIDED	.02			2	20I	
							.12	MDD054	DELMAR RD	2	50I	1,100

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 313  
INVENTORY DIRECTION....NORTH  
NAME: SHARPTOWN-MARDELA ST

CONTINUED

PAGE..... 5  
DATE.....12/31/85  
COUNTY-WICDMICO  
SHA DISTRICT.....I

.....STATE.....	SYSTEM ..FEDERAL...	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	R FAS 1337	R 7	UNDIVID	NONE	.18				
	NFA	8			.20		2	36I	1,100
					4.66		2	22I	
	U				5.07	STRUCTURE #22D13 PLUM CREEK			
					5.71	IN CORP LMTS SHARPTOWN			
					5.99				
	R				6.08	MOD313 SHARPTOWN RD			1,900
					6.52	OUT CCRP LMTS SHARPTOWN			
					6.58	STRUCTURE #22C12 NANTICOKE RIVER			
					6.58	DORCHESTER CO/L			

ROUTE NUMBER.....MD 313UL  
INVENTORY DIRECTION....EAST  
NAME: PROPOSED

SECONDARY	R FAS 1337	R 7	UNDIVID	NONE	.00	MDC313 SHARPTOWN-MARDELA ST	2	24I	2,254
					2.20	DORCHESTER CO/L			

ROUTE NUMBER.....MD 346  
INVENTORY DIRECTION....EAST  
NAME: EAST MAIN ST

SECONDARY	R FAU 8602	U 16	UNDIVID	NONE	.00	USC050 THE OCEAN HIGHWAY			
					.67	OUT CCRP LMTS SALISBURY	2	24I	6,200
					1.60				6,700
	FAS 1348	R 7			1.95				
					2.47	USDDI3 SALISBURY BYPASS STRUC#22032	2	25I	
					3.56				
					3.64		2	27I	
	U				6.57		2	25I	
	R				8.86	IN CORP LMTS PITTSVILLE	2	24I	
					9.37	MDD353 DELAWARE AVE			
					10.84	OUT CCRP LMTS PITTSVILLE			2,300
	U				12.65	IN CORP LMTS WILLARDS			
					12.94	MDD354 WHITON-SNOWHILL RD			
					13.60	OUT CCRP LMTS WILLARD			
	R				13.73	STRUCTURE #22D10 BURNT MILL			
					14.46	WORCESTER CO/L			
					14.46	STRUCTURE #22011 PKKOMOKE RIVER			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SCIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 347  
INVENTORY DIRECTION....NORTH  
NAME: QUANTICO RD

PAGE..... 6  
DATE.....12/31/85  
COUNTY-WICOMICO  
SHA DISTRICT.....1

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AADT			
STATE	FEDERAL	CLASS	TYPE	CTL			LANES	WIDTH/TYPE*				
SECONDARY	R	NFA	R	9	UNDIVED	NONE	.00	M00349	SALISBURY-NANTICOKE RD	2	22I	725
		FAS	1341	7			.78					
							1.02		STRUCTURE #22C14 QUANTICO CREEK	2	20I	
							1.28			2	28I	
							1.33			2	20I	
							1.52			2	22I	
	U						5.22		IN CORP LMTS HEBRON			
							5.30			2	35I	1,100
							5.65			2	33I	
							5.72			2	35I	
							5.76		R/R #M00T 530 512 E			
							5.77			2	30I	
							5.81			2	31I	
		NFA		8			5.88	M00670	E LILLIAN ST	2	30I	
							5.96			2	25I	
	R						6.14		OUT CCRP LMTS HEBRON	2	27I	
							6.23			2	24I	
							6.92	US0050	THE OCEAN GATEWAY			

ROUTE NUMBER.....MD 348  
INVENTORY DIRECTION....EAST  
NAME: MAIN ST

SECONDARY	U	NFA	R	8	UNDIVED	NONE	.00	M00313	SHARPTOWN-MARDELA ST	2	28H	1,400
							.27			2	24I	
	R						.33		OUT CCRP LMTS SHARPTOWN			
		FAS	1340	7			.51					
							1.73		DELAWARE ST/L			

ROUTE NUMBER.....MD 349  
INVENTORY DIRECTION....EAST  
NAME: SALISBURY-NANTICOKE RD

SECONDARY	R	NFA	R	9	UNDIVED	NONE	.00		ROAD END	2	16I	700
							.40			2	23I	
		FAS	1342	7			1.29					
							1.64			2	22I	
							3.16		STRUCTURE #22C15 WINDSOP CREEK			
							6.04					1,400
		FAP	318	6			7.58	M00352	CAPITCLA-WHITE HAVE RD			1,600
							15.14	M00347	QUANTICO RD			
							15.77	M00352	CAPITCLA-WHITE HAVE RD			4,100

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 349 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: SALISBURY-NANTICOKE RD

PAGE..... 7  
DATE.....12/31/85  
COUNTY-WICOMICO  
SHA DISTRICT.....1

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
STATE	FEDERAL							
SECONDARY	R FAP 318	R 6	UNDIVIDED NONE	18.58				
		U 14		21.36	M00815 OLD MD 349	2	24I	4,300
				22.16	M00815 OLD MD 349			4,975
				22.21	IN CORP LMTS SALISBURY	2	22I	
				22.32	US0050 THE OCEAN GATEWAY			

ROUTE NUMBER.....MD 350  
INVENTORY DIRECTION....EAST  
NAME: MT HERMON RD

SECONDARY	R FAD 8610	U 16	UNDIVIDED NONE	.00	MU2720 TRUITT ST			
				.18	OUT CORP LMTS SALISBURY			
				.44	IN CORP LMTS SALISBURY	2	48J	3,600
				.92	OUT CORP LMTS SALISBURY			
				1.48	IN CORP LMTS SALISBURY	2	24I	
				1.54	OUT CORP LMTS SALISBURY			
	FAS 1350	R 7		2.52	US0013 OCEAN HWY STRUC#22024			
				7.27	STRUCTURE #22C16 NASSAWANGO CREEK			
				8.15				
				11.80	M00354 WHITON-SNOWHILL RC			1,500

ROUTE NUMBER.....MD 352  
INVENTORY DIRECTION....EAST  
NAME: CAPITOLA-WHITE HAVEN RD

SECONDARY	R NFA	R 8	UNDIVIDED NONE	.00	M00349 SALISBURY-NANTICOKE RD	2	24I	100
				5.71		2	22I	400
				6.23	STRUCTURE #22C17 GREENHILL RIVER			
				10.07	M00349 SALISBURY NANTICOKE RD			

ROUTE NUMBER.....MD 353  
INVENTORY DIRECTION....NORTH  
NAME: PITTSVILLE DELAWARE RD

SECONDARY	U FAS 1347	R 7	UNDIVIDED NONE	.00	M00346 GLASS-FILL RD	2	24I	1,100
				.39		2	23I	
				.66				
				.77	STRUCTURE #22C25 AYOLOTTE BRANCH			
				1.23	OUT CORP LMTS PITTSVILLE			
				1.90	STRUC #22C18 BURNT MILL BRANCH			
				4.60	DELAWARE ST/L			
				4.60	M00054 DELMAR RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SCIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 354  
INVENTORY DIRECTION....NORTH  
NAME: WILLARDS WHITON RD

PAGE..... 8  
DATE.....12/31/85  
COUNTY-WICOMICO  
SHA DISTRICT.....1

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT					
....STATE....	..FEDERAL...	CLASS	CTL										
SECONDARY	R	FAS	1351	R	7	UNDIVIDED	NONE	.00					
								2.49	MDD374	WORCESTER CO/L	2	22I	975
								2.85	MDD350	BURDAGE CROSSING RD			1,925
								3.05		MT HERMON RD			2,000
								3.08		STRUCTURE #22C2D ADKINS POND			
								3.33		STRUCTURE #22D19 ADKINS POND			
	U							6.99		IN CORP LMTS WILLARDS	2	24I	
								7.15	USDD5D	THE OCEAN GATEWAY			
								7.21					900
								7.34	MDD346	DELMAR RD			

ROUTE NUMBER.....MD 374  
INVENTORY DIRECTION....EAST  
NAME: BURBAGE CROSSING RD

SECONDARY	R	FAS	1352	R	7	DIVIDED	NONE	.00	MDD354	WILLARDS WHITON RD	2	30I	1,000
						UNDIVIDED		.05			2	34I	
								.10			2	20I	
								1.28		STRUCTURE #23C17 POCOMOKE RIVER			
								1.28		WORCESTER CO/L			

ROUTE NUMBER.....MD 513  
INVENTORY DIRECTION....SOUTH  
NAME: E CEDAR LA

SECONDARY	U	FAU	8604	U	16	UNDIVIDED	NONE	.00	USDD138U	FRUITLAND BLVD	2	24I	795
	R							1.20		OUT CCRP LMTS FRUITLAND			
						DIVIDED		1.52					
		FAS	1353	R	7	UNDIVIDED		1.57	USDD13	OCEAN HWY STRUC#22C41	2	35I	
								1.63			2	24I	
								1.71					
								1.77	CO0220	JACKSON RD			

ROUTE NUMBER.....MD 67C  
INVENTORY DIRECTION....EAST  
NAME: E LILLIAN ST

SECONDARY	U	FAS	1341	R	7	UNDIVIDED	NONE	.00	MDD347	QUANTICO RD	2	30J	2,400
	R							.37		OUT CCRP LMTS HEBRON	2	20J	
								1.43			2	24I	
								1.47	USCO5D	THE OCEAN GATEWAY			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 675B  
INVENTORY DIRECTION....NORTH  
NAME: MARKET ST

PAGE..... 9  
DATE.....12/31/85  
COUNTY-WICOMICO  
SHA DISTRICT.....1

STATE	SYSTEM	FEDERAL	FLNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECNDARY	R	FAS	1343 R 7	DIVIDED UNDIVIDED	NONE	.00 .05 1.78 1.97 2.10	US0013 OCEAN HWY MDD675C NO NAME IN CORP LMTS DELMAR MDD054 DELMAR RD	2 2 2	24J 24I 4DI	6,300
SECNDARY	R	NFA	R 9	UNDIVIDED	NONE	.00 .11	ROAD END MARKET ST MDD675B	2	24I	
SECNDARY	R	NFA	U 19	UNDIVIDED	NONE	.00 .82 .84	MDD349 SALISBURY NANTICOKE RD MDD349 SALISBURY NANTICOKE RD	2 2	24I 2DI	900
SECNDARY	U	FAU	8606 U 16	UNDIVIDED	NONE	.71 .72 .73	MU1640 W MAIN ST (BACK) STRUCTURE #22009 WICOMICO RIVER MU1640 W MAIN ST (AHEAD)	2	26I	7,200
SECNDARY	R	NFA	U 19	UNDIVIDED	NONE	.00 .22	COD774 PHILLIP MORRIS DR RCAD END	2	20F	
SECNDARY	U	NFA	U 19	UNDIVIDED	NONE	.00 .74	COD356 HOBBS RD ROAD END	2	20F	

\* A, B = UNIMPROVED; C = GRADE & DRAINED; D, E = SOIL, GRAVEL, STONE; F, G = LOW TYPE BITUMINUS; H, I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 992B  
INVENTORY DIRECTION....NORTH  
NAME: SERVICE RD


PAGE..... 10  
DATE.....12/31/85  
COUNTY-WICOMICO  
SHA DISTRICT.....1

SYSTEM		FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL								
SECCNCARY	R NFA	R 9	UNDIVID	NONE	.15	ROAD END	2	20F	
					.26		2	20I	
					.33		2	30I	
					.37	USDD5D THE OCEAN GATEWAY			
ROUTE NUMBER.....MD 992C INVENTORY DIRECTION....EAST NAME: SERVICE RD									
SECONDARY	R NFA	R 9	UNDIVID	NONE	.00	COD733 SIXTY FOOT RD	2	19I	
					.05	ROAD END			
ROUTE NUMBER.....MD 992D INVENTORY DIRECTION....EAST NAME: SERVICE RD									
SECONDARY	R NFA	R 9	UNDIVID	NONE	.00	COD322 FRIENDSHIP RD	2	19I	
					.20	ROAD END			
ROUTE NUMBER.....MD 992E INVENTORY DIRECTIDN....EAST NAME: SERVICE RD									
SECCNCARY	R NFA	R 9	UNDIVID	NONE	.00	COD321 WHITE RICHARDSON RD	2	19I	
					.37	RCAD END			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

**WORCESTER  
COUNTY**

# DELAWARE



WORCESTER COUNTY

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 12  
 INVENTORY DIRECTION.....NORTH  
 NAME: STOCKTON-VA/L RO

PAGE..... 1  
 DATE.....12/31/85  
 COUNTY-WORCESTER  
 SHA DISTRICT.....1

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED	SURFACE	AAOT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL		LANES	WIDTH/TYPE*	
SECONDARY	R	FAS	1363	R	7	UNOIVED	NONE	
					.00		VIRGINIA ST/L	
					2.54	2	22I	850
					3.31			875
					3.56	MDD366	POKOMOKE-STOCKTON RO	1,475
					3.92	2	24I	
					5.62	2	22I	
					7.18	2	24I	
					7.53			
					7.79		STRUC #230D3 SPRING HILL BRANCH	
					10.59	MDD012A	OLD MD 709 SPUR	1,850
					10.93			
		FAP	320		6			
					11.04	US0113	BERLIN-SNOW HILL RO	2,325
					11.10			
					11.58		IN CORP LMTS SNOW HILL	6,100
					11.78	2	21I	
					11.91	2	26I	
					12.06	2	30I	
					12.32	2	41I	
					12.55	2	29I	
					12.73	MDD394	W MARKET ST	
					12.89	MDD394	E MARKET ST	
					12.89		STRUCTURE #23CC2 POKOMOKE RIVER	
					12.90		OUT CORP LMTS SNOW HILL	
					13.95	MDD354	SNOW HILL-WHITON RO	24I
					18.52		STRUCTURE #23CC1 NASSAWANGO CREEK	
					23.37		WICOMICO CO/L	

ROUTE NUMBER.....MD 12A  
 INVENTORY DIRECTION.....EAST  
 NAME: OLD MD 709 SPUR

SECONDARY	R	NFA		R	9	UNDIVIDED	NONE	
					.00	MDD012	STOCKTON-SNOW HILL PD	2 12F
					.02		ROAD END	

ROUTE NUMBER.....US 13  
 INVENTORY DIRECTION.....NORTH  
 NAME: OCEAN HIGHWAY

PRIMARY	R	FAP	129	R	2	DIVIDED	NONE	
					.00		VIRGINIA ST/L	4 48J 13,638
					.46			4 48I
					.56		STRUCTURE #23CC5 WAGRAM CREEK	
					.75			4 48J

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SCIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 13 CONTINUED  
INVENTORY DIRECTION.....NORTH  
NAME: OCEAN HIGHWAY

PAGE..... 2  
DATE.....12/31/85  
COUNTY-WORCESTER  
SHA DISTRICT.....1

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
PRIMARY	U FAP 129 R 2	DIVIDED	NONE	3.16	IN CORP LMTS POCOMOKE CITY	4	48J	13,638
				3.72		4	48I	
			PART	3.87				
				3.91	MDC675A MARKET ST			
	R			4.19	OUT CORP LMTS POCOMOKE CITY			
				4.23	MDD366 PCCOMCKE-STOCKTON RD			12,300
	U			4.47	IN CORP LMTS POCOMOKE CITY			
				4.55	MDD250A OLD PCCOMOKE RD			14,900
				4.55	US0113 BERLIN-SNOW HILL RD			
				5.44	MDD756 LINDEN AVE			
				6.31	SOMERSET CO/L			
				6.31	STRUCTURE #23C16 PCCOMOKE RIVER			

ROUTE NUMBER.....US 5C  
INVENTORY DIRECTION.....EAST  
NAME: THE OCEAN GATEWAY

PRIMARY	R FAP 130 R 2	DIVIDED	PART	.00	WICOMICO CO/L	4	48I	10,100
				.00	STRUCTURE #22CC1 POCOMOKE RIVER			
				.84	MDC610 EBENEZER CHURCH RC			
				2.96	MDD090 OCEAN CITY EXPWY			
		330	6	3.41	MDD090 OCEAN CITY EXPWY STRUC #23028			
				4.96	MDD346 OLD US 50	4	49J	
				5.70	MDD992F SERVICE RD			
				6.71	MDD818 MAIN ST	4	50J	
				6.90	R/R #MDD 531 875 B			
				7.04	USD113 BERLIN-SNOW HILL RD STRUC#23030			13,400
				7.05				
				7.87	MDD346 OLD US 50			
				8.05		4	48J	
			NONE	8.38	MDD452 BERLIN-CAREY RD			
				9.64	MDD589 OCEAN DOWNS RD			
				10.46	USDD50WA OLD MD 707B SPUR			
				11.24	USDD50WB OLD MD 707B SPUR			
				11.45	USDD50WC OLD MD 707B SPUR			
				11.54	MDD707B NC NAME			
	U 14			11.92	STRUCTURE #23CC6 HERRING CREEK	4	48I	14,400
				12.11	MDC707A OLD OCEAN CITY RD			
				12.93	MDC611 STEPHEN DECATUR RC			
				13.51	USDD50WF US 50 SERVICE RD			
				13.57	USDD50WF US 50 SERVICE RD			
			UNDIVIDED	13.68		4	46J	

\* A,B = UNIMPROVED; C = GRADED & CRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 5C  
INVENTORY DIRECTION.....EAST  
NAME: THE OCEAN GATEWAY

CONTINUED

PAGE..... 3  
DATE.....12/31/85  
COUNTY-WORCESTER  
SHA DISTRICT.....1

STATE	SYSTEM	FEDERAL	CLASS	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT	
PRIMARY	U	FAP	330	U	14	UNOIVED	NONE	14.04				
								14.16	IN CORP LMTS OCEAN CITY	4	46J	14,400
								14.22	STRUCTURE #23007 SINEPUXENT BAY			
						DIVIDED		14.33	MDD528 PHILACELPHIA AVE	4	54I	
						UNOIVED		14.40	MDC378 BALTIMORE AVE	3	58I	
<p>ROUTE NUMBER.....US 5CWA INVENTORY DIRECTION.....NORTH NAME: OLD MD 707B SPUR</p>												
SECONDARY	R	NFA		R	9	UNOIVED	NONE	.00	USDD50 THE OCEAN GATEWAY	2	18J	
								.01	MDC707B WEST OCEAN CITY RD			
<p>ROUTE NUMBER.....US 5CWB INVENTORY DIRECTION.....NORTH NAME: OLD MD 707B SPUR</p>												
SECONDARY	R	NFA		R	9	UNOIVED	NONE	.00	USDD50 THE OCEAN GATEWAY	2	18J	
								.05	MDC707B WEST OCEAN CITY RD			
<p>ROUTE NUMBER.....US 5CWC INVENTORY DIRECTION.....NORTH NAME: OLD MD 707B SPUR</p>												
SECONDARY	R	NFA		R	9	UNOIVED	NONE	.00	USDD50 THE OCEAN GATEWAY	2	18J	
								.02	MDC707B WEST OCEAN CITY RD			
<p>ROUTE NUMBER.....US 5CWF INVENTORY DIRECTION.....EAST NAME: US 50 SERVICE RD</p>												
SECONDARY	R	NFA		R	9	UNOIVED	NONE	.00	USDD50 THE OCEAN GATEWAY	2	22I	
								.08	USDD50 THE OCEAN GATEWAY			
<p>ROUTE NUMBER.....MD 9C INVENTORY DIRECTION.....EAST NAME: OCEAN CITY EXPWY</p>												
PRIMARY	R	FAP	130	R	2	DIVIDED	FULL	.00	USC050 THE OCEAN GATEWAY (EB/L)	2	30I	6,075
						UNOIVED		.53	USC050 THE OCEAN GATEWAY STRUC #23028			
								.70				
								1.55	MDD346 OLD US 50 STRUC #23025	2	24I	

\* A,B = UNIMPROVED; C = GRADEC & CRAINED; C,E = SCIL, GRAVEL, STONE; F,G = LGW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 9C CONTINUED  
INVENTORY DIRECTION.....EAST  
NAME: OCEAN CITY EXPWY

PAGE..... 4  
DATE.....12/31/85  
COUNTY-WORCESTER  
SHA DISTRICT.....1

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL	CLASS	TYPE	CTL					
PRIMARY	R FAP.	130 R	2	UNDIVIDED	FULL	2.81		24I	6,075
						3.73			
						4.08	US0113UL		
						4.49	US0113		5,800
		U 12				6.09	M00589		22,800
						7.85	OP0076		
						8.88			
	U				NONE	10.74			11,700
						10.74			
					DIVIDED	11.65		4 38I	
						11.75		4 48I	
					FULL	11.89	M00090A		
						11.89	M00090B		
						11.91	M00528		

ROUTE NUMBER.....MD 9CA  
INVENTORY DIRECTION.....EAST  
NAME: SPUR

SECONDARY	U NFA		U 19	UNDIVIDED	NONE	.00	M00090		26I
						.04	M00528		

ROUTE NUMBER.....MD 90B  
INVENTORY DIRECTION.....WEST  
NAME: SPUR

SECONDARY	U NFA		U 19	UNDIVIDED	NONE	.00	M00528		25I
						.03	M00090		

ROUTE NUMBER.....US 113  
INVENTORY DIRECTION.....NORTH  
NAME: BERLIN-SNOW HILL RD

PRIMARY	U FAP	327 R	6	CIVIDED	NONE	.00	US0013		48I	4,725
						.00	M00250A			
	R					.08				
						1.18				2,950
						1.27	M00756			
						1.62			4 46I	
						1.95				
						2.39			4 48I	
						2.73			4 46I	

\* A,B = UNIMPROVED; C = GRADED & CRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 113      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: BERLIN-SNOW HILL RD

PAGE..... 5  
DATE.....12/31/85  
COUNTY-WORCESTER  
SHA DISTRICT.....1

STATE	SYSTEM	FEDERAL	CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPER*	AAOT
PRIMARY	R	FAP	327	R	6	DIVIDED	NONE	4.37		
PRIMARY	R	FAP	327	R	6	DIVIDED	NONE	4.50	STRUC#23009 & #23024 BACHELORS BR	2,950
								4.50	STRUC#23009 & #23024 BACHELORS BR	2,950
								4.86		
								7.80	STRUCTURE #23023 CORKERS CREEK	
								8.90		
								9.12		
								9.41		
								9.60	MOC394 OLD US 113	
								9.76		
						UNOIVED		9.89		
								11.82	MOC012 N WASHINGTON ST	
								13.00		
								13.01	MOC365 BAY ST	4,400
								13.74	STRUCTURE #23029 PURNELL BRANCH	
								13.96	R/R #MOOE 531 847 X	
								14.12	MOC394 OLD US 113	
								18.99		
								20.05		
								20.08		
								20.13	R/R #MOOE 531 854 H	
						DIVIDED		25.99		
								26.09		
								27.03		
								27.17	MOC818A SPUR	
								27.24	IN CORP LMTS BERLIN	
								27.24	MOC818 MAIN ST	
								28.08	MOC376 BAY ST	
								28.20		
								28.88	MOC346 OLD US 50	8,200
								29.01	OUT CORP LIMITS BERLIN.	
								29.18		
								29.41	USC050 THE OCEAN GATEWAY STRUC #23030	
								29.67		
								29.84	MOC818 MAIN ST	3,300
								30.00		
								30.39	USC113UL PROPOSED	
								30.55		
								31.29	MOC452 BERLIN-CAREY RD	
								32.18	MOC090 OCEAN CITY EXPWY STRUC #23031	
						DIVIDED		32.19		
						UNOIVED		32.34		
								33.23		6,500

\* A,B = UNIMPROVED; C = GRADED & DRAINED; C,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; F,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 113 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: BERLIN-SNOW HILL RD

PAGE..... 6  
DATE.....12/31/85  
COUNTY-WORCESTER  
SHA DISTRICT.....1

SYSTEM	FUNC	HWY	ACCESS	MARKED	SURFACE	AA DT						
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	MILEPOINT DESCRIPTION	LANES	WIDTH/TYPE*	AA DT			
PRIMARY	R	FAP	327	R	6	UNDIVIDED NONE	33.3D	MDD589	OCEAN DOWNS RD	2	241	6,500
							33.92			2	22I	
							36.11	MDD367	BISHOPVILLE RD			
							36.61		R/R #MDE 531 883 T			
							37.04	MDD610	EBENEZER CHURCH RC			
							37.40					11,275
							37.84		DELAWARE ST/L			

ROUTE NUMBER.....US 113UL  
INVENTORY DIRECTION....NORTH  
NAME: PROPCSED

SECNDARY	R	FAP	327	R	6	DIVIDED NONE	.0D	USD113	BERLIN-SNOW HILL RC	4	481	4,304
							1.3D	MDD9D	OCEAN CITY EXPWY			
							2.5D	USD113	BERLIN-SNOW HILL RD			

ROUTE NUMBER.....MD 25CA  
INVENTORY DIPECTION....EAST  
NAME: OLD POCOMOKE RD

SECNDARY	R	FAS	1367	R	7	DIVIDED NONE	.0D	MDD675A	MARKET ST	2	32I	1,102
	U						.01		IN CORP LMTS POCOMOKE CITY			
							.03			4	48I	
	R						.18		OUT CORP LMTS POCOMOKE CITY			
							.19	USD013	OCEAN HWY			
							.19	USD113	BERLIN-SNOW HILL RD (AHEAD)			

ROUTE NUMBER.....MD 346  
INVENTORY DIRECTION....EAST  
NAME: OLD US 50

SECNDARY	R	FAS	1348	R	7	UNDIVIDED NONE	.0D		STRUCTURE #22C11 POCOMOKE RIVER	2	241	1,000
							.0D		WICOMICO CO/L			
		NFA			8		.93	MDD610	EBENEZER RD			
							4.33	MDD90	OCEAN CITY EXPWY STRUC #23025			
							5.67	USD050	THE OCEAN GATEWAY			1,400
							5.69			2	20I	1,229
							5.87			2	241	1,400
							7.88	MDD818	E MAIN ST	2	22I	
							7.98		R/R #CR 531 870 S			
	U						8.33		IN CORP LMTS BERLIN			
		FAS	1359		7		8.36	MDD377	WILLIAMS ST			

\* A,B = UNIMPROVED; C = GRADE C & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 346 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: OLD US 50

PAGE..... 7  
DATE.....12/31/85  
COUNTY-WORCESTER  
SHA DISTRICT.....1

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYP*	AAOT
SECNDARY U FAS 1359 R 7	UNOIVED	NONE	8.45	US0113	BERLIN SNOW HILL RD	2	22I	1,400
R	DIVIDED		8.58		OUT CORP LMTS BERLIN			
			9.21					
			9.26	US0050	THE OCEAN GATEWAY	2	54J	
ROUTE NUMBER.....MD 354 INVENTORY DIRECTION....NORTH NAME: SNOW HILL-WHITON RD								
SECNDARY R FAS 1351 R 7	UNOIVED	NONE	.00	M00012	STOCKTON-SNOW HILL RD	2	24I	1,400
			.08			2	22I	
			7.12		STRUCTURE #23011 TILGHMAN RACE			
			7.64		WICOMICO CO/L			
ROUTE NUMBER.....MD 359 INVENTORY DIRECTION....NORTH NAME: OLD US 113								
SECNDARY R NFA		9	UNOIVED	NONE				
			.00		ROAD END	2	24I	125
			1.09	M00756	SIXTH ST	2	22H	
			1.12			2	16I	
			1.22		ROAD END			
ROUTE NUMBER.....MD 364 INVENTORY DIRECTION....NORTH NAME: DIVIDING CREEK RD								
SECNDARY R FAS 1351 R 7	UNOIVED	NONE	.00		SCMERSET CO/L	2	20I	762
			.00		STRUCTURE #19C10 DIVIDING CREEK			
			.42					
	NFA	9	1.54	C00297	WHITEBURG RD	2	22I	
			2.71					
			2.72		ROAD END			
ROUTE NUMBER.....MD 365 INVENTORY DIRECTION....EAST NAME: S BAY ST								
SECNDARY U FAS 1360 R 7	UNOIVED	NONE	.00	M0C394	E MARKET ST	2	22I	1,600
			.30		R/R #CR 531 843 V	2	29I	
			.37			2	21I	
R			.48		OUT CORP LMTS SNOW HILL			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 365 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: S BAY ST

PAGE..... 8  
DATE.....12/31/85  
COUNTY-WORCESTER  
SHA DISTRICT.....1

SYSTEM		FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL								
SECONDARY	R	FAS 1360	R	7	UNOIVED NONE	.52			
						1.03	US0113	BERLIN-SNOW HILL RD	1,600
						1.12		STRUCTURE #23C12 PATTYS BRANCH	
		NFA		8		4.71			4,800
						6.18			
						6.29	CO0103	PUBLIC LANDING WHARF RD	

ROUTE NUMBER.....MD 366  
INVENTORY DIRECTION....EAST  
NAME: POCOMOKE-STOCKTON RD

SECONDARY	R	FAS 1364	R	7	UNOIVED NONE	.00	MO0675A	MARKET ST	1,850
						.08		OUT CORP LMTS POCOMOKE CITY	
						.10			
						.17			
						.20	USCO13	OCEAN HWY	
						4.09	MO0703	OLD MD 366	
						6.90			900
						8.33			
		NFA		8		8.39	MO0012	STOCKTON-SNOW HILL RD	922
						8.45			900
						11.25		ROAD END	

ROUTE NUMBER.....MD 367  
INVENTORY DIRECTION....EAST  
NAME: BISHOPVILLE RD

SECONDARY	R	NFA	R	8	UNOIVED NONE	.00	CO0235	BISHOP RD (BACK)	1,700
						.09	USCI13	BERLIN-DOVER RC	
						1.79		STRUCTURE #23D13 BUNTINGS BRANCH	
						1.84	MO0368	ST MARTINS NECK RC	
				9		2.13	MO0568	LINE RD	
						2.60		DELAWARE ST/L	

ROUTE NUMBER.....MD 368  
INVENTORY DIRECTION....NORTH  
NAME: ST MARTINS NECK RD

SECONDARY	R	NFA	R	8	UNOIVED NONE	.00	COC220	ST MARTINS NECK RC (BACK)	1,049
						.30	MO0367	BISHOPVILLE RC	

\* A,B = UNIMPROVED; C = GRADED & CRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 371  
 INVENTORY DIRECTION....NORTH  
 NAME: WINTER QUARTERS DR

PAGE..... 9  
 DATE.....12/31/85  
 COUNTY-WORCESTER  
 SHA OISTRICT.....1

....STATE....	SYSTEM	..FEDERAL...	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT		
SECONDARY	R	NFA	R	9	UNOIVEO	NONE	.00	CO0057	CEDARHALL WHARF RC	2	22I	1,300
				8			.07					
				9			3.05					
	U			8			3.72					
							4.07		IN CORP LMTS PCCOMOKE CITY			
							4.27	MU0510	SECOND ST (AHEAD)			

ROUTE NUMBER.....MD 374  
 INVENTORY DIRECTION....EAST  
 NAME: BERLIN-LIBERTYTOWN RO

SECONDARY	R	FAS	1352	R	7	UNOIVEO	NONE	.00				
								.00	STRUCTURE #23C17 POCOMOKE RIVER	2	22I	1,125
								4.01	WICOMICO CO/L			
	U							5.97	STRUC #23014 LIBERTYTOWN BRANCH			
								8.04	IN CORP LMTS BERLIN	2	24I	1,300
								8.50	R/R #CR 531 865 V			
								8.58				
								8.61	MD0375	2	27I	
								8.70	MD0818	2	25I	
									COMMERCE ST			
									MAIN ST			

ROUTE NUMBER.....MD 375  
 INVENTORY DIRECTION....NORTH  
 NAME: COMMERCE ST

SECONDARY	U	NFA		R	9	UNDIVED	NONE	.00	MD0818	N MAIN ST			
								.06	MD0374	BROAD ST	1	22J	1,486

ROUTE NUMBER.....MD 376  
 INVENTORY DIRECTION....EAST  
 NAME: BAY STREET

SECONDARY	U	FAS	1352	R	7	UNOIVEO	NONE	.00	MD0818	MAIN ST			
								.01	MD0377	WILLIAMS ST	2	30I	2,100
		FAP	328		6			.42	US0113	BERLIN-SNOW HILL RD	2	24I	
	R							.83		IN CORP LMTS BERLIN			
								1.67	MD0705	BERLIN-LEWIS STORE RD			
								1.74		STRUCTURE #23C19 TRAPPE CREEK			
								1.86	MOC705	BERLIN-LEWIS STORE RD			
								3.85		STRUCTURE #23C15 AYER CREEK			1,900
								4.56	MOC611	STEPHEN DECATUR RD			

\* A,B = UNIMPROVED; C = GRAOEC & CRAINEO; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 377  
INVENTORY DIRECTION....NORTH  
NAME: WILLIAMS ST

PAGE..... 10  
DATE.....12/31/85  
COUNTY-WORCESTER  
SHA DISTRICT.....1

SYSTEM		FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL								
SECONDARY	U	FAS I359	R 7	UNDIVIDED	NONE	.00 MDD376 BAY ST	2	26I	2,126
						.28		28I	
						.29 R/R #CR 53I 873 M			
						.6I		27I	
						.78 MDD346 OLD US 50			

ROUTE NUMBER.....MD 378  
INVENTORY DIRECTION....NORTH  
NAME: BALTIMORE AVE

SECONDARY	U	NFA	U I9	UNDIVIDED	NONE	.00 MU9D25 S SECOND ST	2	34I	8,455
						.05 MDD528 S FIRST ST			8,666
		FAP 33I	I4			.44 US005D N DIVISION ST			
						.52 MDD378A 1ST ST			
						1.07 MDD378B 9TH ST			
						1.47		39I	
						1.54 MDD528 PHILADELPHIA AVE			

ROUTE NUMBER.....MD 378A  
INVENTORY DIRECTION....EAST  
NAME: N FIRST ST

SECONDARY	U	NFA	U I9	UNDIVIDED	NONE	.06 MDD378 BALTIMORE AVE	2	34I	8,609
						.13 MDD528 PHILADELPHIA AVE			

ROUTE NUMBER.....MD 378B  
INVENTORY DIRECTION....EAST  
NAME: N NINTH ST

SECONDARY	U	NFA	U I9	UNDIVIDED	NONE	.06 MDD378 BALTIMORE AVE	2	34I	8,609
						.13 MDD528 PHILADELPHIA AVE			

ROUTE NUMBER.....MD 394  
INVENTORY DIRECTION....NORTH  
NAME: OLD US II3

SECONDARY	R	FAS I36I	R 7	UNDIVIDED	NONE	.00 US0II3 BERLIN-SNOW HILL RD	2	24I	1,575
						.07		22I	
						1.89			5,777
	U					2.02 IN CORP LMTS SNOW HILL			
						2.06		24I	
						2.36		30I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 394 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: OLD US 113

PAGE..... 11  
DATE.....12/31/85  
COUNTY-WORCESTER  
SHA DISTRICT.....1

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL							
SECONDARY	U FAS 1361 R 7	UNDIVIDED	NONE	2.67	MDCD12 S CHURCH RD (AHEAD)	2	30I	5,777
				2.85	MDDD12 N WASHINGTON ST (BACK)	2	34I	
				3.02	MDD365 BAY ST	2	24I	
				3.43				
	R			3.56	OUT CCRP LMTS SNOW HILL			
				3.77	STRUCTURE #23GD8 PURNELL BRANCH			
				4.16	US0113 BERLIN-SNOW HILL RD			

ROUTE NUMBER.....MO 452  
INVENTORY DIRECTION....NORTH  
NAME: BERLIN-CAREY RD

SECONDARY	R NFA R 8	UNDIVIDED	NONE	.00	USDD5D THE OCEAN GATEWAY	2	24I	2,000
				.02	MDD7D7B OLD US 5D			
				1.64	USD113 BERLIN-SNOW HILL RD			

ROUTE NUMBER.....MD 528  
INVENTORY DIRECTION....SOUTH  
NAME: PHILADELPHIA AVE

SECONDARY	U FAP 331 U 14	DIVIDED	NONE	.00				
				4.65	DELAWARE ST/L	6	70I	18,575
				4.67	MDCD90B SPUR	6	74I	24,100
				4.71	MDCD9D OCEAN CITY EXPWY			25,725
				4.74	M00090A SPUR			
	311			4.82		6	70I	
	331			5.47		6	72I	
				6.86				24,000
			UNDIVIDED	7.57	MDD378 15 TH ST	5	55I	
				7.96	MDC378B 9TH ST	2	24I	
				8.51	MDD378A N 1ST ST	4	48I	
	FAU 84D5	16		8.61	USDD5D THE OCEAN GATEWAY			
				8.64		3	38I	
				8.86		3	39I	
				8.98		3	40I	
				9.04	MDC378 BALTIMORE AVE			

ROUTE NUMBER.....MD 568  
INVENTORY DIRECTION....NORTH  
NAME: LINE RD

SECONDARY	R NFA R 8	UNDIVIDED	NONE	.00	MDC367 BISHOPVILLE RD	2	22I	1,200
-----------	-----------	-----------	------	-----	-----------------------	---	-----	-------

\* A,B = UNIMPROVED; C = GRADED & CRAINED; C,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 568 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: LINE RD

PAGE..... 12  
DATE.....12/31/85  
COUNTY-WORCESTER  
SHA DISTRICT.....1

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL							
SECNDARY	R NFA	R 8	UNDIVIDED NONE	.41	DELAWARE ST/L	2	22I	1,200
ROUTE NUMBER.....MD 589 INVENTORY DIRECTION....NORTH NAME: OCEAN DOWNS RD								
SECONDARY	R FAS 1357	R 7	DIVIDED NONE	.00	US005D THE OCEAN GATEWAY	2	36I	6,900
			UNDIVIDED	.03		2	24I	
			DIVIDED	.04	M00707B OLD US 50			
			UNDIVIDED	2.46				
				2.63	M0009D OCEAN CITY EXPWY STRUC #23026			4,400
				2.90				
				4.68	USD113 BERLIN-SNOW HILL RD			
ROUTE NUMBER.....MD 610 INVENTORY DIRECTION....EAST NAME: EBENEZER CHURCH RD,								
SECONDARY	R NFA	R 9	UNDIVIDED PART	.00	C0C176 DALE RD (BACK)	2	24I	2,700
	FAS 1356	7		.20	US005D THE OCEAN GATEWAY			
				.73	M00346 OLD US 50	2	22I	
				1.41		2	21I	
				5.52				2,300
				6.53	USD113 BERLIN SNOW HILL RD			
ROUTE NUMBER.....MD 611 INVENTORY DIRECTION....NORTH NAME: STEPHEN DECATUR RD								
SECONDARY	R FAP 329	R 6	UNDIVIDED PART	.00	ASSATEAGUE STATE PARK	2	20I	1,900
			NONE	.87	STRUCTURE #23018 SINEPUXENT BAY			
			PART	2.12		2	22I	2,100
				2.94		2	20I	
			NONE	3.44				
				4.47	M00376 BERLIN-LEWIS STORE RD			2,375
				8.16	M00707A OLD US 50	2	22I	800
				8.51	USD050 THE OCEAN GATEWAY			

\* A,B = UNIMPROVED; C = GRADED & CRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATIDN DF MARYLAND  
OFFICE DF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU DF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 626A  
INVENTORY DIRECTION....EAST  
NAME: WHARF RD

PAGE..... 13  
DATE.....12/31/85  
CDUNTY-WDRCESTER  
SHA DISTRICT.....1

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEP DINT	MILEPOINT	DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
....STATE....	..FEDERAL...								
SECONDARY R NFA	U 17	UNDIVID	NDNE	.DD	MDD7D7A	NO NAME	2	22I	787
	19			.26					755
				.72		ROAD END			
ROUTE NUMBER.....MD 626B INVENTORY DIRECTION....NDRTH NAME: WHARF RD									
SECONDARY R NFA	U 19	UNDIVID	NONE	.DD	MDD7D7A	ROAD END	2	19H	755
				.08		NO NAME			
ROUTE NUMBER.....MD 675A INVENTORY DIRECTION....NORTH NAME: MARKET ST									
SECNOARY R FA\$ 1366 R	7	UNDIVID	NONE	.DD	US0013	OCEAN HWY	1	17I	5,800
				.25			2	24I	
				.30	MDD366	POCOMOKE-STDCCKTON RD			
				.39	MDD25DA	DLD POCOMOKE-VIRGINIA RD	2	3DI	
				1.44	MDD756	6TH ST			
				1.75			2	49I	3,500
				1.86			2	48I	
				1.91			2	24J	
				1.95		STRUCTURE #23004 POCOMDKE RIVER			
				1.95		SOMERSET CD/L			
ROUTE NUMBER.....MD 703 INVENTORY DIRECTION....EAST NAME: OLD MD 366									
SECONDARY R NFA	R 9	UNDIVID	NONE	.DD		ROAD END	2	22J	100
				.03			2	20I	
				.08	MDD366	POCOMOKE-STOCKTDN RD			
ROUTE NUMBER.....MD 705 INVENTORY DIRECTION....EAST NAME: BERLIN-LLWIS STORE RD									
SECONDARY R NFA	R 8	UNDIVID	NDNE	.DD	MDD376	BERLIN-LEWIS STORE RD	2	15J	125
				.20			2	18G	
				.22	MDD376	BERLIN-LEWIS STORE RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SCIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 7D7A  
INVENTORY DIRECTION....EAST  
NAME: NO NAME

PAGE..... 14  
DATE.....12/31/85  
COUNTY-WORCESTER  
SHA DISTRICT.....1

SYSTEM		FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
....STATE....	..FEDERAL...								
SECNDARY	R NFA	R 9	UNDIVIDED	NONE	.00	USCD50 THE OCEAN GATEWAY	2	22I	819
		U 19			.79	MDD611 STEPHEN DECATUR RD			
					1.25	MDD626A WHARF RD			
					1.89	MDD626B WHARF RD			

ROUTE NUMBER.....MD 7D7B  
INVENTORY DIRECTION....EAST  
NAME: NO NAME

SECNDARY	R NFA	R 9	UNDIVIDED	NONE	.00	ROAD END	2	17J	767
					.05		2	2DJ	
					.07	MDD452 BERLIN-CAREY RD			
					.08		2	22I	
					1.44	MDD589 OCEAN DOWNS RD			
					2.27	US0050WA OLD MD 7D7B SPUR			
					3.02	US0050WB OLD MC 7D7B SPUR			
					3.22	US0050WC OLD MC 7D7B SPUR			
					3.30	USDD50 THE OCEAN GATEWAY			

ROUTE NUMBER.....MD 756  
INVENTORY DIRECTION....EAST  
NAME: SIXTH STREET

SECONDARY	R FAP	325 R	6	UNDIVIDED	NONE	.00	MDD675A MARKET ST			
						.38	USDD13 OCEAN HWY			
						.39	OUT CCRP LMTS POCOMOKE CITY	2	22I	2,900
						1.44	MDD359 OLD US 113	2	24I	
						1.52	US0113 BERLIN-SNOW HILL RD			

ROUTE NUMBER.....MD 818  
INVENTORY DIRECTION....NORTH  
NAME: S MAIN ST

SECNDARY	U FAS	1359 R	7	DIVIDED UNDIVIDED	NONE	.00	USD113 BERLIN-SNOW HILL RD	2	40J	1,549
						.04	MDD818A OLD US 113 SPUR	2	24I	
						.11		2	27I	
						.80	MDD376 BAY ST			
						.82	MDC374 BROAD ST			
						.87	MDD375 COMMERCE ST			
						1.21		2	24I	
						1.23	R/R #MDE 531 869 X			
						1.31		2	27I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; C,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS


STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 818      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: S MAIN ST

PAGE..... 15  
DATE.....12/31/85  
COUNTY-WORCESTER  
SHA DISTRICT.....1

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT		MILEPOINT DESCRIPTION	MARKED	SURFACE	AADT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL				LANES	WIDTH/TYPE*	
SECONDARY	R NFA	R	8	UNDIVID	NONE	1.46	OUT CCRP LMTS BERLIN	2	27I	1,549
			9			1.47	OLD US 50	2	22I	1,512
						2.16	US0050 THE OCEAN GATEWAY			
						2.60	R/R #MODE 531 877 P	2	24I	
						2.62	USD113 BERLIN-SNOW HILL RD			
ROUTE NUMBER.....MD 818A										
INVENTORY DIRECTION....WEST										
NAME: OLD US 113 SPUR										
SECONDARY	U NFA	R	9	UNDIVID	NONE	.00	MOD818 S MAIN ST	2	20I	
						.08	USD113 BERLIN-SNOW HILL RD			
ROUTE NUMBER.....MD 992F										
INVENTORY DIRECTION....NORTH										
NAME: US 50 SERVICE RD										
SECONDARY	R NFA	R	9	UNDIVID	NONE	.00	USDD50 THE OCEAN GATEWAY	2	18F	
						.25	RCAD END			

\* A,B = UNIMPROVED; C = GRAOED & DRAINED; D,E = SCIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 1  
 INVENTORY DIRECTION....NORTH  
 NAME: SOUTHWESTERN BLVD

PAGE..... 1  
 DATE.....12/31/85  
 COUNTY-BALTIMORE CITY  
 SHA DISTRICT.....

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
....STATE....	..FEDERAL...	CLASS	CTL					
				.00	LMTS BALTO CITY			
				.33	M00372 WILKINS AVE .			
				.33	M00372 WILKINS AVE			
				.46	STRUC #5220 R/R #ATK 529 621 L			
				.92	US0001AL CATON AVE			
				1.25	STRUCTURE #30C1 MAIDEN CHOICE RUN			
				1.32	R/R #CR 530 161 H			
				1.49	STRUCTURE #30C3 GWYNNS FALLS			
				1.58	STRUC #5203 R/R #B0 831 622 W			
				2.74	M00144 LCMBARO ST			
				3.21	US0040 MULBERRY ST			
				3.62	M00025 FALLS RD			
				3.87	R/R #ATK 589 630 K			
				4.39	M00140 FULTON AVE			
				4.89	M00129 MCCULLOH ST			
				5.65	IS0083 JONES FALLS EXPWY STRUC #1103			
				5.77	STRUCTURE #12C8			
				5.77	R/R #CR 530 865 S & #B0 140 857 X			
				6.00	M00139 CHARLES ST			
				6.15	M00002 CALVERT ST			
				6.38	M00045 GREENPOINT AVE			
				6.94	M00147 HARFORD RD			
				7.95	R/R #B0 140 841 B			
				8.60	M00151 EROMAN AVE			
				9.07	STRUCTURE #44C2 HERRING RUN			
				11.97	LMTS BALTO CITY			
				.00	LMTS BALTO CITY			
				.62	IS0095 NO NAME STRUC#BC 5303			
				1.24	US0001 WILKENS AVE			
				.00	MU1530 HANOVER ST			
				.34	M00173 PATAPSCO AVE			
				.43	ISC895 HARBOR TUNNEL THRL STRUC #BCY025			
				.47	R/R #B0 140 343 S			

ROUTE NUMBER.....US 1A  
 INVENTORY DIRECTION....NORTH  
 NAME: CATON AVE

ROUTE NUMBER.....MD 2  
 INVENTORY DIRECTION....NORTH  
 NAME: POTE ST

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 2 CONTINUED  
 INVENTORY DIRECTION....NORTH  
 NAME: POTEET ST

PAGE..... 2  
 DATE.....12/31/85  
 COUNTY-BALTIMORE CITY  
 SHA DISTRICT.....

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYP*	AADT
....STATE....	..FEDERAL...	CLASS	CTL					
				.98	STRUCTURE #5211 PATAPSCO RIVER			
				1.80	STRUCTURE #5210 MIDDLE BRANCH			
				2.30	STRUC #5212 R/R #B0 831 597 R			
			IS0095	2.46	NO NAME			
				2.49	STRUC #5209 R/R #B0 140 387 S			
			US0040	4.56	ORLEANS ST STRUC#BC 1202			
			IS0083	5.41	JONES FALLS EXPWY STRUC #1403			
				5.47	R/R #CR 530 863 D			
			MD0025	5.63	LAFAYETTE AVE			
			US0001	5.72	NORTH AVE			

ROUTE NUMBER.....MD 25  
 INVENTORY DIRECTION....NORTH  
 NAME: LAFAYETTE ST

				.00	M00002 CALVERT ST			
				.34	MU1700 HCWARD ST STRUC#BC 1405			
				.39	US0001 NORTH AVE STRUC#BC 1208			
				.49	R/R #B0 140 856 R			
			MU1611	1.04	28TH ST STRUC#BC 3205			
				1.16	29TH ST STRUC#BC 3206			
				1.31	CEDAR AVE STRUC#BC 3501			
				1.79	STRUCTURE # 3110			
				5.06	LMTS BALTO CITY			

ROUTE NUMBER.....MD 26  
 INVENTORY DIRECTION....EAST  
 NAME: LIBERTY HEIGHTS AVE

				.00	LMTS BALTO CITY			
				.91	MOD126 GWYNN OAK AVE			
				2.70	STRUC #BC 2201 R/R #B0 831 639 A			
			MOD140	3.42	REISTERSTOWN RD			

ROUTE NUMBER.....US 4C  
 INVENTORY DIRECTION....EAST  
 NAME: BALTO NATIONAL PIKE

				.00	LMTS BALTO CITY			
				2.12	MU2880 HILTON PKWY STRUC#2203			
				2.17	R/R #B0 831 626 Y			
				2.21	STRUCTURE #2202 GWYNN'S FALLS			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 4C CONTINUED  
 INVENTORY DIRECTION....EAST  
 NAME: BALTO NATIONAL PIKE

PAGE..... 3  
 DATE.....12/31/85  
 COUNTY-BALTIMORE CITY  
 SHA DISTRICT.....

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AADT
....STATE....	..FEDERAL...	CLASS	CTL	.....	.....	LANES	WIDTH/TYPE*	
				3.16	R/R #ATK 529 635 L			
			US0001	3.60	FULTON AVE			
			M00295	4.77	GREEN ST			
			M00129	4.84	PACA ST			
			M00002	5.38	CALVERT ST			
			IS0083	5.51	JONES FALLS EXPWY STRUC#1202			
			M00150	8.08	HAVEN ST			
				8.15	R/R #CR 530 668 D			
				8.33	R/R #ATK 529 564 A			
				8.66	R/R #B0 140 837 L			
			M00151	8.83	EROMAN AVE STRUC #4201			
			US0040BA	8.93	SPUR TO EROMAN AVE			
			IS0895	9.07	HARBOR TUNNEL THRU STRUC#BCY 053			
				9.60	STRUCTURE #4211 HERRING RUN			
			MU0055	9.82	MCRAVIA RD STRUC#8C 4106			
			IS0095	10.01	NO NAME STRUC#BC 4102 & #8C 4103			
				10.04	STRUCTURE #8C 421C MOORES RUN			
				10.12	LMTS BALTO CITY			

ROUTE NUMBER.....US 40BA  
 INVENTORY DIRECTION....EAST  
 NAME: SPUR TO EROMAN AVE

.00	US0040	PULASKI HWY
.17	M00151	ERDMAN AVE

ROUTE NUMBER.....MD 41  
 INVENTORY DIRECTION....NORTH  
 NAME: HILLEN RD

.00	M00147	HARFORD RD
1.82		STRUCTURE #BC3203
2.72		STRUCTURE #3202 HERRING RUN
3.48	MU1022	NORTHERN PKWY STRUC#3201
3.78		LMTS BALTO CITY

ROUTE NUMBER.....MD 45  
 INVENTORY DIRECTION....NORTH  
 NAME: GREENMOUNT AVE

.00	US0001	NORTH AVE
.57		R/R #B0 140 849 F

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MO 45 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: GREENMOUNT AVE

PAGE..... 4  
DATE.....12/31/85  
COUNTY-BALTIMORE CITY  
SHA DISTRICT.....

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED	SURFACE	AA DT
...STATE....	..FEDERAL...	CLASS	TYPE	CTL		LANES	WIOTH/TYPE*	

4.23 LMTS BALTO CITY

ROUTE NUMBER.....IS 70  
INVENTORY DIRECTION....EAST  
NAME: NO NAME

.00 LMTS BALTO CITY  
.14 ROAD END

ROUTE NUMBER.....IS 83  
INVENTORY DIRECTION....NORTH  
NAME: JONES FALLS EXPWY

.00	MU1680	FAYETTE ST
.35	US0040	ORLEANS ST STRUC#BC 1202
.90	MU1351	CHASE ST STRUC#BC 1401
.93	MU1382	FALLSWAY STRUC#BC 1501
.97	MU4020	BIDDLE ST STRUC#BC 1203
1.05	MU0955	PRESTON ST STRUC#BC 1204
1.15	MU1450	GUILFORD AVE STRUC#BC 1402
1.23	M00002	CALVERT ST STRUC#BC 1403
1.34		ST PAUL ST STRUC#BC 1205
1.40	MU1125	CHARLES ST STRUC#BC 1206
1.51		MARYLAND AVE STRUC#BC 1404
1.66	MU1700	HOWARD ST STRUC#BC 1405
1.85	US0001	NCRTH AVE STRUC #BC 1103
2.42	MU1611	2BTH ST STRUC#BC 3205
2.94	M00025	FALLS RD STRUC#3112
3.33		STRUCTURE #3113 JONES FALLS
3.67	MU2735	UNION AVE STRUC #3114
3.92	MU0989	41ST ST STRUC #3207
4.68	MU2100	COLD SPRING LANE STRUC#BC 3204
4.86		STRUCTURE #BC 3118 JONES FALLS
5.80	MU1022	NORTHERN PKWY STRUC#BC 3209
6.24	MU2200	KELLY AVE STRUC#BC 3406
6.31		STRUCTURE #3125 WESTERN RUN
6.38		STRUCTURE #3126
6.60		STRUCTURE #3127
6.64		LMTS BALTO CITY

\* A,B = UNIMPROVED; C = GRADED & DRAINED; C,E = SCIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 95  
 INVENTORY DIRECTION....NORTH  
 NAME: NO NAME

PAGE..... 5  
 DATE.....12/31/85  
 COUNTY-BALTIMORE CITY  
 SHA DISTRICT.....

STATE	SYSTEM	FEDERAL	CLASS	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
							.00	LMTS BALTO CITY			
							.04	MU4170 JCH AVE STRUC#BC 5302			
							.45	US0001AL CATON AVE STRUC#BC 5303			
							.88	MU1970 DESOTO RD STRUC#BC 5304			
							1.17	STRUCTURE #BC5305			
							1.58	MU1281 WASHINGTON BLVD STRUC #BC5306			
							2.36	M00295 RUSSELL ST			
							2.78	ISO395 NO NAME			
PRIMARY	U	FAI	95	U	11	DIVIDED FULL	3.38	M00002 HANOVER ST			
							4.14				
							4.76	BEGIN TUNNEL	8	96J	44,136
							4.85				
							6.13	END TUNNEL	8	96I	
						UNDIVIDED NONE	6.18				
							6.27		8	99I	
						DIVIDED FULL	6.44	TOLL PLAZA	24	99J	
							6.61				
							7.02	ISO895 HARBOR TUNNEL THRUWAY	8	96J	
							8.71	R/R #CIN 848 C70 K			
							8.86	M00150 EASTERN AVE			
							9.54	M00151 NORTH POINT BLVD			
							10.35	US0040 PULASKI HWY			
							11.09	ISO895 HARBOR TUNNEL THRUWAY			
							11.29	LMTS BALTO CITY			

ROUTE NUMBER.....MD 126  
 INVENTORY DIRECTION....EAST  
 NAME: GWYNN OAK AVE

.00 LMTS BALTO CITY  
 .92 M00026 LIBERTY HEIGHTS AVE

ROUTE NUMBER.....MD 129  
 INVENTORY DIRECTION....NORTH  
 NAME: PACA ST

.00 US0040 FRANKLIN ST  
 .00 M00295 PACA ST (BACK)  
 1.40 US0001 NORTH AVE  
 2.72 M00140 REISTERSTOWN RD  
 2.93 M00140 REISTERSTOWN RD  
 7.44 LMTS BALTO CITY

\* A,B = UNIMPROVED; C = GRADED & GRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 139  
 INVENTORY DIRECTION....NORTH  
 NAME: CHARLES ST

PAGE..... 6  
 DATE.....12/31/85  
 COUNTY-BALTIMORE CITY  
 SHA DISTRICT.....1.

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AAOT
STATE	FEDERAL	CLASS	CTL				LANES	WIDTH/TYPE*	
				.00	US0001	NORTH AVE			
				4.37		LMTS BALTO CITY			

ROUTE NUMBER.....MD 140  
 INVENTORY DIRECTION....NORTH  
 NAME: FULTON AVE

.00	US0001	NORTH AVE
.71	M00026	LIBERTY HEIGHTS AVE
1.01	M00129	MCCULLOH ST
1.22	M00129	PARK HEIGHTS AVE
5.33		LMTS BALTO CITY

ROUTE NUMBER.....MD 144  
 INVENTORY DIRECTION....EAST  
 NAME: FREDERICK RD

.00		LMTS BALTO CITY
2.18		STRUC #BC5213 R/R #ATK 529 622 T
2.81		STRUC #BC2206 R/R #BO 831 623 O
3.75	US0001	FULTON AVE

ROUTE NUMBER.....MD 147  
 INVENTORY DIRECTION....NORTH  
 NAME: HARFORD RD

.00	US0001	NORTH AVE
.44		R/R #BO 140 848 Y
.88	M00542	THE ALAMEDA
.96	M00041	HILLEN RD
1.95		STRUCTURE #3212 HERRING RUN
5.16		LMTS BALTO CITY

ROUTE NUMBER.....MD 150  
 INVENTORY DIRECTION....EAST  
 NAME: HAVEN ST

.00	US0040	PULASKI HWY
.35		R/R #BO 140 399 C
.44		STRUC #4209 R/R #CR 530 667 W
.58		R/R #BO 140 336 G
.67		STRUC#4401 R/R #CR 530 666 B

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 15C CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: HAVEN ST

PAGE..... 7  
DATE.....12/31/85  
COUNTY-BALTIMORE CITY  
SHA DISTRICT.....

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED	SURFACE	AAOT
....STATE....	..FEDERAL...	CLASS	CTL			LANES	WIDTH/TYPE*	
				1.18	IS0895 HARBOR TUNNEL THRU STRUC#BCY 047			
				2.17	R/R #CIN 848 001 C			
				2.30	IS0095 NC NAME STRUC#4406			
				2.49	LMTS BALTO CITY			

ROUTE NUMBER.....MO 151  
INVENTORY DIRECTION....NORTH  
NAME: NORTH POINT RD

				.00	LMTS BALTO CITY			
				.06	IS0095 NC NAME			
				.15	R/R #ATK 529 563 T			
				.46	MU1190 NORTH POINT RD			
				.57	R/R #BO 148 835 X			
				1.15	IS0895 HARBOR TUNNEL THRU STRUC#BCY 051			
				1.27	USD040 PULASKI HWY STRUC#4201			
				1.38	US0040BA SPUR TO EROMAN AVE			
				3.22	US0001 BELAIR RD			

ROUTE NUMBER.....MO 171  
INVENTORY DIRECTION....EAST  
NAME: CHURCH ST

				.00	LMTS BALTO CITY			
				.61	MO0173 CURTIS AVE			

ROUTE NUMBER.....MO 172  
INVENTORY DIRECTION....NORTH  
NAME: ARUNDEL COVE AVE

				.00	MO0173 HAWKINS POINT RD			
				.12	LMTS BALTO CITY			

ROUTE NUMBER.....MO 173  
INVENTORY DIRECTION....NORTH  
NAME: FORT SMALLWOOD RD

				.00	LMTS BALTO CITY			
				.79	MO0172 ARUNDEL COVE RD			
				1.00	STRUC #5207 R/R #BO 140 366 Y			
				1.38	MDC695 PATAPSCO FREEWAY STRUC#BC 2008			
				1.57	STRUCTURE #BC 5222 CURTIS CREEK			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 173 CONTINUED  
 INVENTORY DIRECTION....NORTH  
 NAME: FORT SMALLWOOD RD

PAGE..... 8  
 DATE.....12/31/85  
 COUNTY-BALTIMORE CITY  
 SHA DISTRICT.....

STATE	SYSTEM	FEDERAL	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AACT
						1.88		R/R #B0 140 162 M			
						2.17		STRUCTURE #5216 CABIN BRANCH			
						2.32		R/R #B0 140 362 W			
						2.90	M00171	CHURCH ST			
						3.59	M00173	PENNINGTON AVE			
						4.72	M00686	SECOND ST			
						4.86	M00002	POTEE ST			

ROUTE NUMBER.....MD 295  
 INVENTORY DIRECTION....NORTH  
 NAME: BALTO WASH PKWY

						.00		LMTS BALTO CITY			
						.15	MUC100	PATAPSCO AVE STRUC#5204			
						.39	M00648E	ANNAPOLIS RD STRUC#5401			
						.51		STRUC #5208 R/R #B0 140 342 K			
						1.01	M00648E	WATERVIEW AVE STRUC#5402			
						1.10		STRUCTURE #BC 5001 PED WALKWAY			
						1.33		STRUC #5104 R/R #B0 831 615 L			
						1.49		STRUC #5102 R/R #B0 140 379 A			
						1.60	IS0095	NO NAME STRUC #51G3			
						2.30		STRUC#5101 R/R #BC 140 846 H			
						2.64	IS0395A	MARTIN LUTHER KING JR BLVD			
						3.57	US0040	MULBERRY STREET (EAST)			
						3.64	US0040	FRANKLIN STREET (WEST)			

ROUTE NUMBER.....MD 372  
 INVENTORY DIRECTION....EAST  
 NAME: WILKINS AVE

						.00		LMTS BALTO CITY			
						.39	US0001	WILKINS AVE			

ROUTE NUMBER.....IS 395  
 INVENTORY DIRECTION....NORTH  
 NAME: NO NAME

						.00	IS0095	NO NAME			
						1.33	MU4295	W CAMCEN STREET			
						1.33	MU1700	HOWARD STREET (AHEAD)			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 395A  
 INVENTORY DIRECTION....NORTH  
 NAME: MARTIN LUTHER KING JR BLVD

PAGE..... 9  
 DATE.....12/31/85  
 COUNTY-BALTIMORE CITY  
 SHA DISTRICT.....

SYSTEM	FLNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
....STATE....	..FEDERAL...	CLASS	CTL					
				.00	ISD395 NC NAME			
				.65	MDD295 RUSSELL ST			
				.65	MU6020 MARTIN LUTHER KING JR BLVD (AHD)			

ROUTE NUMBER.....MD 542  
 INVENTORY DIRECTION....NORTH  
 NAME: THE ALAMEDA

				.00	MDD147 HARFORD RD			
				.97	MU149D LCCH RAVEN BLVD			
				2.20	STRUCTURE #34C3 CHINQUAPIN RUN			
				3.71	LMTS BALTO CITY			

ROUTE NUMBER.....MD 648E  
 INVENTORY DIRECTION....NORTH  
 NAME: ANNAPOLIS RD

				.00	LMTS BALTO CITY			
				.41	MDC295 BALTO WASH PKWY STRUC #5401			
				.56	STRUC #BC 5406 R/R #B0 14D 341 D			
				1.00	MDD295 BALTO WASH PKWY STRUC #BC 5402			
				1.36	R/R #B0 831 614 E			
				1.40	R/R #B0 14D 381 B			
				1.66	STRUCTURE #BC 5301 GWYNNS FALLS			
				1.82	RUSSELL ST (MC 295)			

ROUTE NUMBER.....MD 686  
 INVENTORY DIRECTION....NORTH  
 NAME: 2ND AVE

				.00	LMTS BALTO CITY			
				.34	MDC173 PATAPSCO AVE			

ROUTE NUMBER.....MD 695  
 INVENTORY DIRECTION....NORTH  
 NAME: PATAPSCO FREEWAY

PRIMARY	U	FAP	115	U	12	DIVIDED	FULL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
								.00	LMTS BALTO CITY	4	56J	29,876
						UNDIVIDED		.00	STRUCTURE #BC2 DD2 PATAPSCO RIVER	4	54J	
								.76				
								.84				
								.88	MU443D DOCK RD STRUC #BC2 DD3	2	24J	42,675

A, B = UNIMPROVED; C = GRADED & DRAINED; D, E = SOIL, GRAVEL, STONE; F, G = LOW TYPE BITUMINUS; H, I = HIGH TYPE BITUMINUS;  
 CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 695 . CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: PATAPSCO FREEWAY

PAGE..... 10  
DATE.....12/31/85  
COUNTY-BALTIMORE CITY  
SHA DISTRICT.....

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPEx	AAOT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL				
PRIMARY	U	FAP	115	U 12	UNOIVED FULL			
				1.32		2	24J	42,675
				1.90	MU4420			
				2.64	MU4331			
				2.87	MO0173			
				3.23				
					STRUCTURE #BCZC04			
					QUARANTINE RD STRUC #BCZ006			
					CHEMICAL RD STRUC #BCZ007			
					PENNINGTON AVE STRUC #BCZ008			
					LMTS BALTO CITY			
ROUTE NUMBER.....IS 895								
INVENTORY DIRECTION....NORTH								
NAME: HARBOR TUNNEL THRUWAY								
PRIMARY	U	FAI	995	U 11	DIVIDED FULL			
				.00		4	68J	62,213
				.33	MU0100			
				.46	MO0002			
				.56	MU1530			
				1.04		4	50I	
				1.21				
				1.21				
				1.42	MU4350			
				1.44		4	66J	
				1.59				
				1.77				
				1.86				
				2.24		4	44I	
				2.41				
				2.47				
				3.92				
				4.13		4	56I	
				4.50	MU1280			
				4.56	MU1310			
				4.56		6	50J	
				4.78		4	70J	
				5.05				
				5.29	MU1400			
				5.39				
				5.50	MU3010			
				5.57	MU1555			
				5.64	MU1235			
				5.69	MO0150			
				6.04	MUC952			
				6.39		4	56J	30,000
				6.51				
				6.51				
					STRUCTURE #BCYC041 BOSTON ST			
					O'DONNELL ST STRUC#BCY 042			
					STRUC #BCYC43 R/R #CIN 848 063 A			
					FAIT AVE STRUC#BCY 044			
					FCSTER AVE STRUC#BCY 045			
					FLEET ST STRUC#BCY 046			
					EASTERN AVE STRUC#BCY 047			
					BAYVIEW AVE STRUC#BCY 048			
					STRUCTURE #BCYC49			
					R/R #ATK 529 565G & #B0 140 836E			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 895 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: HARBOR TUNNEL THRUWAY

PAGE..... 11  
DATE.....12/31/85  
COUNTY-BALTIMORE CITY  
SHA DISTRICT.....

SYSTEM		FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL								
PRIMARY	U FAI	895 U II	DIVIDED	FULL	6.69 MDC151	EROMAN AVE STRUC#BCY D51	4	56J	30,000
					6.74			52J	
					6.77 MUI705	MAPLETON PL STRUC #BCY D52			
					6.88 USDD40	PULASKI HWY STRUC. #BCYD53			
					6.98				
					7.26	STRUCTURE #BCYD54 HERRING RUN	4	48J	40,000
					7.50 MUD055	MORAVIA RD STRUC#BCY D56			
					7.78 MU1D20	MORAVIA PARK DRIVE STRUC#BCY D57			
					8.07	STRUCTURE #BCYD58 MOORES RUN			
					8.12 ISDD95	J F K HWY STRUC #BC41D4			
					8.51 ISDD95	J F K HWY (AHEAD)			

\* A,B = UNIMPROVED; C = GRADED & CRAINED; C,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

