

NASA TECHNICAL NOTE



NASA TN D-8247

NASA TN D-8247

LOAN COPY: R
AFWL TECHNICAL
KIRTLAND AIR FORCE




0133996

**THEORETICAL AND EXPERIMENTAL STUDY
OF TWISTED AND CAMBERED DELTA WINGS
DESIGNED FOR A MACH NUMBER OF 3.5**

Russell B. Sorrells III and Emma Jean Landrum

*Langley Research Center
Hampton, Va. 23665*





0133996

1. Report No. NASA TN D-8247	2. Government Accession No.	3. Recipient's Catalog No.	
4. Title and Subtitle THEORETICAL AND EXPERIMENTAL STUDY OF TWISTED AND CAMBERED DELTA WINGS DESIGNED FOR A MACH NUMBER OF 3.5		5. Report Date August 1976	6. Performing Organization Code
7. Author(s) Russell B. Sorrells III and Emma Jean Landrum		8. Performing Organization Report No. L-10823	
9. Performing Organization Name and Address NASA Langley Research Center Hampton, Va. 23665		10. Work Unit No. 505-11-15-01	11. Contract or Grant No.
12. Sponsoring Agency Name and Address National Aeronautics and Space Administration Washington, D.C. 20546		13. Type of Report and Period Covered Technical Note	
15. Supplementary Notes		14. Sponsoring Agency Code	
16. Abstract <p>This investigation provided data for the evaluation of the aerodynamic performance of a series of twisted and cambered delta wings designed for a Mach number of 3.5. Systematic force and pressure data are also presented for comparison with theory.</p> <p>Force tests were made at Mach numbers of 2.3, 3.0, 3.5, 4.0, and 4.6. Design lift coefficients of 0.0 and 0.1 were employed on the 55° and 68° sweep wings, and design lift coefficients of 0.0, 0.05, and 0.1 were employed on the 76° sweep wings. Pressure tests were conducted on the 55° and 76° sweep flat wings and on the 0.1 design lift coefficient 76° sweep wing.</p> <p>The results indicate that for the sweep angles tested, an increase in the zero-lift pitching-moment coefficient is the primary benefit of twist and camber at a Mach number of 3.5. Comparison of the experimental results with results obtained from several lift theories indicates that the Carlson-Middleton linear theory method gave the best overall agreement. The pressure data indicate, however, that there is a fortuitous cancellation of error at high angle of attack where the lower surface pressures are significantly under-predicted over the inboard region of the wing and where the upper and lower surface pressures are overpredicted over the outboard region of the wing.</p>			
17. Key Words (Suggested by Author(s)) Aerodynamics Delta wing Pressure distributions Force data Supersonic		18. Distribution Statement Unclassified - Unlimited Subject Category 02	
19. Security Classif. (of this report) Unclassified	20. Security Classif. (of this page) Unclassified	21. No. of Pages 236	22. Price* \$7.50

THEORETICAL AND EXPERIMENTAL STUDY OF TWISTED
AND CAMBERED DELTA WINGS DESIGNED
FOR A MACH NUMBER OF 3.5

Russell B. Sorrells III and Emma Jean Landrum
Langley Research Center

SUMMARY

This investigation provided data for the evaluation of the aerodynamic performance of a series of twisted and cambered delta wings designed for a Mach number of 3.5. Systematic force and pressure data are also presented for comparison with theory.

Force tests were made at Mach numbers of 2.3, 3.0, 3.5, 4.0, and 4.6. Design lift coefficients of 0.0 and 0.1 were employed on the 55° and 68° sweep wings, and design lift coefficients of 0.0, 0.05, and 0.1 were employed on the 76° sweep wings. Pressure tests were conducted on the 55° and 76° sweep flat wings and on the 0.1 design lift coefficient 76° sweep wing.

The results indicate that for the sweep angles tested, an increase in the zero-lift pitching-moment coefficient is the primary benefit of twist and camber at a Mach number of 3.5. Comparison of the experimental results with results obtained from several lift theories indicates that the Carlson-Middleton linear theory method gave the best overall agreement. The pressure data indicate, however, that there is a fortuitous cancellation of error at high angle of attack where the lower surface pressures are significantly under-predicted over the inboard region of the wing and where the upper and lower surface pressures are overpredicted over the outboard region of the wing.

INTRODUCTION

The performance benefits of twist and camber applied to swept wings with subsonic leading edges at moderate supersonic speeds have been demonstrated both theoretically (refs. 1 to 5) and experimentally (refs. 6 to 8). The benefits at moderate supersonic speeds are a higher lift-drag ratio relative to that for a flat wing and a positive zero-lift pitching moment. The positive zero-lift pitching moment has provided for self-trimming configurations with little or no trim drag at supersonic speeds. It is not known, however, whether twist and camber provide similar benefits in the high supersonic speed range.

Reference 9 indicates that the benefits are minimal for delta wings at Mach numbers above about 3.0, but that double delta planforms might provide some benefits up to about Mach 4.5.

The purpose of this investigation was to provide data for the evaluation of the aerodynamic performance of a series of twisted and cambered delta wings designed for a Mach number of 3.5; the investigation also provided systematic force, pressure, and flow-visualization data in the Mach number range from 2.3 to 4.6. The wings tested were not intended to represent optimum aerodynamic designs for a Mach number of 3.5, but were intended to provide data which could lead to optimum design.

The purpose of the pressure investigation was to aid in the analysis of the force data and to provide, insofar as possible, systematic and detailed data for comparison with theory. To date, no analytical technique has been developed to predict accurately the detailed loading at high angles of attack. It is essential that high angle-of-attack pressure data through a Mach number range on a series of wings, as provided by this investigation, be available if such a technique is to be developed.

Force tests were made on seven wings; detailed pressure data were taken on three of the seven wings at Mach numbers of 2.3, 3.0, 3.5, 4.0, and 4.6 through an angle-of-attack range from about -5° to 23° . These data are tabulated in appendixes A and B which follow the figures. Boundary-layer transition was fixed and all tests were conducted at a free-stream Reynolds number of 8.1×10^6 per meter.

SYMBOLS

The results are referred to the stability-axis system. The moment reference point is at 56.9 percent of the overall length for all models. Angle of attack is referenced to the center line of the strain-gage balance.

b	span
C_D	drag coefficient, $\frac{\text{Drag}}{q_{\infty}S}$
$C_{D,C}$	zero-lift camber drag coefficient
$C_{D,W}$	zero-lift wave drag coefficient
C_L	lift coefficient, $\frac{\text{Lift}}{q_{\infty}S}$
$C_{L,des}$	design lift coefficient

$C_{L,p}$	potential lift coefficient
$C_{L\alpha}$	$= \frac{C_L}{\Delta\alpha}$, per deg
C_m	pitching-moment coefficient, $\frac{\text{Pitching moment}}{q_\infty S \bar{c}}$
$C_{m,0}$	pitching-moment coefficient at zero lift
C_N	normal-force coefficient, $\frac{\text{Normal force}}{q_\infty S}$
$C_{N\alpha}$	$= \frac{C_N}{\Delta\alpha}$, per deg
C_p	local pressure coefficient, $\frac{p - p_\infty}{q_\infty}$; C_p in computer-generated tables and plots
ΔC_p	total lifting pressure coefficient ($C_{p,\text{lower}} - C_{p,\text{upper}}$)
c	local chord
\bar{c}	mean geometric chord
c_n	section normal-force coefficient, $\int_0^{1.0} \Delta C_p d\left(\frac{x}{c}\right)$
L/D	lift-drag ratio
$(L/D)_{\text{max}}$	maximum lift-drag ratio
M	free-stream Mach number
p	local pressure, N/m^2
p_∞	free-stream static pressure, N/m^2
q_∞	free-stream dynamic pressure, N/m^2
S	reference wing area, 0.2045 m^2
x	longitudinal distance measured from model apex, cm
y	spanwise distance measured from model center line, cm

α	angle of attack, deg
β	$= \sqrt{M^2 - 1}$
Λ	leading-edge sweep angle, deg
μ	Mach angle, deg

Abbreviations:

L.S.	lower surface
U.S.	upper surface

MODEL TESTS

Model Design

The three sweep angles employed were selected to cover the three basic leading-edge conditions at the design Mach number of 3.5: subsonic, supersonic with detached leading-edge shock, and supersonic with attached leading-edge shock. The 76° sweep wing had a subsonic leading edge at a Mach number of 3.5, the 68° sweep wing was estimated to have a detached shock at angles of attack above 3°, and the 55° sweep wing was estimated to have a detached shock at angles of attack above 15°.

The cambered and twisted wings were designed by using a computer program based on the method described in reference 3. This program determines the wing camber and twist which supports an optimum combination of three specified loadings so that the wing has minimum drag for a given lift coefficient. A body of revolution was added symmetrically about the wing center line to provide a housing for the strain-gage balance. The base diameter was 5.08 cm for all wings and was the minimum diameter required to house the balance. For the 76° leading-edge sweep models, the root chord incidence as given by the computer program exceeded that incidence believed practical. Accordingly, for these wings the mean camber surface was significantly modified in the root chord region. For example, the z-ordinate at the trailing edge of the root chord for the $C_{L,des} = 0.1$ wing was changed from 11.4 cm to 6.8 cm. The $C_{L,des} = 0.05$ wing was designed by using the option of reference 10; in this option, the z-ordinate of the trailing edge at the model center line is constrained to a specified value. For this wing a value of 4.45 cm was used for the constraint, and the root chord was refaired so that the trailing-edge ordinate was 3.82 cm. The root chord camber as defined by the numerical program was left unchanged for the 68° and 55° sweep-angle wings. It should

be mentioned, however, that all the wings depart from the true theoretical optimum which displays a root chord singularity. The finite solution at the wing root is the result of the numerical techniques used in the computer program. The airfoils for all the cambered wings were sheared vertically so that the mean chord lines are flat across the span at 50 percent of the root chord.

Models

Force models.- The models had clipped delta wings of equal planform area and employed three leading-edge sweep angles: 76° , 68° , and 55° . (See figs. 1 and 2.) One flat and one cambered and twisted wing designed to have minimum drag at $C_{L,des} = 0.1$ and a Mach number of 3.5 were tested for each sweep angle. In addition, a 76° sweep wing cambered and twisted to have minimum drag at $C_{L,des} = 0.05$ and a Mach number of 3.5 was tested. All the wings had 4-percent-thick circular-arc airfoils. A minimum-volume body housed the strain-gage balance and provided for minimum departure from the prescribed optimum loading distribution. The body base diameter of 5.08 cm for all models permitted sting mounting from the rear on the main support system of the tunnel. All models except the $C_{L,des} = 0.05$ wing were measured on a three-dimensional digitizer. The resulting numerical configuration data (in the form described in ref. 11) are presented in tables I to VI.

Pressure models.- Three of the force models were duplicated as pressure models: the 76° sweep at $C_{L,des} = 0.1$, the 76° sweep flat, and the 55° sweep flat. The pressure tubes were integrally cast into the models to permit a greater number of more closely spaced pressure measurements. (See appendix B for pressure orifice locations.) On the 76° sweep cambered and the 76° sweep flat wings, the upper and lower surface orifices were serviced by the same pressure tube; this technique required taping one surface while the other surface was being tested. The models were sting mounted from the rear on the main support system of the tunnel.

Tunnel Description

Tests were conducted in the high Mach number test section of the Langley Unitary Plan wind tunnel which is a variable Mach number, variable pressure, continuous-flow tunnel. The test section is approximately 1.22 m square. (See ref. 12 for a more detailed description of this facility.)

Test Measurements and Corrections

All tests were conducted at a free-stream Reynolds number of 8.1×10^6 per meter. The stagnation temperature was maintained at 338 K for Mach numbers of 2.3, 3.0, and 3.5, and at 352 K for Mach numbers of 4.0 and 4.6. Transition strips composed of

number 40 carborundum grit (0.0460 ± 0.0041 cm) were fixed at a position 1.016 cm aft of the leading edge in a streamwise direction. The grit was individually spaced so as to be three diameters apart on centers.

Aerodynamic forces and moments were measured by means of a six-component electrical strain-gage balance housed within the model. All pitching moments were referenced to a point which would provide a subsonic static margin of $0.05\bar{c}$ as calculated by a Langley subsonic aerodynamic computer program based on the method of reference 13.

Angle of attack for all the models is defined as the strain-gage balance angle of attack and has been corrected for tunnel flow angularities and sting and balance deflection due to aerodynamic loads. The data have been adjusted to represent the condition of free-stream static pressure acting over the base of the body.

Pressures were measured by four scanning valves. All pressure coefficients were referenced to free-stream static pressure.

Accuracy

Force data.- Given the balance accuracy of 0.5 percent of maximum load, the various parameters can be estimated to be accurate within the following limits:

C_D	± 0.0005
C_L	± 0.006
C_m	± 0.006 (76° sweep)
	± 0.007 (68° sweep)
	± 0.01 (55° sweep)

The accuracies are based on a dynamic pressure of $14\ 100\ \text{N/m}^2$ (the nominal dynamic pressure for a Mach number of 4.60).

Pressure data.- The accuracy of the scanning valve system is better than 1 percent of the gage range of $34\ \text{kN/m}^2$. When expressed as pressure coefficient, this accuracy varies from 0.01 at a Mach number of 2.3 to 0.03 at a Mach number of 4.6.

RESULTS AND DISCUSSION

For the convenience of the reader, the large volume of basic experimental data is placed in appendixes A and B. Only summary data, selected theoretical-experimental correlations, and discussions of oil-flow photographs are presented in the main body of the text. The longitudinal aerodynamic characteristics α , C_L , C_D , and C_m for seven wings and five Mach numbers are given in tables A-1 to A-7 of appendix A. Upper and lower surface pressure coefficients for the three pressure wings tested are given in tables B-1 to B-15 of appendix B.

Comparison of Various Theoretical Results With Experimental Force Results

The experimental data for Mach numbers 2.3, 3.5, and 4.6 are compared with data obtained by several theoretical methods (figs. 6 and 7) used for calculating lift, drag, and pitching moment. The theoretical methods used include: small angle linear potential theory (Carlson-Middleton method, ref. 16); Polhamus leading-edge suction analogy for vortex lift (refs. 15 and 17); the Woodward linear potential theory (refs. 18, 19, and 20); and several hypersonic theories which are options in the Douglas hypersonic arbitrary-body computer program (ref. 21). All the methods shown in figure 7 include skin-friction values based on reference 22. For the theories which do not calculate their own wave drag (Carlson-Middleton and Polhamus suction analogy), the method of reference 23 was used.

Carlson-Middleton theory.- This theory calculates the lift, pitching moment, and drag due to lift numerically by the use of a planar grid system (51×100 on right-hand wing panel). The local surface slope of a point on a lifting surface is related to the pressure at the point, the influence of pressures upstream of the specified point being taken into account (ref. 16). A small angle assumption is used in this method so that the lift coefficient is given by $C_L = C_{N\alpha} \alpha$. A problem with this method is that pressures are allowed to exceed vacuum.

The agreement of this theory with experiment is generally good throughout the Mach number range for all the wings, but is better for the 55° and the 68° sweep wings. The generally good agreement obtained with this method may be caused in part by compensating errors between the use of the small angle approximation and by permitting pressures to exceed vacuum (discussed further in the section on pressure measurements).

Polhamus leading-edge suction analogy.- The Mach 2.3 data of figures 7(a) and 7(b) are unique in that they are the only data obtained for the case where the leading edge is sufficiently subsonic to generate a significant amount of vortex lift. The experimental values of lift slightly exceed those predicted by the Carlson-Middleton method as expected, although this fact in itself is not conclusive evidence that there is vortex lift present. The lift, pitching moment, and drag due to lift were calculated by using the vortex-lift theory described in references 15 and 17. This vortex-lift theory is based on the assumption that when leading-edge suction is lost, it is converted into a normal force or vortex lift. The total lift is assumed to be the vortex-lift increment plus the potential lift. The potential lift is defined as the linear potential theory lift (or Carlson-Middleton) described previously but without the small angle assumption. Therefore, the equation for potential lift is given by:

$$C_{L,p} = C_{N\alpha} \sin \alpha \cos^2 \alpha$$

where $C_{N\alpha}$ is the linear potential theory $C_{L\alpha}$ used in the Carlson-Middleton method.

The vortex lift was calculated by using the computer program described in reference 24. This program calculates the section leading-edge thrust at several spanwise stations and integrates them to obtain an overall leading-edge suction (vortex lift). The subsonic leading-edge cases shown in figure 7 indicate, however, that the assumption of 100-percent leading-edge suction is not justified because the lift is consistently overpredicted. For the supersonic leading-edge cases (where there is no vortex lift), the Carlson-Middleton method generally agrees as well as the Polhamus analogy even though the latter corrects for the small angle assumption. Furthermore, the pressure data (to be discussed later) indicate no significant increment in lift on the upper surface relative to linear theory; however, the data do indicate a strong increment of lift on the lower surface relative to linear theory.

The pitching moment was found by summing the potential pitching moment and the contribution to pitching moment from the vortex lift. The vortex-lift contribution to pitching moment is found by assuming that the vortex lift acts along the leading edge normal to the wing surface and by integrating the section pitching moment due to vortex lift along the leading edge.

Woodward. - The unified approach to the aerodynamic analysis of wing-body-tail configurations presented in references 18 and 19 has been extended in reference 20 by the introduction of several aerodynamic singularity distributions. These distributions improve the capability to represent arbitrary shapes.

The configuration surface is subdivided into a large number of panels, each of which contains an aerodynamic singularity distribution. A constant source distribution is used on the body panels, and a vortex distribution with a linear variation in the streamwise direction is used on the wing and tail. The normal components of velocity induced at specified control points make up the coefficients of a system of linear equations relating the strengths of the singularities to the magnitude of the normal velocities. A matrix inversion procedure is used to solve this system of equations for the singularity strengths which satisfy the boundary conditions of tangential flow at the control points for a given Mach number and angle of attack. From these singularity strengths, pressure coefficients are calculated, and the forces and moments acting on the configuration are determined by numerical integration. This method, although it uses linearized theory, does not make the small angle assumptions and limits pressures to vacuum after all the pressures have been calculated.

In figure 7, the agreement between theoretical data and experimental data is generally good except at high lift and high Mach number. This exception could be a result of the failure to apply the pressure-limiting feature until all pressures have been calculated.

Douglas hypersonic arbitrary-body computer program. - This program provides for the option of selecting the theory to be used for surfaces under compression and the surfaces under expansion (ref. 21). In this study, the Prandtl-Meyer expansion was used for the expansion surfaces, and three different theories were used for the surfaces under compression: modified Newtonian, tangent wedge, and tangent cone. All three of these methods first calculated the pressure coefficients and then calculated the lift, drag due to lift, pitching moment, and drag due to volume. The tangent-wedge option agreed very well with experiment for the higher values of $\beta \cot \Lambda$.

Zero-lift drag component comparison. - The zero-lift camber and wave drag are shown in figure 6. The zero-lift wave drag was calculated by using the Harris wave-drag program (ref. 23) by describing the entire model as a wing and using 50 cutting plane angles. A special version of the program which allows the wing to have finite thickness at the trailing edge was used.

The camber drag predictions of the Carlson-Middleton and Woodward methods appear to agree equally well at all Mach numbers for the 76° sweep wing. However, for the 68° and 55° sweep wings the Woodward program predicts negative camber drag whereas the Carlson-Middleton program predicts positive camber drag with reasonably good accuracy for all three sweeps. The tangent-wedge predictions at higher Mach numbers agree with experiment reasonably well at all sweep angles although the predictions for the 68° sweep are somewhat high.

The Woodward program overpredicts the zero-lift wave drag at the lower Mach numbers for the 68° and 55° sweep wings while comparing very well with experiment for the 76° sweep wing. The zero-lift drag predictions of the Harris program are low for the 55° sweep wing for all Mach numbers and at the high Mach numbers for the 68° sweep wing. At the higher Mach numbers the tangent wedge predicts the wave drag reasonably well except for the 68° sweep wing.

Comparison of Various Theories With Pressure Tests

Comparisons of experimental pressure data for representative angles of attack with data obtained from both the Woodward theory (ref. 20) and the Middleton theory (ref. 25) are presented in figures 8 to 16. Pressure data for the 76° sweep wings (figs. 8 to 13) were integrated to obtain the spanwise lift distributions shown in figure 17.

The Woodward theory shown in figures 8 to 16 employs a pressure-limiting feature which limits pressures to vacuum after all the pressures have been calculated. The

Middleton method, on the other hand, allows the user to select the fraction of vacuum he wishes to use, and the pressure limiting is applied as the pressures are calculated. For figures 8 to 16 a vacuum fraction of 0.7 was used. This limit appears to work very well for the upper surface, but since the program in its present form constrains the total lifting pressure, it unnecessarily limits the lower surface pressures. As a result, the lower surface pressures are consistently underpredicted at the higher angles of attack. The numerical model used for the Middleton method was an all wing description.

The data shown in figure 12(b) represent the $C_{L,des} = 0.1$ design case for the 76° sweep wing. The camber was designed with technology similar to that of the Middleton method without pressure limiting. By assuming that the pressures do not exceed vacuum, the data would be expected to agree more closely with the Middleton method without pressure limiting than they do. In general, it appears that the outboard section of the wing does not lift as much as expected. This outboard section is the area of the wing where camber and twist are expected to provide a thrust component. The experimental pressures on the lower surface near the leading edge are considerably overpredicted and show no inclination to follow the theoretical predictions at the leading edge. The exception to the overprediction on the lower surface is the center-line station (fig. 12(b)) where the pressures were underpredicted near the leading edge. This underprediction was apparently caused by the groove (see fig. 2) on the lower surface center line (which resulted from shearing the camber lines) since the flat wings do not show this phenomenon at moderate angles of attack. Comparison of data obtained by the Middleton without pressure limiting method with the data of the two outboard stations (figs. 9(b) and 12(b)) indicates boundary-layer separation which is substantiated by the oil-flow photographs of this region (figs. 4(a) and 4(b)).

At the high angles of attack tested for each wing, linear theory appears to be totally inadequate, especially for the lower surface where the experimental pressures are much higher (except at the tip) than the estimates. In view of this large discrepancy for the lower surface, the question arises as to the significance of a relatively small vortex-lift correction which is assumed to occur on the upper surface only. Figures 8(c) and 11(c) indicate a small amount of vortex lift at $2y/b = 0.2$. However, the lower surface pressures indicate that if lift greater than that predicted by linear theory exists, it would be caused by lower surface effects and not by vortex lift. The lower surface pressures also indicate that the force data correlation with theory (Carlson-Middleton) is fortuitous at the highest angles of attack because underprediction of lift at the inboard stations is canceled by overprediction of lift at the outboard stations. (See fig. 17.) Since the zero-thickness linear theory prediction assumes equal pressure coefficients of opposite sign on the upper and lower surfaces, the high pressure coefficients measured on the lower surface (approximately twice those measured on the upper surface) could not be obtained theoretically. Pressure limiting as applied in the Middleton method would tend to magnify



this discrepancy further since the limits are applied to the loading parameter ΔC_p . Thus, the assumption of equal pressures of opposite sign on the upper and lower surfaces would result in even lower pressures than those obtained without pressure limiting.

Reference 26 compares pressure data with linear theory on a series of delta wings at Mach numbers from 1.62 to 2.41. This reference shows the same underprediction of lower surface pressure coefficient at an angle of attack as low as 7° .

CONCLUDING REMARKS

The experimental results indicate that for the wings tested, an increase in the pitching-moment coefficient at zero lift is the primary benefit of twist and camber at a Mach number of 3.5.

Comparison of the experimental force data results with results obtained from several lift theories indicates that the Carlson-Middleton method gave the best overall agreement at all conditions. It is thus concluded that linear theories can be used with good accuracy to estimate lift, drag due to lift, and pitching moment on slender wing-body configurations up to a Mach number of 4.6 at moderate angles of attack. The pressure data, however, indicate that there is a fortuitous cancellation of error at high angle of attack where the lower surface pressures are significantly underpredicted over the inboard region of the wing and where the upper and lower surface pressures are overpredicted over the outboard region of the wing.

It appears from both the force and the pressure data that any proper correction made to the theory for vortex lift would be small.

Langley Research Center
National Aeronautics and Space Administration
Hampton, Va. 23665
May 10, 1976

REFERENCES

1. Grant, Frederick C.: The Proper Combination of Lift Loadings for Least Drag on a Supersonic Wing. NACA Rep. 1275, 1956. (Supersedes NACA TN 3533.)
2. Brown, Clinton E.; and McLean, Francis E.: The Problem of Obtaining High Lift-Drag Ratios at Supersonic Speeds. J. Aero/Space Sci., vol. 26, no. 5, May 1959, pp. 298-302.
3. Carlson, Harry W.; and Middleton, Wilbur D.: A Numerical Method for the Design of Camber Surfaces of Supersonic Wings With Arbitrary Planforms. NASA TN D-2341, 1964.
4. Robins, A. Warner; Morris, Odell A.; and Harris, Roy V., Jr.: Recent Research Results in the Aerodynamics of Supersonic Vehicles. J. Aircr., vol. 3, no. 6, Nov.-Dec. 1966, pp. 573-577.
5. Carlson, Harry W.; and Miller, David S.: Numerical Methods for the Design and Analysis of Wings at Supersonic Speeds. NASA TN D-7713, 1974.
6. Carlson, Harry W.: Aerodynamic Characteristics at Mach Number 2.05 of a Series of Highly Swept Arrow Wings Employing Various Degrees of Twist and Camber. NASA TM X-332, 1960.
7. McLean, F. Edward; and Fuller, Dennis E.: Supersonic Aerodynamic Characteristics of Some Simplified and Complex Aircraft Configurations Which Employ Highly Swept Twisted-and-Cambered Arrow-Wing Planforms. Vehicle Design and Propulsion. American Inst. Aeron. & Astron., Nov. 1963, pp. 98-103.
8. Morris, Odell A.; and Fournier, Roger H.: Aerodynamic Characteristics at Mach Numbers 2.30, 2.60, and 2.96 of a Supersonic Transport Model Having a Fixed, Warped Wing. NASA TM X-1115, 1965.
9. Carmichael, Ralph L.: The Prospects of Aerodynamic Performance Gains From Wing Camber and Twist at Low Hypersonic Mach Numbers. Conference on Hypersonic Aircraft Technology, NASA SP-148, 1967, pp. 79-86.
10. Sorrells, Russell B.; and Miller, David S.: Numerical Method for Design of Minimum-Drag Supersonic Wing Camber With Constraints on Pitching Moment and Surface Deformation. NASA TN D-7097, 1972.
11. Craidon, Charlotte B.: Description of a Digital Computer Program for Airplane Configuration Plots. NASA TM X-2074, 1970.
12. Schaefer, William T., Jr.: Characteristics of Major Active Wind Tunnels at the Langley Research Center. NASA TM X-1130, 1965.

13. Margason, Richard J.; and Lamar, John E.: Vortex-Lattice FORTRAN Program for Estimating Subsonic Aerodynamic Characteristics of Complex Planforms. NASA TN D-6142, 1971.
14. Harris, Roy V., Jr.: A Numerical Technique for Analysis of Wave Drag at Lifting Conditions. NASA TN D-3586, 1966.
15. Polhamus, Edward C.: Predictions of Vortex-Lift Characteristics by a Leading-Edge Suction Analogy. J. Aircr., vol. 8, no. 4, Apr. 1971, pp. 193-199.
16. Middleton, Wilbur D.; and Carlson, Harry W.: Numerical Method of Estimating and Optimizing Supersonic Aerodynamic Characteristics of Arbitrary Planform Wings. J. Aircr., vol. 2, no. 4, July-Aug. 1965, pp. 261-265.
17. Davenport, Edwin E.; and Huffman, Jarrett K.: Experimental and Analytical Investigation of Subsonic Longitudinal and Lateral Aerodynamic Characteristics of Slender Sharp-Edge 74° Swept Wings. NASA TN D-6344, 1971.
18. Woodward, F. A.; Tinoco, E. N.; and Larsen, J. W.: Analysis and Design of Supersonic Wing-Body Combinations, Including Flow Properties in the Near Field. Part I - Theory and Application. NASA CR-73106, 1967.
19. Woodward, Frank A.: Analysis and Design of Wing-Body Combinations at Subsonic and Supersonic Speeds. J. Aircr., vol. 5, no. 6, Nov.-Dec. 1968, pp. 528-534.
20. Woodward, F. A.: An Improved Method for the Aerodynamic Analysis of Wing-Body-Tail Configurations in Subsonic and Supersonic Flow. NASA CR-2228, Pts. I-II, 1973.
Part I - Theory and Application.
Part II - Computer Program Description.
21. Gentry, Arvel E.: Hypersonic Arbitrary-Body Aerodynamic Computer Program (Mark III Version). Vol. I - User's Manual. Rep. DAC 61552, Vol. I (Air Force Contract Nos. F33615 67 C 1008 and F33615 67 C 1602), McDonnell Douglas Corp., Apr. 1968. (Available from DDC as AD 851 811.)
22. Sommer, Simon C.; and Short, Barbara J.: Free-Flight Measurements of Turbulent-Boundary-Layer Skin Friction in the Presence of Severe Aerodynamic Heating at Mach Numbers From 2.8 to 7.0. NACA TN 3391, 1955.
23. Harris, Roy V., Jr.: An Analysis and Correlation of Aircraft Wave Drag. NASA TM X-947, 1964.
24. Roskam, J.; Lan, C.; and Mehrotra, S.: A Parametric Study of Planform and Aeroelastic Effects on Aerodynamic Center, α - and q -Stability Derivatives. NASA CR-112229, 1972.

25. Middleton, W. D.; and Lundry, J. L.: Aerodynamic Design and Analysis System for Supersonic Aircraft. Part I – General Description and Theoretical Development. NASA CR-2520, 1975.
26. Boatright, William B.: Experimental Study and Analysis of Loading and Pressure Distributions on Delta Wings Due to Thickness and to Angle of Attack at Supersonic Speeds. NACA RM L56I14, 1956.

TABLE I.- NUMERICAL CONFIGURATION DATA FOR WING WITH 76° SWEEP,

$C_{L,des} = 0.0$

[See ref. 11]

1 1		19 20									REF A
2045.16	.5	.75	1.25	2.5	5.	7.5	10.	15.	20.		
25.	30.	35.	40.	50.	60.	70.	80.	90.	100.		
-.061	.003	0.000	40.548							WAFORG 1	
.686	.216	0.000	89.797							WAFORG 2	
1.516	.432	0.000	88.966							WAFORG 3	
2.362	.648	0.000	88.120							WAFORG 4	
3.223	.864	0.000	87.259							WAFORG 5	
4.094	1.082	0.000	86.388							WAFORG 6	
4.950	1.290	0.000	85.534							WAFORG 7	
6.665	1.727	0.000	83.820							WAFORG 8	
8.352	2.154	0.000	82.151							WAFORG 9	
9.863	2.540	0.000	80.630							WAFORG10	
16.965	4.305	0.000	73.492							WAFORG11	
25.557	6.457	0.000	64.902							WAFORG12	
34.229	8.611	0.000	56.241							WAFORG13	
42.857	10.765	0.000	47.612							WAFORG14	
51.483	12.918	0.000	38.994							WAFORG15	
60.117	15.070	0.000	30.363							WAFORG16	
68.760	17.224	0.000	21.732							WAFORG17	
77.450	19.378	0.000	13.038							WAFORG18	
86.106	21.488	0.000	4.379							WAFORG19	
0.000	-.008	-.013	-.008	-.010	-.013	-.008	-.008	-.003	0.000	TZORD 1	
.005	.005	.008	.005	-.010	-.025	-.023	-.020	-.013	.010	TZORD 1	
0.000	-.003	-.005	-.010	-.008	-.003	0.000	-.003	-.005	-.010	TZORD 2	
-.005	-.003	0.000	0.000	-.015	-.028	-.028	-.025	-.018	.008	TZORD 2	
-.010	-.003	-.003	-.003	-.003	.003	.008	.008	0.000	-.015	TZORD 3	
-.015	-.010	-.008	-.008	-.025	-.033	-.033	-.028	-.020	.005	TZORD 3	
-.008	-.003	0.000	.003	0.000	.003	.008	.005	-.003	-.020	TZORD 4	
-.020	-.018	-.015	-.015	-.033	-.036	-.033	-.033	-.023	.005	TZORD 4	
-.020	0.000	.005	0.000	.005	.005	.010	.010	-.008	-.028	TZORD 5	
-.033	-.030	-.028	-.030	-.043	-.041	-.038	-.036	-.025	.003	TZORD 5	
-.015	.005	.008	.003	.003	.005	.010	.005	-.010	-.041	TZORD 6	
-.046	-.043	-.041	-.043	-.048	-.043	-.048	-.038	-.030	-.003	TZORD 6	
-.018	-.003	.003	.008	.003	.003	.013	.008	-.005	-.023	TZORD 7	
-.048	-.051	-.051	-.058	-.061	-.053	-.053	-.046	-.038	.003	TZORD 7	
-.015	-.003	.003	.005	.005	.010	.010	.008	.003	.003	TZORD 8	
.013	.015	.005	-.036	-.058	-.056	-.069	-.066	-.043	.020	TZORD 8	
-.003	.005	.005	.005	.005	.008	.005	.003	.013	.018	TZORD 9	
.025	.041	.056	.048	.030	.018	-.003	-.051	-.056	.003	TZORD 9	
-.020	-.005	0.000	-.003	.003	.005	.008	.005	.015	.023	TZORD 10	
.030	.046	.056	.053	.038	.028	.020	.015	.028	.025	TZORD 10	
-.033	-.020	-.018	-.013	-.010	-.003	.003	.008	.018	.025	TZORD 11	
.036	.036	.036	.036	.036	.023	.013	.015	.033	.025	TZORD 11	
-.028	-.013	-.008	-.005	-.005	.003	.008	.015	.025	.025	TZORD 12	
.020	.018	.025	.036	.033	.013	.008	.013	.028	.028	TZORD 12	
-.013	-.003	0.000	0.000	.005	.010	.013	.010	.008	.008	TZORD 13	
.010	.020	.025	.028	.020	.008	.003	.008	.020	.030	TZORD 13	
-.005	-.005	-.005	-.008	-.010	-.010	-.010	-.010	-.008	-.003	TZORD 14	
.003	.013	.018	.018	.013	.003	.003	.005	.015	.028	TZORD 14	
-.018	-.013	-.008	-.005	-.005	-.010	-.015	-.015	-.013	-.005	TZORD 15	
-.003	.003	.008	.010	.005	0.000	-.005	0.000	.010	.028	TZORD 15	

TABLE I.- Concluded

-.018	-.013	-.010	-.008	-.008	-.005	-.010	-.013	-.013	-.010	TZORD 16
-.010	-.005	.003	.003	0.000	-.008	-.008	0.000	.013	.036	TZORD 16
-.025	-.023	-.020	-.020	-.020	-.018	-.018	-.020	-.018	-.018	TZORD 17
-.015	-.013	-.010	-.008	-.005	-.008	-.005	.010	.023	.041	TZORD 17
-.038	-.036	-.036	-.033	-.028	-.025	-.025	-.025	-.025	-.023	TZORD 18
-.020	-.015	-.010	-.005	0.000	0.000	.010	.023	.033	.025	TZORD 18
-.028	-.025	-.023	-.020	-.015	-.013	-.015	-.013	-.005	-.003	TZORD 19
0.000	.008	.010	.013	.025	.025	.025	.025	.020	.041	TZORD 19
0.000	.083	.102	.141	.230	.396	.570	.747	1.097	1.453	WAFORD 1
1.800	2.078	2.299	2.486	2.723	2.775	2.786	2.812	2.834	2.828	WAFORD 1
0.000	.080	.101	.137	.235	.426	.606	.785	1.145	1.504	WAFORD 2
1.846	2.116	2.335	2.516	2.747	2.791	2.803	2.828	2.846	2.845	WAFORD 2
0.000	.068	.094	.134	.236	.436	.623	.806	1.164	1.528	WAFORD 3
1.864	2.132	2.349	2.529	2.750	2.785	2.796	2.822	2.837	2.834	WAFORD 3
0.000	.065	.091	.132	.237	.443	.632	.810	1.167	1.523	WAFORD 4
1.855	2.118	2.338	2.519	2.728	2.756	2.769	2.793	2.806	2.806	WAFORD 4
0.000	.064	.090	.131	.239	.446	.636	.812	1.161	1.497	WAFORD 5
1.818	2.081	2.299	2.484	2.686	2.705	2.716	2.742	2.751	2.754	WAFORD 5
0.000	.070	.095	.138	.249	.453	.640	.816	1.140	1.443	WAFORD 6
1.751	2.014	2.237	2.422	2.615	2.626	2.636	2.666	2.672	2.673	WAFORD 6
0.000	.063	.092	.141	.249	.451	.640	.818	1.125	1.390	WAFORD 7
1.662	1.922	2.143	2.321	2.500	2.509	2.526	2.552	2.557	2.544	WAFORD 7
0.000	.060	.088	.141	.252	.458	.640	.811	1.097	1.339	WAFORD 8
1.558	1.758	1.933	2.051	2.175	2.170	2.170	2.202	2.204	2.171	WAFORD 8
0.000	.065	.092	.137	.256	.455	.636	.795	1.078	1.327	WAFORD 9
1.545	1.735	1.864	1.924	1.977	1.914	1.754	1.593	1.554	1.494	WAFORD 9
0.000	.063	.089	.133	.256	.452	.627	.780	1.067	1.323	WAFORD10
1.550	1.739	1.863	1.924	1.973	1.901	1.679	1.292	.846	.317	WAFORD10
0.000	.059	.086	.134	.239	.425	.595	.753	1.047	1.316	WAFORD11
1.564	1.753	1.882	1.965	2.015	1.950	1.714	1.275	.721	0.0	WAFORD11
0.000	.049	.071	.111	.217	.400	.567	.727	1.032	1.304	WAFORD12
1.537	1.720	1.854	1.949	2.013	1.958	1.716	1.268	.722	0.0	WAFORD12
0.000	.046	.067	.109	.210	.393	.558	.717	1.012	1.275	WAFORD13
1.495	1.688	1.825	1.920	2.008	1.966	1.712	1.264	.716	0.0	WAFORD13
0.000	.051	.076	.120	.224	.406	.564	.716	1.006	1.261	WAFORD14
1.478	1.667	1.819	1.916	2.008	1.961	1.701	1.266	.723	0.0	WAFORD14
0.000	.047	.075	.119	.228	.421	.584	.732	1.012	1.260	WAFORD15
1.475	1.658	1.812	1.920	2.003	1.960	1.702	1.271	.738	0.0	WAFORD15
0.000	.051	.075	.118	.225	.413	.582	.730	1.006	1.251	WAFORD16
1.462	1.639	1.781	1.883	1.977	1.929	1.693	1.282	.779	0.0	WAFORD16
0.000	.035	.053	.091	.195	.394	.577	.739	1.012	1.254	WAFORD17
1.464	1.627	1.756	1.851	1.967	1.941	1.723	1.349	.854	0.0	WAFORD17
0.000	.057	.085	.137	.238	.432	.634	.813	1.110	1.342	WAFORD18
1.527	1.666	1.793	1.889	1.984	1.969	1.841	1.530	.973	0.0	WAFORD18
0.000	.075	.112	.185	.352	.565	.649	.826	.973	1.275	WAFORD19
1.396	1.640	1.758	1.998	2.077	2.181	2.066	1.797	1.202	0.0	WAFORD19

TABLE II.- NUMERICAL CONFIGURATION DATA FOR WING WITH 76° SWEEP,

$CL_{des} = 0.1$

[See ref. 11]

1 1		19 20									HEFA
0.0	0.5	.75	1.25	2.5	5.0	7.5	10.	15.	20.	XAF 10	
25.	30.	35.	40.	50.	60.	70.	80.	90.	100.0	XAF 20	
0.000	0.000	0.000	90.731							WAFORG 1	
.058	.218	0.000	90.655							WAFORG 2	
.889	.432	0.000	89.812							WAFORG 3	
1.740	.648	0.000	88.928							WAFORG 4	
2.664	.864	0.000	87.988							WAFORG 5	
3.553	1.080	0.000	87.092							WAFORG 6	
4.359	1.298	0.000	86.286							WAFORG 7	
6.020	1.727	0.000	84.607							WAFORG 8	
7.826	2.154	0.000	82.789							WAFORG 9	
9.431	2.540	0.000	81.178							WAFORG10	
16.754	4.305	0.000	73.889							WAFORG11	
25.326	6.459	0.000	65.303							WAFORG12	
34.039	8.611	0.000	56.563							WAFORG13	
42.710	10.765	0.000	47.854							WAFORG14	
51.377	12.918	0.000	39.134							WAFORG15	
60.030	15.070	0.000	30.437							WAFORG16	
68.732	17.224	0.000	21.671							WAFORG17	
77.401	19.378	0.000	12.959							WAFORG18	
85.933	21.397	0.000	4.348							WAFORG19	
5.606	5.580	5.568	5.542	5.461	5.258	5.024	4.780	4.204	3.607	TZORD 1	
2.974	2.385	1.908	1.473	.665	.046	-.328	-.460	-.320	-.041	TZORD 1	
5.634	5.608	5.596	5.565	5.481	5.281	5.052	4.806	4.221	3.617	TZORD 2	
2.982	2.390	1.910	1.478	.665	.051	-.330	-.457	-.315	.028	TZORD 2	
5.443	5.418	5.403	5.370	5.276	5.098	4.905	4.666	4.092	3.493	TZORD 3	
2.865	2.301	1.834	1.412	.617	.020	-.340	-.452	-.312	-.056	TZORD 3	
5.171	5.144	5.128	5.090	4.983	4.831	4.666	4.455	3.917	3.330	TZORD 4	
2.725	2.197	1.750	1.336	.561	-.013	-.353	-.450	-.312	-.023	TZORD 4	
4.864	4.818	4.796	4.752	4.651	4.514	4.361	4.168	3.691	3.129	TZORD 5	
2.568	2.080	1.651	1.250	.500	-.053	-.368	-.452	-.310	-.015	TZORD 5	
4.524	4.465	4.442	4.402	4.321	4.176	4.023	3.848	3.432	2.921	TZORD 6	
2.410	1.969	1.565	1.173	.447	-.089	-.381	-.457	-.310	-.069	TZORD 6	
4.155	4.125	4.110	4.077	3.985	3.840	3.698	3.543	3.180	2.723	TZORD 7	
2.273	1.872	1.488	1.120	.414	-.109	-.389	-.457	-.307	.008	TZORD 7	
3.515	3.493	3.475	3.434	3.348	3.233	3.122	3.010	2.715	2.362	TZORD 8	
2.012	1.674	1.361	1.041	.389	-.094	-.366	-.439	-.284	.076	TZORD 8	
2.891	2.880	2.873	2.860	2.814	2.733	2.667	2.573	2.316	2.047	TZORD 9	
1.778	1.496	1.229	.950	.391	-.066	-.345	-.495	-.254	.071	TZORD 9	
2.443	2.436	2.431	2.421	2.395	2.357	2.306	2.217	2.014	1.824	TZORD 10	
1.598	1.359	1.118	.866	.348	-.112	-.391	-.437	-.239	.008	TZORD 10	
.983	.996	1.001	1.013	1.044	1.105	1.153	1.184	1.179	1.105	TZORD 11	
1.008	.892	.742	.582	.257	-.084	-.396	-.691	-.947	-1.234	TZORD 11	
.386	.434	.447	.460	.478	.564	.617	.658	.704	.732	TZORD 12	
.721	.673	.617	.533	.315	.086	-.155	-.424	-.691	-.960	TZORD 12	
.259	.287	.297	.318	.351	.424	.485	.536	.638	.706	TZORD 13	
.742	.744	.719	.668	.546	.404	.279	.043	-.178	-.399	TZORD 13	
.612	.638	.650	.673	.709	.767	.831	.886	.983	1.054	TZORD 14	
1.090	1.097	1.092	1.082	1.052	.986	.902	.787	.617	.353	TZORD 14	
1.247	1.262	1.270	1.285	1.313	1.351	1.389	1.430	1.511	1.577	TZORD 15	
1.626	1.659	1.704	1.725	1.755	1.768	1.717	1.638	1.521	1.308	TZORD 15	

TABLE II. - Concluded

1.831	1.852	1.862	1.875	1.897	1.933	1.974	2.014	2.096	2.164	TZORD 16
2.230	2.286	2.332	2.365	2.416	2.433	2.441	2.418	2.350	2.195	TZORD 16
2.431	2.441	2.446	2.456	2.479	2.517	2.550	2.583	2.652	2.718	TZORD 17
2.720	2.842	2.860	2.908	2.977	3.023	3.053	3.058	3.040	2.954	TZORD 17
3.007	3.012	3.018	3.023	3.040	3.071	3.096	3.117	3.160	3.205	TZORD 18
3.254	3.299	3.340	3.373	3.444	3.505	3.538	3.551	3.551	3.510	TZORD 18
3.564	3.566	3.569	3.571	3.576	3.589	3.602	3.612	3.630	3.653	TZORD 19
3.675	3.696	3.713	3.734	3.780	3.820	3.856	3.889	3.914	3.909	TZORD 19
0.000	.071	.104	.161	.251	.439	.619	.788	1.179	1.562	WAFORD 1
1.904	2.180	2.392	2.563	2.786	2.869	2.875	2.901	2.864	2.632	WAFORD 1
0.000	.071	.105	.163	.248	.422	.603	.778	1.167	1.547	WAFORD 2
1.895	2.166	2.375	2.552	2.769	2.859	2.869	2.892	2.856	2.697	WAFORD 2
0.000	.075	.105	.151	.232	.426	.624	.814	1.217	1.593	WAFORD 3
1.925	2.177	2.379	2.547	2.752	2.863	2.869	2.889	2.857	2.607	WAFORD 3
0.000	.061	.089	.133	.214	.412	.611	.822	1.244	1.616	WAFORD 4
1.924	2.162	2.353	2.508	2.709	2.834	2.847	2.866	2.836	2.605	WAFORD 4
0.000	.053	.079	.125	.212	.388	.588	.816	1.250	1.622	WAFORD 5
1.903	2.124	2.303	2.451	2.641	2.782	2.798	2.822	2.792	2.575	WAFORD 5
0.000	.070	.095	.127	.190	.357	.572	.806	1.237	1.602	WAFORD 6
1.858	2.067	2.237	2.374	2.557	2.711	2.720	2.749	2.720	2.438	WAFORD 6
0.000	.061	.088	.127	.182	.352	.561	.784	1.204	1.558	WAFORD 7
1.803	1.991	2.156	2.284	2.459	2.612	2.621	2.645	2.617	2.404	WAFORD 7
0.000	.071	.094	.122	.184	.371	.570	.778	1.149	1.448	WAFORD 8
1.678	1.850	2.005	2.115	2.254	2.334	2.311	2.347	2.307	2.177	WAFORD 8
0.000	.051	.076	.122	.213	.389	.591	.771	1.094	1.367	WAFORD 9
1.579	1.764	1.911	2.003	2.066	2.027	1.907	2.000	1.796	1.615	WAFORD 9
0.000	.061	.090	.136	.218	.396	.579	.738	1.042	1.320	WAFORD10
1.536	1.734	1.867	1.952	2.010	1.923	1.714	1.546	1.187	.618	WAFORD10
0.000	.042	.062	.103	.193	.370	.559	.731	1.032	1.308	WAFORD11
1.544	1.721	1.842	1.927	2.025	1.910	1.667	1.268	.742	0.	WAFORD11
0.000	.093	.124	.164	.238	.453	.628	.787	1.062	1.325	WAFORD12
1.557	1.722	1.854	1.952	2.032	1.917	1.697	1.293	.782	0.	WAFORD11
0.000	.079	.111	.161	.242	.420	.598	.764	1.094	1.353	WAFORD13
1.572	1.758	1.899	1.988	2.038	1.938	1.675	1.326	.808	0.	WAFORD13
0.000	.058	.087	.139	.246	.426	.607	.785	1.104	1.374	WAFORD14
1.598	1.752	1.863	1.955	2.039	1.962	1.721	1.282	.768	0.	WAFORD14
0.000	.062	.093	.152	.279	.473	.651	.816	1.123	1.376	WAFORD15
1.574	1.750	1.902	2.016	2.075	1.920	1.693	1.272	.755	0.	WAFORD15
0.000	.064	.095	.150	.259	.454	.638	.808	1.113	1.372	WAFORD16
1.588	1.770	1.914	1.991	2.049	1.969	1.729	1.321	.779	0.	WAFORD16
0.000	.052	.078	.130	.252	.465	.656	.819	1.096	1.323	WAFORD17
1.783	1.636	1.890	1.944	2.030	1.986	1.754	1.355	.829	0.	WAFORD17
0.000	.050	.075	.124	.246	.475	.669	.841	1.178	1.461	WAFORD18
1.656	1.829	1.983	2.079	2.213	2.067	1.828	1.466	.997	0.	WAFORD18
0.000	.057	.086	.143	.282	.542	.756	.913	1.128	1.366	WAFORD19
1.618	1.740	1.787	1.868	2.039	2.077	2.003	1.771	1.247	0.	WAFORD19

TABLE III. - NUMERICAL CONFIGURATION DATA FOR WING WITH 68° SWEEP,

$C_{L,des} = 0.0$

[See ref. 11]

1	1		20	21							RFFA
0.	.5	.75	1.25	2.5	5.	7.5	10.	15.	20.		XAF 10
25.	30.	35.	40.	50.	60.	70.	80.	90.	99.		XAF 20
100.											XAF 21
.051	0.000	0.000	71.237								WAFORG 1
.386	.213	0.000	70.907								WAFORG 2
.909	.429	0.000	70.388								WAFORG 3
1.445	.648	0.000	69.858								WAFORG 4
1.976	.864	0.000	69.327								WAFORG 5
2.553	1.077	0.000	68.750								WAFORG 6
3.053	1.295	0.000	68.245								WAFORG 7
4.110	1.727	0.000	67.175								WAFORG 8
5.171	2.159	0.000	66.106								WAFORG 9
6.093	2.535	0.000	65.176								WAFORG10
6.520	2.705	0.000	64.765								WAFORG11
13.216	5.408	0.000	58.016								WAFORG12
19.926	8.115	0.000	51.293								WAFORG13
26.640	10.818	0.000	44.577								WAFORG14
33.343	13.528	0.000	37.876								WAFORG15
40.488	16.383	0.000	30.731								WAFORG16
46.860	18.933	0.000	24.366								WAFORG17
53.614	21.646	0.000	17.615								WAFORG18
60.340	24.348	0.000	10.889								WAFORG19
67.104	27.056	0.000	4.097								WAFORG20
-.079	-.048	-.051	-.056	-.053	-.061	-.066	-.066	-.051	-.033		TZORD 1
-.033	-.043	-.028	-.003	.015	.030	.041	.051	.023	.030		TZORD 1
.030											TZORD 1
-.069	-.043	-.043	-.048	-.056	-.061	-.064	-.089	-.048	-.028		TZORD 2
-.028	-.033	-.018	.003	.020	.030	.046	.053	.030	.041		TZORD 2
.041											TZORD 2
-.058	-.046	-.048	-.051	-.056	-.064	-.066	-.056	-.043	-.018		TZORD 3
-.023	-.033	-.015	.005	.023	.028	.048	.056	.030	.043		TZORD 3
.043											TZORD 3
-.051	-.046	-.043	-.046	-.053	-.061	-.061	-.053	-.033	.005		TZORD 4
-.003	-.018	.003	.015	.030	.033	.058	.056	.033	.053		TZORD 4
.053											TZORD 4
-.053	-.043	-.043	-.048	-.056	-.064	-.061	-.053	-.033	.008		TZORD 5
.015	-.008	.005	.018	.030	.030	.058	.061	.036	.058		TZORD 5
.051											TZORD 5
-.104	-.053	-.043	-.051	-.053	-.061	-.061	-.053	-.030	.005		TZORD 6
.018	.010	.023	.025	.043	.036	.061	.064	.036	.061		TZORD 6
.061											TZORD 6
-.053	-.043	-.043	-.048	-.053	-.064	-.058	-.051	-.028	.003		TZORD 7
.015	.008	.028	.030	.033	.028	.066	.064	.033	.064		TZORD 7
.064											TZORD 7
-.056	-.048	-.046	-.048	-.056	-.061	-.058	-.051	-.033	-.010		TZORD 8
.003	.013	.028	.030	.036	.028	.071	.066	.041	.081		TZORD 8
.081											TZORD 8
-.056	-.046	-.046	-.048	-.053	-.061	-.058	-.051	-.033	-.018		TZORD 9
-.008	.008	.020	.015	.010	.015	.074	.081	.061	.124		TZORD 9
.124											TZORD 9
-.053	-.046	-.043	-.041	-.051	-.058	-.056	-.048	-.033	-.020		TZORD 10
-.013	.005	.015	.008	.005	0.000	.010	-.008	.028	.084		TZORD 10
.084											TZORD 10

TABLE III.- Continued

-.053	-.046	-.043	-.041	-.051	-.058	-.056	-.048	-.036	-.023	TZORD	11
-.013	.005	.010	.005	.003	-.003	-.003	-.030	-.025	-.005	TZORD	11
.005										TZORD	11
-.043	-.038	-.036	-.036	-.038	-.046	-.051	-.051	-.048	-.038	TZORD	12
-.028	-.025	-.025	-.023	-.010	-.003	-.013	-.053	-.069	-.064	TZORD	12
.064										TZORD	12
-.033	-.028	-.025	-.023	-.028	-.036	-.043	-.048	-.048	-.046	TZORD	13
-.041	-.038	-.036	-.038	-.025	-.015	-.036	-.066	-.074	-.064	TZORD	13
.064										TZORD	13
-.010	-.010	-.013	-.013	-.020	-.028	-.038	-.043	-.043	-.041	TZORD	14
-.041	-.041	-.041	-.041	-.036	-.036	-.056	-.066	-.069	-.071	TZORD	14
.071										TZORD	14
-.005	-.005	-.008	-.008	-.010	-.020	-.025	-.033	-.036	-.038	TZORD	15
-.041	-.043	-.043	-.043	-.043	-.051	-.058	-.058	-.064	-.076	TZORD	15
-.076										TZORD	15
.005	-.003	-.005	-.008	-.008	-.015	-.020	-.025	-.036	-.038	TZORD	16
-.041	-.041	-.041	-.041	-.043	-.048	-.053	-.051	-.056	-.081	TZORD	16
-.081										TZORD	16
-.003	-.003	-.003	-.003	-.003	-.010	-.013	-.018	-.023	-.025	TZORD	17
-.025	-.025	-.028	-.028	-.033	-.043	-.043	-.038	-.046	-.069	TZORD	17
-.064										TZORD	17
.003	.005	.005	.005	.005	0.000	-.005	-.005	-.008	-.010	TZORD	18
-.010	-.013	-.015	-.018	-.025	-.028	-.028	-.023	-.030	-.043	TZORD	18
-.025										TZORD	18
.013	.015	.015	.018	.020	.023	.018	.018	.015	.010	TZORD	19
.008	.005	.003	0.000	-.008	-.008	-.005	-.003	-.010	-.013	TZORD	19
-.013										TZORD	19
.043	.043	.043	.043	.043	.043	.046	.043	.043	.038	TZORD	20
.036	.033	.030	.028	.030	.041	.028	.030	.038	.064	TZORD	20
.064										TZORD	20
0.000	.092	.110	.147	.252	.451	.645	.822	1.148	1.541	WAFORD	1
1.914	2.232	2.528	2.810	3.218	3.478	3.687	3.743	3.737	3.582	WAFORD	1
3.582										WAFORD	1
0.000	.077	.102	.158	.279	.493	.691	.909	1.192	1.574	WAFORD	2
1.945	2.256	2.551	2.832	3.234	3.494	3.697	3.752	3.745	3.583	WAFORD	2
3.583										WAFORD	2
0.000	.079	.107	.163	.283	.501	.699	.873	1.193	1.573	WAFORD	3
1.946	2.261	2.561	2.838	3.240	3.499	3.694	3.747	3.740	3.579	WAFORD	3
3.579										WAFORD	3
0.000	.074	.106	.162	.276	.497	.695	.869	1.180	1.503	WAFORD	4
1.882	2.206	2.511	2.799	3.202	3.467	3.654	3.711	3.705	3.537	WAFORD	4
3.537										WAFORD	4
0.000	.072	.105	.161	.282	.500	.695	.866	1.173	1.470	WAFORD	5
1.764	2.118	2.435	2.729	3.139	3.410	3.597	3.645	3.642	3.458	WAFORD	5
3.458										WAFORD	5
0.000	.091	.121	.168	.288	.507	.702	.873	1.180	1.460	WAFORD	6
1.677	1.977	2.315	2.611	3.027	3.317	3.513	3.556	3.554	3.358	WAFORD	6
3.358										WAFORD	6

TABLE III. - Concluded

0.000	.076	.110	.166	.284	.503	.694	.864	1.172	1.446	WAFORD 7
1.647	1.872	2.135	2.436	2.888	3.194	3.379	3.422	3.422	3.234	WAFORD 7
3.234										WAFORD 7
0.000	.077	.111	.168	.284	.502	.693	.863	1.172	1.434	WAFORD 8
1.636	1.815	1.982	2.110	2.402	2.764	2.964	3.006	3.012	2.804	WAFORD 8
2.804										WAFORD 8
0.000	.076	.111	.168	.285	.501	.690	.861	1.166	1.423	WAFORD 9
1.626	1.805	1.963	2.078	2.148	2.172	2.218	2.250	2.258	2.042	WAFORD 9
2.042										WAFORD 9
0.000	.076	.110	.165	.281	.497	.687	.856	1.161	1.417	WAFORD10
1.620	1.799	1.958	2.071	2.132	2.080	1.879	1.549	1.227	.853	WAFORD10
.853										WAFORD10
0.000	.076	.109	.169	.282	.497	.686	.856	1.160	1.414	WAFORD11
1.620	1.796	1.956	2.069	2.130	2.076	1.853	1.475	.997	.292	WAFORD11
.292										WAFORD11
0.000	.074	.107	.159	.274	.484	.669	.838	1.123	1.368	WAFORD12
1.586	1.782	1.938	2.037	2.111	2.044	1.790	1.375	.786	0.0	WAFORD12
0.										WAFORD12
0.000	.065	.095	.151	.262	.465	.649	.815	1.105	1.359	WAFORD13
1.587	1.782	1.935	2.031	2.125	2.039	1.772	1.331	.724	0.0	WAFORD13
0.										WAFORD13
0.000	.057	.085	.139	.254	.452	.639	.807	1.115	1.378	WAFORD14
1.601	1.790	1.938	2.041	2.112	2.020	1.743	1.293	.687	0.0	WAFORD14
0.										WAFORD14
0.000	.058	.085	.136	.245	.458	.644	.822	1.130	1.390	WAFORD15
1.608	1.784	1.925	2.021	2.081	1.980	1.697	1.254	.661	0.0	WAFORD15
0.										WAFORD15
0.000	.075	.108	.159	.266	.476	.670	.838	1.135	1.397	WAFORD16
1.607	1.777	1.907	1.991	2.051	1.940	1.654	1.208	.637	0.0	WAFORD16
0.										WAFORD16
0.000	.068	.101	.161	.283	.497	.677	.852	1.155	1.413	WAFORD17
1.625	1.789	1.916	1.994	2.030	1.899	1.608	1.179	.619	0.0	WAFORD17
0.										WAFORD17
0.000	.061	.091	.149	.276	.488	.688	.858	1.169	1.426	WAFORD18
1.634	1.804	1.917	1.987	2.006	1.871	1.585	1.161	.642	0.0	WAFORD18
0.										WAFORD18
0.000	.068	.101	.167	.318	.537	.721	.888	1.187	1.456	WAFORD19
1.675	1.837	1.955	2.031	2.047	1.905	1.617	1.186	.643	0.0	WAFORD19
0.										WAFORD19
0.000	.044	.065	.109	.215	.407	.572	.735	1.096	1.408	WAFORD20
1.619	1.772	1.886	1.925	1.818	1.410	1.324	.959	.489	0.0	WAFORD20
0.										WAFORD20

TABLE IV.- NUMERICAL CONFIGURATION DATA FOR WING WITH 68° SWEEP,

$C_{L,des} = 0.1$

[See ref. 11]

1 1		20 21									REFA
0.0	0.5	.75	1.25	2.5	5.0	7.5	10.	15.	20.		
25.	30.	35.	40.	50.	60.	70.	80.	90.	99.		
100.											
2045.16											XAF 10
0.0	0.5	.75	1.25	2.5	5.0	7.5	10.	15.	20.		XAF 20
25.	30.	35.	40.	50.	60.	70.	80.	90.	99.		XAF 21
100.											XAF 21
.003	0.000	0.000	72.283								WAFORG 1
.417	.216	0.000	71.869								WAFORG 2
.919	.432	0.000	71.361								WAFORG 3
1.448	.645	0.000	70.830								WAFORG 4
1.956	.864	0.000	70.317								WAFORG 5
2.489	1.080	0.000	69.769								WAFORG 6
3.033	1.293	0.000	69.212								WAFORG 7
4.155	1.725	0.000	68.049								WAFORG 8
5.273	2.159	0.000	66.860								WAFORG 9
6.281	2.535	0.000	65.763								WAFORG10
6.789	2.703	0.000	65.217								WAFORG11
13.907	5.413	0.000	57.942								WAFORG12
20.660	8.120	0.000	51.153								WAFORG13
27.371	10.820	0.000	44.409								WAFORG14
34.082	13.531	0.000	37.663								WAFORG15
41.092	16.391	0.000	30.592								WAFORG16
47.386	18.943	0.000	24.247								WAFORG17
54.000	21.646	0.000	17.590								WAFORG18
60.670	24.351	0.000	10.884								WAFORG19
66.980	26.848	0.000	4.519								WAFORG20
1.928	1.943	1.948	1.963	1.989	1.986	1.948	1.892	1.745	1.549		TZORD 1
1.344	1.158	.988	.815	.505	.206	-.010	-.102	-.056	.046		TZORD 1
.046											TZORD 1
1.935	1.951	1.956	1.969	1.984	1.969	1.928	1.877	1.730	1.537		TZORD 2
1.328	1.148	.975	.805	.498	.201	-.015	-.104	-.051	.048		TZORD 2
.048											TZORD 2
1.890	1.915	1.925	1.935	1.941	1.928	1.887	1.839	1.702	1.521		TZORD 3
1.318	1.140	.960	.795	.483	.193	-.018	-.104	-.046	.058		TZORD 3
.058											TZORD 3
1.867	1.864	1.862	1.862	1.864	1.857	1.826	1.781	1.661	1.494		TZORD 4
1.306	1.130	.953	.787	.470	.183	-.023	-.104	-.043	.061		TZORD 4
.061											TZORD 4
1.745	1.745	1.745	1.748	1.763	1.763	1.742	1.699	1.598	1.450		TZORD 5
1.283	1.113	.945	.782	.460	.178	-.028	-.104	-.043	.053		TZORD 5
.053											TZORD 5
1.605	1.613	1.615	1.623	1.636	1.643	1.626	1.595	1.511	1.387		TZORD 6
1.247	1.092	.940	.782	.455	.170	-.033	-.104	-.041	.071		TZORD 6
.071											TZORD 6
1.427	1.443	1.448	1.461	1.478	1.491	1.481	1.463	1.397	1.298		TZORD 7
1.181	1.046	.914	.770	.452	.157	-.038	-.099	-.033	.076		TZORD 7
.076											TZORD 7
1.036	1.039	1.039	1.041	1.052	1.087	1.110	1.120	1.105	1.059		TZORD 8
.989	.897	.808	.699	.432	.137	-.046	-.107	-.028	.089		TZORD 8
.089											TZORD 8
.505	.495	.490	.483	.505	.587	.648	.691	.732	.742		TZORD 9
.729	.678	.625	.546	.373	.127	-.038	-.107	-.023	.056		TZORD 9
.056											TZORD 9
.010	.008	.008	.008	.033	.132	.206	.267	.343	.399		TZORD 10
.437	.442	.424	.389	.325	.213	.117	.089	.201	.368		TZORD 10
.368											TZORD 10

TABLE IV.- Continued

-.191	-.193	-.196	-.193	-.152	-.056	.030	.089	.170	.246	TZORD	11
.307	.333	.333	.325	.305	.246	.203	.213	.328	.533	TZORD	11
.533										TZORD	11
-1.519	-1.504	-1.499	-1.483	-1.443	-1.356	-1.260	-1.156	-.958	-.757	TZORD	12
-.566	-.399	-.239	-.081	.196	.452	.714	.986	1.257	1.501	TZORD	12
1.501										TZORD	12
-1.280	-1.260	-1.250	-1.229	-1.179	-1.074	-.975	-.879	-.696	-.521	TZORD	13
-.353	-.193	-.036	.119	.414	.696	.963	1.227	1.504	1.773	TZORD	13
1.773										TZORD	13
-.762	-.747	-.739	-.721	-.681	-.602	-.523	-.442	-.290	-.137	TZORD	14
.005	.145	.290	.434	.716	.980	1.219	1.471	1.722	1.979	TZORD	14
1.979										TZORD	14
-.145	-.137	-.132	-.122	-.086	-.015	.053	.117	.244	.366	TZORD	15
.488	.610	.739	.866	1.107	1.334	1.542	1.768	1.994	2.233	TZORD	15
2.233										TZORD	15
.625	.625	.627	.638	.678	.737	.795	.853	.963	1.067	TZORD	16
1.173	1.275	1.377	1.473	1.664	1.847	2.029	2.220	2.390	2.563	TZORD	16
2.563										TZORD	16
1.458	1.455	1.455	1.458	1.478	1.529	1.570	1.613	1.699	1.786	TZORD	17
1.869	1.953	2.035	2.113	2.261	2.400	2.553	2.695	2.817	2.939	TZORD	17
2.939										TZORD	17
2.337	2.342	2.344	2.352	2.367	2.400	2.436	2.469	2.532	2.593	TZORD	18
2.652	2.710	2.766	2.824	2.934	3.040	3.142	3.231	3.315	3.366	TZORD	18
3.366										TZORD	18
3.282	3.284	3.284	3.287	3.292	3.312	3.327	3.348	3.386	3.424	TZORD	19
3.459	3.495	3.528	3.564	3.630	3.688	3.731	3.777	3.818	3.838	TZORD	19
3.838										TZORD	19
4.155	4.145	4.140	4.135	4.122	4.125	4.138	4.145	4.153	4.166	TZORD	20
4.171	4.181	4.188	4.199	4.216	4.237	4.249	4.257	4.262	4.272	TZORD	20
4.272										TZORD	20
0.000	.064	.095	.153	.254	.391	.551	.711	1.067	1.446	WAFORD	1
1.826	2.169	2.467	2.722	3.089	3.368	3.500	3.530	3.564	3.499	WAFORD	1
3.499										WAFORD	1
0.000	.081	.118	.181	.266	.412	.574	.737	1.099	1.483	WAFORD	2
1.866	2.206	2.504	2.750	3.108	3.377	3.501	3.532	3.572	3.502	WAFORD	2
3.502										WAFORD	2
0.000	.109	.149	.200	.257	.422	.580	.737	1.097	1.475	WAFORD	3
1.859	2.203	2.507	2.745	3.106	3.367	3.486	3.519	3.560	3.473	WAFORD	3
3.473										WAFORD	3
0.000	.069	.103	.164	.268	.421	.569	.726	1.074	1.433	WAFORD	4
1.818	2.160	2.470	2.705	3.071	3.334	3.444	3.480	3.519	3.438	WAFORD	4
3.438										WAFORD	4

TABLE IV.- Concluded

0.000	.086	.124	.182	.259	.409	.545	.700	1.026	1.364	WAFORD 5
1.737	2.079	2.385	2.618	2.997	3.258	3.369	3.406	3.445	3.355	WAFORD 5
3.355										WAFORD 5
0.000	.064	.095	.154	.264	.394	.524	.669	.972	1.283	WAFORD 6
1.637	1.975	2.272	2.496	2.885	3.154	3.264	3.298	3.342	3.261	WAFORD 6
3.261										WAFORD 6
0.000	.083	.121	.184	.267	.383	.502	.635	.917	1.225	WAFORD 7
1.547	1.864	2.145	2.359	2.724	2.997	3.114	3.142	3.191	3.105	WAFORD 7
3.105										WAFORD 7
0.000	.080	.118	.181	.254	.341	.453	.570	.822	1.111	WAFORD 8
1.411	1.696	1.932	2.109	2.355	2.538	2.641	2.663	2.732	2.656	WAFORD 8
2.656										WAFORD 8
0.000	.066	.098	.154	.234	.335	.448	.552	.771	1.044	WAFORD 9
1.328	1.600	1.809	1.942	2.089	2.043	1.951	1.897	1.899	1.896	WAFORD 9
1.896										WAFORD 9
0.000	.060	.089	.144	.250	.378	.497	.596	.796	1.049	WAFORD10
1.317	1.572	1.757	1.876	2.020	1.942	1.701	1.438	1.152	.611	WAFORD10
.611										WAFORD10
0.000	.081	.119	.185	.274	.404	.514	.618	.824	1.079	WAFORD11
1.334	1.579	1.751	1.863	2.008	1.938	1.687	1.346	.950	.295	WAFORD11
.295										WAFORD11
0.000	.055	.082	.135	.249	.405	.557	.711	1.001	1.272	WAFORD12
1.496	1.668	1.801	1.904	2.027	1.967	1.723	1.308	.764	.015	WAFORD12
0.0										WAFORD12
0.000	.076	.112	.181	.310	.455	.610	.756	1.019	1.255	WAFORD13
1.474	1.654	1.805	1.925	2.032	1.955	1.696	1.286	.748	.003	WAFORD13
0.0										WAFORD13
0.000	.076	.112	.179	.298	.445	.599	.745	1.020	1.280	WAFORD14
1.492	1.677	1.830	1.935	2.001	1.918	1.670	1.270	.740	-.017	WAFORD14
0.0										WAFORD14
0.000	.103	.145	.204	.286	.476	.638	.782	1.048	1.268	WAFORD15
1.499	1.679	1.818	1.912	1.988	1.912	1.680	1.277	.750	-.024	WAFORD15
0.0										WAFORD15
0.000	.100	.143	.211	.313	.469	.616	.762	1.022	1.250	WAFORD16
1.461	1.634	1.781	1.886	1.989	1.922	1.660	1.235	.699	.023	WAFORD16
0.0										WAFORD16
0.000	.107	.158	.247	.391	.554	.690	.811	1.044	1.259	WAFORD17
1.441	1.605	1.749	1.860	1.975	1.924	1.655	1.246	.686	.029	WAFORD17
0.0										WAFORD17
0.000	.091	.137	.225	.425	.665	.760	.872	1.085	1.255	WAFORD18
1.422	1.559	1.675	1.782	1.930	1.935	1.713	1.274	.730	.186	WAFORD18
0.0										WAFORD18
0.000	.126	.188	.307	.552	.756	.879	.993	1.189	1.377	WAFORD19
1.538	1.675	1.773	1.864	1.985	2.000	1.774	1.340	.804	-.070	WAFORD19
0.0										WAFORD19
0.000	.287	.425	.676	1.105	1.321	1.279	1.340	1.542	1.608	WAFORD20
1.692	1.676	1.756	1.843	1.886	1.886	1.720	1.462	1.267	.155	WAFORD20
0.0										WAFORD20

TABLE V.- NUMERICAL CONFIGURATION DATA FOR WING WITH 55° SWEEP,

$$C_{L,des} = 0.0$$

[See ref. 11]

1 1		20 20								REFA
0.	.5	.75	1.25	2.5	5.	7.5	10.	15.	20.	
25.	30.	35.	40.	50.	60.	70.	80.	90.	100.	XAF 10
2045.16										XAF 20
0.000	0.000	0.000	54.130							WAFORG 1
.259	.216	0.000	53.906							WAFORG 2
.546	.432	0.000	53.617							WAFORG 3
.856	.648	0.000	53.320							WAFORG 4
1.130	.864	0.000	53.043							WAFORG 5
1.466	1.080	0.000	52.695							WAFORG 6
1.991	1.448	0.000	52.169							WAFORG 7
2.393	1.727	0.000	51.768							WAFORG 8
3.018	2.159	0.000	51.145							WAFORG 9
3.564	2.540	0.000	50.597							WAFORG10
4.930	3.495	0.000	49.218							WAFORG11
9.898	6.988	0.000	44.219							WAFORG12
14.856	10.478	0.000	39.273							WAFORG13
19.820	13.975	0.000	34.315							WAFORG14
24.869	17.473	0.000	29.279							WAFORG15
29.873	20.963	0.000	24.280							WAFORG16
34.877	24.458	0.000	19.274							WAFORG17
39.888	27.953	0.000	14.252							WAFORG18
44.935	31.445	0.000	9.187							WAFORG19
49.977	34.940	0.000	4.128							WAFORG20
-.023	-.025	-.030	-.030	-.023	-.036	-.051	-.076	-.097	-.104	TZORD 1
-.112	-.119	-.117	-.112	-.102	-.094	-.084	-.074	-.058	-.046	TZORD 1
-.046	-.041	-.036	-.030	-.028	-.046	-.061	-.084	-.112	-.122	TZORD 2
-.130	-.132	-.127	-.122	-.112	-.102	-.089	-.079	-.061	-.048	TZORD 2
-.036	-.030	-.030	-.025	-.030	-.048	-.066	-.081	-.114	-.137	TZORD 3
-.145	-.145	-.137	-.132	-.117	-.107	-.094	-.081	-.064	-.053	TZORD 3
-.033	-.028	-.028	-.028	-.033	-.053	-.069	-.081	-.099	-.127	TZORD 4
-.145	-.157	-.152	-.142	-.124	-.112	-.099	-.084	-.064	-.061	TZORD 4
-.010	-.020	-.023	-.028	-.036	-.053	-.069	-.081	-.094	-.104	TZORD 5
-.122	-.147	-.160	-.155	-.132	-.114	-.102	-.086	-.061	-.051	TZORD 5
-.028	-.020	-.025	-.030	-.038	-.058	-.071	-.081	-.094	-.099	TZORD 6
-.107	-.124	-.147	-.165	-.147	-.124	-.104	-.089	-.061	-.069	TZORD 6
-.028	-.023	-.028	-.033	-.043	-.061	-.076	-.084	-.094	-.097	TZORD 7
-.104	-.109	-.107	-.130	-.170	-.147	-.114	-.099	-.069	-.086	TZORD 7
-.036	-.025	-.028	-.033	-.046	-.066	-.079	-.089	-.097	-.097	TZORD 8
-.104	-.109	-.107	-.117	-.135	-.157	-.137	-.109	-.076	-.102	TZORD 8
-.015	-.023	-.028	-.036	-.049	-.071	-.084	-.091	-.099	-.099	TZORD 9
-.107	-.109	-.112	-.122	-.119	-.117	-.127	-.137	-.112	-.069	TZORD 9

TABLE V.- Continued

-.018	-.030	-.036	-.041	-.051	-.076	-.089	-.097	-.102	-.102	TZORD 10
-.107	-.112	-.114	-.122	-.122	-.119	-.119	-.109	-.084	-.030	TZORD 10
-.043	-.038	-.043	-.048	-.064	-.086	-.099	-.104	-.104	-.107	TZORD 11
-.112	-.117	-.119	-.124	-.124	-.122	-.130	-.127	-.112	-.076	TZORD 11
-.097	-.089	-.086	-.084	-.089	-.099	-.102	-.104	-.109	-.109	TZORD 12
-.109	-.114	-.119	-.127	-.124	-.117	-.119	-.117	-.119	-.099	TZORD 12
-.094	-.086	-.084	-.081	-.091	-.099	-.107	-.109	-.112	-.107	TZORD 13
-.104	-.109	-.114	-.117	-.112	-.104	-.102	-.104	-.114	-.084	TZORD 13
-.130	-.114	-.112	-.114	-.114	-.114	-.114	-.114	-.112	-.112	TZORD 14
-.112	-.109	-.109	-.109	-.104	-.104	-.102	-.102	-.099	-.086	TZORD 14
-.142	-.117	-.109	-.107	-.112	-.112	-.114	-.114	-.112	-.109	TZORD 15
-.107	-.104	-.104	-.104	-.102	-.099	-.094	-.099	-.097	-.086	TZORD 15
-.112	-.086	-.089	-.091	-.091	-.094	-.097	-.097	-.099	-.102	TZORD 16
-.102	-.099	-.097	-.091	-.084	-.084	-.089	-.099	-.102	-.097	TZORD 16
-.094	-.074	-.074	-.076	-.079	-.081	-.084	-.086	-.089	-.091	TZORD 17
-.089	-.086	-.084	-.081	-.079	-.081	-.086	-.091	-.097	-.086	TZORD 17
-.081	-.071	-.069	-.069	-.074	-.074	-.076	-.076	-.081	-.081	TZORD 18
-.084	-.084	-.084	-.084	-.079	-.076	-.071	-.069	-.066	-.056	TZORD 18
-.094	-.079	-.074	-.074	-.071	-.069	-.071	-.071	-.074	-.074	TZORD 19
-.074	-.074	-.071	-.069	-.064	-.053	-.041	-.030	-.015	.003	TZORD 19
-.076	-.064	-.058	-.051	-.048	-.048	-.046	-.041	-.036	-.033	TZORD 20
-.028	-.025	-.023	-.018	-.013	-.008	-.008	-.008	-.005	-.005	TZORD 20
0.000	.077	.104	.145	.261	.458	.627	.800	1.193	1.588	WAFORD 1
1.983	2.365	2.729	3.071	3.652	4.052	4.357	4.562	4.670	4.694	WAFORD 1
0.000	.061	.099	.142	.259	.464	.634	.798	1.171	1.566	WAFORD 2
1.953	2.333	2.709	3.051	3.641	4.048	4.352	4.560	4.666	4.686	WAFORD 2
0.000	.066	.096	.146	.257	.460	.627	.776	1.114	1.485	WAFORD 3
1.864	2.244	2.640	2.996	3.602	4.011	4.318	4.529	4.637	4.658	WAFORD 3
0.000	.065	.095	.145	.254	.455	.621	.767	1.058	1.378	WAFORD 4
1.721	2.098	2.508	2.889	3.514	3.934	4.246	4.463	4.574	4.554	WAFORD 4
0.000	.060	.088	.136	.244	.445	.613	.757	1.036	1.300	WAFORD 5
1.574	1.892	2.282	2.695	3.359	3.797	4.121	4.343	4.456	4.439	WAFORD 5
0.000	.075	.098	.141	.248	.448	.617	.765	1.041	1.287	WAFORD 6
1.509	1.740	2.054	2.436	3.145	3.617	3.953	4.195	4.311	4.315	WAFORD 6
0.000	.075	.096	.142	.246	.444	.615	.763	1.044	1.289	WAFORD 7
1.496	1.652	1.809	2.019	2.591	3.140	3.532	3.801	3.933	3.903	WAFORD 7
0.000	.078	.101	.143	.246	.443	.613	.763	1.044	1.288	WAFORD 8
1.498	1.654	1.786	1.910	2.174	2.601	3.040	3.348	3.507	3.460	WAFORD 8
0.000	.066	.093	.141	.244	.439	.609	.761	1.042	1.287	WAFORD 9
1.498	1.664	1.797	1.902	1.997	2.002	2.034	2.247	2.438	2.524	WAFORD 9
0.000	.078	.105	.146	.241	.436	.605	.757	1.037	1.287	WAFORD 10
1.502	1.674	1.807	1.910	1.999	1.932	1.720	1.436	1.125	.698	WAFORD 10

TABLE V.- Concluded

0.000	.076	.099	.140	.239	.426	.592	.744	1.029	1.284	WAFORD11
1.509	1.693	1.828	1.922	2.001	1.937	1.684	1.278	.741	0.0	WAFORD11
0.000	.063	.093	.146	.238	.405	.573	.727	1.017	1.285	WAFORD12
1.515	1.702	1.836	1.933	2.015	1.956	1.721	1.300	.787	0.0	WAFORD12
0.000	.067	.097	.146	.230	.402	.573	.731	1.024	1.278	WAFORD13
1.508	1.699	1.832	1.925	2.013	1.962	1.717	1.310	.794	0.0	WAFORD13
0.000	.098	.134	.175	.265	.430	.583	.732	1.012	1.274	WAFORD14
1.515	1.708	1.846	1.934	2.014	1.961	1.702	1.310	.785	0.0	WAFORD14
0.000	.121	.166	.216	.284	.452	.603	.754	1.052	1.323	WAFORD15
1.547	1.714	1.837	1.932	2.025	1.942	1.695	1.320	.819	0.0	WAFORD15
0.000	.142	.155	.192	.284	.457	.614	.765	1.046	1.301	WAFORD16
1.519	1.704	1.846	1.948	2.022	1.931	1.696	1.338	.821	0.0	WAFORD16
0.000	.148	.171	.202	.290	.453	.607	.752	1.031	1.287	WAFORD17
1.520	1.706	1.841	1.939	1.995	1.906	1.681	1.291	.753	0.0	WAFORD17
0.000	.127	.174	.225	.291	.451	.610	.756	1.023	1.267	WAFORD18
1.482	1.650	1.788	1.884	1.975	1.922	1.699	1.315	.777	0.0	WAFORD18
0.000	.187	.221	.228	.290	.445	.605	.742	1.005	1.260	WAFORD19
1.478	1.684	1.845	1.977	2.127	2.091	1.863	1.432	.892	0.0	WAFORD19
0.000	.308	.437	.617	.716	.708	.859	.993	1.175	1.396	WAFORD20
1.531	1.658	1.782	1.901	2.046	2.061	1.781	1.419	.850	0.0	WAFORD20

TABLE VI.- NUMERICAL CONFIGURATION DATA FOR WING WITH 55° SWEEP,

$C_{L,des} = 0.1$

[See ref. 11]

1 1		20 20									REFA	
0.	.5	.75	1.25	2.5	5.	7.5	10.	15.	20.	XAF	10	
25.	30.	35.	40.	50.	60.	70.	80.	90.	100.	XAF	20	
0.000	0.000	0.000	54.529							WAFORG	1	
.295	.216	0.000	54.224							WAFORG	2	
.597	.432	0.000	53.917							WAFORG	3	
.907	.648	0.000	53.612							WAFORG	4	
1.219	.864	0.000	53.299							WAFORG	5	
1.537	1.080	0.000	52.982							WAFORG	6	
2.065	1.448	0.000	52.448							WAFORG	7	
2.469	1.727	0.000	52.045							WAFORG	8	
3.104	2.159	0.000	51.372							WAFORG	9	
3.665	2.540	0.000	50.785							WAFORG10		
5.032	3.495	0.000	49.329							WAFORG11		
10.066	6.988	0.000	44.232							WAFORG12		
15.098	10.483	0.000	39.210							WAFORG13		
20.089	13.975	0.000	34.224							WAFORG14		
25.070	17.470	0.000	29.258							WAFORG15		
30.061	20.963	0.000	24.239							WAFORG16		
35.016	24.458	0.000	19.261							WAFORG17		
39.995	27.950	0.000	14.232							WAFORG18		
44.961	31.445	0.000	9.220							WAFORG19		
49.903	34.940	0.000	4.209							WAFORG20		
.079	.076	.079	.089	.114	.168	.203	.213	.198	.185	TZORD	1	
.142	.076	.020	-.010	-.048	-.104	-.135	-.140	-.071	.071	TZORD	1	
.076	.099	.104	.109	.132	.183	.203	.203	.191	.180	TZORD	2	
.140	.071	.018	-.013	-.053	-.107	-.137	-.142	-.074	.066	TZORD	2	
.081	.084	.089	.104	.127	.155	.165	.175	.178	.170	TZORD	3	
.135	.064	.018	-.013	-.048	-.107	-.137	-.145	-.076	.071	TZORD	3	
.056	.058	.064	.076	.099	.124	.132	.127	.132	.137	TZORD	4	
.117	.058	.010	-.015	-.053	-.107	-.137	-.147	-.079	.088	TZORD	4	
.033	.033	.038	.046	.069	.094	.104	.102	.089	.089	TZORD	5	
.081	.038	0.000	-.020	-.058	-.112	-.142	-.152	-.084	.069	TZORD	5	
-.008	.003	.005	.013	.033	.061	.079	.079	.071	.058	TZORD	6	
.033	-.003	-.023	-.030	-.064	-.117	-.145	-.155	-.089	.074	TZORD	6	
-.048	-.058	-.053	-.043	-.028	.010	.036	.046	.051	.043	TZORD	7	
.020	-.041	-.102	-.117	-.086	-.124	-.142	-.155	-.086	.066	TZORD	7	
-.056	-.102	-.094	-.084	-.069	-.025	.008	.023	.036	.033	TZORD	8	
.015	-.033	-.097	-.152	-.168	-.147	-.142	-.155	-.084	.069	TZORD	8	
-.145	-.155	-.155	-.155	-.127	-.076	-.038	-.013	.015	.020	TZORD	9	
0.000	-.048	-.102	-.155	-.234	-.279	-.259	-.193	-.099	.076	TZORD	9	
-.201	-.213	-.206	-.198	-.175	-.117	-.079	-.043	-.008	.008	TZORD	10	
-.020	-.061	-.107	-.150	-.229	-.282	-.307	-.272	-.213	.013	TZORD	10	
-.320	-.330	-.328	-.312	-.279	-.221	-.170	-.132	-.079	-.058	TZORD	11	
-.071	-.089	-.112	-.124	-.165	-.180	-.165	-.127	-.038	.109	TZORD	11	
-.561	-.579	-.579	-.566	-.549	-.511	-.470	-.427	-.348	-.262	TZORD	12	
-.173	-.094	-.020	.064	.203	.323	.432	.528	.612	.691	TZORD	12	
-.437	-.429	-.419	-.409	-.378	-.328	-.287	-.244	-.173	-.112	TZORD	13	
-.046	.030	.099	.168	.282	.378	.475	.569	.643	.726	TZORD	13	
-.229	-.216	-.211	-.203	-.188	-.157	-.130	-.104	-.048	-.003	TZORD	14	
.046	.097	.145	.185	.262	.340	.419	.480	.559	.648	TZORD	14	

TABLE VI.- Concluded

-.038	-.030	-.030	-.030	-.028	-.018	-.003	.015	.058	.097	TZORD 15
.137	.168	.201	.234	.312	.373	.417	.465	.508	.566	TZORD 15
.513	.516	.518	.521	.523	.533	.544	.554	.579	.602	TZORD 16
.627	.653	.671	.686	.714	.749	.777	.792	.820	.881	TZORD 16
1.041	1.049	1.054	1.057	1.054	1.064	1.072	1.082	1.100	1.118	TZORD 17
1.133	1.151	1.168	1.184	1.204	1.207	1.214	1.229	1.240	1.285	TZORD 17
1.544	1.570	1.575	1.575	1.577	1.585	1.593	1.600	1.621	1.641	TZORD 18
1.659	1.674	1.687	1.694	1.702	1.699	1.694	1.681	1.684	1.689	TZORD 18
2.073	2.093	2.098	2.106	2.106	2.113	2.116	2.118	2.123	2.126	TZORD 19
2.129	2.131	2.131	2.134	2.131	2.121	2.113	2.108	2.118	2.118	TZORD 19
2.631	2.631	2.634	2.634	2.634	2.634	2.631	2.624	2.616	2.611	TZORD 20
2.606	2.601	2.598	2.591	2.581	2.576	2.578	2.593	2.596	2.593	TZORD 20
0.000	.068	.102	.160	.286	.525	.746	.938	1.301	1.666	WAFORD 1
2.020	2.361	2.708	3.059	3.641	4.079	4.365	4.576	4.715	4.621	WAFORD 1
0.000	.078	.110	.171	.309	.543	.755	.959	1.333	1.691	WAFORD 2
2.035	2.376	2.724	3.070	3.640	4.090	4.373	4.586	4.726	4.657	WAFORD 2
0.000	.068	.091	.127	.229	.423	.622	.844	1.260	1.631	WAFORD 3
1.970	2.322	2.678	3.021	3.612	4.054	4.344	4.561	4.700	4.637	WAFORD 3
0.000	.059	.085	.132	.225	.383	.537	.706	1.101	1.489	WAFORD 4
1.839	2.200	2.572	2.922	3.526	3.973	4.271	4.496	4.644	4.579	WAFORD 4
0.000	.063	.089	.134	.227	.376	.513	.662	1.006	1.337	WAFORD 5
1.663	2.015	2.394	2.758	3.384	3.848	4.163	4.386	4.541	4.495	WAFORD 5
0.000	.060	.087	.134	.224	.369	.506	.658	.978	1.253	WAFORD 6
1.490	1.802	2.148	2.519	3.176	3.667	3.998	4.234	4.394	4.361	WAFORD 6
0.000	.052	.083	.127	.206	.358	.508	.666	.972	1.210	WAFORD 7
1.406	1.600	1.786	2.045	2.695	3.208	3.579	3.843	4.027	4.012	WAFORD 7
0.000	.028	.056	.121	.188	.339	.503	.667	.969	1.201	WAFORD 8
1.395	1.588	1.734	1.860	2.265	2.743	3.092	3.400	3.608	3.619	WAFORD 8
0.000	.035	.056	.096	.185	.339	.509	.668	.963	1.213	WAFORD 9
1.408	1.604	1.745	1.850	1.963	2.055	2.149	2.375	2.646	2.612	WAFORD 9
0.000	.026	.063	.106	.187	.344	.514	.666	.954	1.215	WAFORD10
1.424	1.612	1.754	1.863	1.947	1.903	1.808	1.541	1.373	.953	WAFORD10
0.000	.024	.048	.101	.190	.345	.495	.646	.944	1.210	WAFORD11
1.447	1.638	1.784	1.867	1.957	1.867	1.654	1.219	.712	0.0	WAFORD11
0.000	.012	.035	.056	.139	.306	.479	.654	.970	1.227	WAFORD12
1.463	1.641	1.776	1.883	1.993	1.925	1.722	1.286	.769	0.0	WAFORD12
0.000	.028	.061	.096	.174	.315	.455	.601	.915	1.206	WAFORD13
1.437	1.624	1.775	1.887	1.965	1.928	1.708	1.304	.766	0.0	WAFORD13
0.000	.062	.089	.135	.218	.370	.512	.656	.939	1.219	WAFORD14
1.438	1.621	1.779	1.880	2.017	1.922	1.640	1.285	.723	0.0	WAFORD14
0.000	.067	.091	.135	.228	.374	.524	.678	.959	1.219	WAFORD15
1.460	1.653	1.832	1.980	2.068	1.951	1.731	1.344	.846	0.0	WAFORD15
0.000	.055	.078	.119	.200	.353	.503	.655	.933	1.191	WAFORD16
1.420	1.611	1.760	1.878	1.950	1.889	1.697	1.344	.791	0.0	WAFORD16
0.000	.103	.145	.210	.315	.477	.622	.771	1.026	1.247	WAFORD17
1.456	1.621	1.756	1.868	1.942	1.835	1.644	1.321	.815	0.0	WAFORD17
0.000	.212	.263	.301	.403	.575	.716	.847	1.127	1.375	WAFORD18
1.563	1.723	1.842	1.928	2.008	1.988	1.835	1.448	.960	0.0	WAFORD18
0.000	.251	.338	.430	.504	.705	.849	.977	1.207	1.405	WAFORD19
1.609	1.785	1.916	2.034	2.165	2.141	1.954	1.634	1.201	0.0	WAFORD19
0.000	.108	.162	.268	.529	.994	1.338	1.560	1.816	2.033	WAFORD20
2.294	2.506	2.634	2.829	3.039	3.112	2.797	1.965	1.044	0.0	WAFORD20





Figure 1.- Model planforms. All dimensions are in cm.

$C_{L,des} = 0.1$

$C_{L,des} = 0.0$

$C_{L,des} = 0.05$




L-74-6656.1

(a) 76° sweep (upper surface).

Figure 2.- Photographs of the models.

$C_{L,des} = 0.1$




L-76-2144.1

(b) 76° sweep (lower surface).

Figure 2.- Continued.

$C_{L,des} = 0.05$





L-76-2142.1

(b) Concluded.

Figure 2.- Continued.

$C_{L,des} = 0.1$

$C_{L,des} = 0.0$




L-74-6659.1

(c) 68° sweep (upper surface).

Figure 2.- Continued.

$C_{L,des} = 0.1$



L-76-2141.1

(d) 68° sweep (lower surface).

Figure 2.- Continued.

$C_{L,des} = 0.0$

$C_{L,des} = 0.1$




L-74-6658.1

(e) 55° sweep (upper surface).

Figure 2.- Continued.

$C_{L,des} = 0.1$



L-76-2143.1

(f) 55° sweep (lower surface).

Figure 2.- Concluded.







Figure 3.- Summary of longitudinal aerodynamic characteristics.



Upper surface
 $\alpha = 6^\circ$ ($C_L = 0.1$)



Lower surface
 $\alpha = 6^\circ$



Upper surface
 $\alpha = 9^\circ$


L-76-196

(a) 76° sweep flat wing.

Figure 4.- Oil-flow photographs.



Upper surface
 $\alpha = 4.5^\circ$ ($C_L = 0.1$)




Upper surface
 $\alpha = 9^\circ$


(b) 76° sweep cambered wing.

L-76-197

Figure 4. - Continued.



Lower surface
 $\alpha = 4.5^\circ$ ($C_L = 0.1$)




Lower surface
 $\alpha = 9^\circ$


L-76-198

(b) Concluded.

Figure 4.- Continued.




Upper surface
 $\alpha = 3^\circ$




Upper surface
 $\alpha = 5.5^\circ (C_L = 0.1)$ L-76-199
(c) 55° sweep flat wing.

Figure 4.- Continued.



Upper surface
 $\alpha = 8^\circ$



Lower surface
 $\alpha = 5.5^\circ$ ($C_L = 0.1$)

L-76-200

(c) Concluded.

Figure 4.- Concluded.












Figure 5.- Effect of design lift coefficient on $(L/D)_{max}$ and $C_{m,0}$ at design Mach number of 3.5.



(a) $\Lambda = 76^\circ$.




(b) $\Lambda = 68^\circ$.




(c) $\Lambda = 55^\circ$.

Figure 6.- Effect of Mach number on camber and wave drag. $C_{L,des} = 0.1$.




(a) 76° sweep; $C_{L,des} = 0.0$.

Figure 7.- Comparison of experimental and theoretical results.




(b) 76° sweep; $C_{L,des} = 0.1$.

Figure 7.- Continued.




(c) 68° sweep; $C_{L,des} = 0.0$.

Figure 7.- Continued.




(d) 68° sweep; $C_{L,des} = 0.1$.

Figure 7.- Continued.



(e) 55° sweep; $C_{L,des} = 0.0$.

Figure 7.- Continued.



(f) 55° sweep; $C_{L,des} = 0.1$.

Figure 7.- Concluded.






Figure 8.- Experimental and theoretical pressure distributions at $\Lambda = 76^\circ$, $C_{L,des} = 0.0$, and $M = 2.3$.





(b) $\alpha = 4.95^\circ$.

Figure 8.- Continued.




○ U.S. } Experiment
 □ L.S. }
 - - - Woodward
 — Middleton
 - - - Middleton
 W/O Pressure Limiting
 With Pressure Limiting



(c) $\alpha = 19.94^\circ$.

Figure 8.- Concluded.



(a) $\alpha = -0.27^\circ$.

Figure 9.- Experimental and theoretical pressure distributions at $\Lambda = 76^\circ$, $C_{L,des} = 0.0$, and $M = 3.5$.




Figure 9. - Continued.






Figure 9.- Concluded.




(a) $\alpha = 0.56^\circ$.

Figure 10.- Experimental and theoretical pressure distributions at $\Lambda = 76^\circ$, $C_{L,des} = 0.0$, and $M = 4.6$.





(b) $\alpha = 6.56^\circ$.

Figure 10.- Continued.



○ U.S. } Experiment
 □ L.S. }
 — Woodward
 — Middleton
 - - - W/O Pressure Limiting
 - - - Middleton
 - - - With Pressure Limiting



(c) $\alpha = 20.56^\circ$.

Figure 10.- Concluded.




Figure 11.- Experimental and theoretical pressure distributions at $\Lambda = 76^\circ$, $C_{L,des} = 0.1$, and $M = 2.3$.




Figure 11.- Continued.




Figure 11.- Concluded.




Figure 12.- Experimental and theoretical pressure distributions at $\Lambda = 76^\circ$, $C_{L,des} = 0.1$, and $M = 3.5$.




Figure 12.- Continued.




Figure 12.- Concluded.







Figure 13.- Experimental and theoretical pressure distributions at $\Lambda = 76^\circ$, $C_{L,des} = 0.1$, and $M = 4.6$.




○ U.S. } Experiment
 □ L.S. }
 - - - Woodward
 — Middleton
 — W/O Pressure Limiting
 - - - Middleton
 — With Pressure Limiting



(b) $\alpha = 6.54^\circ$.

Figure 13.- Continued.



(c) $\alpha = 20.54^\circ$.

Figure 13.- Concluded.







Figure 14.- Experimental and theoretical pressure distributions at $\Lambda = 55^\circ$, $C_{L,des} = 0.0$, and $M = 2.3$.





- U.S. (Experiment)
- - - Woodward
- Middleton
- W/O Pressure Limiting
- - - Middleton
- With Pressure Limiting




(b) $\alpha = -4.19^\circ$.

Figure 14.- Continued.



- U.S. (Experiment)
- Woodward
- Middleton
- W/O Pressure Limiting
- - - Middleton
- - - With Pressure Limiting



(c) $\alpha = -0.19^\circ$.

Figure 14.- Continued.







Figure 14.- Continued.



(e) $\alpha = 13.82^\circ$.

Figure 14.- Concluded.







Figure 15.- Experimental and theoretical pressure distributions at $\Lambda = 55^\circ$, $C_{L,des} = 0.0$, and $M = 3.5$.



(b) $\alpha = -6.39^\circ$.

Figure 15.- Continued.







Figure 15.- Continued.



(d) $\alpha = 5.61^\circ$.

Figure 15.- Continued.




Figure 15.- Concluded.




Figure 16.- Experimental and theoretical pressure distributions at $\Lambda = 55^\circ$, $C_{L,des} = 0.0$, and $M = 4.6$.







Figure 16.- Continued.



(c) $\alpha = -0.29^\circ$.

Figure 16.- Continued.








Figure 16.- Continued.






(e) $\alpha = 14.79^\circ$.

Figure 16.- Concluded.



(a) 76° sweep; $C_{L,des} = 0.0$.

Figure 17.- Comparison of experimental and theoretical spanwise lift distributions.



(b) 76° sweep; $C_{L,des} = 0.1$.

Figure 17.- Concluded.

APPENDIX A

STABILITY-AXIS COEFFICIENTS

Stability-axis force coefficients for the seven wings tested are given in tables A-1 to A-7 for each of the five test Mach numbers.

APPENDIX A

TABLE A-1.- STABILITY-AXIS FORCE COEFFICIENTS FOR WING
WITH 76° SWEEP, $C_{L,des} = 0.0$

M = 2.3				M = 3.0			
α , deg	C_L	C_D	C_m	α , deg	C_L	C_D	C_m
-5.34	-.1169	.0176	.0158	-5.14	-.0975	.0146	.0123
-2.80	-.0579	.0100	.0082	-2.62	-.0485	.0085	.0061
-1.50	-.0304	.0083	.0042	-1.57	-.0282	.0073	.0033
-.37	-.0073	.0078	.0010	-.41	-.0077	.0068	.0007
.81	.0171	.0079	-.0023	.67	.0113	.0068	-.0017
2.04	.0424	.0090	-.0058	1.86	.0326	.0076	-.0043
3.20	.0697	.0111	-.0094	2.96	.0539	.0091	-.0070
4.45	.0995	.0148	-.0131	4.11	.0777	.0117	-.0098
5.75	.1305	.0199	-.0169	5.40	.1024	.0157	-.0126
6.97	.1595	.0262	-.0204	6.44	.1229	.0198	-.0149
9.47	.2175	.0428	-.0276	8.87	.1693	.0324	-.0201
14.52	.3328	.0930	-.0421	13.52	.2565	.0683	-.0305
19.61	.4423	.1645	-.0566	18.28	.3476	.1218	-.0429
22.29	.4973	.2110	-.0652	23.08	.4404	.1953	-.0576
M = 3.5				M = 4.0			
α , deg	C_L	C_D	C_m	α , deg	C_L	C_D	C_m
-5.07	-.0858	.0131	.0098	-4.62	-.0662	.0108	.0070
-2.81	-.0465	.0080	.0053	-2.29	-.0332	.0067	.0035
-1.71	-.0282	.0067	.0032	-1.23	-.0158	.0060	.0015
-.60	-.0098	.0062	.0010	-.15	.0008	.0058	-.0005
.51	.0076	.0061	-.0011	.94	.0164	.0059	-.0022
1.62	.0250	.0066	-.0029	2.05	.0335	.0068	-.0039
2.72	.0438	.0079	-.0050	3.12	.0498	.0083	-.0056
3.85	.0639	.0100	-.0072	4.20	.0660	.0104	-.0072
4.99	.0840	.0129	-.0094	5.29	.0838	.0132	-.0090
6.12	.1032	.0166	-.0113	6.41	.1012	.0170	-.0107
8.36	.1407	.0264	-.0151	8.62	.1345	.0263	-.0140
12.90	.2184	.0564	-.0238	13.14	.2065	.0550	-.0217
17.51	.2999	.1019	-.0336	17.65	.2836	.0981	-.0309
22.09	.3856	.1648	-.0458	22.10	.3672	.1581	-.0427
M = 4.6							
α , deg	C_L	C_D	C_m				
-3.98	-.0540	.0090	.0050				
-1.88	-.0237	.0062	.0022				
-.76	-.0080	.0056	.0006				
.33	.0067	.0055	-.0008				
1.36	.0201	.0058	-.0020				
2.51	.0364	.0067	-.0034				
3.51	.0497	.0083	-.0045				
4.61	.0649	.0105	-.0059				
5.63	.0792	.0131	-.0071				
6.72	.0951	.0166	-.0087				
8.88	.1248	.0253	-.0115				
13.34	.1893	.0515	-.0183				
17.82	.2606	.0916	-.0272				
22.01	.3375	.1454	-.0386				

APPENDIX A

TABLE A-2.- STABILITY-AXIS FORCE COEFFICIENTS FOR WING
WITH 76° SWEEP, $C_{L,des} = 0.05$

M = 2.3				M = 3.0			
α , deg	C_L	C_D	C_m	α , deg	C_L	C_D	C_m
-5.42	-.1533	.0269	.0222	-5.29	-.1265	.0226	.0173
-2.97	-.0959	.0161	.0144	-2.99	-.0820	.0140	.0111
-1.75	-.0691	.0125	.0108	-1.85	-.0602	.0110	.0085
-.53	-.0391	.0099	.0065	-.70	-.0377	.0089	.0055
.69	-.0115	.0088	.0026	.46	-.0152	.0077	.0026
1.88	.0134	.0085	-.0010	1.60	.0067	.0073	-.0003
3.06	.0374	.0091	-.0044	2.75	.0275	.0077	-.0028
4.26	.0628	.0106	-.0080	3.88	.0481	.0089	-.0055
5.46	.0877	.0130	-.0115	5.02	.0682	.0107	-.0078
6.68	.1150	.0165	-.0150	6.17	.0905	.0133	-.0107
9.15	.1727	.0288	-.0217	8.50	.1355	.0218	-.0156
11.65	.2307	.0467	-.0283	10.84	.1803	.0350	-.0202
19.21	.3937	.1322	-.0463	17.81	.3066	.0962	-.0340
20.86	.4272	.1569	-.0507	22.52	.3919	.1582	-.0449
M = 3.5				M = 4.0			
α , deg	C_L	C_D	C_m	α , deg	C_L	C_D	C_m
-5.26	-.1116	.0204	.0139	-4.70	-.0913	.0166	.0112
-3.03	-.0735	.0129	.0092	-2.51	-.0581	.0107	.0073
-1.91	-.0551	.0103	.0072	-1.43	-.0415	.0086	.0052
-.80	-.0358	.0084	.0048	-.32	-.0247	.0072	.0033
.30	-.0172	.0072	.0026	.75	-.0080	.0065	.0012
1.42	.0021	.0067	.0002	1.86	.0088	.0064	-.0007
2.53	.0201	.0069	-.0016	2.98	.0256	.0068	-.0023
3.63	.0380	.0078	-.0036	4.02	.0416	.0079	-.0040
4.75	.0564	.0093	-.0055	5.11	.0582	.0095	-.0057
5.86	.0756	.0115	-.0077	6.22	.0756	.0119	-.0073
8.10	.1137	.0184	-.0114	8.41	.1092	.0187	-.0105
10.35	.1518	.0289	-.0150	10.61	.1423	.0285	-.0132
17.11	.2624	.0800	-.0253	17.25	.2455	.0764	-.0226
21.69	.3409	.1333	-.0340	21.77	.3230	.1278	-.0308
M = 4.6							
α , deg	C_L	C_D	C_m				
-4.18	-.0766	.0141	.0086				
-2.07	-.0473	.0092	.0054				
-1.01	-.0326	.0076	.0036				
.06	-.0178	.0065	.0023				
1.11	-.0030	.0060	.0008				
2.19	.0118	.0060	-.0004				
3.26	.0267	.0066	-.0017				
4.33	.0415	.0077	-.0030				
5.40	.0561	.0093	-.0043				
6.45	.0706	.0115	-.0057				
8.61	.1005	.0179	-.0081				
10.77	.1307	.0270	-.0106				
17.25	.2250	.0704	-.0190				
21.64	.2983	.1178	-.0274				

APPENDIX A

TABLE A-3.- STABILITY-AXIS FORCE COEFFICIENTS FOR WING
WITH 76° SWEEP, $C_{L,des} = 0.1$

M = 2.3				M = 3.0			
α , deg	C_L	C_D	C_m	α , deg	C_L	C_D	C_m
-4.93	-.0841	.0146	.0187	-4.74	-.0644	.0121	.0142
-2.44	-.0252	.0094	.0107	-2.43	-.0198	.0083	.0063
-1.17	.0022	.0086	.0064	-1.29	.0016	.0077	.0056
.01	.0277	.0089	.0027	-.13	.0231	.0080	.0030
1.22	.0531	.0102	-.0003	1.01	.0439	.0091	.0006
2.45	.0776	.0124	-.0029	2.19	.0648	.0109	-.0016
3.66	.1045	.0155	-.0057	3.34	.0862	.0135	-.0035
4.91	.1333	.0206	-.0083	4.52	.1088	.0171	-.0055
6.20	.1628	.0274	-.0110	5.66	.1305	.0216	-.0073
7.43	.1905	.0351	-.0132	6.83	.1521	.0275	-.0091
9.97	.2450	.0549	-.0179	9.17	.1920	.0417	-.0121
13.57	.3189	.0922	-.0251	13.90	.2705	.0810	-.0186
18.15	.4068	.1527	-.0342	18.68	.3502	.1363	-.0264
22.73	.4912	.2289	-.0441	23.36	.4302	.2081	-.0361
M = 3.5				M = 4.0			
α , deg	C_L	C_D	C_m	α , deg	C_L	C_D	C_m
-4.90	-.0584	.0114	.0123	-4.37	-.0421	.0096	.0094
-2.68	-.0200	.0079	.0077	-2.17	-.0092	.0072	.0060
-1.51	-.0004	.0073	.0055	-1.04	.0072	.0069	.0043
-.41	.0178	.0074	.0036	.09	.0244	.0073	.0024
.70	.0354	.0082	.0019	1.12	.0401	.0084	.0011
1.81	.0536	.0098	.0002	2.27	.0566	.0101	-.0001
2.93	.0718	.0119	-.0014	3.34	.0722	.0124	-.0014
4.01	.0899	.0147	-.0027	4.47	.0893	.0154	-.0027
5.28	.1100	.0188	-.0043	5.60	.1055	.0191	-.0037
6.29	.1271	.0231	-.0055	6.68	.1214	.0234	-.0048
8.61	.1621	.0348	-.0077	8.84	.1522	.0339	-.0064
13.15	.2311	.0673	-.0124	13.34	.2161	.0646	-.0100
17.81	.3035	.1145	-.0178	17.89	.2863	.1093	-.0154
22.43	.3803	.1783	-.0255	22.48	.3620	.1710	-.0224
M = 4.6							
α , deg	C_L	C_D	C_m				
-3.86	-.0323	.0085	.0078				
-1.84	-.0031	.0069	.0051				
-.68	.0116	.0067	.0040				
.40	.0253	.0072	.0032				
1.43	.0399	.0084	.0020				
2.56	.0546	.0101	.0011				
3.53	.0682	.0123	.0004				
4.67	.0817	.0150	-.0004				
5.75	.0961	.0183	-.0012				
6.82	.1102	.0222	-.0019				
9.04	.1400	.0322	-.0035				
13.43	.1968	.0597	-.0065				
17.60	.2599	.0986	-.0113				
22.14	.3291	.1536	-.0183				

APPENDIX A

TABLE A-4.- STABILITY-AXIS FORCE COEFFICIENTS FOR WING
WITH 68° SWEEP, $C_{L,des} = 0.0$

M = 2.3				M = 3.0			
α , deg	C_L	C_D	C_m	α , deg	C_L	C_D	C_m
-5.62	-.1512	.0224	.0169	-5.18	-.1145	.0177	.0121
-2.97	-.0772	.0125	.0081	-2.72	-.0601	.0107	.0060
-.37	-.0073	.0093	-.0002	-.41	-.0089	.0083	.0004
2.27	.0628	.0113	-.0085	1.99	.0455	.0095	-.0057
4.87	.1378	.0198	-.0173	4.39	.1009	.0153	-.0117
6.20	.1744	.0269	-.0217	5.65	.1294	.0203	-.0149
7.55	.2117	.0360	-.0259	6.80	.1548	.0259	-.0176
8.83	.2441	.0459	-.0298	8.01	.1810	.0329	-.0206
10.17	.2794	.0581	-.0339	9.26	.2076	.0415	-.0235
11.51	.3123	.0716	-.0378	10.40	.2322	.0503	-.0263
12.79	.3458	.0866	-.0420	11.66	.2578	.0611	-.0292
13.74	.3690	.0989	-.0451	14.04	.3071	.0851	-.0350
18.47	.4831	.1706	-.0601	18.95	.4081	.1495	-.0484
23.14	.5867	.2606	-.0757	21.14	.4523	.1846	-.0549
M = 3.5				M = 4.0			
α , deg	C_L	C_D	C_m	α , deg	C_L	C_D	C_m
-5.14	-.0996	.0159	.0094	-4.51	-.0780	.0128	.0070
-2.85	-.0551	.0101	.0050	-2.31	-.0394	.0086	.0033
-.57	-.0112	.0078	.0006	-.08	-.0007	.0071	-.0004
1.71	.0337	.0084	-.0040	2.19	.0383	.0083	-.0040
4.02	.0801	.0126	-.0084	4.40	.0780	.0127	-.0079
5.15	.1024	.0161	-.0107	5.53	.0981	.0162	-.0098
6.33	.1259	.0210	-.0132	6.61	.1166	.0204	-.0114
7.46	.1465	.0263	-.0151	7.77	.1371	.0258	-.0136
8.59	.1683	.0328	-.0173	8.91	.1568	.0318	-.0154
9.84	.1920	.0408	-.0199	10.08	.1770	.0390	-.0175
10.93	.2133	.0489	-.0222	11.15	.1969	.0466	-.0195
13.25	.2577	.0689	-.0270	13.41	.2369	.0649	-.0238
17.95	.3494	.1227	-.0378	18.05	.3242	.1155	-.0341
22.66	.4437	.1961	-.0510	22.64	.4160	.1848	-.0465
M = 4.6							
α , deg	C_L	C_D	C_m				
-4.11	-.0640	.0113	.0048				
-1.97	-.0296	.0076	.0019				
.20	.0049	.0066	-.0007				
2.48	.0406	.0083	-.0036				
4.54	.0734	.0125	-.0063				
5.64	.0905	.0156	-.0078				
6.83	.1095	.0200	-.0095				
7.86	.1255	.0243	-.0110				
8.99	.1442	.0301	-.0129				
10.04	.1618	.0361	-.0147				
11.09	.1782	.0426	-.0163				
13.51	.2188	.0610	-.0204				
17.73	.2943	.1039	-.0295				
22.04	.3779	.1644	-.0413				

APPENDIX A

TABLE A-5.- STABILITY-AXIS FORCE COEFFICIENTS FOR WING
WITH 68° SWEEP, $C_{L,des} = 0.1$

M = 2.3				M = 3.0			
α , deg	C_L	C_D	C_m	α , deg	C_L	C_D	C_m
-6.05	-.2290	.0430	.0356	-5.49	-.1748	.0327	.0261
-3.45	-.1597	.0255	.0264	-3.12	-.1225	.0203	.0189
-.79	-.0851	.0140	.0166	-.67	-.0696	.0121	.0123
1.86	-.0108	.0097	.0071	1.73	-.0132	.0087	.0057
4.50	.0632	.0117	-.0016	4.16	.0439	.0100	-.0006
5.86	.1018	.0151	-.0059	5.36	.0714	.0122	-.0037
7.09	.1417	.0201	-.0106	6.57	.0987	.0155	-.0066
8.55	.1779	.0272	-.0146	7.85	.1254	.0201	-.0093
9.85	.2119	.0355	-.0184	8.98	.1526	.0257	-.0120
11.19	.2463	.0457	-.0220	10.22	.1794	.0328	-.0145
12.54	.2802	.0578	-.0259	11.41	.2047	.0406	-.0170
13.80	.3097	.0702	-.0288	13.85	.2537	.0599	-.0215
18.34	.4129	.1270	-.0407	18.76	.3487	.1123	-.0310
22.83	.5076	.1994	-.0531	19.36	.3596	.1198	-.0321
M = 3.5				M = 4.0			
α , deg	C_L	C_D	C_m	α , deg	C_L	C_D	C_m
-5.39	-.1505	.0289	.0214	-4.74	-.1227	.0235	.0172
-3.10	-.1072	.0184	.0159	-2.55	-.0842	.0151	.0125
-.80	-.0626	.0116	.0107	-.27	-.0469	.0098	.0084
1.76	-.0176	.0080	.0058	1.98	-.0070	.0077	.0041
3.79	.0296	.0090	.0008	4.20	.0329	.0088	-.0000
4.96	.0528	.0106	-.0014	5.33	.0533	.0105	-.0019
6.08	.0765	.0132	-.0038	6.46	.0742	.0130	-.0039
7.28	.1002	.0167	-.0061	7.60	.0950	.0165	-.0059
8.43	.1224	.0210	-.0079	8.73	.1149	.0207	-.0075
9.60	.1450	.0264	-.0097	9.86	.1347	.0257	-.0089
10.76	.1675	.0329	-.0117	11.18	.1550	.0320	-.0105
13.10	.2118	.0488	-.0154	13.13	.1946	.0459	-.0133
17.81	.2977	.0924	-.0219	17.85	.2751	.0866	-.0192
22.45	.3804	.1511	-.0298	22.37	.3571	.1426	-.0261
M = 4.6							
α , deg	C_L	C_D	C_m				
-4.19	-.1051	.0202	.0139				
-2.02	-.0708	.0132	.0101				
.16	-.0370	.0089	.0069				
2.35	-.0010	.0072	.0034				
4.53	.0340	.0084	.0004				
5.61	.0515	.0100	-.0011				
6.71	.0697	.0126	-.0026				
7.84	.0887	.0161	-.0044				
8.90	.1058	.0198	-.0056				
9.97	.1227	.0243	-.0069				
11.11	.1413	.0299	-.0082				
13.33	.1769	.0431	-.0105				
17.72	.2520	.0798	-.0162				
22.23	.3291	.1316	-.0230				

APPENDIX A

TABLE A-6.- STABILITY-AXIS FORCE COEFFICIENTS FOR WING
WITH 55° SWEEP, $C_{L,des} = 0.0$

M = 2.3				M = 3.0			
α , deg	C_L	C_D	C_m	α , deg	C_L	C_D	C_m
-5.61	-.1806	.0278	.0210	-5.12	-.1305	.0208	.0145
-2.94	-.0960	.0154	.0115	-2.70	-.0684	.0122	.0079
-.23	-.0073	.0109	.0021	-.29	-.0078	.0089	.0018
2.46	.0819	.0143	-.0076	2.17	.0555	.0112	-.0044
3.74	.1221	.0187	-.0120	3.32	.0857	.0141	-.0077
5.15	.1665	.0256	-.0170	4.54	.1167	.0187	-.0108
6.49	.2085	.0343	-.0217	5.74	.1479	.0244	-.0142
7.72	.2460	.0438	-.0260	6.94	.1776	.0314	-.0173
9.06	.2871	.0562	-.0308	8.18	.2083	.0398	-.0207
10.39	.3257	.0701	-.0351	9.37	.2373	.0491	-.0238
11.67	.3612	.0849	-.0393	10.60	.2663	.0598	-.0270
12.97	.3990	.1021	-.0439	11.76	.2948	.0715	-.0302
15.66	.4733	.1428	-.0530	14.18	.3515	.0992	-.0366
18.61	.5514	.1966	-.0637	19.06	.4652	.1720	-.0513
23.23	.6633	.2961	-.0800	23.97	.5767	.2684	-.0680
M = 3.5				M = 4.0			
α , deg	C_L	C_D	C_m	α , deg	C_L	C_D	C_m
-5.07	-.1086	.0175	.0111	-4.43	-.0809	.0134	.0075
-2.78	-.0587	.0106	.0061	-2.20	-.0390	.0085	.0036
-.48	-.0098	.0078	.0017	.02	.0024	.0071	-.0001
1.78	.0385	.0090	-.0027	2.25	.0437	.0089	-.0036
2.96	.0650	.0113	-.0052	3.35	.0647	.0111	-.0054
4.08	.0894	.0145	-.0076	4.47	.0873	.0143	-.0076
5.29	.1149	.0188	-.0097	5.58	.1079	.0183	-.0093
6.37	.1395	.0240	-.0122	6.70	.1302	.0234	-.0112
7.55	.1646	.0305	-.0146	7.85	.1525	.0294	-.0134
8.71	.1901	.0381	-.0171	8.95	.1746	.0362	-.0153
9.88	.2161	.0469	-.0199	10.10	.1980	.0444	-.0175
11.03	.2418	.0568	-.0227	11.21	.2219	.0535	-.0201
13.37	.2929	.0798	-.0283	13.51	.2695	.0752	-.0251
18.08	.3970	.1411	-.0404	18.11	.3675	.1323	-.0366
22.81	.5022	.2239	-.0545	22.73	.4706	.2107	-.0504
M = 4.6							
α , deg	C_L	C_D	C_m				
-3.98	-.0646	.0108	.0058				
-1.80	-.0281	.0070	.0029				
.39	.0077	.0060	.0001				
2.54	.0424	.0082	-.0024				
3.60	.0616	.0104	-.0042				
4.69	.0798	.0133	-.0054				
5.77	.0980	.0170	-.0068				
6.87	.1175	.0216	-.0085				
7.97	.1373	.0270	-.0100				
9.03	.1564	.0330	-.0117				
10.15	.1775	.0403	-.0136				
11.25	.1982	.0484	-.0155				
13.51	.2418	.0681	-.0201				
17.96	.3340	.1202	-.0313				
22.39	.4290	.1904	-.0443				

APPENDIX A

TABLE A-7.- STABILITY-AXIS FORCE COEFFICIENTS FOR WING

WITH 55° SWEEP, $C_{L,des} = 0.1$

M = 2.3				M = 3.0			
α , deg	C_L	C_D	C_m	α , deg	C_L	C_D	C_m
-5.53	-.2095	.0348	.0238	-5.37	-.1641	.0283	.0178
-3.26	-.1399	.0214	.0153	-2.94	-.1023	.0167	.0106
-.58	-.0537	.0127	.0053	-.55	-.0412	.0105	.0039
2.09	.0347	.0120	-.0045	1.86	.0202	.0096	-.0026
3.43	.0775	.0145	-.0094	3.08	.0512	.0112	-.0057
4.76	.1213	.0191	-.0142	4.29	.0838	.0142	-.0094
6.10	.1634	.0256	-.0190	5.46	.1128	.0183	-.0123
7.42	.2056	.0339	-.0237	6.67	.1426	.0238	-.0155
8.81	.2480	.0447	-.0286	7.90	.1735	.0307	-.0189
10.06	.2850	.0560	-.0327	9.09	.2029	.0387	-.0220
11.40	.3238	.0699	-.0373	10.32	.2327	.0481	-.0252
12.70	.3613	.0852	-.0414	11.49	.2611	.0584	-.0281
15.33	.4321	.1206	-.0495	13.95	.3199	.0838	-.0345
				18.84	.4338	.1507	-.0481
				22.19	.5092	.2088	-.0582
M = 3.5				M = 4.0			
α , deg	C_L	C_D	C_m	α , deg	C_L	C_D	C_m
-5.23	-.1363	.0236	.0133	-4.52	-.1040	.0180	.0096
-2.90	-.0860	.0142	.0079	-2.34	-.0632	.0113	.0053
-.63	-.0365	.0093	.0029	-.13	-.0220	.0078	.0012
1.66	.0126	.0083	-.0018	2.14	.0202	.0078	-.0027
2.79	.0356	.0094	-.0040	3.22	.0405	.0091	-.0046
3.94	.0614	.0114	-.0065	4.33	.0614	.0111	-.0066
5.08	.0866	.0145	-.0089	5.47	.0846	.0144	-.0088
6.22	.1113	.0186	-.0113	6.55	.1053	.0183	-.0105
7.39	.1367	.0239	-.0139	7.69	.1273	.0232	-.0126
8.51	.1605	.0300	-.0162	8.85	.1500	.0292	-.0147
9.68	.1862	.0374	-.0188	9.91	.1710	.0356	-.0167
10.83	.2123	.0461	-.0215	11.13	.1963	.0442	-.0191
13.17	.2635	.0668	-.0268	13.38	.2442	.0636	-.0241
17.88	.3675	.1227	-.0380	17.99	.3419	.1162	-.0344
22.56	.4703	.1983	-.0506	22.56	.4423	.1880	-.0467
M = 4.6							
α , deg	C_L	C_D	C_m				
-4.15	-.0854	.0151	.0067				
1.94	-.0482	.0094	.0036				
.21	-.0126	.0067	.0007				
2.37	.0220	.0070	-.0020				
3.44	.0402	.0084	-.0037				
4.53	.0585	.0104	-.0052				
5.64	.0777	.0134	-.0067				
6.65	.0946	.0166	-.0081				
7.78	.1151	.0213	-.0097				
8.94	.1355	.0268	-.0118				
9.99	.1539	.0325	-.0132				
11.13	.1743	.0398	-.0152				
13.27	.2165	.0566	-.0194				
17.79	.3089	.1047	-.0295				
22.20	.4031	.1695	-.0414				

APPENDIX B

PRESSURE COEFFICIENTS

Pressure coefficients for the three wings tested are given in tables B-1 to B-15 for the upper and lower surfaces. The 55° sweep wing had pressure orifices on one side only. The tunnel flow angularity made it difficult to obtain data at the same angle of attack for the lower and upper surfaces. Consequently, the experimental data for the 55° sweep wing are presented as upper surface pressures through a complete positive and negative angle-of-attack range.

APPENDIX B

TABLE B-1.- PRESSURE COEFFICIENTS FOR WING WITH 76° SWEEP,

$C_{L,des} = 0.0, M = 2.3$

(a) $\alpha = -4.06^\circ$

C_p at $2y/b$ of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.1043	-.0541	.035			.056	-.0768	-.1050	.130	-.0690	-.1252	.200		
.032			.032	-.0902	-.0523	.060	-.0776	-.0887	.105	-.0804	-.1050	.180	-.0725	-.1252	.240	-.0619	-.1552
.058			.058	-.0937	-.0275	.085	-.0776	-.0905	.157	-.0715	-.1086	.230	-.0672	-.1252	.340	-.0496	-.1570
.083	-.0849	-.0095	.083	-.0936	-.0051	.110	-.0811	-.0833	.200	-.0591	-.1068	.320	-.0531	-.1287	.440	-.0337	-.1588
.108	-.0796	-.0078	.108	-.0811	-.0140	.160	-.0811	-.0833	.250	-.0574	-.1068	.420	-.0513	-.1305	.640	-.0072	-.1640
.157	-.0778	-.0042	.157	-.0776	-.0105	.209	-.0751	-.0270	.300	-.0538	-.1050	.520	-.0248	-.1340			
.207	-.0761	-.0024	.207	-.0705	-.0158	.260	-.0574	-.0341	.350	-.0450	-.1033	.620	-.0072	-.1411			
.250	-.0690	-.0045	.250	-.0634	-.0193	.300	-.0485	-.0359	.400	-.0361	-.1015	.710	-.0016	-.1464			
.300	-.0655	-.0081	.300	-.0510	-.0282	.350	-.0397	-.0412	.500	-.0220	-.0962	.810	-.0086	-.1499			
.350	-.0637	-.0116	.350	-.0421	-.0318	.400	-.0343	-.0430	.600	-.0195	-.0722	.910	-.0104	-.1535			
.400	-.0602	-.0134	.400	-.0350	-.0389	.500	-.0308	-.0483	.700	-.0195	-.0811						
.450			.450	-.0332	-.0407	.600	-.0166	-.0572	.800	-.0086	-.0864						
.500	-.0372	-.0293	.500	-.0297	-.0460	.700	-.0010	-.0713	.890	-.0086	-.0828						
.600			.600	-.0226	-.0460	.800	-.0063	-.0731	.940	-.0086	-.0828						
.700	-.0319	-.0346	.700	-.0137	-.0549	.900	-.0045	-.0696									
.800	-.0195	-.0435	.800	-.0049	-.0620	.950	-.0027	-.0678									
.900	-.0125	-.0505	.900	-.0013	-.0638												
.950	-.0089	-.0541	.950	-.0057	-.0691												

APPENDIX B

TABLE B-1.- Continued

(b) $\alpha = -0.06^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.0697	-.0679	.035			.056	-.0191	-.0208	.130	-.0096	-.0107	.200		
.032			.032	-.0432	-.0449	.060	-.0304	-.0289	.105	-.0244	-.0279	.180	-.0096	-.0107	.240	-.0222	-.0193
.058			.058	-.0450	-.0467	.085	-.0268	-.0289	.157	-.0155	-.0190	.230	-.0043	-.0036	.340	-.0310	-.0281
.083	-.0414	-.0467	.083	-.0499	-.0467	.110	-.0304	-.0289	.200	-.0049	-.0066	.320	-.0098	-.0104	.440	-.0434	-.0422
.108	-.0397	-.0414	.108	-.0339	-.0324	.160	-.0268	-.0289	.250	-.0013	-.0030	.420	-.0133	-.0246	.640	-.0700	-.0652
.157	-.0397	-.0396	.157	-.0304	-.0289	.209	-.0279	-.0296	.300	-.0039	-.0022	.520	-.0346	-.0369			
.207	-.0361	-.0361	.207	-.0179	-.0182	.260	-.0049	-.0101	.350	-.0092	-.0093	.620	-.0505	-.0510			
.250	-.0290	-.0272	.250	-.0161	-.0146	.300	-.0004	-.0048	.400	-.0163	-.0181	.710	-.0611	-.0599			
.300	-.0220	-.0219	.300	-.0055	-.0075	.350	-.0057	-.0040	.500	-.0287	-.0270	.810	-.0647	-.0616			
.350	-.0202	-.0219	.350	-.0019	-.0022	.400	-.0057	-.0040	.600	-.0222	-.0210	.910	-.0664	-.0634			
.400	-.0149	-.0184	.400	-.0069	-.0066	.500	-.0128	-.0164	.700	-.0222	-.0316						
.450			.450	-.0104	-.0102	.600	-.0252	-.0288	.800	-.0523	-.0528						
.500	-.0007	-.0024	.500	-.0104	-.0120	.700	-.0412	-.0412	.890	-.0523	-.0510						
.600			.600	-.0158	-.0191	.800	-.0429	-.0448	.940	-.0523	-.0510						
.700	-.0063	-.0099	.700	-.0229	-.0298	.900	-.0394	-.0412									
.800	-.0151	-.0169	.800	-.0318	-.0315	.950	-.0394	-.0394									
.900	-.0222	-.0240	.900	-.0335	-.0333												
.950	-.0257	-.0276	.950	-.0389	-.0422												

APPENDIX B

TABLE B-1.- Continued

(c) $\alpha = 4.95^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.0824	-.1211	.035			.056	-.1193	-.0901	.130	-.1358	-.0814	.200		
.032			.032	-.0895	-.1087	.060	-.1029	-.0891	.105	-.1193	-.0954	.180	-.1358	-.0814	.240	-.1641	-.0708
.058			.058	-.0877	-.1158	.085	-.1047	-.0891	.157	-.1228	-.0883	.230	-.1376	-.0779	.340	-.1658	-.0620
.083	-.0024	-.1123	.083	-.0656	-.1122	.110	-.1100	-.0962	.200	-.1281	-.0776	.320	-.1411	-.0655	.440	-.1658	-.0478
.108	-.0006	-.1087	.108	-.0638	-.0998	.160	-.1100	-.0962	.250	-.1299	-.0741	.420	-.1411	-.0549	.640	-.1729	-.0249
.157	-.0010	-.1052	.157	-.0229	-.0926	.209	-.0927	-.0901	.300	-.1352	-.0705	.520	-.1482	-.0372			
.207	-.0046	-.1017	.207	-.0212	-.0784	.260	-.1157	-.0741	.350	-.1370	-.0634	.620	-.1552	-.0196			
.250	-.0116	-.0893	.250	-.0212	-.0766	.300	-.0997	-.0670	.400	-.1423	-.0510	.710	-.1605	-.0090			
.300	-.0170	-.0822	.300	-.0318	-.0677	.350	-.0785	-.0581	.500	-.1476	-.0333	.810	-.1641	-.0037			
.350	-.0170	-.0786	.350	-.0372	-.0589	.400	-.0554	-.0581	.600	-.1252	-.0337	.910	-.1676	-.0019			
.400	-.0187	-.0751	.400	-.0443	-.0517	.500	-.0430	-.0457	.700	-.1252	-.0072						
.450			.450	-.0460	-.0482	.600	-.0572	-.0297	.800	-.1411	-.0037						
.500	-.0329	-.0521	.500	-.0460	-.0429	.700	-.0749	-.0084	.890	-.1217	-.0037						
.600			.600	-.0514	-.0375	.800	-.0767	-.0049	.940	-.1146	-.0019						
.700	-.0382	-.0450	.700	-.0585	-.0215	.900	-.0731	-.0049									
.800	-.0470	-.0308	.800	-.0656	-.0126	.950	-.0714	-.0067									
.900	-.0541	-.0220	.900	-.0674	-.0126												
.950	-.0559	-.0185	.950	-.0727	-.0037												

APPENDIX B

TABLE B-1.- Continued

(d) $\alpha = 5.94^\circ$

C _p at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.0988	.1330	.035			.056	-.1320	.0989	.130	-.1467	-.0916	.200	-.1802	
-.032			.032	-.1059	-.1207	.060	-.1175	-.0993	.105	-.1338	-.1060	.180	-.1467	-.0916	.240	-.1732	.0810
-.058			.058	-.1094	-.1295	.085	-.1193	-.0993	.157	-.1373	-.1007	.230	-.1485	-.0898	.340	-.1732	.0739
-.083	-.0053	.1277	.083	-.1016	-.1277	.110	-.1229	-.1100	.200	-.1409	-.0900	.320	-.1520	-.0775	.440	-.1749	.0616
-.108	-.0070	.1224	.108	-.1122	-.1135	.160	-.1246	-.1100	.250	-.1427	-.0865	.420	-.1538	-.0704	.640	-.1802	-.0386
-.157	-.0088	.1207	.157	-.0732	-.1082	.209	-.1108	-.1007	.300	-.1480	-.0829	.520	-.1591	-.0510			
-.207	-.0106	.1171	.207	-.0218	-.0940	.260	-.1462	-.0865	.350	-.1550	-.0758	.620	-.1661	-.0334			
-.250	-.0194	.1048	.250	-.0183	-.0904	.300	-.1462	-.0794	.400	-.1603	-.0652	.710	-.1714	-.0210			
-.300	-.0229	-.0959	.300	-.0325	-.0798	.350	-.1338	-.0705	.500	-.1727	-.0457	.810	-.1749	-.0175			
-.350	-.0229	-.0924	.350	-.0413	-.0727	.400	-.1108	-.0687	.600	-.1485	-.0457	.910	-.1802	-.0157			
-.400	-.0247	-.0888	.400	-.0502	-.0638	.500	-.0613	-.0581	.700	-.1503	-.0192						
-.450			.450	-.0520	-.0602	.600	-.0560	-.0404	.800	-.1820	-.0157						
-.500	-.0388	-.0641	.500	-.0537	-.0567	.700	-.0754	-.0191	.890	-.1732	-.0157						
-.600			.600	-.0573	-.0496	.800	-.0825	-.0138	.940	-.1661	-.0139						
-.700	-.0459	-.0570	.700	-.0644	-.0336	.900	-.0790	-.0138									
-.800	-.0547	-.0429	.800	-.0715	-.0229	.950	-.0772	-.0155									
-.900	-.0600	-.0340	.900	-.0732	-.0229												
-.950	-.0635	-.0305	.950	-.0785	-.0141												

APPENDIX B

TABLE B-1.- Continued

(e) $\alpha = 7.94^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.1287	-.1560	.035			.056	-.1549	-.1250	.130	-.1678	-.1131	.200		
.032			.032	-.1340	-.1471	.060	-.1440	-.1259	.105	-.1549	-.1321	.180	-.1678	-.1149	.240	-.1872	-.1008
.058			.058	-.1393	-.1595	.085	-.1440	-.1241	.157	-.1585	-.1286	.230	-.1695	-.1131	.340	-.1872	-.0955
.083	-.0209	-.1648	.083	-.1352	-.1614	.110	-.1493	-.1383	.200	-.1638	-.1197	.320	-.1713	-.1061	.440	-.1889	-.0884
.108	-.0192	-.1595	.108	-.1600	-.1490	.160	-.1618	-.1383	.250	-.1673	-.1179	.420	-.1731	-.0990	.640	-.1925	-.0672
.157	-.0227	-.1560	.157	-.1635	-.1437	.209	-.1372	-.1339	.300	-.1709	-.1162	.520	-.1766	-.0796			
.207	-.0227	-.1524	.207	-.1263	-.1277	.260	-.1762	-.1179	.350	-.1744	-.1091	.620	-.1836	-.0619			
.250	-.0298	-.1383	.250	-.0518	-.1224	.300	-.1815	-.1109	.400	-.1779	-.0949	.710	-.1889	-.0495			
.300	-.0333	-.1312	.300	-.0429	-.1117	.350	-.1850	-.1020	.500	-.1850	-.0772	.810	-.1907	-.0460			
.350	-.0368	-.1277	.350	-.0464	-.1046	.400	-.1850	-.1020	.600	-.1642	-.0725	.910	-.1925	-.0442			
.400	-.0386	-.1206	.400	-.0571	-.0957	.500	-.1673	-.0896	.700	-.1872	-.0478						
.450			.450	-.0606	-.0922	.600	-.1319	-.0719	.800	-.2154	-.0442						
.500	-.0510	-.0941	.500	-.0642	-.0868	.700	-.1107	-.0488	.890	-.2189	-.0425						
.600			.600	-.0677	-.0780	.800	-.1018	-.0453	.940	-.2189	-.0407						
.700	-.0598	-.0870	.700	-.0713	-.0638	.900	-.0965	-.0435									
.800	-.0686	-.0693	.800	-.0855	-.0495	.950	-.0947	-.0453									
.900	-.0739	-.0605	.900	-.0872	-.0495												
.950	-.0775	-.0570	.950	-.0908	-.0389												

APPENDIX B

TABLE B-1.- Continued

(f) $\alpha = 9.94^\circ$

C_p at $2y/b$ of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.1482	-.1841	.035			.056	-.1727	-.1466	.130	-.1819	-.1390	.200		
.032			.032	-.1535	-.1771	.060	-.1616	-.1537	.105	-.1727	-.1608	.180	-.1819	-.1426	.240	-.1978	-.1267
.058			.058	-.1588	-.1841	.085	-.1634	-.1537	.157	-.1727	-.1591	.230	-.1819	-.1426	.340	-.1995	-.1249
.083	-.0369	-.2071	.083	-.1545	-.1945	.110	-.1687	-.1637	.200	-.1762	-.1520	.320	-.1837	-.1390	.440	-.1995	-.1196
.108	-.0299	-.2018	.108	-.1811	-.1839	.160	-.1705	-.1679	.250	-.1815	-.1520	.420	-.1854	-.1320	.640	-.2031	-.1002
.157	-.0352	-.1965	.157	-.1953	-.1803	.209	-.1408	-.1644	.300	-.1886	-.1484	.520	-.1907	-.1108			
.207	-.0334	-.1912	.207	-.2025	-.1662	.260	-.1815	-.1520	.350	-.1939	-.1431	.620	-.1960	-.0932			
.250	-.0440	-.1788	.250	-.1687	-.1591	.300	-.1921	-.1449	.400	-.1939	-.1289	.710	-.1995	-.0826			
.300	-.0475	-.1718	.300	-.1225	-.1466	.350	-.2028	-.1360	.500	-.1939	-.1094	.810	-.2048	-.0808			
.350	-.0493	-.1647	.350	-.0887	-.1413	.400	-.2045	-.1360	.600	-.1678	-.1055	.910	-.2083	-.0791			
.400	-.0511	-.1594	.400	-.0816	-.1307	.500	-.2151	-.1236	.700	-.1890	-.0808						
.450			.450	-.0816	-.1271	.600	-.1957	-.1059	.800	-.2066	-.0773						
.500	-.0634	-.1276	.500	-.0851	-.1218	.700	-.1886	-.0793	.890	-.2119	-.0756						
.600			.600	-.0905	-.1112	.800	-.1621	-.0757	.940	-.2154	-.0738						
.700	-.0758	-.1240	.700	-.0976	-.0952	.900	-.1461	-.0739									
.800	-.0811	-.1028	.800	-.1029	-.0810	.950	-.1408	-.0739									
.900	-.0881	-.0922	.900	-.1047	-.0810												
.950	-.0934	-.0887	.950	-.1136	-.0686												

APPENDIX B

TABLE B-1.- Concluded

(g) $\alpha = 19.94^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.2117	.3642	.035			.056	-.2222	.3107	.130	-.2259	-.2993	.200		
.032			.032	-.2134	.3731	.060	-.2132	-.3440	.105	-.2204	-.3444	.180	-.2259	-.3099	.240	-.2312	-.2694
.058			.058	-.2205	.4190	.085	-.2150	-.3475	.157	-.2204	-.3585	.230	-.2259	-.3152	.340	-.2312	-.2835
.083	-.1109	.4632	.083	-.2043	.4238	.110	-.2167	-.3795	.200	-.2222	-.3585	.320	-.2259	-.3223	.440	-.2330	-.2941
.108	-.1250	.4596	.108	-.2274	.4203	.160	-.2185	-.3777	.250	-.2257	-.3674	.420	-.2277	-.3223	.640	-.2347	-.2923
.157	-.1127	.4614	.157	-.2292	.4256	.209	-.1920	-.3780	.300	-.2310	-.3674	.520	-.2312	-.3134			
.207	-.0968	.4579	.207	-.2327	.4096	.260	-.2310	-.3798	.350	-.2346	-.3603	.620	-.2365	-.3134			
.250	-.1091	.4402	.250	-.2363	.4061	.300	-.2346	-.3780	.400	-.2328	-.3497	.710	-.2400	-.2958			
.300	-.1215	.4296	.300	-.2380	.3866	.350	-.2310	-.3656	.500	-.2346	-.3302	.810	-.2418	-.2923			
.350	-.1250	.4190	.350	-.2327	-.3777	.400	-.2346	-.3674	.600	-.2012	-.3134	.910	-.2347	-.2888			
.400	-.1268	.4119	.400	-.2274	-.3635	.500	-.2399	-.3568	.700	-.2153	-.2923						
.450			.450	-.2221	-.3635	.600	-.2381	-.3355	.800	-.2365	-.2923						
.500	-.1356	.3589	.500	-.2150	-.3528	.700	-.2434	-.2966	.890	-.2400	-.2888						
.600			.600	-.2061	-.3440	.800	-.2417	-.2859	.940	-.2312	-.2852						
.700	-.1516	.3554	.700	-.1990	-.3227	.900	-.2381	-.2824									
.800	-.1498	.3218	.800	-.2007	-.2925	.950	-.2346	-.2806									
.900	-.1516	.3077	.900	-.1954	-.2978												
.950	-.1551	.3041	.950	-.1848	-.2765												

APPENDIX B

TABLE B-2.- PRESSURE COEFFICIENTS FOR WING WITH 76° SWEEP,

$C_{L,des} = 0.0, M = 3.0$

(a) $\alpha = -4.10^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.0946	-.0383	.035			.056	-.0824	-.0782	.130	-.0790	-.1016	.200		
-.032			.032	-.0840	-.0404	.060	-.0809	-.0611	.105	-.0824	-.0782	.180	-.0769	-.0995	.240	-.0685	-.1228
-.058			.058	-.0861	-.0341	.085	-.0766	-.0611	.157	-.0740	-.0698	.230	-.0727	-.0932	.340	-.0538	-.1228
-.083	-.0735	-.0039	.083	-.0957	-.0110	.110	-.0830	-.0547	.200	-.0634	-.0655	.320	-.0601	-.0890	.440	-.0432	-.1228
-.108	-.0713	-.0018	.108	-.0745	-.0080	.160	-.0787	-.0568	.250	-.0592	-.0634	.420	-.0474	-.0911	.640	-.0201	-.1270
-.157	-.0692	-.0018	.157	-.0724	-.0080	.209	-.0930	-.0063	.300	-.0549	-.0613	.520	-.0306	-.0911			
-.207	-.0671	-.0003	.207	-.0639	-.0144	.260	-.0592	-.0274	.350	-.0486	-.0613	.620	-.0180	-.0911			
-.250	-.0629	-.0066	.250	-.0597	-.0165	.300	-.0507	-.0317	.400	-.0422	-.0613	.710	-.0075	-.0953			
-.300	-.0587	-.0087	.300	-.0512	-.0208	.350	-.0422	-.0359	.500	-.0274	-.0634	.810	-.0032	-.0953			
-.350	-.0587	-.0108	.350	-.0448	-.0271	.400	-.0401	-.0359	.600	-.0453	-.0341	.910	-.0009	-.0953			
-.400	-.0566	-.0129	.400	-.0384	-.0314	.500	-.0295	-.0422	.700	-.0432	-.0362						
-.450			.450	-.0342	-.0314	.600	-.0190	-.0486	.800	-.0009	-.0763						
-.500	-.0439	-.0150	.500	-.0300	-.0335	.700	-.0020	-.0571	.890	-.0051	-.0784						
-.600			.600	-.0236	-.0377	.800	-.0000	-.0571	.940	-.0051	-.0784						
-.700	-.0291	-.0298	.700	-.0130	-.0441	.900	-.0000	-.0571									
-.800	-.0228	-.0319	.800	-.0088	-.0462	.950	-.0000	-.0549									
-.900	-.0143	-.0383	.900	-.0045	-.0505												
-.950	-.0122	-.0383	.950	-.0003	-.0526												

APPENDIX B

TABLE B-2.- Continued

(b) $\alpha = -0.11^\circ$

C_p at $2y/b$ of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.0608	-.0567	.035			-.056	-.0295	-.0275	.130	-.0224	-.0183	.200		
.032			.032	-.0460	-.0440	.060	-.0363	-.0322	.105	-.0317	-.0296	.180	-.0203	-.0183	.240	-.0013	-.0006
.058			.058	-.0460	-.0440	.085	-.0321	-.0301	.157	-.0232	-.0212	.230	-.0161	-.0141	.340	-.0091	-.0006
.083	-.0355	-.0335	.083	-.0554	-.0555	.110	-.0321	-.0301	.200	-.0147	-.0127	.320	-.0034	-.0014	.440	-.0196	-.0196
.108	-.0333	-.0335	.108	-.0321	-.0301	.160	-.0300	-.0279	.250	-.0105	-.0106	.420	-.0070	-.0027	.640	-.0386	-.0406
.157	-.0333	-.0313	.157	-.0300	-.0258	.209	-.0486	-.0487	.300	-.0063	-.0042	.520	-.0218	-.0238			
.207	-.0333	-.0313	.207	-.0215	-.0173	.260	-.0126	-.0106	.350	-.0020	-.0000	.620	-.0323	-.0343			
.250	-.0249	-.0229	.250	-.0172	-.0152	.300	-.0063	-.0064	.400	-.0042	-.0062	.710	-.0407	-.0406			
.300	-.0207	-.0187	.300	-.0088	-.0067	.350	-.0000	-.0000	.500	-.0148	-.0168	.810	-.0428	-.0428			
.350	-.0186	-.0166	.350	-.0024	-.0025	.400	-.0021	-.0041	.600	-.0055	-.0035	.910	-.0449	-.0449			
.400	-.0165	-.0144	.400	-.0017	-.0017	.500	-.0084	-.0105	.700	-.0034	-.0027						
.450			.450	-.0039	-.0038	.600	-.0190	-.0189	.800	-.0407	-.0406						
.500	-.0101	-.0102	.500	-.0081	-.0080	.700	-.0317	-.0317	.890	-.0428	-.0428						
.600			.600	-.0102	-.0123	.800	-.0317	-.0338	.940	-.0428	-.0428						
.700	-.0024	-.0045	.700	-.0187	-.0186	.900	-.0317	-.0317									
.800	-.0088	-.0108	.800	-.0230	-.0250	.950	-.0317	-.0317									
.900	-.0151	-.0150	.900	-.0251	-.0271												
.950	-.0151	-.0171	.950	-.0293	-.0292												

APPENDIX B

TABLE B-2.- Continued

(c) $\alpha = 4.90^\circ$

C _p at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.0510	-.1072	.035			.056	-.0889	-.0909	.130	-.1060	-.0877	.200		
.032			.032	-.0531	-.0967	.060	-.0761	-.0872	.105	-.0910	-.0930	.180	-.1060	-.0856	.240	-.1187	-.0793
.058			.058	-.0552	-.1009	.085	-.0782	-.0851	.157	-.0889	-.0846	.230	-.1060	-.0814	.340	-.1187	-.0666
.083	-.0016	-.0925	.083	-.0316	-.1084	.110	-.0740	-.0893	.200	-.0846	-.0761	.320	-.1060	-.0687	.440	-.1208	-.0540
.108	-.0004	-.0904	.108	-.0358	-.0872	.160	-.0761	-.0872	.250	-.0825	-.0719	.420	-.1081	-.0582	.640	-.1229	-.0308
.157	-.0025	-.0882	.157	-.0189	-.0830	.209	-.0191	-.0994	.300	-.0825	-.0676	.520	-.1081	-.0413			
.207	-.0046	-.0840	.207	-.0210	-.0745	.260	-.0529	-.0697	.350	-.0825	-.0613	.620	-.1081	-.0266			
.250	-.0109	-.0756	.250	-.0210	-.0703	.300	-.0508	-.0613	.400	-.0783	-.0528	.710	-.1081	-.0161			
.300	-.0151	-.0692	.300	-.0274	-.0597	.350	-.0487	-.0528	.500	-.0825	-.0401	.810	-.1081	-.0119			
.350	-.0151	-.0671	.350	-.0316	-.0533	.400	-.0466	-.0528	.600	-.0471	-.0519	.910	-.1081	-.0076			
.400	-.0172	-.0650	.400	-.0358	-.0448	.500	-.0487	-.0422	.700	-.0660	-.0519						
.450			.450	-.0380	-.0427	.600	-.0529	-.0295	.800	-.0892	-.0076						
.500	-.0194	-.0523	.500	-.0401	-.0384	.700	-.0614	-.0126	.890	-.0892	-.0034						
.600			.600	-.0422	-.0342	.800	-.0635	-.0084	.940	-.0892	-.0034						
.700	-.0320	-.0418	.700	-.0485	-.0236	.900	-.0614	-.0084									
.800	-.0384	-.0312	.800	-.0528	-.0151	.950	-.0592	-.0084									
.900	-.0405	-.0249	.900	-.0528	-.0130												
.950	-.0405	-.0228	.950	-.0570	-.0088												

APPENDIX B

TABLE B-2.- Continued

(d) $\alpha = 5.90^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.0658	-.1142	.035			.056	-.0952	-.1036	.130	-.1123	-.0982	.200		
.032			.032	-.0679	-.1036	.060	-.0866	-.0978	.105	-.0994	-.1057	.180	-.1123	-.0961	.240	-.1208	-.0877
.058			.058	-.0700	-.1099	.085	-.0866	-.0978	.157	-.0994	-.0973	.230	-.1123	-.0940	.340	-.1229	-.0772
.083	-.0067	.1036	.083	-.0505	-.1190	.110	-.0866	-.1021	.200	-.0994	-.0888	.320	-.1123	-.0814	.440	-.1229	-.0666
.108	-.0088	-.0994	.108	-.0696	-.0999	.160	-.0866	-.0999	.250	-.0973	-.0846	.420	-.1166	-.0687	.640	-.1250	-.0456
.157	-.0088	-.0994	.157	-.0442	-.0978	.209	-.0360	-.1121	.300	-.0973	-.0803	.520	-.1145	-.0540			
.207	-.0088	-.0930	.207	-.0336	-.0872	.260	-.0783	-.0824	.350	-.0973	-.0740	.620	-.1166	-.0392			
.250	-.0151	-.0846	.250	-.0293	-.0830	.300	-.0783	-.0740	.400	-.0952	-.0655	.710	-.1187	-.0287			
.300	-.0194	-.0782	.300	-.0315	-.0724	.350	-.0762	-.0655	.500	-.0994	-.0528	.810	-.1187	-.0224			
.350	-.0215	-.0761	.350	-.0336	-.0660	.400	-.0719	-.0634	.600	-.0639	-.0645	.910	-.1187	-.0182			
.400	-.0215	-.0761	.400	-.0399	-.0575	.500	-.0677	-.0528	.700	-.0913	-.0624						
.450			.450	-.0421	-.0554	.600	-.0635	-.0422	.800	-.1102	-.0182						
.500	-.0236	-.0592	.500	-.0442	-.0512	.700	-.0656	-.0253	.890	-.1123	-.0140						
.600			.600	-.0484	-.0448	.800	-.0656	-.0190	.940	-.1123	-.0140						
.700	-.0384	-.0486	.700	-.0527	-.0342	.900	-.0635	-.0190									
.800	-.0405	-.0401	.800	-.0569	-.0257	.950	-.0593	-.0190									
.900	-.0447	-.0295	.900	-.0569	-.0236												
.950	-.0447	-.0295	.950	-.0611	-.0172												

APPENDIX B

TABLE B-2. - Continued

(e) $\alpha = 7.90^\circ$

C _p at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.0869	-.1410	.035			.056	-.1079	-.1269	.130	-.1187	-.1232	.200		
.032			.032	-.0911	-.1347	.060	-.1015	-.1232	.105	-.1100	-.1311	.180	-.1187	-.1232	.240	-.1271	-.1126
.058			.058	-.0911	-.1431	.085	-.1036	-.1211	.157	-.1121	-.1247	.230	-.1187	-.1211	.340	-.1271	-.1042
.083	-.0173	-.1389	.083	-.0634	-.1508	.110	-.1036	-.1296	.200	-.1121	-.1163	.320	-.1208	-.1105	.440	-.1271	-.0937
.108	-.0194	-.1368	.108	-.0909	-.1296	.160	-.1057	-.1275	.250	-.1121	-.1120	.420	-.1250	-.0958	.640	-.1292	-.0748
.157	-.0194	-.1326	.157	-.0888	-.1254	.209	-.0550	-.1374	.300	-.1121	-.1078	.520	-.1229	-.0832			
.207	-.0194	-.1304	.207	-.0867	-.1148	.260	-.1037	-.1099	.350	-.1121	-.1015	.620	-.1250	-.0685			
.250	-.0257	-.1178	.250	-.0824	-.1105	.300	-.1058	-.1036	.400	-.1100	-.0951	.710	-.1271	-.0558			
.300	-.0299	-.1114	.300	-.0697	-.0999	.350	-.1079	-.0930	.500	-.1164	-.0782	.810	-.1271	-.0516			
.350	-.0299	-.1093	.350	-.0464	-.0936	.400	-.1100	-.0909	.600	-.0786	-.0895	.910	-.1292	-.0474			
.400	-.0320	-.1072	.400	-.0443	-.0851	.500	-.1143	-.0824	.700	-.0976	-.0895						
.450			.450	-.0443	-.0830	.600	-.1100	-.0676	.800	-.1250	-.0453						
.500	-.0320	-.0882	.500	-.0507	-.0787	.700	-.1143	-.0486	.890	-.1292	-.0411						
.600			.600	-.0528	-.0724	.800	-.1037	-.0422	.940	-.1313	-.0390						
.700	-.0468	-.0777	.700	-.0613	-.0596	.900	-.0846	-.0422									
.800	-.0489	-.0671	.800	-.0634	-.0512	.950	-.0783	-.0422									
.900	-.0531	-.0587	.900	-.0634	-.0469												
.950	-.0552	-.0566	.950	-.0676	-.0405												

APPENDIX B

TABLE B-2.- Continued

(f) $\alpha = 9.90^\circ$

C _p at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.1017	-.1662	.035			.056	-.1185	-.1500	.130	-.1271	-.1486	.200		
.032			.032	-.1038	-.1620	.060	-.1120	-.1503	.105	-.1185	-.1585	.180	-.1250	-.1486	.240	-.1292	-.1339
.058			.058	-.1059	-.1746	.085	-.1142	-.1482	.157	-.1185	-.1542	.230	-.1250	-.1465	.340	-.1292	-.1255
.083	-.0257	-.1746	.083	-.0781	-.1821	.110	-.1142	-.1609	.200	-.1206	-.1458	.320	-.1250	-.1381	.440	-.1313	-.1192
.108	-.0299	-.1704	.108	-.1057	-.1652	.160	-.1163	-.1588	.250	-.1206	-.1437	.420	-.1292	-.1234	.640	-.1313	-.1002
.157	-.0299	-.1683	.157	-.1099	-.1609	.209	-.0656	-.1669	.300	-.1206	-.1394	.520	-.1292	-.1128			
.207	-.0299	-.1641	.207	-.1142	-.1461	.260	-.1164	-.1437	.350	-.1206	-.1331	.620	-.1292	-.0939			
.250	-.0342	-.1535	.250	-.1142	-.1419	.300	-.1185	-.1352	.400	-.1206	-.1246	.710	-.1313	-.0634			
.300	-.0384	-.1451	.300	-.1142	-.1313	.350	-.1206	-.1246	.500	-.1248	-.1098	.810	-.1313	-.0770			
.350	-.0384	-.1430	.350	-.0972	-.1249	.400	-.1248	-.1246	.600	-.0871	-.1149	.910	-.1313	-.0728			
.400	-.0405	-.1409	.400	-.0845	-.1165	.500	-.1291	-.1119	.700	-.0871	-.1149						
.450			.450	-.0718	-.1122	.600	-.1291	-.0971	.800	-.1313	-.0707						
.500	-.0405	-.1177	.500	-.0612	-.1080	.700	-.1333	-.0760	.890	-.1355	-.0665						
.600			.600	-.0633	-.1016	.800	-.1291	-.0696	.940	-.1355	-.0644						
.700	-.0553	-.1071	.700	-.0718	-.0868	.900	-.1206	-.0675									
.800	-.0595	-.0966	.800	-.0739	-.0762	.950	-.1164	-.0696									
.900	-.0637	-.0860	.900	-.0760	-.0741												
.950	-.0637	-.0839	.950	-.0802	-.0657												

APPENDIX B

TABLE B-2.- Concluded

(g) $\alpha = 19.90^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.1354	-.3395	.035			.056	-.1375	-.3131	.130	-.1397	-.3110	.200		
.032			.032	-.1396	-.3480	.060	-.1354	-.3311	.105	-.1375	-.3364	.180	-.1397	-.3194	.240	-.1418	-.2836
.058			.058	-.1396	-.3775	.085	-.1354	-.3311	.157	-.1375	-.3448	.230	-.1397	-.3237	.340	-.1418	-.2878
.083	-.0867	.4240	.083	-.1014	-.3905	.110	-.1354	-.3587	.200	-.1375	-.3427	.320	-.1397	-.2984	.440	-.1418	-.2921
.108	-.0931	.4134	.108	-.1332	-.3841	.160	-.1375	-.3587	.250	-.1396	-.3470	.420	-.1439	-.3215	.640	-.1397	-.2815
.157	-.0825	.4092	.157	-.1354	-.3863	.209	-.0846	-.3639	.300	-.1375	-.3470	.520	-.1418	-.3068			
.207	-.0761	.4050	.207	-.1354	-.3714	.260	-.1312	-.3575	.350	-.1375	-.3427	.620	-.1418	-.2878			
.250	-.0846	.3902	.250	-.1375	-.3672	.300	-.1375	-.3491	.400	-.1354	-.3322	.710	-.1439	-.2773			
.300	-.0910	.3796	.300	-.1375	-.3502	.350	-.1354	-.3385	.500	-.1418	-.3152	.810	-.1397	-.2710			
.350	-.0952	.3754	.350	-.1375	-.3439	.400	-.1375	-.3385	.600	-.0976	-.3089	.910	-.1397	-.2668			
.400	-.0952	.3733	.400	-.1375	-.3332	.500	-.1418	-.3258	.700	-.1060	-.2773						
.450			.450	-.1375	-.3311	.600	-.1396	-.3046	.800	-.1418	-.2689						
.500	-.0888	.3289	.500	-.1375	-.3226	.700	-.1439	-.2750	.890	-.1439	-.2689						
.600			.600	-.1354	-.3120	.800	-.1460	-.2644	.940	-.1418	-.2605						
.700	-.1121	-.3226	.700	-.1332	-.2908	.900	-.1439	-.2602									
.800	-.1142	-.3036	.800	-.1311	-.2739	.950	-.1418	-.2602									
.900	-.1142	-.2888	.900	-.1247	-.2717												
.950	-.1142	-.2825	.950	-.1120	-.2569												

APPENDIX B

TABLE B-3.- PRESSURE COEFFICIENTS FOR WING WITH 76° SWEEP,

$C_{L,des} = 0.0, M = 3.5$

(a) $\alpha = -1.28^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.0935	-.0271	.035			.056	-.0790	-.0617	.130	-.0735	-.0797	.200		
.032			.032	-.0845	-.0271	.060	-.0770	-.0470	.105	-.0790	-.0631	.180	-.0690	-.0797	.240	-.0646	-.0900
.058			.058	-.0845	-.0286	.085	-.0726	-.0515	.157	-.0715	-.0631	.230	-.0661	-.0797	.340	-.0528	-.0900
.083	.0696	-.0011	.083	-.0918	-.0086	.110	-.0756	-.0411	.200	-.0627	-.0631	.320	-.0528	-.0797	.440	-.0410	-.0915
.108	.0681	-.0033	.108	-.0711	-.0189	.160	-.0741	-.0441	.250	-.0567	-.0602	.420	-.0469	-.0812	.640	-.0204	-.0915
.157	.0666	-.0018	.157	-.0667	-.0086	.209	-.0834	-.0095	.300	-.0523	-.0572	.520	-.0278	-.0797			
.207	.0637	-.0033	.207	-.0578	-.0145	.260	-.0552	-.0246	.350	-.0478	-.0557	.620	-.0160	-.0797			
.250	.0562	-.0077	.250	-.0549	-.0160	.300	-.0493	-.0290	.400	-.0404	-.0513	.710	-.0071	-.0782			
.300	.0517	-.0107	.300	-.0460	-.0219	.350	-.0404	-.0335	.500	-.0271	-.0557	.810	-.0027	-.0768			
.350	.0517	-.0122	.350	-.0416	-.0249	.400	-.0375	-.0349	.600	-.0366	-.0296	.910	-.0016	-.0753			
.400	.0488	-.0137	.400	-.0342	-.0293	.500	-.0286	-.0394	.700	-.0160	-.0311						
.450			.450	-.0327	-.0293	.600	-.0182	-.0409	.800	-.0031	-.0635						
.500	.0443	-.0092	.500	-.0282	-.0323	.700	-.0049	-.0513	.890	-.0075	-.0664						
.600			.600	-.0223	-.0352	.800	-.0010	-.0557	.940	-.0075	-.0664						
.700	-.0264	-.0286	.700	-.0135	-.0397	.900	-.0010	-.0528									
.800	-.0204	-.0316	.800	-.0075	-.0441	.950	-.0004	-.0528									
.900	-.0145	-.0346	.900	-.0061	-.0456												
.950	-.0145	-.0361	.950	-.0031	-.0470												

APPENDIX B

TABLE B-3.- Continued

(b) $\alpha = -0.27^\circ$

C _p at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.0490	-.0445	.035			.056	-.0316	-.0258	.130	-.0249	-.0145	.200		
-.032			.032	-.0416	-.0370	.060	-.0357	-.0216	.105	-.0316	-.0243	.180	-.0205	-.0130	.240	-.0102	-.0016
-.058			.058	-.0386	-.0325	.085	-.0313	-.0186	.157	-.0242	-.0183	.230	-.0175	-.0086	.340	-.0013	-.0105
-.083	-.0267	-.0266	.083	-.0520	-.0395	.110	-.0328	-.0216	.200	-.0168	-.0109	.320	-.0072	-.0001	.440	-.0060	-.0164
-.108	-.0267	-.0251	.108	-.0313	-.0201	.160	-.0298	-.0186	.250	-.0124	-.0050	.420	-.0001	-.0119	.640	-.0251	-.0340
-.157	-.0281	-.0251	.157	-.0283	-.0157	.209	-.0435	-.0391	.300	-.0079	-.0020	.520	-.0148	-.0208			
-.207	-.0267	-.0221	.207	-.0195	-.0082	.260	-.0124	-.0080	.350	-.0049	-.0023	.620	-.0251	-.0311			
-.250	-.0207	-.0161	.250	-.0165	-.0053	.300	-.0064	-.0020	.400	-.0009	-.0068	.710	-.0325	-.0385			
-.300	-.0162	-.0116	.300	-.0076	-.0006	.350	-.0005	-.0038	.500	-.0128	-.0172	.810	-.0355	-.0414			
-.350	-.0147	-.0101	.350	-.0047	-.0065	.400	-.0024	-.0068	.600	-.0028	-.0016	.910	-.0369	-.0444			
-.400	-.0117	-.0087	.400	-.0012	-.0110	.500	-.0083	-.0112	.700	-.0104	-.0031						
-.450			.450	-.0026	-.0140	.600	-.0128	-.0201	.800	-.0340	-.0399						
-.500	-.0132	-.0101	.500	-.0071	-.0155	.700	-.0246	-.0305	.890	-.0369	-.0429						
-.600			.600	-.0086	-.0199	.800	-.0306	-.0335	.940	-.0384	-.0444						
-.700	-.0046	-.0092	.700	-.0145	-.0259	.900	-.0291	-.0335									
-.800	-.0091	-.0136	.800	-.0189	-.0303	.950	-.0276	-.0335									
-.900	-.0136	-.0181	.900	-.0219	-.0318												
-.950	-.0150	-.0196	.950	-.0233	-.0348												

APPENDIX B

TABLE B-3.- Continued

(c) $\alpha = 4.74^\circ$

C _p at 2y/b of :																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.0375	-.0397	.035			.056	-.0691	-.0852	.130	-.0827	-.0764	.200		
.032			.032	-.0390	-.0322	.060	-.0574	-.0817	.105	-.0691	-.0852	.180	-.0827	-.0735	.240	-.0915	-.0691
.058			.058	-.0405	-.0337	.085	-.0589	-.0788	.157	-.0706	-.0762	.230	-.0827	-.0705	.340	-.0900	-.0573
.083	-.0002	-.0848	.083	-.0190	-.0395	.110	-.0515	-.0803	.200	-.0721	-.0673	.320	-.0827	-.0588	.440	-.0930	-.0470
.108	-.0032	-.0818	.108	-.0337	-.0788	.160	-.0559	-.0803	.250	-.0706	-.0629	.420	-.0856	-.0440	.640	-.0915	-.0263
.157	-.0032	-.0803	.157	-.0190	-.0743	.209	-.0038	-.0866	.300	-.0691	-.0584	.520	-.0827	-.0337			
.207	-.0047	-.0758	.207	-.0160	-.0640	.260	-.0335	-.0599	.350	-.0676	-.0510	.620	-.0827	-.0204			
.250	-.0106	-.0654	.250	-.0175	-.0595	.300	-.0335	-.0525	.400	-.0617	-.0451	.710	-.0827	-.0116			
.300	-.0136	-.0594	.300	-.0234	-.0506	.350	-.0364	-.0466	.500	-.0631	-.0317	.810	-.0812	-.0072			
.350	-.0151	-.0549	.350	-.0264	-.0447	.400	-.0364	-.0421	.600	-.0325	-.0411	.910	-.0797	-.0042			
.400	-.0166	-.0549	.400	-.0308	-.0388	.500	-.0409	-.0347	.700	-.0399	-.0352						
.450			.450	-.0323	-.0358	.600	-.0424	-.0199	.800	-.0679	-.0013						
.500	-.0106	-.0490	.500	-.0337	-.0329	.700	-.0528	-.0080	.890	-.0709	-.0031						
.600			.600	-.0367	-.0255	.800	-.0557	-.0020	.940	-.0709	-.0045						
.700	-.0300	-.0311	.700	-.0411	-.0166	.900	-.0542	-.0020									
.800	-.0345	-.0236	.800	-.0441	-.0107	.950	-.0542	-.0020									
.900	-.0360	-.0176	.900	-.0456	-.0062												
.950	-.0375	-.0161	.950	-.0485	-.0033												

APPENDIX B

TABLE B-3.- Continued

(d) $\alpha = 5.73^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.0509	-.1130	.035			.056	-.0780	-.0940	.130	-.0915	-.0869	.200		
.032			.032	-.0509	-.1041	.060	-.0707	-.0935	.105	-.0780	-.0955	.180	-.0915	-.0854	.240	-.0989	-.0795
.058			.058	-.0524	-.1056	.085	-.0736	-.0920	.157	-.0809	-.0880	.230	-.0930	-.0810	.340	-.0974	-.0677
.083	-.0046	-.0981	.083	-.0322	-.1127	.110	-.0707	-.0950	.200	-.0809	-.0791	.320	-.0915	-.0707	.440	-.0989	-.0574
.108	-.0061	-.0951	.108	-.0529	-.0920	.160	-.0751	-.0920	.250	-.0795	-.0747	.420	-.0959	-.0559	.640	-.0974	-.0382
.157	-.0091	-.0937	.157	-.0455	-.0876	.209	-.0260	-.0999	.300	-.0780	-.0702	.520	-.0915	-.0441			
.207	-.0106	-.0892	.207	-.0322	-.0772	.260	-.0557	-.0717	.350	-.0780	-.0643	.620	-.0915	-.0308			
.250	-.0151	-.0787	.250	-.0248	-.0728	.300	-.0542	-.0643	.400	-.0735	-.0554	.710	-.0915	-.0220			
.300	-.0196	-.0698	.300	-.0292	-.0624	.350	-.0542	-.0584	.500	-.0765	-.0435	.810	-.0900	-.0161			
.350	-.0196	-.0683	.350	-.0322	-.0565	.400	-.0527	-.0554	.600	-.0443	-.0500	.910	-.0886	-.0131			
.400	-.0196	-.0653	.400	-.0366	-.0506	.500	-.0513	-.0450	.700	-.0458	-.0500						
.450			.450	-.0381	-.0476	.600	-.0527	-.0317	.800	-.0812	-.0102						
.500	-.0151	-.0593	.500	-.0396	-.0432	.700	-.0602	-.0183	.890	-.0841	-.0058						
.600			.600	-.0425	-.0358	.800	-.0617	-.0109	.940	-.0841	-.0043						
.700	-.0345	-.0400	.700	-.0470	-.0269	.900	-.0602	-.0094									
.800	-.0375	-.0325	.800	-.0499	-.0195	.950	-.0602	-.0109									
.900	-.0405	-.0265	.900	-.0529	-.0151												
.950	-.0419	-.0250	.950	-.0544	-.0121												

APPENDIX B

TABLE B-3.- Continued

(e) $\alpha = 7.73^\circ$

C_p at $2y/b$ of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.0673	.1369	.035			.056	-.0869	.1177	.130	-.0944	.1088	.200		
-.032			.032	-.0703	.1309	.060	-.0810	.1187	.105	-.0869	.1207	.180	-.0944	.1073	.240	-.0974	.0999
-.058			.058	-.0703	.1369	.085	-.0825	.1157	.157	-.0869	.1133	.230	-.0944	.1044	.340	-.0974	.0911
-.083	-.0136	-.1324	.083	-.0455	.1394	.110	-.0825	.1201	.200	-.0869	.1058	.320	-.0944	.0940	.440	-.0989	.0823
-.108	-.0151	-.1309	.108	-.0677	.1216	.160	-.0855	.1187	.250	-.0884	.0999	.420	-.0974	.0852	.640	-.0974	.0616
-.157	-.0196	-.1309	.157	-.0648	.1172	.209	-.0394	.1236	.300	-.0884	.0969	.520	-.0959	.0690			
-.207	-.0196	-.1280	.207	-.0618	.1039	.260	-.0735	.0984	.350	-.0869	.0895	.620	-.0959	.0543			
-.250	-.0226	-.1086	.250	-.0588	.0994	.300	-.0750	.0895	.400	-.0839	.0821	.710	-.0959	.0439			
-.300	-.0270	-.1071	.300	-.0588	.0891	.350	-.0765	.0821	.500	-.0869	.0673	.810	-.0959	.0395			
-.350	-.0270	-.0966	.350	-.0944	.0817	.400	-.0765	.0821	.600	-.0946	.0719	.910	-.0959	.0351			
-.400	-.0285	-.0937	.400	-.0944	.0757	.500	-.0780	.0702	.700	-.0990	.0381						
-.450			.450	-.0529	.0728	.600	-.0750	.0554	.800	-.0900	.0322						
-.500	-.0226	-.0817	.500	-.0499	.0683	.700	-.0839	.0391	.890	-.0944	.0277						
-.600			.600	-.0499	.0595	.800	-.0854	.0332	.940	-.0944	.0248						
-.700	-.0420	-.0638	.700	-.0529	.0491	.900	-.0869	.0302									
-.800	-.0450	-.0549	.800	-.0559	.0417	.950	-.0854	.0317									
-.900	-.0479	-.0474	.900	-.0574	.0358												
-.950	-.0494	-.0459	.950	-.0588	.0313												

APPENDIX B

TABLE B-3.- Continued

(f) $\alpha = 9.74^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.0793	-.1639	.035			.056	-.0928	-.1416	.130	-.0974	-.1340	.200		
.032			.032	-.0807	-.1594	.060	-.0869	-.1466	.105	-.0928	-.1475	.180	-.0974	-.1325	.240	-.0989	-.1222
.058			.058	-.0807	-.1684	.085	-.0869	-.1451	.157	-.0928	-.1416	.230	-.0959	-.1310	.340	-.0989	-.1148
.083	-.0196	-.1684	.083	-.0558	-.1747	.110	-.0884	-.1511	.200	-.0928	-.1341	.320	-.0959	-.1222	.440	-.0989	-.1074
.108	-.0240	-.1639	.108	-.0781	-.1555	.160	-.0899	-.1496	.250	-.0943	-.1297	.420	-.0989	-.1074	.640	-.0989	-.0868
.157	-.0270	-.1594	.157	-.0766	-.1525	.209	-.0483	-.1505	.300	-.0943	-.1267	.520	-.0989	-.0956			
.207	-.0255	-.1564	.207	-.0766	-.1392	.260	-.0854	-.1297	.350	-.0928	-.1208	.620	-.0989	-.0809			
.250	-.0300	-.1430	.250	-.0781	-.1333	.300	-.0854	-.1208	.400	-.0884	-.1119	.710	-.0989	-.0706			
.300	-.0360	-.1326	.300	-.0810	-.1200	.350	-.0884	-.1119	.500	-.0943	-.0941	.810	-.0989	-.0632			
.350	-.0375	-.1281	.350	-.0825	-.1126	.400	-.0884	-.1104	.600	-.0605	-.0971	.910	-.0989	-.0602			
.400	-.0375	-.1251	.400	-.0825	-.1037	.500	-.0913	-.0985	.700	-.0620	-.0809						
.450			.450	-.0781	-.1022	.600	-.0899	-.0822	.800	-.0959	-.0558						
.500	-.0285	-.1087	.500	-.0736	-.0963	.700	-.0958	-.0629	.890	-.0989	-.0514						
.600			.600	-.0633	-.0875	.800	-.0988	-.0555	.940	-.0989	-.0499						
.700	-.0494	-.0923	.700	-.0633	-.0756	.900	-.1002	-.0555									
.800	-.0524	-.0818	.800	-.0662	-.0667	.950	-.0973	-.0555									
.900	-.0554	-.0729	.900	-.0677	-.0623												
.950	-.0569	-.0714	.950	-.0692	-.0549												

APPENDIX B

TABLE B-3.- Concluded

(g) $\alpha = 19.74^\circ$

C_p at $2y/b$ of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.0972	.3399	.035			.056	-.0988	.2993	.130	-.1018	-.2916	.200		
-.032			.032	-.0987	.3459	.060	-.0973	-.3300	.105	-.1017	-.3201	.180	-.1033	-.2975	.240	-.1033	-.2651
-.058			.058	-.0987	.3772	.085	-.0973	-.3314	.157	-.1002	-.3260	.230	-.1018	-.3005	.340	-.1018	-.2680
-.083	-.0643	.4205	.083	-.0677	.3847	.110	-.0973	-.3536	.200	-.1002	-.3215	.320	-.1033	-.2975	.440	-.1033	-.2695
-.108	-.0733	.4100	.108	-.0929	.3773	.160	-.0973	-.3521	.250	-.1017	-.3230	.420	-.1048	-.2857	.640	-.1018	-.2577
-.157	-.0629	.4056	.157	-.0929	.3788	.209	-.0572	-.3453	.300	-.1002	-.3215	.520	-.1048	-.2739			
-.207	-.0584	.3966	.207	-.0944	.3625	.260	-.0928	-.3349	.350	-.1017	-.3158	.620	-.1048	-.2577			
-.250	-.0629	.3787	.250	-.0958	.3566	.300	-.0988	-.3260	.400	-.0958	-.3037	.710	-.1048	-.2459			
-.300	-.0688	.3623	.300	-.0973	.3373	.350	-.1002	-.3141	.500	-.1017	-.2889	.810	-.1018	-.2386			
-.350	-.0718	.3563	.350	-.0988	.3300	.400	-.1002	-.3141	.600	-.0649	-.2739	.910	-.1018	-.2356			
-.400	-.0733	.3519	.400	-.0973	.3152	.500	-.1002	-.2978	.700	-.0664	-.2739						
-.450			.450	-.0988	.3078	.600	-.1002	-.2755	.800	-.1003	-.2327						
-.500	-.0569	.3101	.500	-.0973	.2989	.700	-.1032	-.2458	.890	-.1033	-.2297						
-.600			.600	-.0944	.2871	.800	-.1062	-.2309	.940	-.1033	-.2253						
-.700	-.0852	.2937	.700	-.0973	.2649	.900	-.1047	-.2294									
-.800	-.0852	.2758	.800	-.0973	.2471	.950	-.1032	-.2294									
-.900	-.0852	.2579	.900	-.0929	.2397												
-.950	-.0867	.2519	.950	-.0855	.2264												

APPENDIX B

TABLE B-4.- PRESSURE COEFFICIENTS FOR WING WITH 76° SWEEP,

$C_{L,des} = 0.0, M = 4.0$

(a) $\alpha = -3.90^\circ$

C_p at $2y/b$ of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.0825	-.0142	.035			.056	-.0733	-.0411	.130	-.0705	-.0546	.200		
.032			.032	-.0742	-.0125	.060	-.0678	-.0247	.105	-.0716	-.0394	.180	-.0656	-.0529	.240	-.0640	-.0645
.058			.058	-.0725	-.0108	.085	-.0645	-.0330	.157	-.0633	-.0394	.230	-.0623	-.0529	.340	-.0508	-.0661
.083	-.0558	-.0008	.083	-.0860	-.0150	.110	-.0661	-.0214	.200	-.0567	-.0394	.320	-.0508	-.0529	.440	-.0409	-.0661
.108	-.0558	-.0025	.108	-.0595	-.0098	.160	-.0645	-.0263	.250	-.0517	-.0377	.420	-.0508	-.0579	.640	-.0211	-.0678
.157	-.0558	-.0025	.157	-.0545	-.0098	.209	-.0832	-.0203	.300	-.0467	-.0377	.520	-.0277	-.0579			
.207	-.0525	-.0025	.207	-.0479	-.0131	.260	-.0467	-.0195	.350	-.0417	-.0377	.620	-.0145	-.0595			
.250	-.0458	-.0058	.250	-.0446	-.0147	.300	-.0401	-.0228	.400	-.0384	-.0328	.710	-.0063	-.0612			
.300	-.0391	-.0108	.300	-.0380	-.0164	.350	-.0334	-.0278	.500	-.0235	-.0377	.810	-.0013	-.0628			
.350	-.0391	-.0108	.350	-.0330	-.0197	.400	-.0301	-.0278	.600	-.0409	-.0067	.910	-.0019	-.0628			
.400	-.0375	-.0125	.400	-.0264	-.0230	.500	-.0218	-.0328	.700	-.0030	-.0084						
.450			.450	-.0248	-.0247	.600	-.0135	-.0377	.800	-.0035	-.0513						
.500	-.0425	-.0008	.500	-.0215	-.0263	.700	-.0019	-.0444	.890	-.0085	-.0546						
.600			.600	-.0165	-.0296	.800	-.0030	-.0461	.940	-.0101	-.0562						
.700	-.0191	-.0258	.700	-.0099	-.0346	.900	-.0030	-.0461									
.800	-.0158	-.0292	.800	-.0066	-.0379	.950	-.0013	-.0461									
.900	-.0108	-.0325	.900	-.0033	-.0412												
.950	-.0091	-.0325	.950	-.0000	-.0412												

APPENDIX B

TABLE B-4.- Continued

(b) $\alpha = 0.11^\circ$

C _p at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.0458	-.0509	.035			.056	-.0253	-.0336	.130	-.0227	-.0261	.200		
-.032			-.032	-.0341	-.0409	-.060	-.0265	-.0331	-.105	-.0253	-.0302	-.180	-.0211	-.0228	-.240	-.0095	-.0113
-.058			-.058	-.0291	-.0359	-.085	-.0216	-.0298	-.157	-.0203	-.0253	-.230	-.0161	-.0179	-.340	-.0013	-.0014
-.083	-.0224	-.0276	-.083	-.0464	-.0530	-.110	-.0232	-.0298	-.200	-.0136	-.0170	-.320	-.0079	-.0063	-.440	-.0052	-.0035
-.108	-.0191	-.0242	-.108	-.0216	-.0282	-.160	-.0199	-.0265	-.250	-.0103	-.0136	-.420	-.0046	-.0018	-.640	-.0200	-.0199
-.157	-.0191	-.0242	-.157	-.0183	-.0232	-.209	-.0468	-.0518	-.300	-.0070	-.0086	-.520	-.0101	-.0150			
-.207	-.0191	-.0226	-.207	-.0116	-.0149	-.260	-.0103	-.0120	-.350	-.0037	-.0037	-.620	-.0200	-.0232			
-.250	-.0141	-.0159	-.250	-.0083	-.0116	-.300	-.0037	-.0053	-.400	-.0012	-.0020	-.710	-.0266	-.0298			
-.300	-.0091	-.0109	-.300	-.0034	-.0050	-.350	-.0029	-.0003	-.500	-.0112	-.0095	-.810	-.0316	-.0315			
-.350	-.0091	-.0109	-.350	-.0015	-.0000	-.400	-.0045	-.0012	-.600	-.0128	-.0113	-.910	-.0332	-.0364			
-.400	-.0041	-.0092	-.400	-.0048	-.0032	-.500	-.0095	-.0079	-.700	-.0266	-.0047						
-.450			-.450	-.0065	-.0048	-.600	-.0162	-.0195	-.800	-.0316	-.0348						
-.500	-.0158	-.0175	-.500	-.0098	-.0065	-.700	-.0261	-.0261	-.890	-.0349	-.0397						
-.600			-.600	-.0114	-.0098	-.800	-.0294	-.0294	-.940	-.0349	-.0397						
-.700	-.0075	-.0074	-.700	-.0181	-.0181	-.900	-.0294	-.0294									
-.800	-.0108	-.0107	-.800	-.0197	-.0197	-.950	-.0294	-.0294									
-.900	-.0158	-.0158	-.900	-.0230	-.0263												
-.950	-.0158	-.0174	-.950	-.0247	-.0263												

APPENDIX B

TABLE B-4.- Continued

(c) $\alpha = 5.12^\circ$

C _p at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.0309	-.1010	.035			.056	-.0527	-.0867	.130	-.0562	-.0822	.200		
-.032			-.032	-.0325	-.0944	-.060	-.0445	-.0861	-.105	-.0544	-.0850	-.180	-.0579	-.0789	-.240	-.0661	-.0723
-.058			-.058	-.0309	-.0944	-.085	-.0479	-.0811	-.157	-.0544	-.0784	-.230	-.0579	-.0740	-.340	-.0678	-.0608
-.083	-.0042	-.0843	-.083	-.0015	-.1060	-.110	-.0429	-.0845	-.200	-.0544	-.0701	-.320	-.0579	-.0624	-.440	-.0678	-.0509
-.108	-.0092	-.0810	-.108	-.0263	-.0811	-.160	-.0479	-.0811	-.250	-.0544	-.0634	-.420	-.0612	-.0492	-.640	-.0661	-.0311
-.157	-.0075	-.0793	-.157	-.0263	-.0778	-.209	-.0037	-.0867	-.300	-.0544	-.0618	-.520	-.0612	-.0377			
-.207	-.0092	-.0760	-.207	-.0263	-.0662	-.260	-.0328	-.0634	-.350	-.0527	-.0568	-.620	-.0645	-.0261			
-.250	-.0125	-.0676	-.250	-.0247	-.0629	-.300	-.0361	-.0551	-.400	-.0494	-.0502	-.710	-.0645	-.0162			
-.300	-.0158	-.0610	-.300	-.0230	-.0530	-.350	-.0361	-.0468	-.500	-.0527	-.0369	-.810	-.0645	-.0113			
-.350	-.0158	-.0593	-.350	-.0247	-.0480	-.400	-.0361	-.0435	-.600	-.0149	-.0509	-.910	-.0645	-.0080			
-.400	-.0158	-.0560	-.400	-.0280	-.0398	-.500	-.0361	-.0352	-.700	-.0529	-.0492						
-.450			-.450	-.0297	-.0365	-.600	-.0361	-.0203	-.800	-.0579	-.0047						
-.500	-.0058	-.0543	-.500	-.0313	-.0331	-.700	-.0461	-.0120	-.890	-.0595	-.0002						
-.600			-.600	-.0346	-.0282	-.800	-.0477	-.0053	-.940	-.0595	-.0035						
-.700	-.0292	-.0342	-.700	-.0379	-.0199	-.900	-.0494	-.0037									
-.800	-.0309	-.0276	-.800	-.0429	-.0149	-.950	-.0477	-.0037									
-.900	-.0342	-.0209	-.900	-.0445	-.0100												
-.950	-.0359	-.0192	-.950	-.0445	-.0067												

APPENDIX B

TABLE B-4.- Continued

(d) $\alpha = 6.11^\circ$

C _p at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.0375	-.1127	.035			.056	-.0627	-.0967	.130	-.0678	-.0938	.200		
-.032			.032	-.0392	-.1077	.060	-.0528	-.0977	.105	-.0627	-.0967	.180	-.0678	-.0905	.240	-.0727	-.0839
-.058			.058	-.0392	-.1077	.085	-.0561	-.0961	.157	-.0610	-.0900	.230	-.0678	-.0872	.340	-.0711	-.0707
-.083	-.0092	-.0977	.083	-.0131	-.1192	.110	-.0545	-.0977	.200	-.0610	-.0817	.320	-.0678	-.0740	.440	-.0711	-.0624
-.108	-.0125	-.0960	.108	-.0379	-.0961	.160	-.0561	-.0961	.250	-.0610	-.0751	.420	-.0694	-.0591	.640	-.0694	-.0410
-.157	-.0125	-.0944	.157	-.0396	-.0911	.209	-.0062	-.1100	.300	-.0610	-.0718	.520	-.0694	-.0476			
-.207	-.0125	-.0910	.207	-.0412	-.0812	.260	-.0444	-.0751	.350	-.0610	-.0668	.620	-.0694	-.0360			
-.250	-.0175	-.0810	.250	-.0363	-.0745	.300	-.0444	-.0668	.400	-.0560	-.0618	.710	-.0694	-.0261			
-.300	-.0192	-.0727	.300	-.0346	-.0646	.350	-.0444	-.0585	.500	-.0593	-.0468	.810	-.0694	-.0212			
-.350	-.0209	-.0710	.350	-.0330	-.0580	.400	-.0444	-.0552	.600	-.0233	-.0624	.910	-.0694	-.0179			
-.400	-.0209	-.0677	.400	-.0346	-.0514	.500	-.0444	-.0452	.700	-.0612	-.0608						
-.450			.450	-.0346	-.0481	.600	-.0444	-.0352	.800	-.0661	-.0146						
-.500	-.0092	-.0660	.500	-.0363	-.0447	.700	-.0494	-.0203	.890	-.0678	-.0080						
-.600			.600	-.0396	-.0381	.800	-.0527	-.0136	.940	-.0678	-.0064						
-.700	-.0325	-.0426	.700	-.0429	-.0298	.900	-.0527	-.0136									
-.800	-.0359	-.0359	.800	-.0446	-.0232	.950	-.0527	-.0136									
-.900	-.0375	-.0309	.900	-.0479	-.0199												
-.950	-.0375	-.0276	.950	-.0479	-.0149												

APPENDIX B

TABLE B-4.- Continued

(e) $\alpha = 8.12^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.0525	-.1412	.035			.056	-.0676	-.1200	.130	-.0711	-.1170	.200		
.032			.032	-.0525	-.1345	.060	-.0594	-.1226	.105	-.0693	-.1200	.180	-.0711	-.1137	.240	-.0727	-.1038
.058			.058	-.0525	-.1379	.085	-.0611	-.1193	.157	-.0676	-.1150	.230	-.0711	-.1120	.340	-.0727	-.0939
.083	-.0141	-.1312	.083	-.0213	-.1474	.110	-.0611	-.1243	.200	-.0660	-.1067	.320	-.0711	-.0988	.440	-.0727	-.0840
.108	-.0158	-.1278	.108	-.0478	-.1243	.160	-.0611	-.1210	.250	-.0709	-.1017	.420	-.0727	-.0873	.640	-.0727	-.0641
.157	-.0175	-.1262	.157	-.0512	-.1210	.209	-.0144	-.1333	.300	-.0693	-.0984	.520	-.0727	-.0724			
.207	-.0191	-.1212	.207	-.0512	-.1077	.260	-.0560	-.1001	.350	-.0693	-.0918	.620	-.0727	-.0592			
.250	-.0242	-.1085	.250	-.0499	-.1027	.300	-.0576	-.0934	.400	-.0610	-.0851	.710	-.0727	-.0476			
.300	-.0275	-.1011	.300	-.0478	-.0912	.350	-.0560	-.0834	.500	-.0693	-.0718	.810	-.0711	-.0427			
.350	-.0275	-.0994	.350	-.0512	-.0845	.400	-.0576	-.0785	.600	-.0282	-.0823	.910	-.0711	-.0377			
.400	-.0275	-.0961	.400	-.0512	-.0762	.500	-.0593	-.0702	.700	-.0661	-.0542						
.450			.450	-.0512	-.0729	.600	-.0560	-.0569	.800	-.0694	-.0344						
.500	-.0141	-.0878	.500	-.0512	-.0680	.700	-.0643	-.0419	.890	-.0727	-.0295						
.600			.600	-.0512	-.0597	.800	-.0676	-.0336	.940	-.0727	-.0262						
.700	-.0392	-.0660	.700	-.0512	-.0498	.900	-.0676	-.0336									
.800	-.0408	-.0594	.800	-.0512	-.0431	.950	-.0676	-.0336									
.900	-.0425	-.0510	.900	-.0528	-.0382												
.950	-.0442	-.0477	.950	-.0528	-.0315												

APPENDIX B

TABLE B-4.- Continued

(f) $\alpha = 10.12^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.0592	-.1680	.035			.056	-.0693	-.1433	.130	-.0727	-.1417	.200		
-.032			.032	-.0625	-.1629	.060	-.0644	-.1524	.105	-.0710	-.1483	.180	-.0744	-.1401	.240	-.0744	-.1252
-.058			.058	-.0609	-.1713	.085	-.0644	-.1475	.157	-.0710	-.1433	.230	-.0744	-.1368	.340	-.0744	-.1170
-.083	-.0191	-.1680	.083	-.0296	-.1789	.110	-.0677	-.1541	.200	-.0693	-.1350	.320	-.0744	-.1269	.440	-.0744	-.1087
-.108	-.0225	-.1646	.108	-.0561	-.1574	.160	-.0661	-.1524	.250	-.0726	-.1316	.420	-.0760	-.1186	.640	-.0744	-.0906
-.157	-.0225	-.1613	.157	-.0578	-.1541	.209	-.0195	-.1615	.300	-.0710	-.1283	.520	-.0760	-.0988			
-.207	-.0242	-.1563	.207	-.0578	-.1408	.260	-.0593	-.1300	.350	-.0710	-.1200	.620	-.0760	-.0840			
-.250	-.0308	-.1429	.250	-.0578	-.1359	.300	-.0643	-.1233	.400	-.0627	-.1134	.710	-.0760	-.0724			
-.300	-.0342	-.1329	.300	-.0578	-.1226	.350	-.0627	-.1117	.500	-.0710	-.1001	.810	-.0744	-.0658			
-.350	-.0342	-.1312	.350	-.0594	-.1143	.400	-.0660	-.1100	.600	-.0315	-.1071	.910	-.0744	-.0625			
-.400	-.0358	-.1279	.400	-.0594	-.1061	.500	-.0660	-.0967	.700	-.0694	-.0790						
-.450			.450	-.0611	-.1011	.600	-.0660	-.0835	.800	-.0744	-.0592						
-.500	-.0191	-.1145	.500	-.0611	-.0961	.700	-.0693	-.0668	.890	-.0760	-.0526						
-.600			.600	-.0594	-.0878	.800	-.0726	-.0585	.940	-.0760	-.0493						
-.700	-.0458	-.0928	.700	-.0594	-.0746	.900	-.0726	-.0552									
-.800	-.0458	-.0844	.800	-.0594	-.0663	.950	-.0726	-.0552									
-.900	-.0475	-.0761	.900	-.0594	-.0614												
-.950	-.0492	-.0727	.950	-.0594	-.0564												

APPENDIX B

TABLE B-4.- Concluded

(g) $\alpha = 20.12^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.0726	-.3243	.035			.056	-.0743	-.3108	.130	-.0760	-.3011	.200		
.032			.032	-.0742	-.3276	.060	-.0710	-.3360	.105	-.0776	-.3291	.180	-.0777	-.3077	.240	-.0760	-.2781
.058			.058	-.0742	-.3793	.085	-.0727	-.3360	.157	-.0743	-.3341	.230	-.0760	-.3110	.340	-.0760	-.2781
.083	-.0492	-.4160	.083	-.0379	-.3822	.110	-.0710	-.3575	.200	-.0743	-.3324	.320	-.0760	-.3061	.440	-.0760	-.2781
.108	-.0559	-.4127	.108	-.0661	-.3806	.160	-.0710	-.3575	.250	-.0776	-.3324	.420	-.0777	-.3044	.640	-.0760	-.2616
.157	-.0475	-.4093	.157	-.0677	-.3806	.209	-.0261	-.3590	.300	-.0743	-.3291	.520	-.0777	-.2830			
.207	-.0459	-.4010	.207	-.0677	-.3624	.260	-.0660	-.3424	.350	-.0759	-.3241	.620	-.0777	-.2649			
.250	-.0509	-.3776	.250	-.0677	-.3558	.300	-.0726	-.3341	.400	-.0676	-.3091	.710	-.0777	-.2501			
.300	-.0559	-.3626	.300	-.0644	-.3376	.350	-.0676	-.3208	.500	-.0776	-.2925	.810	-.0760	-.2418			
.350	-.0559	-.3610	.350	-.0694	-.3293	.400	-.0726	-.3175	.600	-.0348	-.2830	.910	-.0760	-.2369			
.400	-.0592	-.3526	.400	-.0677	-.3178	.500	-.0726	-.2992	.700	-.0727	-.2468						
.450			.450	-.0710	-.3111	.600	-.0726	-.2743	.800	-.0760	-.2369						
.500	-.0392	-.3143	.500	-.0710	-.3029	.700	-.0776	-.2444	.890	-.0777	-.2336						
.600			.600	-.0677	-.2863	.800	-.0809	-.2328	.940	-.0777	-.2253						
.700	-.0675	-.2943	.700	-.0710	-.2615	.900	-.0776	-.2311									
.800	-.0675	-.2742	.800	-.0710	-.2433	.950	-.0793	-.2311									
.900	-.0709	-.2609	.900	-.0710	-.2416												
.950	-.0709	-.2542	.950	-.0694	-.2300												

APPENDIX B

TABLE B-5.- PRESSURE COEFFICIENTS FOR WING WITH 76° SWEEP,

$C_{L,des} = 0.0, M = 4.6$

(a) $\alpha = -3.45^\circ$

C_p at $2y/b$ of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.0852	-.0035	.035			.056	-.0680	-.0243	.130	-.0652	-.0307	.200		
-.032			.032	-.0749	-.0055	.060	-.0695	-.0121	.105	-.0659	-.0222	.180	-.0631	-.0307	.240	-.0590	-.0409
-.058			.058	-.0708	-.0035	.085	-.0634	-.0183	.157	-.0597	-.0222	.230	-.0570	-.0307	.340	-.0468	-.0429
-.083	-.0563	-.0026	.083	-.0941	-.0267	.110	-.0634	-.0121	.200	-.0495	-.0222	.320	-.0468	-.0327	.440	-.0386	-.0429
-.108	-.0522	-.0006	.108	-.0614	-.0040	.160	-.0614	-.0162	.250	-.0433	-.0243	.420	-.0407	-.0348	.640	-.0202	-.0470
-.157	-.0522	-.0014	.157	-.0552	-.0081	.209	-.0926	-.0373	.300	-.0392	-.0243	.520	-.0243	-.0388			
-.207	-.0522	-.0035	.207	-.0470	-.0101	.260	-.0433	-.0140	.350	-.0351	-.0264	.620	-.0121	-.0429			
-.250	-.0439	-.0076	.250	-.0429	-.0121	.300	-.0372	-.0202	.400	-.0330	-.0222	.710	-.0039	-.0429			
-.300	-.0377	-.0097	.300	-.0327	-.0162	.350	-.0289	-.0222	.500	-.0187	-.0325	.810	-.0001	-.0470			
-.350	-.0357	-.0117	.350	-.0286	-.0203	.400	-.0248	-.0243	.600	-.0188	-.0122	.910	-.0042	-.0450			
-.400	-.0336	-.0138	.400	-.0225	-.0224	.500	-.0166	-.0284	.700	-.0468	-.0368						
-.450			.450	-.0204	-.0224	.600	-.0084	-.0284	.800	-.0062	-.0429						
-.500	-.0439	-.0088	.500	-.0163	-.0244	.700	-.0018	-.0366	.890	-.0103	-.0429						
-.600			.600	-.0122	-.0265	.800	-.0079	-.0387	.940	-.0123	-.0429						
-.700	-.0130	-.0241	.700	-.0061	-.0306	.900	-.0100	-.0407									
-.800	-.0088	-.0282	.800	-.0020	-.0326	.950	-.0079	-.0387									
-.900	-.0026	-.0282	.900	-.0040	-.0367												
-.950	-.0006	-.0303	.950	-.0040	-.0347												

APPENDIX B

TABLE B-5.- Continued

(b) $\alpha = 0.56^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.0419	-.0543	.035			.056	-.0229	-.0353	.130	-.0183	-.0306	.200		
.032			.032	-.0315	-.0419	.060	-.0246	-.0349	.105	-.0188	-.0333	.180	-.0162	-.0285	.240	-.0040	-.0224
.058			.058	-.0274	-.0377	.085	-.0185	-.0308	.157	-.0147	-.0271	.230	-.0122	-.0244	.340	-.0000	-.0101
.083	-.0253	-.0295	.083	-.0554	-.0595	.110	-.0185	-.0308	.200	-.0105	-.0209	.320	-.0040	-.0142	.440	-.0082	-.0060
.108	-.0233	-.0274	.108	-.0205	-.0267	.160	-.0144	-.0287	.250	-.0064	-.0189	.420	-.0000	-.0122	.640	-.0184	-.0102
.157	-.0171	-.0233	.157	-.0185	-.0205	.209	-.0619	-.0662	.300	-.0023	-.0147	.520	-.0123	-.0041			
.207	-.0171	-.0233	.207	-.0123	-.0164	.260	-.0126	-.0127	.350	-.0003	-.0086	.620	-.0184	-.0123			
.250	-.0130	-.0171	.250	-.0103	-.0123	.300	-.0064	-.0065	.400	-.0023	-.0086	.710	-.0225	-.0204			
.300	-.0068	-.0109	.300	-.0041	-.0062	.350	-.0023	-.0003	.500	-.0079	-.0057	.810	-.0266	-.0225			
.350	-.0047	-.0109	.350	-.0019	-.0021	.400	-.0017	-.0016	.600	-.0285	-.0265	.910	-.0286	-.0266			
.400	-.0047	-.0088	.400	-.0060	-.0019	.500	-.0099	-.0057	.700	-.0081	-.0225						
.450			.450	-.0081	-.0040	.600	-.0099	-.0160	.800	-.0245	-.0307						
.500	-.0212	-.0253	.500	-.0101	-.0040	.700	-.0222	-.0242	.890	-.0307	-.0327						
.600			.670	-.0121	-.0101	.800	-.0284	-.0263	.940	-.0327	-.0327						
.700	-.0117	-.0055	.700	-.0183	-.0142	.900	-.0284	-.0263									
.800	-.0158	-.0097	.800	-.0203	-.0183	.950	-.0284	-.0263									
.900	-.0179	-.0138	.900	-.0224	-.0203												
.950	-.0200	-.0158	.950	-.0244	-.0224												

APPENDIX B

TABLE B-5.- Continued

(c) $\alpha = 5.56^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.0220	-.1040	.035			.056	-.0366	-.0888	.130	-.0368	-.0837	.200		
.032			.032	-.0220	-.0978	.060	-.0285	-.0861	.105	-.0366	-.0868	.180	-.0368	-.0817	.240	-.0429	-.0776
.058			.058	-.0220	-.0957	.085	-.0326	-.0820	.157	-.0366	-.0785	.230	-.0388	-.0776	.340	-.0429	-.0653
.083	-.0035	.0771	.083	.0205	-.1127	.110	-.0306	-.0820	.200	-.0387	-.0724	.320	-.0388	-.0653	.440	-.0450	-.0571
.108	-.0076	.0751	.108	-.0121	-.0820	.160	-.0326	-.0820	.250	-.0407	-.0662	.420	-.0409	-.0633	.640	-.0450	-.0387
.157	-.0076	.0751	.157	-.0142	-.0758	.209	-.0292	-.1074	.300	-.0407	-.0621	.520	-.0429	-.0408			
.207	-.0076	.0751	.207	-.0162	-.0656	.260	-.0242	-.0621	.350	-.0387	-.0559	.620	-.0450	-.0306			
.250	-.0117	.0647	.250	-.0203	-.0615	.300	-.0284	-.0538	.400	-.0345	-.0538	.710	-.0450	-.0203			
.300	-.0158	.0585	.300	-.0224	-.0513	.350	-.0325	-.0456	.500	-.0407	-.0374	.810	-.0450	-.0162			
.350	-.0179	.0585	.350	-.0244	-.0451	.400	-.0345	-.0415	.600	.0122	-.0612	.910	-.0450	-.0122			
.400	-.0200	.0544	.400	-.0285	-.0390	.500	-.0366	-.0353	.700	.0040	-.0101						
.450			.450	-.0285	-.0369	.600	-.0345	-.0168	.800	-.0388	-.0040						
.500	-.0047	.0585	.500	-.0285	-.0328	.700	-.0407	-.0106	.890	-.0429	-.0000						
.600			.600	-.0306	-.0267	.800	-.0448	-.0065	.940	-.0429	-.0021						
.700	-.0282	.0296	.700	-.0326	-.0205	.900	-.0448	-.0045									
.800	-.0303	.0234	.800	-.0347	-.0144	.950	-.0448	-.0045									
.900	-.0324	.0172	.900	-.0367	-.0103												
.950	-.0344	.0151	.950	-.0367	-.0082												

APPENDIX B

TABLE B-5.- Continued

(d) $\alpha = 6.56^\circ$

C _p at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.0406	-.1123	.035			.056	-.0449	-.1010	.130	-.0491	-.0939	.200		
-.032			.032	-.0344	-.1081	.060	-.0367	-.0984	.105	-.0449	-.1010	.180	-.0491	-.0919	.240	-.0511	-.0878
-.058			.058	-.0323	-.1081	.085	-.0388	-.0943	.157	-.0449	-.0928	.230	-.0491	-.0878	.340	-.0491	-.0755
-.083	-.0137	-.0937	.083	-.0082	-.1230	.110	-.0367	-.0963	.200	-.0449	-.0866	.320	-.0491	-.0776	.440	-.0491	-.0674
-.108	-.0179	-.0916	.108	-.0224	-.0963	.160	-.0408	-.0922	.250	-.0449	-.0804	.420	-.0491	-.0735	.640	-.0491	-.0469
-.157	-.0158	-.0895	.157	-.0265	-.0902	.209	-.0208	-.1195	.300	-.0469	-.0743	.520	-.0491	-.0530			
-.207	-.0158	-.0895	.207	-.0285	-.0799	.260	-.0346	-.0743	.350	-.0449	-.0702	.620	-.0491	-.0408			
-.250	-.0199	-.0895	.250	-.0285	-.0738	.300	-.0346	-.0681	.400	-.0366	-.0660	.710	-.0491	-.0306			
-.300	-.0241	-.0730	.300	-.0326	-.0636	.350	-.0407	-.0599	.500	-.0449	-.0496	.810	-.0491	-.0244			
-.350	-.0261	-.0709	.350	-.0326	-.0574	.400	-.0428	-.0558	.600	-.0040	-.0714	.910	-.0491	-.0203			
-.400	-.0261	-.0647	.400	-.0347	-.0492	.500	-.0428	-.0475	.700	-.0019	-.0244						
-.450			.450	-.0347	-.0472	.600	-.0387	-.0352	.800	-.0450	-.0162						
-.500	-.0013	-.0689	.500	-.0347	-.0431	.700	-.0449	-.0229	.890	-.0491	-.0101						
-.600			.600	-.0367	-.0369	.800	-.0469	-.0167	.940	-.0491	-.0081						
-.700	-.0344	-.0379	.700	-.0367	-.0287	.900	-.0469	-.0147									
-.800	-.0385	-.0317	.800	-.0408	-.0205	.950	-.0469	-.0147									
-.900	-.0385	-.0255	.900	-.0408	-.0205												
-.950	-.0406	-.0255	.950	-.0408	-.0164												

APPENDIX B

TABLE B-5.- Continued

(e) $\alpha = 8.56^\circ$

C_p at $2y/b$ of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.0427	-.1389	.035			.056	-.0510	-.1213	.130	-.0511	-.1185	.200		
.032			.032	-.0427	-.1348	.060	-.0429	-.1230	.105	-.0510	-.1254	.180	-.0532	-.1164	.240	-.0532	-.1082
.058			.058	-.0427	-.1368	.085	-.0429	-.1209	.157	-.0489	-.1193	.230	-.0511	-.1123	.340	-.0511	-.1001
.083	-.0199	.1265	.083	-.0000	-.1516	.110	-.0429	-.1230	.200	-.0489	-.1131	.320	-.0511	-.1021	.440	-.0511	-.0898
.108	-.0261	.1245	.108	-.0326	-.1230	.160	-.0429	-.1189	.250	-.0510	-.1070	.420	-.0532	-.0960	.640	-.0511	-.0694
.157	-.0220	.1224	.157	-.0326	-.1189	.209	-.0147	-.1439	.300	-.0510	-.1008	.520	-.0532	-.0755			
.207	-.0220	.1203	.207	-.0347	-.1066	.260	-.0387	-.1008	.350	-.0489	-.0967	.620	-.0532	-.0612			
.250	-.0261	.1079	.250	-.0367	-.1004	.300	-.0448	-.0946	.400	-.0407	-.0885	.710	-.0532	-.0510			
.300	-.0282	.0997	.300	-.0367	-.0902	.350	-.0448	-.0844	.500	-.0510	-.0741	.810	-.0511	-.0449			
.350	-.0303	.0976	.350	-.0408	-.0820	.400	-.0469	-.0803	.600	-.0019	-.0919	.919	-.0511	-.0408			
.400	-.0323	.0955	.400	-.0408	-.0738	.500	-.0489	-.0700	.700	-.0000	-.0449						
.450			.450	-.0408	-.0697	.600	-.0469	-.0556	.800	-.0470	-.0346						
.500	-.0055	.0914	.500	-.0408	-.0676	.700	-.0489	-.0433	.890	-.0511	-.0306						
.600			.600	-.0408	-.0595	.800	-.0551	-.0351	.940	-.0532	-.0265						
.700	-.0385	.0625	.700	-.0449	-.0492	.900	-.0551	-.0330									
.800	-.0406	.0563	.800	-.0449	-.0410	.950	-.0531	-.0330									
.900	-.0427	.0481	.900	-.0449	-.0369												
.950	-.0427	.0460	.950	-.0449	-.0349												

APPENDIX B

TABLE B-5.- Continued

(f) $\alpha = 10.57^\circ$

Cp at 2y/b of :																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.0489	-.1678	.035			.056	-.0490	-.1483	.130	-.0532	-.1430	.200		
.032			.032	-.0489	-.1616	.060	-.0470	-.1516	.105	-.0510	-.1524	.180	-.0552	-.1430	.240	-.0532	-.1307
.058			.058	-.0489	-.1657	.085	-.0470	-.1475	.157	-.0490	-.1483	.230	-.0532	-.1409	.340	-.0532	-.1225
.083	-.0261	.1637	.083	-.0040	-.1824	.110	-.0511	-.1516	.200	-.0490	-.1400	.320	-.0532	-.1287	.440	-.0532	-.1144
.108	-.0323	.1596	.108	-.0388	-.1537	.160	-.0470	-.1496	.250	-.0531	-.1359	.420	-.0552	-.1246	.640	-.0532	-.0939
.157	-.0282	.1575	.157	-.0408	-.1516	.209	-.0125	-.1709	.300	-.0490	-.1298	.520	-.0552	-.1021			
.207	-.0261	.1534	.207	-.0429	-.1373	.260	-.0387	-.1298	.350	-.0510	-.1257	.620	-.0552	-.0878			
.250	-.0303	.1410	.250	-.0429	-.1332	.300	-.0469	-.1215	.400	-.0408	-.1174	.710	-.0532	-.0755			
.300	-.0323	.1306	.300	-.0408	-.1209	.350	-.0449	-.1113	.500	-.0510	-.1010	.810	-.0532	-.0694			
.350	-.0344	.1286	.350	-.0449	-.1107	.400	-.0469	-.1092	.600	-.0000	-.1164	.910	-.0532	-.0653			
.400	-.0365	.1245	.400	-.0429	-.1025	.500	-.0490	-.0989	.700	-.0286	-.0674						
.450			.450	-.0449	-.0984	.600	-.0469	-.0804	.800	-.0511	-.0592						
.500	-.0096	-.1183	.500	-.0449	-.0922	.700	-.0531	-.0660	.890	-.0532	-.0530						
.600			.600	-.0449	-.0840	.800	-.0551	-.0578	.940	-.0552	-.0490						
.700	-.0427	.0873	.700	-.0490	-.0717	.900	-.0551	-.0558									
.800	-.0447	.0811	.800	-.0511	-.0636	.950	-.0551	-.0558									
.900	-.0447	.0749	.900	-.0511	-.0595												
.950	-.0468	.0728	.950	-.0490	-.0554												

APPENDIX B

TABLE B-5.- Concluded

(g) $\alpha = 20.56^\circ$

Cp at 2y/b of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.020	-.0509	.3433	.035			.056	-.0510	.3127	.130	-.0552	.3065	.200		
.032			.032	-.0530	.3557	.060	-.0531	.3278	.105	-.0551	.3333	.180	-.0572	.3106	.240	-.0552	.2534
.058			.058	-.0530	.3825	.085	-.0531	.3278	.157	-.0531	.3353	.230	-.0552	.3147	.340	-.0532	.2697
.083	-.0365	.3908	.083	-.0101	.3934	.110	-.0511	.3463	.200	-.0510	.3312	.320	-.0552	.3106	.440	-.0552	.2738
.108	-.0427	.3763	.108	-.0429	.3750	.160	-.0511	.3442	.250	-.0551	.3312	.420	-.0572	.3086	.640	-.0552	.2656
.157	-.0365	.3805	.157	-.0470	.3750	.209	-.0105	.3579	.300	-.0531	.3312	.520	-.0552	.2840			
.207	-.0365	.3929	.207	-.0470	.3524	.260	-.0428	.3353	.350	-.0531	.3250	.620	-.0552	.2636			
.250	-.0406	.3722	.250	-.0490	.3442	.300	-.0510	.3292	.400	-.0428	.3107	.710	-.0552	.2493			
.300	-.0448	.3516	.300	-.0449	.3258	.350	-.0449	.3148	.500	-.0551	.2922	.810	-.0532	.2411			
.350	-.0427	.3433	.350	-.0511	.3176	.400	-.0510	.3148	.600	-.0021	.2902	.910	-.0552	.2350			
.400	-.0468	.3433	.400	-.0470	.3032	.500	-.0531	.2963	.700	-.0491	.2493						
.450			.450	-.0511	.3012	.600	-.0510	.2716	.800	-.0552	.2309						
.500	-.0179	.3103	.500	-.0511	.2930	.700	-.0551	.2408	.890	-.0572	.2247						
.600			.600	-.0490	.2787	.800	-.0592	.2305	.940	-.0572	.2186						
.700	-.0509	.2876	.700	-.0531	.2561	.900	-.0572	.2264									
.800	-.0530	.2690	.800	-.0531	.2397	.950	-.0551	.2264									
.900	-.0530	.2566	.900	-.0531	.2336												
.950	-.0530	.2545	.950	-.0531	.2233												

APPENDIX B

TABLE B-6.- PRESSURE COEFFICIENTS FOR WING WITH 76° SWEEP,

$C_{L,des} = 0.1, M = 2.3$

(a) $\alpha = -2.05^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029	-.0052	-.0977	.025	-.0585	-.0406	.036	-.0542	-.0065	.064	-.0627	-.0569	.104	-.0281	-.0634	.206	-.0109	-.1259
.038	-.0063	-.1368	.037	-.0510	-.0628	.061	-.0510	-.0034	.112	-.0393	-.0155	.150	-.0195	-.0603	.260	-.0076	-.1344
.064	-.0000	-.1410	.061	-.0542	-.0579	.085	-.0436	-.0156	.161	-.0127	-.0028	.200	-.0109	-.0603	.350	-.0159	-.1302
.087	-.0074	-.1220	.056	-.0351	-.0526	.110	-.0383	-.0188	.209	-.0031	.0014	.300	-.0019	-.0592	.460	-.0353	-.1323
.112	-.0042	-.1410	.110	-.0287	-.0484	.160	-.0393	-.0289	.259	-.0063	.0056	.400	-.0278	-.0571	.640	-.0655	-.1249
.162	-.0011	-.0924	.160	-.0213	-.0431	.209	-.0085	-.0162	.307	-.0105	-.0038	.500	-.0407	-.0634	.830	-.0655	-.1259
.210	-.0042	-.0797	.210	-.0096	-.0092	.259	-.0032	.0077	.358	-.0180	-.0091	.600	-.0612	-.0677			
.260	-.0052	-.0343	.250	-.0000	-.0055	.309	-.0084	-.0028	.406	-.0233	-.0176	.680	-.0730	-.0677			
.310	-.0213	-.0015	.300	-.0042	-.0008	.356	-.0201	-.0038	.500	-.0407	-.0253	.780	-.0827	-.0687			
.360	-.0213	-.0089	.350	-.0052	-.0018	.406	-.0244	-.0035	.600	-.0515	-.0370	.880	-.0838	-.0719			
.380	-.0106	-.0068	.400	-.0042	-.0039	.505	-.0318	-.0219	.700	-.0493	-.0465						
.460	-.0042	-.0037	.450	-.0116	-.0118	.604	-.0169	-.0282	.800	-.0536	-.0539						
.510	-.0011	-.0100	.500	-.0031	-.0182	.703	-.0159	-.0325	.900	-.0601	-.0465						
.600	-.0020	-.0385	.600	-.0095	-.1690	.802	-.0222	-.0494	.950	-.0644	-.0423						
.700	-.0138	-.0343	.700	-.0042	-.0362	.902	-.0265	-.0473									
.800	-.0191	-.0459	.800	-.0063	-.0383	.952	-.0382	-.0505									
.900	-.0180	-.0554	.900	-.0116	-.0594												
.950	-.0064	-.0544	.950	-.0127	-.0594												

APPENDIX B

TABLE B-6.- Continued

(b) $\alpha = -0.05^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	-.0079	-.0724	.036	-.0188	-.0236	.064	-.0245	-.0288	.104			.206		
.038			.037	-.0121	-.0840	.061	-.0156	-.0215	.112	-.0000	-.0499	.150	-.0259	-.0104	.260	-.0063	-.0530
.064	-.0005	-.1904	.061	-.0305	-.0783	.085	-.0093	-.0394	.161	-.0286	-.0362	.200	-.0345	-.0019	.350	-.0151	-.0424
.087	-.0005	-.1683	.056	-.0103	-.0731	.110	-.0029	-.0383	.209	-.0456	-.0309	.300	-.0496	-.0054	.460	-.0345	-.0488
.112	-.0047	-.1852	.110	-.0039	-.0699	.160	-.0043	-.0489	.259	-.0456	-.0256	.400	-.0700	-.0149	.640	-.0614	-.0456
.162	-.0016	-.1314	.160	-.0045	-.0636	.209	-.0265	-.0351	.307	-.0467	-.0161	.500	-.0807	-.0265	.830	-.0625	-.0530
.210	-.0005	-.1146	.210	-.0130	-.0299	.259	-.0286	-.0267	.358	-.0520	-.0098	.600	-.0990	-.0339			
.260	-.0069	-.0566	.250	-.0204	-.0131	.309	-.0382	-.0140	.406	-.0563	-.0017	.680	-.1098	-.0382			
.310	-.0111	-.0208	.300	-.0236	-.0183	.356	-.0446	-.0119	.500	-.0668	-.0107	.780	-.1152	-.0424			
.360	-.0100	-.0281	.350	-.0236	-.0194	.406	-.0488	-.0204	.600	-.0764	-.0212	.880	-.1130	-.0477			
.380	-.0016	-.0292	.400	-.0225	-.0226	.505	-.0520	-.0038	.700	-.0721	-.0318						
.460	-.0069	-.0134	.450	-.0268	-.0057	.604	-.0361	-.0112	.800	-.0743	-.0392						
.510			.500	-.0204	-.0005	.703	-.0339	-.0186	.900	-.0797	-.0318						
.600			.600			.802	-.0414	-.0366	.950	-.0840	-.0276						
.700	-.0015	-.0213	.700	-.0246	-.0216	.902	-.0467	-.0334									
.800	-.0058	-.0350	.800	-.0268	-.0321	.952	-.0563	-.0376									
.900			.900	-.0310	-.0447												
.950	-.0058	-.0413	.950	-.0321	-.0458												

APPENDIX B

TABLE B-6.- Continued

(c) $\alpha = 2.95^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	-.1079	-.1168	.036	-.0863	-.0475	.064	-.0832	-.0641	.104			.206		
.038			.037	-.0921	-.1220	.061	-.0889	-.0465	.112	-.0757	-.0853	.150	-.1323	-.0465	.260	-.0042	-.0099
.064	-.0126	.2738	.061	-.0603	-.1130	.085	-.0624	-.0665	.161	-.0906	-.0652	.200	-.1248	-.0369	.350	-.0548	-.0038
.087	-.0116	.2496	.056	-.0539	-.1098	.110	-.0592	-.0655	.209	-.1033	-.0599	.300	-.1312	-.0273	.460	-.0494	-.0067
.112	-.0126	.2622	.110	-.0444	-.1066	.160	-.0418	-.0747	.259	-.1012	-.0557	.400	-.1452	-.0188	.640	-.0602	-.0056
.162	-.0105	.1937	.160	-.0402	-.0971	.209	-.0662	-.0620	.307	-.1002	-.0472	.500	-.1248	-.0060	.830	-.0871	-.0270
.210	-.0105	.1747	.210	-.0444	-.0592	.259	-.0662	-.0514	.358	-.0991	-.0409	.600	-.1538	-.0014			
.260	-.0211	.1094	.250	-.0497	-.0423	.309	-.0715	-.0377	.406	-.0991	-.0292	.680	-.1538	-.0110			
.310	-.0073	-.0588	.300	-.0518	-.0465	.356	-.0768	-.0377	.500	-.0979	-.0134	.780	-.1517	-.0184			
.360	-.0073	-.0630	.350	-.0486	-.0465	.406	-.0779	-.0451	.600	-.1054	-.0028	.880	-.1473	-.0259			
.380	-.0169	-.0651	.400	-.0476	-.0486	.505	-.0779	-.0229	.700	-.1011	-.0099						
.460	-.0222	-.0461	.450	-.0539	-.0317	.604	-.0651	-.0144	.800	-.1043	-.0174						
.510			.500	-.0497	-.0264	.703	-.0662	-.0059	.900	-.1108	-.0088						
.600			.600			.802	-.0726	-.0130	.950	-.1151	-.0046						
.700	-.0169	-.0019	.700	-.0529	-.0022	.902	-.0789	-.0109									
.800	-.0105	-.0138	.800	-.0518	-.0104	.952	-.0895	-.0151									
.900			.900	-.0518	-.0231												
.950	-.0094	-.0212	.950	-.0539	-.0241												

APPENDIX B

TABLE B-6.- Continued

(d) $\alpha = 3.95^\circ$

C _p at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	-.1297	.1351	.036	-.1217	-.0537	.064	-.1371	-.0689	.104			.206		
.038			.037	-.1375	.1383	.061	-.1227	-.0527	.112	-.1297	-.0921	.150	-.1796	-.0679	.260	-.0404	.0137
.064	-.0157	-.2982	.061	-.0909	.1276	.085	-.1121	-.0738	.161	-.1233	-.0731	.200	-.1626	-.0585	.350	-.0872	.0272
.087	-.0125	-.2783	.056	-.0793	.1234	.110	-.1079	-.0738	.209	-.1222	-.0668	.300	-.1584	-.0502	.460	-.0967	.0189
.112	-.0168	-.2919	.110	-.0645	.1212	.160	-.0776	-.0826	.259	-.1148	-.0625	.400	-.1488	-.0429	.640	-.0638	.0189
.162	-.0115	-.2130	.160	-.0528	.1117	.209	-.0935	-.0699	.307	-.1116	-.0562	.500	-.1159	-.0314	.830	-.0935	-.0029
.210	-.0178	-.1962	.210	-.0539	.0717	.259	-.0893	-.0594	.358	-.1095	-.0478	.600	-.1488	-.0231			
.260	-.0263	-.1288	.250	-.0570	.0548	.309	-.0903	-.0467	.406	-.1095	-.0372	.680	-.1499	-.0126			
.310	-.0125	-.0814	.300	-.0560	.0580	.356	-.0925	-.0467	.500	-.0957	-.0366	.780	-.1509	-.0053			
.360	-.0125	-.0804	.350	-.0560	.0569	.406	-.0935	-.0541	.600	-.0967	-.0241	.880	-.1520	-.0029			
.380	-.0231	-.0783	.400	-.0549	.0590	.505	-.0925	-.0309	.700	-.1074	-.0126						
.460	-.0253	-.0562	.450	-.0613	.0411	.604	-.0776	-.0214	.800	-.1137	-.0064						
.510			.500	-.0549	.0358	.703	-.0755	-.0140	.900	-.1244	-.0147						
.600			.600			.802	-.0787	-.0049	.950	-.1286	-.0189						
.700	-.0231	-.0151	.700	-.0592	-.0105	.902	-.0808	-.0028									
.800	-.0210	-.0048	.800	-.0592	-.0010	.952	-.0893	-.0071									
.900			.900	-.0602	-.0147												
.950	-.0168	-.0132	.950	-.0623	-.0158												

APPENDIX B

TABLE B-6.- Continued

(e) $\alpha = 4.95^\circ$

C _p at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	-.1662	.1514	.036	-.1512	-.0624	.064	-.1529	-.0790	.104			.206		
.038			.037	-.1683	.1566	.061	-.1533	-.0624	.112	-.1572	-.1022	.150	-.1763	-.0756	.260	-.0857	-.0201
.064	-.0200	.3258	.061	-.1183	.1455	.085	-.1544	-.0834	.161	-.1551	-.0821	.200	-.1741	-.0662	.350	-.1155	-.0327
.087	-.0168	.3069	.056	-.1003	.1413	.110	-.1523	-.0834	.209	-.1529	-.0779	.300	-.1741	-.0588	.460	-.1166	-.0232
.112	-.0221	.3248	.110	-.0865	.1382	.160	-.1210	-.0937	.259	-.1487	-.0737	.400	-.1709	-.0515	.640	-.0910	-.0253
.162	-.0147	.2376	.160	-.0696	.1287	.209	-.1381	-.0811	.307	-.1455	-.0663	.500	-.1198	-.0379	.830	-.1262	-.0044
.210	-.0221	.2186	.210	-.0632	.0877	.259	-.1327	-.0695	.358	-.1444	-.0589	.600	-.1763	-.0295			
.260	-.0306	.1493	.250	-.0632	.0698	.309	-.1253	-.0568	.406	-.1434	-.0494	.680	-.1816	-.0190			
.310	-.0168	.0999	.300	-.0632	.0729	.356	-.1210	-.0579	.500	-.1326	-.0442	.780	-.1848	-.0117			
.360	-.0168	.0967	.350	-.0621	.0719	.406	-.1157	-.0663	.600	-.1358	-.0316	.880	-.1890	-.0023			
.380	-.0285	.0946	.400	-.0611	.0719	.505	-.0987	-.0420	.700	-.1560	-.0190						
.460	-.0327	.0746	.450	-.0653	.0529	.604	-.0721	-.0336	.800	-.1635	-.0127						
.510			.500	-.0611	.0487	.703	-.0699	-.0252	.900	-.1677	-.0222						
.600			.600			.802	-.0774	-.0051	.950	-.1677	-.0253						
.700	-.0295	-.0252	.700	-.0674	.0214	.902	-.0827	-.0083									
.800	-.0263	-.0042	.800	-.0674	.0098	.952	-.0923	-.0030									
.900			.900	-.0685	-.0038												
.950	-.0253	-.0030	.950	-.0706	-.0048												

APPENDIX B

TABLE B-6.- Continued

(f) $\alpha = 5.95^\circ$

C_p at $2y/b$ of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	-.1842	-.1672	.036	-.1725	-.0732	.064	-.1638	-.0853	.104			.206		
.038			.037	-.1895	-.1735	.061	-.1746	-.0732	.112	-.1691	-.1085	.150	-.1838	-.0814	.260	-.1145	-.0245
.064	-.0233	-.3532	.061	-.1449	-.1635	.085	-.1767	-.0963	.161	-.1712	-.0916	.200	-.1838	-.0729	.350	-.1220	-.0382
.087	-.0201	-.3364	.056	-.1184	-.1593	.110	-.1788	-.0953	.209	-.1723	-.0874	.300	-.1838	-.0645	.460	-.1220	-.0298
.112	-.0265	-.3543	.110	-.1025	-.1562	.160	-.1521	-.1043	.259	-.1701	-.0832	.400	-.1838	-.0603	.640	-.1167	-.0309
.162	-.0191	-.2607	.160	-.0845	-.1457	.209	-.1733	-.0927	.307	-.1712	-.0758	.500	-.1220	-.0466	.830	-.1795	-.0109
.210	-.0254	-.2428	.210	-.0739	-.1047	.259	-.1691	-.0800	.358	-.1733	-.0684	.600	-.1891	-.0361			
.260	-.0339	-.1682	.250	-.0707	-.0858	.309	-.1627	-.0653	.406	-.1765	-.0600	.680	-.1933	-.0256			
.310	-.0212	-.1178	.300	-.0686	-.0879	.356	-.1595	-.0674	.500	-.1699	-.0508	.780	-.1987	-.0182			
.360	-.0233	-.1146	.350	-.0675	-.0879	.406	-.1521	-.0769	.600	-.1806	-.0382	.880	-.2051	-.0109			
.380	-.0339	-.1115	.400	-.0644	-.0869	.505	-.1096	-.0526	.700	-.2019	-.0256						
.460	-.0381	-.0904	.450	-.0697	-.0669	.604	-.0735	-.0452	.800	-.2061	-.0203						
.510			.500	-.0665	-.0627	.703	-.0788	-.0347	.900	-.1976	-.0298						
.600			.600			.802	-.0851	-.0136	.950	-.1870	-.0340						
.700	-.0381	-.0358	.700	-.0750	-.0344	.902	-.0905	-.0168									
.800	-.0328	-.0148	.800	-.0750	-.0218	.952	-.0990	-.0125									
.900			.900	-.0771	-.0071												
.950	-.0318	-.0011	.950	-.0792	-.0060												

APPENDIX B

TABLE B-6.- Continued

(g) $\alpha = 9.96^\circ$

C _p at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	-.2233	-.2473	.036	-.2105	-.1188	.064	-.1956	-.1173	.104			.206		
.038			.037	-.2276	-.2536	.061	-.2116	-.1199	.112	-.1977	-.1426	.150	-.2079	-.1173	.260	-.1264	-.0642
.064	-.0505	.4482	.061	-.2116	-.2379	.085	-.2127	-.1441	.161	-.1998	-.1300	.200	-.2068	-.1162	.350	-.1339	-.0725
.087	-.0409	.4524	.056	-.2180	-.2337	.110	-.2127	-.1441	.209	-.2020	-.1258	.300	-.2100	-.1152	.460	-.1339	-.0683
.112	-.0452	.4745	.110	-.2127	-.2295	.160	-.1871	-.1563	.259	-.2041	-.1258	.400	-.2154	-.1121	.640	-.1264	-.0735
.162	-.0335	.3693	.160	-.1691	-.2179	.209	-.2169	-.1437	.307	-.2062	-.1184	.500	-.1286	-.0954	.830	-.2186	-.0600
.210	-.0399	.3409	.210	-.1596	-.1726	.259	-.2200	-.1310	.358	-.2094	-.1131	.600	-.2314	-.0829			
.260	-.0473	.2505	.250	-.1532	-.1515	.309	-.2222	-.1152	.406	-.2169	-.1058	.680	-.2400	-.0746			
.310	-.0377	.1989	.300	-.1373	-.1515	.356	-.2296	-.1152	.500	-.2164	-.1058	.780	-.2432	-.0683			
.360	-.0420	.1958	.350	-.1107	-.1494	.406	-.2349	-.1279	.600	-.2154	-.0912	.880	-.2357	-.0621			
.380	-.0536	.1874	.400	-.1001	-.1483	.505	-.2115	-.1005	.700	-.2443	-.0777						
.460	-.0600	.1621	.450	-.1065	-.1252	.604	-.1743	-.0931	.800	-.2464	-.0746						
.510			.500	-.1065	-.1220	.703	-.1520	-.0815	.900	-.2411	-.0850						
.600			.600			.802	-.1361	-.0636	.950	-.2357	-.0850						
.700	-.0780	-.0980	.700	-.1129	-.0862	.902	-.1361	-.0658									
.800	-.0674	-.0675	.800	-.1150	-.0735	.952	-.1424	-.0594									
.900			.900	-.1160	-.0535												
.950	-.0727	-.0549	.950	-.1171	-.0535												

APPENDIX B

TABLE B-6.- Concluded

(h) $\alpha = 19.95^\circ$

C_p at $2y/b$ of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	-.2478	.5067	.036	-.2392	-.2893	.064	-.2264	-.2520	.104			.206		
.038			.037	-.2520	.5257	.061	-.2392	-.2935	.112	-.2296	-.2954	.150	-.2528	-.2541	.260	-.1503	.1912
.064	-.0953	-.2385	.061	-.2297	.4919	.085	-.2382	-.3389	.161	-.2328	-.2933	.200	-.2528	-.2636	.350	-.1590	-.2017
.087	-.1207	-.2385	.056	-.2477	.4919	.110	-.2392	-.3442	.209	-.2360	-.2933	.300	-.2538	-.2604	.460	-.1568	-.2028
.112	-.1027	-.2385	.110	-.2488	.4888	.160	-.2126	-.3462	.259	-.2370	-.2975	.400	-.2538	-.2741	.640	-.1342	-.2143
.162	-.1207	.6661	.160	-.2488	.4708	.209	-.2423	-.3346	.307	-.2370	-.2933	.500	-.1482	-.2594	.830	-.2236	-.2091
.210	-.1218	.6555	.210	-.2477	.4233	.259	-.2434	-.3176	.358	-.2328	-.2901	.600	-.2506	-.2489			
.260	-.1186	.5299	.250	-.2488	.4012	.309	-.2413	-.2986	.406	-.2349	-.2880	.680	-.2538	-.2437			
.310	-.1133	.4740	.300	-.2477	.3938	.356	-.2423	-.2986	.500	-.2280	-.2846	.780	-.2538	-.2384			
.360	-.1249	.4719	.350	-.2276	.3874	.406	-.2423	-.3208	.600	-.2269	-.2678	.880	-.2420	-.2353			
.380	-.1525	.4508	.400	-.2116	.3811	.505	-.2423	-.2933	.700	-.2603	-.2489						
.460	-.1715	.4107	.450	-.2053	.3473	.604	-.2328	-.2848	.800	-.2603	-.2468						
.510			.500	-.2010	.3473	.703	-.2253	-.2763	.900	-.2592	-.2636						
.600			.600			.802	-.2200	-.2456	.950	-.2560	-.2709						
.700	-.1620	.3199	.700	-.2000	-.2998	.902	-.2179	-.2446									
.800	-.1419	-.2692	.800	-.2010	-.2808	.952	-.2200	-.2382									
.900			.900	-.2010	-.2566												
.950	-.1175	-.2502	.950	-.2031	-.2566												

APPENDIX B

TABLE B-7.- PRESSURE COEFFICIENTS FOR WING WITH 76° SWEEP,

$C_{L,des} = 0.1, M = 3.0$

(a) $\alpha = -2.08^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	-.0552	.0418	.036	-.0605	-.0195	.064	-.0674	-.0360	.104			.206		
.038			.037	-.0577	.0519	.061	-.0567	-.0220	.112	-.0470	-.0285	.150	-.0408	-.0489	.260	-.0358	-.0893
.064	-.0008	-.1150	.061	-.0681	-.0602	.085	-.0504	-.0146	.161	-.0216	-.0183	.200	-.0333	-.0477	.350	-.0181	-.0918
.087	-.0008	-.1049	.056	-.0428	-.0475	.110	-.0466	-.0121	.209	-.0051	-.0120	.300	-.0194	-.0489	.460	-.0105	-.0931
.112	-.0008	-.1213	.110	-.0288	-.0412	.160	-.0534	-.0448	.259	-.0013	-.0019	.400	-.0058	-.0477	.640	-.0093	-.0918
.162	-.0008	-.0960	.160	-.0187	-.0399	.209	-.0127	-.0182	.307	-.0037	-.0006	.500	-.0058	-.0515	.830	-.0475	-.0931
.210	-.0020	-.0784	.210	-.0098	-.0159	.259	-.0038	-.0106	.358	-.0100	-.0005	.600	-.0311	-.0527			
.260	-.0020	-.0431	.250	-.0028	-.0020	.309	-.0075	-.0018	.406	-.0164	-.0057	.680	-.0424	-.0540			
.310	-.0134	-.0090	.300	-.0053	-.0005	.356	-.0164	-.0019	.500	-.0058	-.0010	.780	-.0526	-.0552			
.360	-.0185	-.0039	.350	-.0078	-.0030	.406	-.0202	-.0056	.600	-.0058	-.0237	.880	-.0576	-.0578			
.380	-.0122	-.0077	.400	-.0053	-.0020	.505	-.0291	-.0095	.700	-.0374	-.0325						
.460	-.0071	-.0002	.450	-.0091	-.0068	.604	-.0202	-.0171	.800	-.0387	-.0388						
.510			.500	-.0053	-.0131	.703	-.0164	-.0209	.900	-.0412	-.0363						
.600			.600			.802	-.0202	-.0335	.950	-.0437	-.0325						
.700	-.0122	-.0250	.700	-.0053	-.0296	.902	-.0227	-.0335									
.800	-.0299	-.0351	.800	-.0066	-.0384	.952	-.0291	-.0373									
.900			.900	-.0104	-.0473												
.950	-.0261	-.0401	.950	-.0129	-.0486												

APPENDIX B

TABLE B-7.- Continued

(b) $\alpha = -0.08^\circ$

C_p at $2y/b$ of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	-.0222	-.0719	.036	-.0349	-.0280	.064	-.0368	-.0297	.104			.206		
.038			.037	-.0260	-.0769	.061	-.0298	-.0255	.112	-.0178	-.0448	.150	-.0069	-.0096	.260	-.0043	-.0435
.064	-.0030	.1564	.061	-.0475	-.0810	.085	-.0184	-.0381	.161	-.0075	-.0360	.200	-.0019	-.0046	.350	-.0006	-.0295
.087	-.0030	.1475	.056	-.0222	-.0684	.110	-.0134	-.0356	.209	-.0241	-.0322	.300	-.0171	-.0004	.460	-.0005	-.0321
.112	-.0068	.1627	.110	-.0096	-.0608	.160	-.0266	-.0600	.259	-.0304	-.0259	.400	-.0398	-.0105	.640	-.0018	-.0321
.162	-.0005	.1286	.160	-.0005	-.0583	.209	-.0126	-.0347	.307	-.0368	-.0195	.500	-.0487	-.0245	.830	-.0537	-.0371
.210	-.0030	.1085	.210	-.0093	-.0318	.259	-.0241	-.0259	.358	-.0393	-.0170	.600	-.0601	-.0283			
.260	-.0093	.0694	.250	-.0207	-.0166	.309	-.0329	-.0145	.406	-.0444	-.0107	.680	-.0702	-.0283			
.310	-.0020	.0303	.300	-.0245	-.0154	.356	-.0393	-.0132	.500	-.0310	-.0071	.780	-.0790	-.0295			
.360	-.0045	.0227	.350	-.0220	-.0128	.406	-.0418	-.0208	.600	-.0310	-.0156	.880	-.0828	-.0295			
.380	-.0005	.0265	.400	-.0194	-.0154	.505	-.0456	-.0044	.700	-.0563	-.0270						
.460	-.0055	.0164	.450	-.0245	-.0065	.604	-.0368	-.0031	.800	-.0563	-.0409						
.510			.500	-.0194	-.0002	.703	-.0329	-.0069	.900	-.0575	-.0308						
.600			.600			.802	-.0368	-.0221	.950	-.0588	-.0270						
.700	-.0005	-.0125	.700	-.0207	-.0161	.902	-.0380	-.0221									
.800	.0184	-.0238	.800	-.0245	-.0287	.952	-.0444	-.0246									
.900			.900	-.0258	-.0363												
.950	.0222	-.0301	.950	-.0296	-.0388												

APPENDIX B

TABLE B-7.- Continued

(c) $\alpha = 2.92^\circ$

C _p at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	-.0345	.1246	.036	-.0371	.0531	.064	-.0265	.0624	.104			.206		
.038			.037	-.0333	.1221	.061	-.0383	.0518	.112	-.0328	.0750	.150	-.0474	.0620	.260	-.0209	.0196
.064	-.0168	.2241	.061	-.0092	.1174	.085	-.0257	.0632	.161	-.0544	.0637	.200	-.0512	.0570	.350	-.0765	.0221
.087	-.0117	.2128	.056	-.0206	.1035	.110	-.0295	.0619	.209	-.0684	.0573	.300	-.0563	.0545	.460	-.0866	.0158
.112	-.0155	.2342	.110	-.0257	.0959	.160	-.0138	.0826	.259	-.0748	.0523	.400	-.0854	.0370	.640	-.0196	.0146
.162	-.0117	.1889	.160	-.0320	.0934	.209	-.0506	.0586	.307	-.0786	.0485	.500	-.0929	.0246	.830	-.1081	.0046
.210	-.0142	.1586	.210	-.0371	.0632	.259	-.0570	.0497	.358	-.0811	.0447	.600	-.1031	.0183			
.260	-.0219	.1133	.250	-.0447	.0455	.309	-.0646	.0384	.406	-.0862	.0371	.680	-.1094	.0133			
.310	-.0117	.0692	.300	-.0434	.0430	.356	-.0684	.0371	.500	-.0639	.0470	.780	-.1132	.0083			
.360	-.0104	.0591	.350	-.0409	.0405	.406	-.0672	.0434	.600	-.0790	.0246	.880	-.1106	.0021			
.380	-.0168	.0591	.400	-.0383	.0430	.505	-.0646	.0257	.700	-.0790	.0146						
.460	-.0206	.0478	.450	-.0421	.0304	.604	-.0570	.0194	.800	-.0765	.0071						
.510	-.0231	.0390	.500	-.0396	.0241	.703	-.0557	.0144	.900	-.0790	.0083						
.600			.600			.802	-.0595	-.0020	.950	-.0803	.0108						
.700	-.0142	.0087	.700	-.0472	.0039	.902	-.0621	-.0032									
.800	.0034	-.0050	.800	-.0472	-.0061	.952	-.0672	-.0058									
.900			.900	-.0459	-.0187												
.950	.0237	-.0126	.950	-.0497	-.0187												

APPENDIX B

TABLE B-7.- Continued

(d) $\alpha = 3.92^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	-.0534	.1396	.036	-.0861	.0641	.064	-.0837	.0686	.104			.206		
.038			.037	-.0534	.1371	.061	-.0861	.0628	.112	-.0710	.0625	.150	-.0960	-.0709	.260	-.0246	.0259
.064	-.0229	.2492	.061	-.0326	.1321	.085	-.0619	.0729	.161	-.0698	.0699	.200	-.0954	-.0634	.350	-.1081	.0309
.087	-.0166	.2379	.056	-.0454	.1208	.110	-.0645	.0729	.209	-.0786	.0648	.300	-.0967	-.0621	.460	-.1157	.0234
.112	-.0216	.2618	.110	-.0492	.1119	.160	-.0240	.0901	.259	-.0850	.0610	.400	-.0992	-.0459	.640	-.1106	.0234
.162	-.0166	.2102	.160	-.0492	.1082	.209	-.0621	.0674	.307	-.0888	.0547	.500	-.1030	-.0334	.830	-.1119	.0110
.210	-.0204	.1850	.210	-.0517	.0767	.259	-.0685	.0585	.358	-.0901	.0522	.600	-.1119	.0272			
.260	-.0267	.1296	.250	-.0556	.0591	.309	-.0723	.0459	.406	-.0939	.0446	.680	-.1157	.0209			
.310	-.0178	.0817	.300	-.0556	.0553	.356	-.0748	.0459	.500	-.0689	.0534	.780	-.1157	.0160			
.360	-.0166	.0729	.350	-.0517	.0528	.406	-.0736	.0522	.600	-.0828	.0309	.880	-.1119	.0072			
.380	-.0229	.0729	.400	-.0517	.0553	.505	-.0710	.0333	.700	-.0828	.0209						
.460	-.0280	.0603	.450	-.0556	.0427	.604	-.0647	.0269	.800	-.0841	.0135						
.510			.500	-.0530	.0339	.703	-.0634	.0231	.900	-.0879	.0147						
.600			.600			.802	-.0685	.0067	.950	-.0891	.0185						
.700	-.0204	.0175	.700	-.0619	.0150	.902	-.0710	.0042									
.800	-.0026	.0037	.800	-.0594	.0037	.952	-.0761	.0004									
.900			.900	-.0568	-.0088												
.950	-.0214	-.0051	.950	-.0594	-.0101												

APPENDIX B

TABLE B-7.- Continued

(e) $\alpha = 4.92^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	-.0650	.1560	.036	-.1017	.0749	.064	-.1130	.0759	.104			.206		
.038			.037	-.0663	.1522	.061	-.1029	.0724	.112	-.1104	.0898	.150	-.1233	.0714	.260	-.1195	.0261
.064	-.0220	.2781	.061	-.0421	.1490	.085	-.0890	.0849	.161	-.1130	.0784	.200	-.1221	.0651	.350	-.1271	.0311
.087	-.0220	.2630	.056	-.0561	.1377	.110	-.0903	.0837	.209	-.1155	.0734	.300	-.1258	.0613	.460	-.1271	.0248
.112	-.0220	.2894	.110	-.0611	.1301	.160	-.0495	.0999	.259	-.1117	.0696	.400	-.1258	.0475	.640	-.1208	.0261
.162	-.0220	.2315	.160	-.0586	.1251	.209	-.0787	.0772	.307	-.1079	.0633	.500	-.1208	.0361	.830	-.1208	.0122
.210	-.0207	.2051	.210	-.0561	.0912	.259	-.0774	.0683	.358	-.1028	.0608	.600	-.1233	.0299			
.260	-.0220	.1484	.250	-.0573	.0724	.309	-.0799	.0545	.406	-.1041	.0545	.680	-.1233	.0236			
.310	-.0195	.0980	.300	-.0561	.0698	.356	-.0799	.0545	.500	-.0715	.0537	.780	-.1246	.0173			
.360	-.0207	.0867	.350	-.0548	.0661	.406	-.0799	.0633	.600	-.0779	.0336	.880	-.1258	.0085			
.380	-.0258	.0880	.400	-.0548	.0686	.505	-.0787	.0431	.700	-.0918	.0210						
.460	-.0309	.0741	.450	-.0586	.0560	.604	-.0736	.0355	.800	-.0943	.0135						
.510			.500	-.0586	.0472	.703	-.0723	.0317	.900	-.0981	.0173						
.600			.600			.802	-.0749	.0141	.950	-.0993	.0198						
.700	-.0245	.0275	.700	-.0662	.0246	.902	-.0799	.0116									
.800	-.0068	.0124	.800	-.0624	.0146	.952	-.0838	.0078									
.900			.900	-.0573	.0020												
.950	-.0209	.0024	.950	-.0599	-.0004												

APPENDIX B

TABLE B-7.- Continued

(f) $\alpha = 5.92^\circ$

C_p at 2y/b of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	-.0776	.1724	.036	-.1193	-.0817	.064	-.1256	-.0638	.104			.206		
.038			.037	-.0776	.1661	.061	-.1193	-.0792	.112	-.1256	-.0989	.150	-.1296	-.0883	.260	-.1258	.0409
.064	-.0232	.3059	.061	-.0583	.1610	.085	-.1142	-.0918	.161	-.1256	-.0876	.200	-.1283	-.0821	.350	-.1271	.0459
.087	-.0206	.2870	.056	-.0723	.1497	.110	-.1167	-.0918	.209	-.1256	-.0825	.300	-.1309	-.0759	.460	-.1258	.0397
.112	-.0244	.3159	.110	-.0761	.1434	.160	-.0885	-.1103	.259	-.1206	-.0787	.400	-.1283	-.0634	.640	-.1233	.0409
.162	-.0219	.2542	.160	-.0761	.1384	.209	-.1002	-.0876	.307	-.1193	-.0737	.500	-.1258	-.0522	.830	-.1246	.0284
.210	-.0244	.2253	.210	-.0697	.1031	.259	-.0977	-.0787	.358	-.1142	-.0699	.600	-.1271	-.0459			
.260	-.0308	.1661	.250	-.0672	.0830	.309	-.0926	-.0661	.406	-.1155	-.0623	.680	-.1271	-.0397			
.310	-.0232	.1132	.300	-.0659	.0805	.356	-.0913	-.0648	.500	-.0854	-.0696	.780	-.1283	-.0334			
.360	-.0232	.1019	.350	-.0659	.0779	.406	-.0901	-.0724	.600	-.1144	-.0621	.880	-.1283	-.0247			
.380	-.0295	.1031	.400	-.0659	.0792	.505	-.0888	-.0509	.700	-.1170	-.0384						
.460	-.0333	.0680	.450	-.0697	.0654	.604	-.0824	-.0459	.800	-.1208	-.0297						
.510			.500	-.0697	.0565	.703	-.0812	-.0421	.900	-.1233	-.0347						
.600			.600			.802	-.0812	-.0244	.950	-.1233	-.0372						
.700	-.0295	.0389	.700	-.0761	.0339	.902	-.0850	-.0206									
.800	-.0118	.0225	.800	-.0697	.0225	.952	-.0888	-.0168									
.900			.900	-.0596	.0087												
.950	-.0249	.0112	.950	-.0646	.0074												

APPENDIX B

TABLE B-7.- Continued

(g) $\alpha = 9.93^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	-.1092	-.2522	.036	-.1371	-.1252	.064	-.1307	-.1198	.104			.206		
.038			.037	-.1118	-.2459	.061	-.1345	-.1226	.112	-.1320	-.1388	.150	-.1321	-.1249	.260	-.1296	-.0761
.064	-.0459	.4299	.061	-.0926	-.2312	.085	-.1371	-.1403	.161	-.1320	-.1274	.200	-.1309	-.1211	.350	-.1309	-.0824
.087	-.0395	.3946	.056	-.1091	-.2186	.110	-.1371	-.1391	.209	-.1320	-.1248	.300	-.1347	-.1161	.460	-.1309	-.0774
.112	-.0408	.4312	.110	-.1117	-.2148	.160	-.1002	-.1565	.259	-.1332	-.1211	.400	-.1321	-.1099	.640	-.1296	-.0811
.162	-.0332	.3543	.160	-.1129	-.2085	.209	-.1307	-.1362	.307	-.1320	-.1173	.500	-.1309	-.0986	.830	-.1309	-.0686
.210	-.0345	.3240	.210	-.1041	-.1681	.259	-.1320	-.1274	.358	-.1282	-.1122	.600	-.1321	-.0899			
.260	-.0433	.2497	.250	-.0990	-.1441	.309	-.1320	-.1135	.406	-.1320	-.1059	.680	-.1334	-.0824			
.310	-.0383	-.1866	.300	-.1002	-.1416	.356	-.1332	-.1109	.500	-.1043	-.1136	.780	-.1347	-.0724			
.360	-.0383	-.1690	.350	-.1041	-.1391	.406	-.1332	-.1211	.600	-.1334	-.1074	.880	-.1334	-.0636			
.380	-.0446	-.1652	.400	-.1079	-.1391	.505	-.1320	-.0983	.700	-.1372	-.0799						
.460	-.0446	-.1551	.450	-.1104	-.1201	.604	-.1294	-.0907	.800	-.1372	-.0724						
.510			.500	-.1091	-.1113	.703	-.1282	-.0869	.900	-.1397	-.0786						
.600			.600			.802	-.1282	-.0666	.950	-.1384	-.0824						
.700	-.0497	-.0908	.700	-.1015	-.0835	.902	-.1218	-.0628									
.800	-.0319	-.0706	.800	-.0837	-.0709	.952	-.1180	-.0577									
.900			.900	-.0799	-.0532												
.950	-.0237	-.0555	.950	-.0837	-.0532												

APPENDIX B

TABLE B-7.- Concluded

(h) $\alpha = 19.91^\circ$

C_p at $2y/b$ of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	-.1346	.4774	.036	-.1397	.2799	.064	-.1384	.2449	.104			.206		
.038			.037	-.1397	.4825	.061	-.1409	.2824	.112	-.1384	.2803	.150	-.1435	.2539	.260	-.1410	.2050
.064	-.0941	.7382	.061	-.1156	.4647	.085	-.1397	.3164	.161	-.1384	.2778	.200	-.1423	.2589	.350	-.1423	.2137
.087	-.0979	.7596	.056	-.1359	.4559	.110	-.1397	.3227	.209	-.1384	.2753	.300	-.1448	.2639	.460	-.1410	.2100
.112	-.0865	.7873	.110	-.1384	.4534	.160	-.1066	.3360	.259	-.1434	.2765	.400	-.1435	.2702	.640	-.1359	.2137
.162	-.0878	.6462	.160	-.1397	.4408	.209	-.1384	.3183	.307	-.1409	.2727	.500	-.1423	.2564	.830	-.1385	.1999
.210	-.0865	.6147	.210	-.1371	.3905	.259	-.1396	.3031	.358	-.1384	.2715	.600	-.1423	.2463			
.260	-.0865	.4976	.250	-.1384	.3654	.309	-.1422	.2841	.406	-.1447	.2677	.680	-.1423	.2388			
.310	-.0827	.4321	.300	-.1397	.3629	.356	-.1447	.2854	.500	-.1144	.2727	.780	-.1423	.2300			
.360	-.0903	.4258	.350	-.1384	.3579	.406	-.1422	.3006	.600	-.1397	.2714	.880	-.1397	.2225			
.380	-.0979	.4144	.400	-.1346	.3566	.505	-.1447	.2727	.700	-.1448	.2388						
.460	-.0979	.3842	.450	-.1359	.3264	.604	-.1447	.2639	.800	-.1448	.2325						
.510			.500	-.1333	.3214	.703	-.1434	.2601	.900	-.1448	.2413						
.600			.600			.802	-.1447	.2335	.950	-.1448	.2476						
.700	-.1143	.2960	.700	-.1333	.2761	.902	-.1422	.2272									
.800	-.0764	.2557	.800	-.1346	.2648	.952	-.1422	.2196									
.900			.900	-.1346	.2347												
.950	.0223	.2305	.950	-.1359	.2347												

APPENDIX B

TABLE B-8.- PRESSURE COEFFICIENTS FOR WING WITH 76° SWEEP,

$C_{L,des} = 0.1, M = 3.5$

(a) $\alpha = -2.30^\circ$

C_p at $2y/b$ of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	-.0493	-.0291	.036	-.0597	-.0193	.064	-.0703	-.0309	.104			.206		
.038			.037	-.0508	-.0364	.061	-.0567	-.0237	.112	-.0540	-.0279	.150	-.0444	-.0475	.260	-.0473	-.0740
.064	-.0010	.1042	.061	-.0656	-.0543	.085	-.0464	-.0090	.161	-.0302	-.0250	.200	-.0370	-.0490	.350	-.0311	-.0740
.087	-.0024	.0924	.056	-.0419	-.0410	.110	-.0449	-.0060	.209	-.0154	-.0206	.300	-.0311	-.0505	.460	-.0178	-.0769
.112	-.0039	.1071	.110	-.0286	-.0410	.160	-.0629	-.0517	.259	-.0080	-.0132	.400	-.0015	-.0490	.640	-.0087	-.0769
.162	-.0039	.0909	.160	-.0152	-.0396	.209	-.0184	-.0177	.307	-.0006	-.0102	.500	-.0102	-.0505	.830	-.0191	-.0798
.210	-.0039	.0732	.210	-.0078	-.0130	.259	-.0065	-.0104	.358	-.0038	-.0058	.600	-.0220	-.0519			
.260	-.0039	.0408	.250	-.0069	-.0001	.309	-.0038	-.0000	.406	-.0127	-.0102	.680	-.0338	-.0519			
.310	-.0039	.0099	.300	-.0099	-.0031	.356	-.0157	-.0043	.500	-.0030	-.0067	.780	-.0427	-.0534			
.360	-.0078	.0011	.350	-.0113	-.0090	.406	-.0186	-.0015	.600	-.0030	-.0082	.880	-.0471	-.0549			
.380	-.0049	.0026	.400	-.0084	-.0060	.505	-.0261	-.0102	.700	-.0353	-.0314						
.460	-.0019	-.0017	.450	-.0113	-.0134	.604	-.0216	-.0161	.800	-.0383	-.0372						
.510			.500	-.0084	-.0178	.703	-.0172	-.0191	.900	-.0398	-.0372						
.600			.600			.802	-.0186	-.0324	.950	-.0398	-.0343						
.700	-.0064	-.0268	.700	-.0084	-.0296	.902	-.0201	-.0339									
.800	-.0345	-.0327	.800	-.0084	-.0311	.952	-.0246	-.0353									
.900			.900	-.0128	-.0458												
.950	-.0664	-.0385	.950	-.0143	-.0488												

APPENDIX B

TABLE B-8.- Continued

(b) $\alpha = -0.30^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	.0225	-.0557	.036	-.0362	-.0243	.064	-.0436	-.0089	.104			.206		
.038			.037	-.0240	-.0646	.061	-.0347	-.0199	.112	-.0258	-.0163	.150	-.0178	-.0229	.260	-.0163	-.0630
.064	-.0055	-.1412	.061	-.0392	-.0801	.085	-.0184	-.0346	.161	-.0050	-.0310	.200	-.0104	-.0229	.350	-.0030	-.0616
.087	-.0055	-.1294	.056	-.0169	-.0655	.110	-.0154	-.0317	.209	-.0112	-.0295	.300	-.0030	-.0199	.460	-.0102	-.0601
.112	-.0085	-.1471	.110	-.0065	-.0596	.160	-.0377	-.0650	.259	-.0186	-.0222	.400	-.0235	-.0199	.640	-.0324	-.0586
.162	-.0070	-.1250	.160	-.0053	-.0552	.209	-.0067	-.0310	.307	-.0246	-.0177	.500	-.0338	-.0303	.830	-.0442	-.0511
.210	-.0070	-.1014	.210	-.0127	-.0331	.259	-.0157	-.0251	.358	-.0275	-.0148	.600	-.0442	-.0348			
.260	-.0114	-.0646	.250	-.0231	-.0199	.309	-.0260	-.0148	.406	-.0349	-.0089	.680	-.0530	-.0378			
.310	-.0040	-.0292	.300	-.0260	-.0155	.356	-.0364	-.0089	.500	-.0176	-.0052	.780	-.0619	-.0422			
.360	-.0003	-.0174	.350	-.0260	-.0111	.406	-.0394	-.0148	.600	-.0383	-.0052	.880	-.0663	-.0452			
.380	-.0040	-.0204	.400	-.0246	-.0126	.505	-.0409	-.0000	.700	-.0530	-.0348						
.460	-.0070	-.0130	.450	-.0260	-.0052	.604	-.0349	-.0043	.800	-.0530	-.0422						
.510			.500	-.0246	-.0005	.703	-.0305	-.0073	.900	-.0530	-.0407						
.600			.600			.802	-.0320	-.0220	.950	-.0516	-.0378						
.700	-.0025	-.0164	.700	-.0246	-.0152	.902	-.0335	-.0235									
.800	-.0270	-.0252	.800	-.0260	-.0255	.952	-.0379	-.0265									
.900	-.0159	-.0340	.900	-.0290	-.0343												
.950	-.0788	-.0311	.950	-.0305	-.0358												

APPENDIX B

TABLE B-8.- Continued

(c) $\alpha = 2.70^{\circ}$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	-.0115	.1145	.036	-.0057	-.0537	.064	-.0083	-.0574	.104			.206		
.038			.037	-.0100	.1145	.061	-.0086	-.0508	.112	-.0186	-.0663	.150	-.0280	.0371	.260	-.0398	-.0016
.064	-.0174	-.2087	.061	-.0090	.1198	.085	-.0205	-.0611	.161	-.0379	-.0574	.200	-.0339	.0327	.350	-.0472	-.0076
.087	-.0144	-.1999	.056	-.0160	.1037	.110	-.0234	-.0581	.209	-.0498	-.0515	.300	-.0413	.0238	.460	-.0546	-.0012
.112	-.0189	-.2190	.110	-.0249	.0949	.160	-.0005	-.0870	.259	-.0543	-.0456	.400	-.0605	.0164	.640	-.0694	-.0042
.162	-.0144	-.1866	.160	-.0338	.0905	.209	-.0409	-.0545	.307	-.0617	-.0397	.500	-.0694	.0046	.830	-.0797	-.0116
.210	-.0159	-.1601	.210	-.0382	.0640	.259	-.0498	-.0471	.358	-.0617	-.0368	.600	-.0767	-.0012			
.260	-.0218	-.1115	.250	-.0426	.0464	.309	-.0572	-.0353	.406	-.0691	-.0294	.680	-.0826	-.0057			
.310	-.0159	-.0659	.300	-.0426	.0420	.356	-.0632	-.0309	.500	-.0413	-.0357	.780	-.0871	-.0101			
.360	-.0129	-.0512	.350	-.0412	.0376	.406	-.0617	-.0368	.600	-.0472	-.0327	.880	-.0900	-.0145			
.380	-.0174	-.0512	.400	-.0367	-.0005	.505	-.0587	-.0206	.700	-.0723	-.0057						
.460	-.0218	-.0438	.450	-.0397	-.0126	.604	-.0543	-.0147	.800	-.0694	-.0131						
.510			.500	-.0367	-.0214	.703	-.0498	-.0102	.900	-.0694	-.0116						
.600			.600			.802	-.0528	-.0030	.950	-.0694	-.0101						
.700	-.0144	-.0026	.700	-.0426	-.0038	.902	-.0543	-.0044									
.800	-.0151	-.0076	.800	-.0426	-.0049	.952	-.0572	-.0089									
.900	-.0263	-.0223	.900	-.0426	-.0152												
.950	-.0713	-.0150	.950	-.0456	-.0196												

APPENDIX B

TABLE B-8.- Continued

(d) $\alpha = 3.70^\circ$

C _p at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	-.0247	.1353	.036	-.0307	.0640	.064	-.0364	.0652	.104			.206		
.038			.037	-.0232	.1294	.061	-.0337	.0596	.112	-.0378	.0740	.150	-.0531	.0419	.260	-.0649	.0093
.064	-.0217	.2311	.061	-.0055	.1345	.085	-.0307	.0684	.161	-.0497	.0652	.200	-.0531	.0359	.350	-.0678	.0093
.087	-.0173	.2237	.056	-.0277	.1168	.110	-.0337	.0684	.209	-.0616	.0593	.300	-.0575	.0285	.460	-.0723	.0033
.112	-.0217	.2443	.110	-.0366	.1080	.160	-.0126	.0933	.259	-.0705	.0519	.400	-.0693	.0211	.640	-.0826	.0004
.162	-.0188	.2075	.160	-.0440	.1021	.209	-.0557	.0622	.307	-.0720	.0460	.500	-.0767	.0093	.830	-.0826	-.0084
.210	-.0202	.1780	.210	-.0470	.0757	.259	-.0631	.0533	.358	-.0720	.0445	.600	-.0826	.0033			
.260	-.0262	.1279	.250	-.0514	.0566	.309	-.0676	.0415	.406	-.0794	.0371	.680	-.0855	-.0025			
.310	-.0202	.0778	.300	-.0500	.0507	.356	-.0705	.0386	.500	-.0442	.0359	.780	-.0826	-.0069			
.360	-.0173	.0631	.350	-.0470	.0463	.406	-.0705	.0445	.600	-.0457	.0359	.880	-.0796	-.0114			
.380	-.0217	.0616	.400	-.0440	.0493	.505	-.0676	.0282	.700	-.0752	-.0025						
.460	-.0262	.0528	.450	-.0470	.0390	.604	-.0616	.0193	.800	-.0767	-.0114						
.510		.0439	.500	-.0455	.0317	.703	-.0586	.0179	.900	-.0796	-.0084						
.600		.0027	.600			.802	-.0616	.0016	.950	-.0796	-.0069						
.700	-.0188	.0100	.700	-.0514	.0096	.902	-.0646	.0001									
.800	-.0108	-.0002	.800	-.0500	.0008	.952	-.0676	-.0042									
.900	-.0321	-.0178	.900	-.0500	-.0094												
.950	-.0775	-.0090	.950	-.0514	-.0123												

APPENDIX B

TABLE B-8.- Continued

(e) $\alpha = 4.70^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	-.0337	-.1541	.036	-.0544	-.0690	.064	-.0617	-.0736	.104			.206		
.038			.037	-.0337	-.1482	.061	-.0574	-.0645	.112	-.0602	-.0839	.150	-.0767	-.0493	.260	-.0826	-.0167
.064	-.0248	-.2557	.061	-.0145	-.1441	.085	-.0455	-.0749	.161	-.0661	-.0736	.200	-.0782	-.0448	.350	-.0856	-.0181
.087	-.0204	-.2498	.056	-.0367	-.1279	.110	-.0485	-.0734	.209	-.0721	-.0677	.300	-.0811	-.0353	.460	-.0870	-.0122
.112	-.0248	-.2719	.110	-.0441	-.1191	.160	-.0172	-.1031	.259	-.0750	-.0618	.400	-.0856	-.0285	.640	-.0870	-.0093
.162	-.0204	-.2321	.160	-.0529	-.1132	.209	-.0617	-.0721	.307	-.0795	-.0559	.500	-.0870	-.0196	.830	-.0826	-.0010
.210	-.0219	-.2012	.210	-.0559	-.0837	.259	-.0706	-.0633	.358	-.0780	-.0529	.600	-.0870	-.0122			
.260	-.0278	-.1468	.250	-.0574	-.0645	.309	-.0736	-.0515	.406	-.0825	-.0470	.680	-.0870	-.0078			
.310	-.0219	-.0953	.300	-.0544	-.0572	.356	-.0736	-.0485	.500	-.0472	-.0433	.780	-.0841	-.0033			
.360	-.0204	-.0776	.350	-.0515	-.0542	.406	-.0736	-.0544	.600	-.0472	-.0419	.880	-.0841	-.0040			
.380	-.0204	-.0761	.400	-.0515	-.0557	.505	-.0721	-.0382	.700	-.0782	-.0048						
.460	-.0204	-.0643	.450	-.0544	-.0439	.604	-.0691	-.0294	.800	-.0811	-.0040						
.510		-.0555	.500	-.0529	-.0351	.703	-.0676	-.0264	.900	-.0841	-.0025						
.600		-.0099	.600			.802	-.0691	-.0117	.950	-.0841	-.0004						
.700	-.0219	-.0202	.700	-.0589	-.0145	.902	-.0721	-.0087									
.800	-.0076	-.0084	.800	-.0574	-.0056	.952	-.0750	-.0043									
.900	-.0337	-.0121	.900	-.0529	-.0061												
.950	-.0727	-.0018	.950	-.0574	-.0090												

APPENDIX B

TABLE B-8.- Continued

(f) $\alpha = 5.70^\circ$

C _p at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	-.0468	.1717	.036	-.0707	-.0827	.064	-.0810	-.0779	.104			.206		
.038			.037	-.0483	.1643	.061	-.0722	-.0798	.112	-.0795	-.0912	.150	-.0914	-.0762	.260	-.0929	-.0412
.064	-.0319	-.2820	.061	-.0205	.1649	.085	-.0634	-.0901	.161	-.0639	-.0824	.200	-.0914	-.0704	.350	-.0944	-.0426
.087	-.0260	-.2761	.056	-.0441	.1487	.110	-.0663	-.0886	.209	-.0669	-.0765	.300	-.0944	-.0645	.460	-.0929	-.0382
.112	-.0305	-.2997	.110	-.0501	.1399	.160	-.0261	-.1133	.259	-.0884	-.0706	.400	-.0929	-.0543	.640	-.0900	-.0368
.162	-.0275	-.2555	.160	-.0574	.1341	.209	-.0661	-.0824	.307	-.0899	-.0662	.500	-.0914	-.0455	.830	-.0885	-.0236
.210	-.0305	-.2232	.210	-.0634	.1018	.259	-.0765	-.0735	.358	-.0810	-.0632	.600	-.0914	-.0397			
.260	-.0349	-.1643	.250	-.0634	.0813	.309	-.0780	-.0617	.406	-.0654	-.0558	.680	-.0914	-.0339			
.310	-.0275	-.1114	.300	-.0589	-.0754	.356	-.0780	-.0588	.500	-.0515	-.0675	.780	-.0914	-.0280			
.360	-.0245	-.0922	.350	-.0574	-.0695	.406	-.0765	-.0647	.600	-.0515	-.0675	.880	-.0900	-.0222			
.380	-.0305	-.0908	.400	-.0574	-.0725	.505	-.0765	-.0470	.700	-.0655	-.0309						
.460	-.0319	-.0790	.450	-.0589	-.0607	.604	-.0765	-.0396	.800	-.0900	-.0236						
.510	-.0334	-.0672	.500	-.0604	-.0519	.703	-.0750	-.0352	.900	-.0929	-.0251						
.600			.600			.802	-.0765	-.0190	.950	-.0929	-.0266						
.700			.700	-.0648	-.0300	.902	-.0780	-.0160									
.800	-.0008	-.0172	.800	-.0634	-.0197	.952	-.0810	-.0131									
.900	-.0409	-.0062	.900	-.0560	-.0080												
.950	-.0704	-.0069	.950	-.0589	-.0050												

APPENDIX B

TABLE B-8.- Continued

(g) $\alpha = 9.70^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	-.0722	-.2500	.036	-.1003	-.1132	.064	-.0988	-.1121	.104			.206		
.038			.037	-.0737	-.2411	.061	-.1003	-.1162	.112	-.0988	-.1268	.150	-.1018	-.1122	.260	-.0988	.0743
.064	-.0396	.4060	.061	-.0528	-.2297	.085	-.0988	-.1295	.161	-.0988	-.1180	.200	-.1003	-.1108	.350	-.0988	.0758
.087	-.0322	.3928	.056	-.0765	-.2106	.110	-.1003	-.1295	.209	-.0973	-.1135	.300	-.1018	-.1035	.460	-.0988	.0714
.112	-.0367	.4222	.110	-.0810	-.2032	.160	-.0543	-.1549	.259	-.0988	-.1106	.400	-.1018	-.0976	.640	-.0959	.0729
.162	-.0381	.3516	.160	-.0810	-.1958	.209	-.0914	-.1268	.307	-.0988	-.1047	.500	-.1003	-.0860	.830	-.0974	.0627
.210	-.0381	.3192	.210	-.0810	-.1575	.259	-.0958	-.1180	.358	-.0928	-.1017	.600	-.1003	-.0801			
.260	-.0455	.2470	.250	-.0795	-.1324	.309	-.0958	-.1032	.406	-.0988	-.0944	.680	-.1018	-.0743			
.310	-.0426	.1808	.300	-.0780	-.1266	.356	-.0988	-.1017	.500	-.0648	-.1049	.780	-.1018	-.0685			
.360	-.0337	-.1601	.350	-.0810	-.1207	.406	-.0988	-.1076	.600	-.0663	-.1049	.880	-.0988	-.0612			
.380	-.0381	-.1557	.400	-.0839	-.1221	.505	-.0988	-.0870	.700	-.0988	-.0714						
.460	-.0411	-.1395	.450	-.0854	-.1059	.604	-.0988	-.0781	.800	-.1018	-.0641						
.510	-.0396	-.1248	.500	-.0884	-.0971	.703	-.0958	-.0752	.900	-.1033	-.0656						
.600		-.600				.802	-.0973	-.0575	.950	-.1033	-.0699						
.700		.700		-.0914	-.0691	.902	-.0988	-.0530									
.800	-.0086	-.0586	.800	-.0899	-.0573	.952	-.1003	-.0471									
.900	-.0485	-.0262	.900	-.0825	-.0411												
.950	-.0609	-.0438	.950	-.0869	-.0396												

APPENDIX B

TABLE B-8.- Concluded

(h) $\alpha = 19.70^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	-.0943	.4859	.036	-.1032	-.2733	.064	-.1047	-.2347	.104			.206		
.038			.037	-.1002	.4829	.061	-.1092	-.2748	.112	-.1047	-.2657	.150	-.1048	-.2363	.260	-.1018	-.1882
.064	-.0601	-.8218	.061	-.0677	.4587	.085	-.1018	-.3027	.161	-.1017	-.2584	.200	-.1048	-.2465	.350	-.1018	-.1955
.087	-.0646	-.7849	.056	-.0944	.4455	.110	-.1032	-.3042	.209	-.1017	-.2584	.300	-.1062	-.2465	.460	-.1033	-.1926
.112	-.0691	-.7367	.110	-.0958	.4425	.160	-.0587	-.3248	.259	-.1047	-.2584	.400	-.1048	-.2509	.640	-.0988	-.1969
.162	-.0705	-.6450	.160	-.0973	.4278	.209	-.0988	-.3026	.307	-.1032	-.2539	.500	-.1048	-.2480	.830	-.1003	-.1838
.210	-.0735	-.6126	.210	-.0973	.3763	.259	-.1003	-.2894	.358	-.0988	-.2510	.600	-.1048	-.2261			
.260	-.0735	-.4977	.250	-.0973	.3483	.309	-.1017	-.2687	.406	-.1047	-.2451	.680	-.1048	-.2188			
.310	-.0735	-.4196	.300	-.0988	.3454	.356	-.1047	-.2657	.500	-.0708	-.2567	.780	-.1048	-.2101			
.360	-.0750	-.4048	.350	-.0988	.3395	.406	-.1032	-.2790	.600	-.0841	-.2392	.880	-.1018	-.2028			
.380	-.0794	-.3960	.400	-.0988	.3366	.505	-.1062	-.2524	.700	-.1048	-.2174						
.460	-.0780	-.3665	.450	-.0988	.3057	.604	-.1047	-.2421	.800	-.1048	-.2130						
.510	-.0794	-.3459	.500	-.0988	-.2954	.703	-.1047	-.2333	.900	-.1062	-.2217						
.600		-.2325	.600			.802	-.1062	-.2067	.950	-.1062	-.2261						
.700		-.2693	.700	-.0988	-.2512	.902	-.1047	-.2052									
.800	-.0408	-.2340	.800	-.0988	-.2365	.952	-.1047	-.1949									
.900	-.0616	-.1765	.900	-.0988	-.2071												
.950	-.0585	-.2045	.950	-.0988	-.2071												

APPENDIX B

TABLE B-9.- PRESSURE COEFFICIENTS FOR WING WITH 76° SWEEP,

$C_{L,des} = 0.1, M = 4.0$

(a) $\alpha = -1.85^\circ$

C _p at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	-.0401	-.0326	.036	-.0582	-.0070	.064	-.0670	-.0166	.104			.206		
.038			.037	-.0418	-.0359	.061	-.0516	-.0135	.112	-.0521	-.0149	.150	-.0359	-.0266	.260	-.0359	-.0513
.064	-.0062	-.1067	.061	-.0599	-.0555	.085	-.0433	-.0037	.161	-.0304	-.0116	.200	-.0292	-.0266	.350	-.0208	-.0497
.087	-.0062	-.0968	.056	-.0350	-.0390	.110	-.0383	-.0070	.209	-.0171	-.0050	.300	-.0275	-.0299	.460	-.0091	-.0513
.112	-.0079	-.1116	.110	-.0251	-.0390	.160	-.0670	-.0625	.259	-.0088	-.0017	.400	-.0058	-.0266	.640	-.0125	-.0513
.162	-.0096	-.0984	.160	-.0118	-.0341	.209	-.0155	-.0246	.307	-.0022	-.0017	.500	-.0158	-.0282	.830	-.0141	-.0563
.210	-.0096	-.0803	.210	-.0019	-.0176	.259	-.0038	-.0180	.358	-.0011	-.0031	.600	-.0275	-.0299			
.260	-.0112	-.0474	.250	-.0080	-.0061	.309	-.0061	-.0064	.406	-.0094	-.0017	.680	-.0375	-.0299			
.310	-.0029	-.0177	.300	-.0146	-.0012	.356	-.0160	-.0031	.500	-.0041	-.0294	.780	-.0475	-.0315			
.360	-.0020	-.0046	.350	-.0146	-.0004	.406	-.0210	-.0064	.600	-.0041	-.0261	.880	-.0525	-.0315			
.380	-.0013	-.0046	.400	-.0130	-.0004	.505	-.0277	-.0050	.700	-.0458	-.0167						
.460	-.0029	-.0013	.450	-.0146	-.0070	.604	-.0227	-.0116	.800	-.0508	-.0233						
.510			.500	-.0113	-.0119	.703	-.0194	-.0133	.900	-.0508	-.0216						
.600			.600			.802	-.0194	-.0232	.950	-.0508	-.0216						
.700	-.0020	-.0217	.700	-.0096	-.0201	.902	-.0210	-.0282									
.800	-.0401	-.0266	.800	-.0096	-.0316	.952	-.0244	-.0298									
.900			.900	-.0146	-.0382												
.950	-.0186	-.0349	.950	-.0179	-.0432												

APPENDIX B

TABLE B-9.- Continued

(b) $\alpha = 0.16^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	.0233	.0575	.036	.0399	.0289	.064	.0438	.0165	.104			.206		
.038			.037	.0250	.0624	.061	.0333	.0224	.112	.0288	.0214	.150	.0249	.0035	.260	.0216	-.0312
.064	-.0064	.1466	.061	.0416	.0864	.085	.0217	.0371	.161	.0072	.0281	.200	.0166	.0018	.350	.0116	-.0312
.087	-.0080	.1334	.056	.0134	.0700	.110	.0184	.0322	.209	-.0060	.0314	.300	.0116	.0001	.460	.0000	-.0296
.112	-.0097	.1515	.110	.0068	.0634	.160	.0455	.0743	.259	-.0127	.0297	.400	-.0148	.0035	.640	-.0197	-.0263
.162	-.0097	.1334	.160	-.0047	.0601	.209	-.0043	.0347	.307	-.0193	.0214	.500	-.0230	-.0047	.830	-.0247	-.0296
.210	-.0114	.1119	.210	-.0130	.0388	.259	-.0143	.0264	.358	-.0193	.0181	.600	-.0330	-.0097			
.260	-.0130	.0740	.250	-.0230	.0256	.309	-.0227	.0165	.406	-.0293	.0132	.680	-.0412	-.0130			
.310	-.0064	.0393	.300	-.0246	.0207	.356	-.0326	.0115	.500	.0034	.0333	.780	-.0479	-.0163			
.360	-.0047	.0245	.350	-.0246	.0158	.406	-.0360	.0165	.600	.0017	.0333	.880	-.0528	-.0213			
.380	-.0064	.0228	.400	-.0213	.0158	.505	-.0393	.0049	.700	-.0445	-.0114						
.460	-.0097	.0179	.450	-.0230	.0092	.604	-.0343	-.0016	.800	-.0479	-.0180						
.510			.500	-.0213	.0043	.703	-.0310	-.0049	.900	-.0479	-.0196						
.600			.600			.802	-.0326	-.0165	.950	-.0479	-.0163						
.700	-.0047	-.0100	.700	-.0213	-.0071	.902	-.0326	-.0181									
.800	-.0366	-.0183	.800	-.0213	-.0186	.952	-.0360	-.0214									
.900			.900	-.0246	-.0252												
.950	-.0134	-.0265	.950	-.0296	-.0301												

APPENDIX B

TABLE B-9.- Continued

(c) $\alpha = 3.16^\circ$

Cp at 2y/b of :																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	-.0064	.1040	.036	-.0034	-.0587	.064	-.0022	-.0580	.104			.206		
.038			.037	-.0048	.1122	.061	-.0031	-.0521	.112	-.0034	-.0680	.150	-.0453	-.0544	.260	-.0554	-.0230
.064	-.0147	-.2037	.061	-.0200	.1278	.085	-.0081	-.0636	.161	-.0243	-.0597	.200	-.0504	-.0511	.350	-.0605	-.0247
.087	-.0147	-.1981	.056	-.0081	.1080	.110	-.0130	-.0603	.209	-.0360	-.0547	.300	-.0554	-.0445	.460	-.0673	-.0181
.112	-.0164	-.2196	.110	-.0164	.0998	.160	-.0205	-.0978	.259	-.0410	-.0498	.400	-.0740	-.0346	.640	-.0774	-.0147
.162	-.0164	-.1965	.160	-.0263	.0332	.209	-.0293	-.0597	.307	-.0460	-.0431	.500	-.0791	-.0247	.830	-.0808	-.0081
.210	-.0180	-.1667	.210	-.0329	.0702	.259	-.0393	-.0498	.358	-.0443	-.0398	.600	-.0642	-.0181			
.260	-.0213	-.1188	.250	-.0379	.0521	.309	-.0460	-.0365	.406	-.0526	-.0332	.680	-.0675	-.0147			
.310	-.0180	-.0742	.300	-.0395	.0455	.356	-.0526	-.0349	.500	-.0436	-.0594	.780	-.0909	-.0098			
.360	-.0147	-.0561	.350	-.0379	.0406	.406	-.0526	-.0365	.600	-.0740	-.0577	.880	-.0926	-.0048			
.380	-.0164	-.0527	.400	-.0362	.0406	.505	-.0526	-.0249	.700	-.0892	-.0147						
.460	-.0180	-.0461	.450	-.0362	.0324	.604	-.0493	-.0183	.800	-.0892	-.0065						
.510			.500	-.0362	-.0242	.703	-.0460	-.0150	.900	-.0892	-.0065						
.600			.600			.802	-.0476	-.0017	.950	-.0892	-.0081						
.700	-.0130	-.0081	.700	-.0395	-.0110	.902	-.0510	-.0015									
.800	-.0283	-.0017	.800	-.0395	-.0004	.952	-.0526	-.0048									
.900	-.0213	-.0182	.900	-.0395	-.0103												
.950	-.0048	-.0116	.950	-.0462	-.0136												

APPENDIX B

TABLE B-9.- Continued

(d) $\alpha = 4.16^\circ$

Cp at 2y/b of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.025	-.0131	-.1251	.036	-.0131	-.0641	-.064	-.0160	-.0661	.104			.206		
.038			.037	-.0131	-.1301	.061	-.0197	-.0592	.112	-.0210	-.0760	.150	-.0458	-.0626	.260	-.0558	-.0296
.064	-.0197	-.2324	.061	-.0100	-.1383	.085	-.0180	-.0691	.161	-.0343	-.0661	.200	-.0475	-.0577	.350	-.0592	-.0296
.087	-.0180	-.2208	.056	-.0164	-.1185	.110	-.0230	-.0658	.209	-.0427	-.0611	.300	-.0508	-.0511	.460	-.0642	-.0246
.112	-.0197	-.2439	.110	-.0246	-.1103	.160	-.0121	-.1041	.259	-.0493	-.0562	.400	-.0642	-.0411	.640	-.0692	-.0213
.162	-.0180	-.2175	.160	-.0329	-.1037	.209	-.0377	-.0677	.307	-.0526	-.0496	.500	-.0692	-.0312	.830	-.0692	-.0131
.210	-.0213	-.1878	.210	-.0396	-.0773	.259	-.0476	-.0562	.358	-.0493	-.0479	.600	-.0725	-.0246			
.260	-.0246	-.1367	.250	-.0429	-.0592	.309	-.0526	-.0446	.406	-.0576	-.0413	.680	-.0759	-.0197			
.310	-.0197	-.0888	.300	-.0429	-.0526	.356	-.0576	-.0413	.500	-.0341	-.0643	.780	-.0759	-.0147			
.360	-.0164	-.0674	.350	-.0429	-.0460	.406	-.0576	-.0446	.600	-.0658	-.0610	.880	-.0759	-.0098			
.380	-.0197	-.0658	.400	-.0412	-.0476	.505	-.0576	-.0314	.700	-.0742	-.0180						
.460	-.0213	-.0559	.450	-.0429	-.0361	.604	-.0576	-.0264	.800	-.0742	-.0114						
.510			.500	-.0429	-.0295	.703	-.0576	-.0214	.900	-.0759	-.0114						
.600			.600			.802	-.0576	-.0082	.950	-.0759	-.0131						
.700	-.0147	-.0146	.700	-.0462	-.0130	.902	-.0576	-.0049									
.800	-.0249	-.0047	.800	-.0462	-.0014	.952	-.0593	-.0016									
.900			.900	-.0462	-.0100												
.950	-.0097	-.0067	.950	-.0495	-.0117												

APPENDIX B

TABLE B-9.- Continued

(e) $\alpha = 5.15^\circ$

C _p at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	-.0213	.1499	.036	-.0345	.0767	.064	-.0377	.0727	.104			.206		
.038			.037	-.0213	.1515	.061	-.0411	.0735	.112	-.0393	.0843	.150	-.0593	.0605	.260	-.0643	.0255
.064	-.0213	.2555	.061	-.0013	.1530	.085	-.0328	.0833	.161	-.0460	.0744	.200	-.0593	.0555	.350	-.0676	.0272
.087	-.0197	.2456	.056	-.0278	.1376	.110	-.0378	.0800	.209	-.0493	.0677	.300	-.0626	.0488	.460	-.0693	.0222
.112	-.0213	.2720	.110	-.0361	.1277	.160	.0055	.1124	.259	-.0543	.0628	.400	-.0676	.0405	.640	-.0693	.0189
.162	-.0213	.2390	.160	-.0428	.1228	.209	-.0410	.0760	.307	-.0576	.0578	.500	-.0709	.0288	.830	-.0709	.0105
.210	-.0230	.2093	.210	-.0461	.0948	.259	-.0526	.0677	.358	-.0543	.0545	.600	-.0726	.0222			
.260	-.0280	.1548	.250	-.0494	.0751	.309	-.0576	.0545	.406	-.0626	.0496	.680	-.0726	.0172			
.310	-.0230	.1037	.300	-.0494	.0669	.356	-.0610	.0496	.500	-.0293	.0605	.780	-.0726	.0122			
.360	-.0180	.0822	.350	-.0494	.0619	.406	-.0593	.0545	.600	-.0593	.0488	.880	-.0709	.0072			
.380	-.0230	.0789	.400	-.0494	.0619	.505	-.0610	.0413	.700	-.0709	.0172						
.460	-.0230	.0690	.450	-.0494	.0521	.604	-.0610	.0330	.800	-.0726	.0072						
.510			.500	-.0511	.0422	.703	-.0610	.0297	.900	-.0742	.0072						
.600			.600			.802	-.0626	.0148	.950	-.0742	.0105						
.700	-.0180	.0245	.700	-.0560	.0258	.902	-.0626	.0115									
.800	-.0216	.0130	.800	-.0560	.0143	.952	-.0659	.0082									
.900			.900	-.0527	.0027												
.950	-.0131	-.0001	.950	-.0577	.0011												

APPENDIX B

TABLE B-9.- Continued

(f) $\alpha = 6.16^\circ$

C_p at $2y/b$ of :

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	-.0280	-.1764	.036	-.0462	-.0838	.064	-.0526	-.0810	.104			.206		
.038			.037	-.0296	-.1681	.061	-.0495	-.0805	.112	-.0526	-.0909	.150	-.0892	-.0808	.260	-.0909	-.0445
.064	-.0247	-.2820	.061	-.0048	-.1711	.085	-.0412	-.0903	.161	-.0560	-.0827	.200	-.0892	-.0759	.350	-.0943	-.0445
.087	-.0213	-.2737	.056	-.0313	-.1513	.110	-.0462	-.0870	.209	-.0593	-.0777	.300	-.0892	-.0676	.460	-.0943	-.0395
.112	-.0230	-.3001	.110	-.0379	-.1414	.160	-.0005	-.1240	.259	-.0626	-.0711	.400	-.0926	-.0594	.640	-.0926	-.0379
.162	-.0230	-.2605	.160	-.0429	-.1349	.209	-.0477	-.0843	.307	-.0626	-.0661	.500	-.0943	-.0494	.830	-.0926	-.0280
.210	-.0263	-.2308	.210	-.0462	-.1052	.259	-.0560	-.0761	.358	-.0576	-.0645	.600	-.0943	-.0412			
.260	-.0296	-.1731	.250	-.0495	-.0838	.309	-.0610	-.0628	.406	-.0659	-.0579	.680	-.0943	-.0379			
.310	-.0247	-.1169	.300	-.0495	-.0772	.356	-.0626	-.0595	.500	-.0521	-.0792	.780	-.0943	-.0313			
.360	-.0213	-.0971	.350	-.0511	-.0706	.406	-.0626	-.0645	.600	-.0825	-.0775	.880	-.0926	-.0247			
.380	-.0247	-.0938	.400	-.0511	-.0706	.505	-.0626	-.0479	.700	-.0909	-.0346						
.460	-.0247	-.0823	.450	-.0528	-.0590	.604	-.0626	-.0413	.800	-.0926	-.0263						
.510			.500	-.0528	-.0491	.703	-.0626	-.0380	.900	-.0943	-.0280						
.600			.600			.802	-.0659	-.0231	.950	-.0943	-.0296						
.700	-.0213	-.0344	.700	-.0578	-.0310	.902	-.0659	-.0198									
.800	-.0183	-.0229	.800	-.0594	-.0195	.952	-.0693	-.0149									
.900	-.0280	-.0018	.900	-.0545	-.0079												
.950	-.0164	-.0080	.950	-.0578	-.0046												

APPENDIX B

TABLE B-9.- Continued

(g) $\alpha = 10.16^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	-.0495	-.2571	.036	-.0726	-.1296	.064	-.0709	-.1140	.104			.206		
.038			.037	-.0495	-.2456	.061	-.0742	-.1247	.112	-.0709	-.1273	.150	-.0760	-.1171	.260	-.0760	-.0775
.064	-.0329	.3990	.061	-.0276	-.2448	.085	-.0726	-.1395	.161	-.0693	-.1206	.200	-.0760	-.1155	.350	-.0760	-.0791
.087	-.0280	.3940	.056	-.0559	-.2201	.110	-.0726	-.1362	.209	-.0693	-.1157	.300	-.0776	-.1105	.460	-.0760	-.0742
.112	-.0362	.4221	.110	-.0609	-.2119	.160	-.0177	-.1669	.259	-.0726	-.1107	.400	-.0776	-.1022	.640	-.0726	-.0742
.162	-.0362	.3676	.160	-.0626	-.2037	.209	-.0610	-.1322	.307	-.0693	-.1074	.500	-.0776	-.0907	.830	-.0743	-.0659
.210	-.0379	.3264	.210	-.0626	-.1658	.259	-.0643	-.1223	.358	-.0643	-.1041	.600	-.0760	-.0841			
.260	-.0412	.2538	.250	-.0643	-.1428	.309	-.0693	-.1074	.406	-.0726	-.0958	.680	-.0760	-.0775			
.310	-.0412	.1878	.300	-.0676	-.1345	.356	-.0709	-.1041	.500	-.0361	-.1171	.780	-.0760	-.0692			
.360	-.0379	.1647	.350	-.0693	-.1279	.406	-.0693	-.1091	.600	-.0361	-.1155	.880	-.0760	-.0626			
.380	-.0396	.1614	.400	-.0659	-.1279	.505	-.0726	-.0892	.700	-.0743	-.0742						
.460	-.0379	.1433	.450	-.0726	-.1131	.604	-.0726	-.0810	.800	-.0760	-.0659						
.510			.500	-.0709	-.1000	.703	-.0726	-.0777	.900	-.0776	-.0676						
.600			.600			.802	-.0743	-.0611	.950	-.0793	-.0692						
.700	-.0313	-.0789	.700	-.0759	-.0753	.902	-.0743	-.0562									
.800	-.0117	-.0641	.800	-.0759	-.0637	.952	-.0759	-.0512									
.900	-.0379	-.0294	.900	-.0709	-.0489												
.950	-.0280	-.0459	.950	-.0726	-.0456												

APPENDIX B

TABLE B-9.- Concluded

(h) $\alpha = 20.17^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	-.0677	.5029	.036	-.0776	.2806	.064	-.0776	.2414	.104			.206		
.038			.037	-.0694	.4947	.061	-.0776	.2730	.112	-.0759	.2695	.150	-.1010	.2425	.260	-.0976	.1327
.064	-.0429	.8428	.061	-.0394	.4714	.085	-.0759	.3070	.161	-.0743	.2645	.200	-.0993	.2441	.350	-.0976	.1377
.087	-.0478	.7785	.056	-.0676	.4566	.110	-.0776	.3086	.209	-.0726	.2629	.300	-.0993	.2441	.460	-.0993	.1344
.112	-.0512	.7983	.110	-.0710	.4500	.160	-.0260	.3340	.259	-.0793	.2629	.400	-.0993	.2441	.640	-.0960	.1377
.162	-.0528	.6762	.160	-.0726	.4352	.209	-.0693	.3092	.307	-.0743	.2595	.500	-.0993	.2309	.830	-.0960	.1861
.210	-.0561	.6283	.210	-.0710	.3826	.259	-.0709	.2976	.358	-.0693	.2579	.600	-.0993	.2242			
.260	-.0578	.5128	.250	-.0726	.3546	.309	-.0743	.2777	.406	-.0759	.2496	.680	-.0993	.2159			
.310	-.0594	.4271	.300	-.0759	.3481	.356	-.0793	.2744	.500	-.0590	.2591	.780	-.0993	.2076			
.360	-.0627	.4056	.350	-.0759	.3415	.406	-.0743	.2693	.600	-.0590	.2441	.880	-.0976	.1993			
.380	-.0644	.3957	.400	-.0710	.3415	.505	-.0793	.2579	.700	-.0960	.2143						
.460	-.0644	.3693	.450	-.0776	.3152	.604	-.0776	.2447	.800	-.0976	.2093						
.510			.500	-.0759	.3037	.703	-.0776	.2347	.900	-.0993	.2159						
.600			.600			.802	-.0793	.2132	.950	-.0993	.2192						
.700	-.0661	.2720	.700	-.0793	.2560	.902	-.0793	.2083									
.800	-.0081	.2357	.800	-.0793	.2379	.952	-.0793	.1967									
.900	-.0396	.1763	.900	-.0759	.2132												
.950	-.0578	.2076	.950	-.0776	.2116												

APPENDIX B

TABLE B-10.- PRESSURE COEFFICIENTS FOR WING WITH 76° SWEEP,

$C_{L,des} = 0.1, M = 4.6$

(a) $\alpha = -1.46^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	.0469	-.0340	.036	.0612	-.0033	.064	.0659	-.0063	.104			.206		
.038			.037	.0489	-.0381	.061	.0551	-.0067	.112	.0535	-.0043	.150	.0468	-.0407	.260	.0488	-.0551
.064	-.0021	-.1051	.061	.0714	-.0661	.085	.0469	-.0053	.161	.0330	-.0063	.200	.0406	-.0407	.350	.0365	-.0572
.087	-.0041	-.0390	.056	.0367	-.0377	.110	.0428	-.0027	.209	.0187	-.0063	.300	.0284	-.0463	.460	.0243	-.0572
.112	-.0041	-.1112	.110	.0264	-.0418	.160	.0802	-.0670	.259	.0104	-.0043	.400	.0080	-.0448	.640	.0018	-.0572
.162	-.0062	-.1051	.160	.0142	-.0418	.209	.0187	-.0262	.307	.0043	-.0043	.500	-.0001	-.0448	.830	-.0144	-.0592
.210	-.0082	-.0889	.210	.0019	-.0276	.259	.0063	-.0180	.358	.0043	-.0038	.600	-.0123	-.0448			
.260	-.0102	-.0564	.250	-.0082	-.0134	.309	-.0038	-.0099	.406	-.0059	-.0017	.680	-.0205	-.0448			
.310	-.0041	-.0238	.300	-.0143	-.0073	.356	-.0141	-.0038	.500	.0325	.0231	.780	-.0287	-.0469			
.360	-.0021	-.0096	.350	-.0164	-.0053	.406	-.0182	-.0058	.600	.0325	.0005	.880	-.0328	-.0469			
.380	-.0021	-.0076	.400	-.0143	-.0033	.505	-.0285	-.0043	.700	-.0287	-.0345						
.460	-.0041	-.0035	.450	-.0143	-.0006	.604	-.0244	-.0084	.800	-.0348	-.0407						
.510			.500	-.0143	-.0047	.703	-.0223	-.0104	.900	-.0368	-.0407						
.600			.600			.802	-.0244	-.0206	.950	-.0368	-.0407						
.700	-.0041	-.0187	.700	-.0123	-.0067	.902	-.0244	-.0247									
.800	-.0551	-.0207	.800	-.0143	-.0209	.952	-.0264	-.0247									
.900			.900	-.0164	-.0270												
.950	-.0121	-.0289	.950	-.0205	-.0310												

APPENDIX B

TABLE B-10.- Continued

(b) $\alpha = 0.53^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	.0266	-.0585	.036	-.0411	-.0257	.064	-.0416	-.0201	.104			.206		
.038			.037	.0287	-.0626	.061	-.0349	-.0176	.112	-.0313	-.0242	.150	-.0029	-.0117	.260	-.0029	-.0166
.064	-.0060	-.1419	.061	-.0534	-.0905	.085	-.0226	-.0338	.161	-.0107	-.0262	.200	-.0053	-.0117	.350	-.0094	-.0146
.087	-.0081	-.1338	.056	-.0165	-.0622	.110	-.0165	-.0277	.209	-.0036	-.0282	.300	-.0177	-.0077	.460	-.0198	-.0146
.112	-.0101	-.1500	.110	-.0062	-.0622	.160	-.0621	-.0873	.259	-.0098	-.0303	.400	-.0322	-.0097	.640	-.0384	-.0126
.162	-.0101	-.1399	.160	-.0019	-.0601	.209	-.0004	-.0384	.307	-.0160	-.0242	.500	-.0384	-.0036	.830	-.0509	-.0146
.210	-.0142	-.1195	.210	-.0121	-.0419	.259	-.0098	-.0282	.358	-.0119	-.0242	.600	-.0467	-.0004			
.260	-.0142	-.0809	.250	-.0224	-.0297	.309	-.0181	-.0201	.406	-.0242	-.0160	.680	-.0530	-.0024			
.310	-.0122	-.0443	.300	-.0265	-.0216	.356	-.0283	-.0160	.500	-.0011	-.0545	.780	-.0592	-.0065			
.360	-.0101	-.0260	.350	-.0265	-.0155	.406	-.0325	-.0160	.600	-.0011	-.0545	.880	-.0633	-.0105			
.380	-.0101	-.0219	.400	-.0265	-.0155	.505	-.0366	-.0058	.700	-.0571	-.0004						
.460	-.0122	-.0178	.450	-.0244	-.0095	.604	-.0366	-.0002	.800	-.0633	-.0085						
.510			.500	-.0244	-.0034	.703	-.0345	-.0022	.900	-.0633	-.0105						
.600			.600			.802	-.0366	-.0124	.950	-.0654	-.0085						
.700	-.0122	-.0126	.700	-.0244	-.0026	.902	-.0366	-.0165									
.800	-.0512	-.0166	.800	-.0244	-.0148	.952	-.0366	-.0185									
.900			.900	-.0265	-.0229												
.950	-.0061	-.0248	.950	-.0306	-.0269												

APPENDIX B

TABLE B-10.- Continued

(c) $\alpha = 3.54^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	-.0020	.1012	.036	-.0062	-.0581	.064	-.0085	-.0568	.104			.206		
.038			.037	-.0000	.1033	.061	-.0000	-.0500	.112	-.0038	-.0670	.150	-.0081	-.0412	.260	-.0163	-.0104
.064	-.0163	-.2110	.061	-.0307	-.1311	.085	-.0060	-.0622	.161	-.0161	-.0608	.200	-.0143	-.0350	.350	-.0225	-.0104
.087	-.0163	-.1948	.056	-.0040	.1068	.110	-.0081	-.0581	.209	-.0243	-.0547	.300	-.0225	-.0289	.460	-.0265	-.0063
.112	-.0184	-.2132	.110	-.0122	-.1027	.160	-.0414	-.1098	.259	-.0305	-.0486	.400	-.0327	-.0207	.640	-.0368	-.0022
.162	-.0184	-.1988	.160	-.0204	-.0966	.209	-.0161	-.0608	.307	-.0325	-.0445	.500	-.0368	-.0104	.830	-.0409	-.0059
.210	-.0204	-.1724	.210	-.0285	-.0743	.259	-.0264	-.0506	.358	-.0284	-.0425	.600	-.0429	-.0043			
.260	-.0245	-.1256	.250	-.0326	-.0581	.309	-.0325	-.0405	.406	-.0387	-.0343	.680	-.0450	-.0001			
.310	-.0225	-.0809	.300	-.0326	-.0480	.356	-.0407	-.0343	.500	-.0081	-.0555	.780	-.0470	-.0039			
.360	-.0204	-.0606	.350	-.0347	-.0419	.406	-.0428	-.0364	.600	-.0020	-.0555	.880	-.0470	-.0080			
.380	-.0225	-.0565	.400	-.0367	-.0419	.505	-.0449	-.0242	.700	-.0450	-.0001						
.460	-.0245	-.0463	.450	-.0367	-.0318	.604	-.0449	-.0180	.800	-.0470	-.0080						
.510			.500	-.0367	-.0257	.703	-.0428	-.0160	.900	-.0490	-.0100						
.600			.600			.802	-.0449	-.0038	.950	-.0490	-.0080						
.700	-.0184	-.0077	.700	-.0388	-.0135	.902	-.0449	-.0002									
.800	-.0470	-.0024	.800	-.0408	-.0014	.952	-.0469	-.0043									
.900			.900	-.0408	-.0067												
.950	-.0061	-.0126	.950	-.0408	-.0127												

APPENDIX B

TABLE B-10.- Continued

(d) $\alpha = 4.53^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	-.0101	-.1135	.036	-.0120	-.0662	.064	-.0079	-.0671	.104			.206		
.038			.037	-.0101	-.1216	.061	-.0202	-.0601	.112	-.0141	-.0753	.150	-.0365	-.0646	.260	-.0427	-.0341
.064	-.0204	-.2314	.061	-.0167	-.1473	.085	-.0202	-.0723	.161	-.0244	-.0671	.200	-.0386	-.0606	.350	-.0468	-.0341
.087	-.0204	-.2192	.056	-.0181	-.1230	.110	-.0243	-.0662	.209	-.0305	-.0630	.300	-.0427	-.0524	.460	-.0510	-.0301
.112	-.0224	-.2456	.110	-.0264	-.1169	.160	-.0330	-.1181	.259	-.0367	-.0549	.400	-.0510	-.0443	.640	-.0551	-.0260
.162	-.0245	-.2212	.160	-.0346	-.1108	.209	-.0244	-.0691	.307	-.0408	-.0508	.500	-.0551	-.0341	.830	-.0592	-.0178
.210	-.0265	-.1927	.210	-.0387	-.0865	.259	-.0346	-.0589	.358	-.0326	-.0508	.600	-.0592	-.0280			
.260	-.0285	-.1419	.250	-.0428	-.0662	.309	-.0408	-.0467	.406	-.0428	-.0426	.680	-.0613	-.0240			
.310	-.0285	-.0951	.300	-.0449	-.0601	.356	-.0449	-.0426	.500	-.0097	-.0789	.780	-.0633	-.0178			
.360	-.0265	-.0728	.350	-.0449	-.0520	.406	-.0469	-.0447	.600	-.0097	-.0768	.880	-.0633	-.0138			
.380	-.0285	-.0687	.400	-.0469	-.0520	.505	-.0469	-.0324	.700	-.0592	-.0219						
.460	-.0285	-.0585	.450	-.0469	-.0419	.604	-.0469	-.0243	.800	-.0633	-.0138						
.510			.500	-.0469	-.0338	.703	-.0469	-.0222	.900	-.0633	-.0138						
.600			.600			.802	-.0469	-.0100	.950	-.0633	-.0158						
.700	-.0204	-.0158	.700	-.0490	-.0196	.902	-.0490	-.0059									
.800	-.0430	-.0056	.800	-.0510	-.0054	.952	-.0510	-.0039									
.900			.900	-.0490	-.0006												
.950	-.0122	-.0044	.950	-.0490	-.0067												

APPENDIX B

TABLE B-10.- Continued

(e) $\alpha = 5.53^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	-.0183	-.1340	.036	-.0163	-.0784	.064	-.0243	-.0732	.104			.206		
.038			.037	-.0183	-.1381	.061	-.0245	-.0723	.112	-.0264	-.0834	.150	-.0368	-.0710	.260	-.0388	-.0384
.064	-.0224	-.2521	.061	-.0184	-.1635	.085	-.0184	-.0824	.161	-.0325	-.0753	.200	-.0347	-.0670	.350	-.0409	-.0384
.087	-.0245	-.2419	.056	-.0163	-.1372	.110	-.0245	-.0763	.209	-.0366	-.0712	.300	-.0409	-.0588	.460	-.0429	-.0343
.112	-.0265	-.2704	.110	-.0225	-.1311	.160	-.0311	-.1263	.259	-.0407	-.0651	.400	-.0429	-.0506	.640	-.0450	-.0323
.162	-.0265	-.2439	.160	-.0306	-.1250	.209	-.0284	-.0773	.307	-.0449	-.0589	.500	-.0470	-.0405	.830	-.0470	-.0242
.210	-.0285	-.2114	.210	-.0327	-.0986	.259	-.0407	-.0671	.358	-.0366	-.0569	.600	-.0470	-.0343			
.260	-.0326	-.1584	.250	-.0368	-.0804	.309	-.0449	-.0549	.406	-.0469	-.0508	.680	-.0490	-.0303			
.310	-.0306	-.1075	.300	-.0388	-.0703	.356	-.0469	-.0508	.500	-.0020	-.0833	.780	-.0511	-.0242			
.360	-.0285	-.0831	.350	-.0388	-.0642	.406	-.0469	-.0549	.600	-.0000	-.0812	.880	-.0490	-.0201			
.380	-.0306	-.0790	.400	-.0388	-.0622	.505	-.0469	-.0406	.700	-.0470	-.0282						
.460	-.0326	-.0688	.450	-.0409	-.0520	.604	-.0490	-.0324	.800	-.0490	-.0201						
.510		-.0566	.500	-.0409	-.0419	.703	-.0469	-.0304	.900	-.0511	-.0180						
.600		-.0118	.600			.802	-.0490	-.0161	.950	-.0511	-.0201						
.700	-.0204	-.0220	.700	-.0450	-.0257	.902	-.0510	-.0141									
.800	-.0410	-.0118	.800	-.0470	-.0135	.952	-.0531	-.0100									
.900			.900	-.0450	-.0054												
.950	-.0142	-.0003	.950	-.0450	-.0014												

APPENDIX B

TABLE B-10.- Continued

(f) $\alpha = 6.54^\circ$

C_p at $2y/b$ of :																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029		.2538	.025	-.0204	.1541	.036	-.0346	-.0865	.064	-.0367	-.0812	.104			.206		
.038		.2395	.037	-.0204	.1622	.061	-.0407	-.0824	.112	-.0367	-.0914	.150	-.0572	-.0660	.260	-.0572	-.0310
.064	-.0225	.2802	.061	-.0064	.1817	.085	-.0366	-.0926	.161	-.0408	-.0853	.200	-.0551	-.0598	.350	-.0592	-.0331
.087	-.0245	.2680	.056	-.0284	.1554	.110	-.0407	-.0865	.209	-.0408	-.0771	.300	-.0572	-.0557	.460	-.0613	-.0269
.112	-.0265	.2965	.110	-.0346	.1473	.160	-.0248	-.1363	.259	-.0469	-.0710	.400	-.0613	-.0454	.640	-.0613	-.0228
.162	-.0265	.2700	.160	-.0407	.1392	.209	-.0326	-.0873	.307	-.0469	-.0670	.500	-.0613	-.0331	.830	-.0613	-.0167
.210	-.0286	.2354	.210	-.0449	.1128	.259	-.0408	-.0771	.358	-.0387	-.0649	.600	-.0613	-.0269			
.260	-.0306	.1785	.250	-.0469	-.0926	.309	-.0449	-.0649	.406	-.0490	-.0568	.680	-.0633	-.0228			
.310	-.0306	.1236	.300	-.0490	-.0824	.356	-.0490	-.0588	.500	-.0119	-.0742	.780	-.0633	-.0167			
.360	-.0306	-.0992	.350	-.0490	-.0763	.406	-.0469	-.0629	.600	-.0119	-.0269	.880	-.0633	-.0125			
.380	-.0306	-.0951	.400	-.0490	-.0743	.505	-.0490	-.0486	.700	-.0592	-.0187						
.460	-.0327	.0850	.450	-.0510	-.0622	.604	-.0510	-.0405	.800	-.0613	-.0125						
.510			.500	-.0510	-.0520	.703	-.0490	-.0364	.900	-.0633	-.0105						
.600			.600			.802	-.0531	-.0242	.950	-.0633	-.0125						
.700	-.0204	-.0321	.700	-.0551	-.0338	.902	-.0531	-.0201									
.800	-.0409	-.0219	.800	-.0572	-.0236	.952	-.0551	-.0160									
.900			.900	-.0551	-.0115												
.950	-.0163	-.0097	.950	-.0551	-.0054												

APPENDIX B

TABLE B-10. - Continued

(g) $\alpha = 10.54^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	-.0327	-.2561	.036	-.0510	-.1290	.064	-.0490	-.1140	.104			.206		
.038			.037	-.0327	-.2418	.061	-.0551	-.1249	.112	-.0490	-.1283	.150	-.0778	-.1158	.260	-.0778	-.0771
.064	-.0265	-.3843	.061	-.0057	-.2506	.085	-.0510	-.1371	.161	-.0469	-.1201	.200	-.0778	-.1118	.350	-.0778	-.0791
.087	-.0265	-.3843	.056	-.0386	-.2222	.110	-.0531	-.1371	.209	-.0469	-.1160	.300	-.0778	-.1077	.460	-.0778	-.0751
.112	-.0306	-.4067	.110	-.0448	-.2121	.160	-.0146	-.1793	.259	-.0531	-.1120	.400	-.0778	-.0995	.640	-.0758	-.0730
.162	-.0286	-.3701	.160	-.0489	-.2060	.209	-.0387	-.1324	.307	-.0490	-.1058	.500	-.0778	-.0893	.830	-.0778	-.0649
.210	-.0327	-.3253	.210	-.0489	-.1716	.259	-.0449	-.1222	.358	-.0428	-.1038	.600	-.0778	-.0812			
.260	-.0347	-.2540	.250	-.0510	-.1472	.309	-.0469	-.1099	.406	-.0510	-.0956	.680	-.0778	-.0751			
.310	-.0368	-.1869	.300	-.0531	-.1371	.356	-.0510	-.1058	.500	-.0259	-.1240	.780	-.0778	-.0690			
.360	-.0347	-.1624	.350	-.0531	-.1290	.406	-.0490	-.1079	.600	-.0321	-.1240	.880	-.0778	-.0628			
.380	-.0368	-.1584	.400	-.0510	-.1290	.505	-.0531	-.0916	.700	-.0737	-.0710						
.460	-.0388	-.1421	.450	-.0572	-.1148	.604	-.0531	-.0814	.800	-.0758	-.0628						
.510			.500	-.0551	-.1006	.703	-.0510	-.0773	.900	-.0778	-.0628						
.600			.600			.802	-.0551	-.0610	.950	-.0778	-.0649						
.700	-.0327	-.0770	.700	-.0592	-.0743	.902	-.0551	-.0569									
.800	-.0389	-.0607	.800	-.0613	-.0642	.952	-.0551	-.0528									
.900			.900	-.0592	-.0500												
.950	-.0224	-.0423	.950	-.0592	-.0459												

APPENDIX B

TABLE B-10.- Concluded

(h) $\alpha = 20.54^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.029			.025	-.0470	.4916	.036	-.0531	-.2786	.064	-.0551	-.2384	.104			.206		
.038			.037	-.0470	.4834	.061	-.0552	-.2766	.112	-.0551	-.2670	.150	-.0572	-.2449	.260	-.0532	-.1918
.064	-.0327	.7559	.061	-.0122	.4830	.085	-.0531	-.3029	.161	-.0531	-.2629	.200	-.0532	-.2469	.350	-.0532	-.1979
.087	-.0368	.6928	.056	-.0449	.4587	.110	-.0552	-.3049	.209	-.0510	-.2609	.300	-.0572	-.2449	.460	-.0532	-.1959
.112	-.0409	.7416	.110	-.0490	.4506	.160	-.0063	-.3384	.259	-.0551	-.2609	.400	-.0572	-.2449	.640	-.0511	-.1979
.162	-.0389	.6359	.160	-.0511	.4365	.209	-.0469	-.3037	.307	-.0531	-.2588	.500	-.0572	-.2326	.830	-.0511	-.1877
.210	-.0429	.5891	.210	-.0511	.3818	.259	-.0490	-.2915	.358	-.0428	-.2568	.600	-.0552	-.2224			
.260	-.0429	.5180	.250	-.0511	.3494	.309	-.0551	-.2751	.406	-.0551	-.2486	.680	-.0552	-.2143			
.310	-.0470	.4306	.300	-.0552	.3413	.356	-.0572	-.2711	.500	-.0062	-.2653	.780	-.0552	-.2041			
.360	-.0491	.4001	.350	-.0552	.3353	.406	-.0531	-.2813	.600	-.0062	-.2633	.880	-.0552	-.1979			
.380	-.0511	.3879	.400	-.0511	.3353	.505	-.0572	-.2568	.700	-.0511	-.2122						
.460	-.0511	.3635	.450	-.0572	.3110	.604	-.0572	-.2445	.800	-.0532	-.2041						
.510			.500	-.0552	.2988	.703	-.0572	-.2323	.900	-.0552	-.2102						
.600			.600			.802	-.0593	-.2058	.950	-.0572	-.2163						
.700	-.0511	-.2659	.700	-.0593	-.2523	.902	-.0551	-.2037									
.800	-.0264	-.2313	.800	-.0593	-.2361	.952	-.0572	-.1935									
.900			.900	-.0572	-.2098												
.950	-.0409	-.2049	.950	-.0593	-.2077												

APPENDIX B

TABLE B-11.- PRESSURE COEFFICIENTS FOR WING WITH 55° SWEEP,

$C_{L,des} = 0.0, M = 2.3$

(a) $\alpha = -14.30^\circ$

C_p at $2y/b$ of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	.5243		.024			.055	.5178		.107	.5228		.194		
.050	.3345		.028	.5572		.050	.5345		.100	.5050		.160	.5018		.246	.5280	
.076			.052	.4479		.072	.5155		.146	.4732		.208	.4713		.362	.4818	
.100			.077	.4226		.100	.4733		.190	.4498		.306			.450	.4471	
.150	.3472		.100	.4089		.150	.4456		.240	.4254		.403	.4009		.640	.3999	
.200	.3451		.150	.3856		.200	.4169		.284	.4052		.503	.3694		.850	.3505	
.250	.3472		.200	.3687		.250	.3808		.330	.3840		.600	.3358				
.300	.3504		.250	.3508		.300	.3691		.374			.700	.3117				
.350	.3504		.300	.3328		.350	.3458		.473	.3264		.800	.2917				
.400			.350	.3233		.400	.3245		.572	.3033		.900	.2739				
.450	.3186		.400	.3117		.500	.2958		.672	.2770							
.500	.3058		.450	.2959		.600	.2566		.771	.2497							
.550	.2931		.500	.2790		.700	.2364		.870	.2329							
.600	.2719		.600	.2463		.800	.2183		.915	.2266							
.700			.700	.2273		.900	.2098										
.800			.800	.2114		.940	.2088										
.900			.900	.1966													
.940	.2082		.940	.1935													

APPENDIX B

TABLE B-11.- Continued

(b) $\alpha = -10.20^\circ$

C _p at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	.4162		.024			.055	.4198		.107	.4138		.194		
.050	.2332		.028	.4204		.050	.4034		.100	.3997		.160	.3937		.246	.4307	
.076			.052	.3317		.072	.3876		.146	.3637		.208	.3672		.362	.3767	
.100			.077	.3085		.100	.3559		.190	.3393		.306			.450	.3418	
.150	.2438		.100	.2917		.150	.3329		.240	.3170		.403	.2963		.640	.2931	
.200	.2428		.150	.2727		.200	.3043		.284	.3001		.503	.2613		.850	.2444	
.250	.2470		.200	.2579		.250	.2704		.330	.2789		.600	.2285				
.300	.2449		.250			.300	.2587		.374			.700	.2031				
.350	.2417		.300	.2253		.350	.2365		.473	.2190		.800	.1841				
.400			.350	.2137		.400	.2163		.572	.1989		.900	.1682				
.450	.2121		.400	.2073		.500	.1941		.672	.1735							
.500	.2036		.450	.1936		.600	.1623		.771	.1523							
.550	.1783		.500	.1799		.700	.1443		.870	.1364							
.600	.1761		.600	.1536		.800	.1284		.915	.1279							
.700			.700	.1378		.900	.1220										
.800			.800	.1230		.940	.1210										
.900			.900	.1104													
.940	.1264		.940	.1093													

APPENDIX B

TABLE B-11.- Continued

(c) $\alpha = -8.19^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	.3664		.024			.055	.3643		.107	.3615		.194		
.050	.1877		.028	.3347		.050	.3843		.100	.3399		.160	.3415		.246	.3731	
.076			.052	.2768		.072	.3253		.146	.3134		.208	.3152		.362	.3225	
.100			.077	.2558		.100	.3011		.190	.2911		.306			.450	.2899	
.150	.1993		.100	.2389		.150	.2794		.240	.2699		.403	.2499		.640	.2457	
.200	.1983		.150	.2220		.200	.2550		.284	.2508		.503	.2173		.850	.1994	
.250	.1962		.200	.2094		.250	.2221		.330	.2327		.600	.1857				
.300	.1930		.250			.300	.2105		.374			.700	.1604				
.350	.1919		.300	.1757		.350	.1871		.473	.1783		.800	.1404				
.400			.350	.1662		.400	.1691		.572	.1773		.900	.1257				
.450	.1676		.400	.1620		.500	.1500		.672	.1320							
.500	.1602		.450	.1504		.600	.1224		.771	.1131							
.550	.1306		.500	.1377		.700	.1033		.870	.0983							
.600	.1359		.600	.1145		.800	.0895		.915	.0910							
.700			.700	.0987		.900	.0821										
.800			.800	.0840		.940	.0810										
.900			.900														
.940	.0883		.940	.0734													

APPENDIX B

TABLE B-11.- Continued

(d) $\alpha = -6.18^\circ$

C_p at $2y/b$ of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	.3172		.024			.055	.2914		.107	.3187		.194		
.050	.1458		.028	.2410		.050	.3273		.100	.2871		.160	.2821		.246	.3114	
.076			.052	.2251		.072	.2672		.146	.2596		.208	.2622		.362	.2674	
.100			.077	.2051		.100	.2440		.190	.2405		.306			.450	.2381	
.150	.1574		.100	.1914		.150	.2268		.240	.2215		.403	.2024		.640	.1983	
.200	.1542		.150	.1745		.200	.2034		.284	.2045		.503	.1710		.850	.1542	
.250	.1521		.200	.1640		.250	.1759		.330	.1865		.600	.1427				
.300	.1500		.250			.300	.1653		.374			.700	.1186				
.350	.1479		.300	.1324		.350	.1441		.473	.1364		.800	.0998				
.400			.350	.1229		.400	.1251		.572	.1123		.900	.0851				
.450	.1288		.400	.1187		.500	.1070		.672	.0914							
.500	.1214		.450	.1123		.600	.0837		.771	.0736							
.550	.1035		.500	.1007		.700	.0668		.870	.0610							
.600	.0992		.600	.0765		.800	.0520		.915	.0558							
.700			.700	.0607		.900	.0456										
.800			.800	.0512		.940	.0445										
.900			.900														
.940	.0558		.940	.0407													

APPENDIX B

TABLE B-11.- Continued

(e) $\alpha = -4.19^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	.2724		.024			.055	.2073		.107	.2399		.194		
.050	.1064		.028	.1455		.050	.2289		.100	.2306		.160	.2210		.246	.2430	
.076			.052	.1742		.072	.2110		.146	.2063		.208	.2042		.362	.2042	
.100			.077	.1552		.100	.1889		.190	.1883		.306			.450	.1811	
.150	.1169		.100	.1436		.150	.1756		.240	.1724		.403	.1517		.640	.1454	
.200	.1148		.150	.1289		.200	.1555		.284	.1565		.503	.1234		.850	.1077	
.250	.1127		.200	.1205		.250	.1322		.330	.1417		.600	.0972				
.300	.1106		.250			.300	.1227		.374			.700	.0762				
.350	.1106		.300	.0931		.350	.1036		.473	.0961		.800	.0583				
.400			.350	.0847		.400	.0856		.572	.0699		.900	.0447				
.450	.0926		.400	.0826		.500	.0676		.672	.0489							
.500	.0863		.450	.0763		.600	.0475		.771	.0332							
.550	.0725		.500	.0647		.700	.0316		.870	.0216							
.600	.0641		.600	.0415		.800	.0178		.915	.0164							
.700			.700	.0299		.900	.0115										
.800			.800	.0205		.940	.0104										
.900			.900														
.940	.0249		.940	.0099													

APPENDIX B

TABLE B-11.- Continued

(f) $\alpha = -2.19^\circ$

C _p at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.016	.2281		.024			.055	.1077		.107	.1687		.194		
.024			.028	.0567		.050	.1953		.100	.1724		.160	.1507		.246	.1613	
.050	.0684		.052	.1237		.072	.1553		.146	.1512		.208	.1401		.362	.1306	
.076			.077	.1090		.100	.1374		.190	.1342		.306			.450	.1157	
.100			.100	.0974		.150	.1278		.240	.1225		.403	.0945		.640	.0871	
.150	.0800		.150	.0858		.200	.1087		.284	.1087		.503	.0702		.850	.0532	
.200	.0779		.200	.0805		.250			.330	.0960		.600	.0468				
.250	.0800		.250	.0711		.300	.0822		.374			.700	.0278				
.300	.0768		.300	.0584		.350	.0642		.473	.0490		.800	.0140				
.350	.0768		.350	.0500		.400	.0483		.572	.0246		.900	.0013				
.400			.400	.0479		.500	.0313		.672	.0055							
.450	.0539		.450	.0416		.600	.0111		.771	.0114							
.500	.0535		.500	.0321		.700	.0015		.870	.0209							
.550	.0123		.600	.0110		.800	.0143		.915	.0251							
.600	.0334		.700	.0005		.900											
.700			.800	.0078		.940	.0206										
.800			.900	.0162													
.900			.940	.0173													
.940	.0035																

APPENDIX B

TABLE B-11.- Continued

(g) $\alpha = -0.19^\circ$

C _p at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	.1707		.024			.055			.107	.0719		.194		
.050	.0375		.028	.0714		.050	.1267		.100	.1018		.160	.0750		.246	.0645	
.076			.052	.0751		.072	.0941		.146	.0923		.208	.0761		.362	.0478	
.100			.077	.0635		.100	.0835		.190	.0817		.306			.450	.0478	
.150	.0502		.100	.0562		.150	.0817		.240	.0711		.403	.0509		.640	.0341	
.200	.0481		.150	.0478		.200	.0636		.284	.0605		.503	.0299		.850	.0268	
.250	.0471		.200	.0457		.250			.330	.0499		.600	.0100				
.300	.0471		.250	.0383		.300	.0425		.374			.700	.0056				
.350	.0471		.300	.0257		.350	.0287		.473	.0184		.800	.0182				
.400			.350	.0183		.400	.0149		.572	.0056		.900	.0277				
.450	.0301		.400	.0162		.500	.0030		.672	.0224							
.500	.0249		.450	.0109		.600	.0200		.771	.0371							
.550	.0185		.500	.0025		.700	.0305		.870	.0455							
.600	.0058		.600	.0153		.800	.0422		.915	.0508							
.700			.700	.0248		.900											
.800			.800	.0321		.940	.0486										
.900			.900	.0416													
.940	.0279		.940	.0437													

APPENDIX B

TABLE B-11.- Continued

(h) $\alpha = 1.81^\circ$

C_p at $2y/b$ of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	-.0511		.024			.055			.107	-.0155		.194		
.050	-.0089		.028	-.0268		.050	-.0497		.100	-.0384		.160	-.0134		.246	-.0040	
.076			.052	-.0276		.072	-.0350		.146	-.0278		.208	-.0145		.362	-.0095	
.100			.077	-.0192		.100	-.0276		.190	-.0204		.306			.450	-.0147	
.150	-.0226		.100	-.0129		.150	-.0310		.240	-.0140		.403	-.0053		.640	-.0241	
.200	-.0205		.150	-.0129		.200	-.0151		.284	-.0087		.503	-.0199		.850	-.0377	
.250	-.0205		.200	-.0118		.250			.330	-.0003		.600	-.0356				
.300	-.0194		.250	-.0066		.300	-.0024		.374			.700	-.0482				
.350	-.0173		.300	-.0049		.350	-.0071		.473	-.0199		.800	-.0566				
.400			.350	-.0133		.400	-.0198		.572	-.0419		.900	-.0639				
.450	-.0025		.400	-.0154		.500	-.0346		.672	-.0555							
.500	-.0037		.450	-.0186		.600	-.0516		.771	-.0670							
.550	-.0058		.500	-.0238		.700	-.0601		.870	-.0743							
.600	-.0185		.600	-.0417		.800	-.0686		.915	-.0775							
.700			.700	-.0491		.900											
.800			.800	-.0575		.940	-.0739										
.900			.900	-.0649													
.940	-.0492		.940	-.0659													

APPENDIX B

TABLE B-11.- Continued

(i) $\alpha = 3.82^\circ$

C _p at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	-.0215		.024			.055			.107	-.0535		.194		
.050	-.0152		.028	-.0437		.050	-.0152		.100	-.0233		.160	-.0492		.246	-.0714	
.076			.052	-.0247		.072	-.0152		.146	-.0318		.208	-.0503		.362	-.0683	
.100			.077	-.0258		.100	-.0279		.190	-.0339		.306			.450	-.0735	
.150	-.0014		.100	-.0279		.150	-.0202		.240	-.0360		.403	-.0630		.640	-.0809	
.200	-.0035		.150	-.0247		.200	-.0318		.284	-.0403		.503	-.0756		.850	-.0830	
.250	-.0046		.200	-.0205		.250			.330	-.0466		.600	-.0873				
.300	-.0056		.250	-.0258		.300	-.0382		.374			.700	-.0968				
.350	-.0078		.300	-.0331		.350	-.0456		.473	-.0672		.800	-.1042				
.400			.350	-.0394		.400	-.0540		.572	-.0883		.900	-.1084				
.450	-.0194		.400	-.0405		.500	-.0646		.672	-.0978							
.500	-.0247		.450	-.0426		.600	-.0784		.771	-.1063							
.550	-.0278		.500	-.0479		.700	-.0847		.870	-.1105							
.600	-.0395		.600	-.0637		.800	-.0911		.915	-.1137							
.700			.700	-.0721		.900											
.800			.800	-.0784		.940	-.0964										
.900			.900	-.0858													
.940	-.0691		.940	-.0868													

APPENDIX B

TABLE B-11.- Continued

(j) $\alpha = 5.81^\circ$

C_p at $2y/b$ of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	-.0755		.024			.055	-.1194		.107	-.1119		.194		
.050	-.0342		.028	-.0945		.050	-.0942		.100	-.0918		.160	-.1014		.246	-.1320	
.076			.052	-.0711		.072	-.0742		.146	-.0801		.208	-.0993		.362	-.1151	
.100			.077	-.0732		.100	-.0753		.190	-.0812		.306			.450	-.1151	
.150	-.0237		.100	-.0732		.150	-.0610		.240	-.0833		.403	-.1046		.640	-.1235	
.200	-.0258		.150	-.0637		.200	-.0780		.284	-.0865		.503	-.1130		.850	-.1235	
.250	-.0279		.200	-.0542		.250			.330	-.0897		.600	-.1235				
.300	-.0290		.250	-.0542		.300	-.0844		.374			.700	-.1320				
.350	-.0290		.300	-.0595		.350	-.0886		.473	-.1004		.800	-.1372				
.400			.350	-.0637		.400	-.0939		.572	-.1225		.900	-.1415				
.450	-.0406		.400	-.0648		.500	-.0950		.672	-.1320							
.500	-.0459		.450	-.0658		.600	-.1045		.771	-.1404							
.550	-.0438		.500	-.0700		.700	-.1098		.870	-.1446							
.600	-.0607		.600	-.0837		.800	-.1151		.915	-.1457							
.700			.700	-.0911		.900											
.800			.800	-.0974		.940	-.1173										
.900			.900	-.1048													
.940	-.0871		.940	-.1058													

APPENDIX B

TABLE B-11.- Continued

(k) $\alpha = 7.81^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	-.1302		.024			.055	-.1628		.107	-.1598		.194		
.050	-.0561		.028	-.1281		.050	-.1508		.100	-.1331		.160	-.1472		.246	-.1671	
.076			.052	-.1150		.072	-.1203		.146	-.1278		.208	-.1419		.362	-.1556	
.100			.077	-.1171		.100	-.1224		.190	-.1246		.306			.450	-.1535	
.150	-.0455		.100	-.1139		.150	-.0970		.240	-.1225		.403	-.1388		.640	-.1566	
.200	-.0486		.150	-.1087		.200	-.1140		.284	-.1235		.503	-.1440		.850	-.1577	
.250	-.0486		.200	-.0929		.250			.330	-.1267		.600	-.1514				
.300	-.0497		.250	-.0855		.300	-.1225		.374			.700	-.1587				
.350	-.0518		.300	-.0855		.350	-.1278		.473	-.1272		.800	-.1640				
.400			.350	-.0886		.400	-.1341		.572	-.1493		.900	-.1682				
.450	-.0603		.400	-.0886		.500	-.1352		.672	-.1566							
.500	-.0666		.450	-.0897		.600	-.1331		.771	-.1640							
.550	-.0603		.500	-.0929		.700	-.1331		.870	-.1703							
.600	-.0804		.600	-.1045		.800	-.1373		.915	-.1724							
.700			.700	-.1118		.900											
.800			.800	-.1171		.940	-.1384										
.900			.900	-.1224													
.940	-.1048		.940	-.1245													

APPENDIX B

TABLE B-11.- Continued

(1) $\alpha = 9.81^\circ$

C_p at $2y/b$ of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	-.1748		.024			.055	-.1980		.107	-.2046		.194		
.050	-.0733		.028	-.1632		.050	-.1834		.100	-.1747		.160	-.1908		.246	-.2046	
.076			.052	-.1432		.072	-.1643		.146	-.1620		.208	-.1792		.362	-.1961	
.100			.077	-.1496		.100	-.1538		.190	-.1567		.306			.450	-.1919	
.150	-.0606		.100	-.1485		.150	-.1249		.240	-.1567		.403	-.1761		.640	-.1908	
.200	-.0637		.150	-.1443		.200	-.1419		.284	-.1535		.503	-.1771		.850	-.1856	
.250	-.0648		.200	-.1326		.250			.330	-.1546		.600	-.1813				
.300	-.0659		.250	-.1179		.300	-.1482		.374			.700	-.1877				
.350	-.0669		.300	-.1126		.350	-.1535		.473	-.1550		.800	-.1919				
.400			.350	-.1115		.400	-.1539		.572	-.1792		.900	-.1951				
.450	-.0764		.400	-.1115		.500	-.1652		.672	-.1856							
.500	-.0817		.450	-.1126		.600	-.1652		.771	-.1919							
.550	-.0669		.500	-.1136		.700	-.1578		.870	-.1951							
.600	-.0934		.600	-.1231		.800	-.1567		.915	-.1972							
.700			.700	-.1295		.900											
.800			.800	-.1337		.940	-.1535										
.900			.900	-.1390													
.940	-.1177		.940	-.1390													

APPENDIX B

TABLE B-11.- Concluded

(m) $\alpha = 13.82^\circ$

Cp at 2y/b of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	-.2267		.024			.055	-.2403		.107	-.2572		.194		
.050	-.1019		.028	-.2193		.050	-.2415		.100	-.2319		.160	-.2509		.246	-.2572	
.076			.052	-.1928		.072	-.2193		.146	-.2234		.208	-.2381		.362	-.2519	
.100			.077	-.1992		.100	-.2097		.190	-.2149		.306			.450	-.2477	
.150	-.0924		.100	-.1960		.150	-.1746		.240	-.2096		.403	-.2296		.640	-.2402	
.200	-.0977		.150	-.1960		.200	-.1937		.284	-.2054		.503	-.2296		.850	-.2307	
.250	-.0987		.200	-.1897		.250			.330	-.2043		.600	-.2317				
.300	-.0998		.250	-.1791		.300	-.1948		.374			.700	-.2339				
.350	-.1008		.300	-.1664		.350	-.1979		.473	-.2009		.800	-.2339				
.400			.350	-.1579		.400	-.2022		.572	-.2264		.900	-.2222				
.450	-.1051		.400	-.1569		.500	-.2054		.672	-.2307							
.500	-.1104		.450	-.1558		.600	-.2096		.771	-.2328							
.550	-.0860		.500	-.1558		.700	-.2001		.870	-.2360							
.600	-.1209		.600	-.1622		.800	-.1927		.915	-.2360							
.700			.700	-.1664		.900											
.800			.800	-.1674		.940	-.1799										
.900			.900	-.1685													
.940	-.1400		.940	-.1706													

APPENDIX B

TABLE B-12.- PRESSURE COEFFICIENTS FOR WING WITH 55° SWEEP,

$C_{L,des} = 0.0, M = 3.0$

(a) $\alpha = -14.20^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	.4835		.024			.055			.107	.5049		.194		
.050	.2816		.028	.5100		.050	.5589		.100	.4761		.160	.4811		.246	.4798	
.076			.052	.3877		.072	.4670		.146	.4432		.208	.4498		.362	.4623	
.100			.077	.3625		.100	.4267		.190	.4204		.306			.450	.4272	
.150	.2904		.100	.3474		.150	.4103		.240	.3939		.403	.3784		.640	.3797	
.200	.2955		.150	.3272		.200	.3850		.284	.3749		.503	.3471		.850	.3784	
.250	.2980		.200	.3159		.250			.330	.3572		.600	.3145				
.300	.2980		.250	.3083		.300	.3370		.374			.700	.2870				
.350	.2993		.300	.2907		.350	.3142		.473	.3008		.800	.2670				
.400			.350	.2806		.400	.2902		.572	.2695		.900	.2532				
.450	.2766		.400	.2769		.500	.2636		.672	.2444							
.500	.2740		.450	.2655		.600	.2295		.771	.2219							
.550	.2400		.500	.2517		.700	.2054		.870	.2056							
.600	.2425		.600	.2202		.800	.1852		.915	.1993							
.700			.700	.1975		.900											
.800			.800	.1799		.940	.1751										
.900			.900	.1648													
.940	.1882		.940	.1648													

APPENDIX B

TABLE B-12.- Continued

(b) $\alpha = -10.10^\circ$

C_p at $2y/b$ of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	.4072		.024			.055			.107	.3722		.194		
.050	.1937		.028	.2998		.050	.4393		.100	.3527		.160	.3571		.246	.3722	
.076			.052	.2973		.072	.3450		.146	.3274		.208	.3358		.362	.3371	
.100			.077	.2734		.100	.3161		.190	.3084		.306			.450	.3096	
.150	.2013		.100	.2596		.150	.3034		.240	.2882		.403	.2745		.640	.2732	
.200	.2076		.150	.2395		.200	.2780		.284	.2730		.503	.2482		.850	.2519	
.250	.2114		.200	.2282		.250			.330	.2565		.600	.2206				
.300	.2126		.250	.2156		.300	.2363		.374			.700	.1981				
.350	.2126		.300	.1993		.350	.2135		.473	.2119		.800	.1806				
.400			.350	.1867		.400	.1932		.572	.1818		.900	.1643				
.450	.1886		.400	.1817		.500	.1679		.672	.1580							
.500	.1836		.450	.1742		.600	.1426		.771	.1392							
.550	.2366		.500	.1603		.700	.1248		.870	.1255							
.600	.1558		.600	.1314		.800	.1084		.915	.1192							
.700			.700	.1164		.900											
.800			.800	.1025		.940	.0995										
.900			.900	.0925													
.940	.1116		.940	.0912													

APPENDIX B

TABLE B-12.- Continued

(c) $\alpha = -8.14^\circ$

C _p at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	.3604		.024			.055			.107	.3070		.194		
.050	.1583		.028	.2442		.050	.3500		.100	.2937		.160	.2907		.246	.2895	
.076			.052	.2495		.072	.2859		.146	.2709		.208	.2732		.362	.2669	
.100			.077	.2269		.100	.2620		.190	.2544		.306			.450	.2469	
.150	.1659		.100	.2118		.150	.2506		.240	.2379		.403	.2256		.640	.2156	
.200	.1684		.150	.1942		.200	.2252		.284	.2265		.503	.2006		.850	.1893	
.250	.1646		.200	.1842		.250			.330	.2100		.600	.1755				
.300	.1646		.250	.1741		.300	.1898		.374			.700	.1555				
.350	.1671		.300	.1565		.350	.1707		.473	.1718		.800	.1380				
.400			.350	.1440		.400	.1505		.572	.1430		.900	.1242				
.450	.1482		.400	.1377		.500	.1289		.672	.1192							
.500	.1431		.450	.1314		.600	.1048		.771	.1016							
.550	.1324		.500	.1201		.700	.0896		.870	.0904							
.600	.1179		.600	.0962		.800	.0757		.915	.0841							
.700			.700	.0812		.900											
.800			.800	.0724		.940	.0655										
.900			.900	.0623													
.940	.0787		.940	.0598													

APPENDIX B

TABLE B-12.- Continued

(d) $\alpha = -6.15^\circ$

C _p at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	.3074		.024			.055			.107	.2173		.194		
.050	.1267		.028	.1659		.050	.2311		.100	.2286		.160	.2135		.246	.1858	
.076			.052	.2060		.072	.2286		.146	.2135		.208	.2072		.362	.1846	
.100			.077	.1846		.100	.2072		.190	.2021		.306			.450	.1733	
.150	.1330		.100	.1707		.150	.2033		.240	.1894		.403	.1733		.640	.1556	
.200	.1356		.150	.1531		.200	.1780		.284	.1805		.503	.1519		.850	.1343	
.250	.1343		.200	.1443		.250			.330	.1666		.600	.1292				
.300	.1330		.250	.1330		.300	.1489		.374			.700	.1104				
.350	.1305		.300	.1167		.350	.1324		.473	.1317		.800	.0953				
.400			.350	.1041		.400	.1134		.572	.1267		.900	.0840				
.450	.1116		.400	.1003		.500	.0932		.672	.0827							
.500	.1065		.450	.0953		.600	.0704		.771	.0651							
.550	.1899		.500	.0865		.700	.0577		.870	.0538							
.600	.0863		.600	.0651		.800	.0451		.915	.0487							
.700			.700	.0525		.900											
.800			.800	.0450		.940	.0362										
.900			.900	.0336													
.940	.0497		.940	.0324													

APPENDIX B

TABLE B-12.- Continued

(e) $\alpha = -4.15^\circ$

C _p at 2y/b of :																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	.2276		.024			.055			.107	.1482		.194		
.050	.0938		.028	.1708		.050	.1693		.100	.1618		.160	.1355		.246	.1152	
.076			.052	.1593		.072	.1719		.146	.1554		.208	.1330		.362	.1063	
.100			.077	.1429		.100	.1580		.190	.1504		.306			.450	.0974	
.150	.0988		.100	.1291		.150	.1605		.240	.1428		.403	.1101		.640	.0835	
.200	.1013		.150	.1140		.200	.1390		.284	.1364		.503	.0949		.850	.0683	
.250	.1001		.200	.1040		.250			.330	.1263		.600	.0784				
.300	.0976		.250	.0964		.300	.1124		.374			.700	.0632				
.350	.0950		.300	.0813		.350	.0972		.473	.0898		.800	.0518				
.400			.350	.0713		.400	.0819		.572	.0607		.900	.0429				
.450	.0786		.400	.0675		.500	.0617		.672	.0429							
.500	.0736		.450	.0625		.600	.0414		.771	.0264							
.550	.1291		.500	.0562		.700	.0287		.870	.0175							
.600	.0572		.600	.0386		.800	.0173		.915	.0112							
.700			.700	.0273		.900											
.800			.800	.0197		.940	.0097										
.900			.900	.0097													
.940	.0256		.940	.0084													

APPENDIX B

TABLE B-12.- Continued

(f) $\alpha = -2.15^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	.1432		.024			.055			.107	.0798		.194		
.050	.0649		.028	.0977		.050	.1117		.100	.1047		.160	.0836		.246	.0710	
.076			.052	.1155		.072	.1117		.146	.1009		.208	.0823		.362	.0596	
.100			.077	.1016		.100	.1029		.190	.0958		.306			.450	.0520	
.150	.0687		.100	.0928		.150	.1160		.240	.0920		.403	.0646		.640	.0394	
.200	.0699		.150	.0765		.200	.0983		.284	.0882		.503	.0520		.850	.0306	
.250	.0674		.200	.0702		.250			.330	.0819		.600	.0394				
.300	.0662		.250	.0626		.300	.0781		.374			.700	.0268				
.350	.0649		.300	.0501		.350	.0641		.473	.0609		.800	.0192				
.400			.350	.0400		.400	.0502		.572	.0331		.900	.0116				
.450	.0510		.400	.0375		.500	.0325		.672	.0179							
.500	.0472		.450	.0350		.600	.0147		.771	.0041							
.550	.1281		.500	.0287		.700	.0021		.870	.0047							
.600	.0320		.600	.0123		.800	.0067		.915	.0085							
.700			.700	.0010		.900											
.800			.800	.0052		.940	.0130										
.900			.900	.0127													
.940	.0042		.940	.0140													

APPENDIX B

TABLE B-12.- Continued

(g) $\alpha = -0.15^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	-.0899		.024			.055			.107	-.0479		.194		
.050	-.0381		.028	-.0470		.050	-.0994		.100	-.0550		.160	-.0429		.246	-.0366	
.076			.052	-.0632		.072	-.0616		.146	-.0550		.208	-.0416		.362	-.0279	
.100			.077	-.0579		.100	-.0553		.190	-.0525		.306			.450	-.0203	
.150	-.0419		.100	-.0553		.150	-.0740		.240	-.0500		.403	-.0304		.640	-.0091	
.200	-.0419		.150	-.0453		.200	-.0550		.284	-.0449		.503	-.0304		.850	-.0028	
.250	-.0419		.200	-.0390		.250			.330	-.0386		.600	-.0078				
.300	-.0394		.250	-.0327		.300	-.0449		.374			.700	-.0021				
.350	-.0381		.300	-.0226		.350	-.0335		.473	-.0329		.800	-.0096				
.400			.350	-.0138		.400	-.0209		.572	-.0091		.900	-.0146				
.450	-.0280		.400	-.0113		.500	-.0057		.672	-.0034							
.500	-.0243		.450	-.0087		.600	-.0119		.771	-.0146							
.550	-.0003		.500	-.0050		.700	-.0220		.870	-.0221							
.600	-.0078		.600	-.0113		.800	-.0296		.915	-.0259							
.700			.700	-.0201		.900											
.800			.800	-.0239		.940	-.0334										
.900			.900	-.0315													
.940	-.0148		.940	-.0340													

APPENDIX B

TABLE B-12.- Continued

(h) $\alpha = 1.86^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	.0470		.024			.055			.107	.0164		.194		
.050	.0129		.028	.0167		.050	.6534		.100	.0158		.160	.0089		.246	.0185	
.076			.052	.0295		.072	.0232		.146	.0120		.208	.0051		.362	.0048	
.100			.077	.0207		.100	.0207		.190	.0120		.306			.450	.0038	
.150	.0167		.100	.0182		.150	.0386		.240	.0107		.403	.0035		.640	.0210	
.200	.0167		.150	.0157		.200	.0171		.284	.0082		.503	.0123		.850	.0223	
.250	.0167		.200	.0119		.250			.330	.0044		.600	.0223				
.300	.0167		.250	.0069		.300	.0095		.374			.700	.0311				
.350	.0142		.300	.0005		.350	.0032		.473	.0051		.800	.0373				
.400	.1240		.350	.0080		.400	.0069		.572	.0223		.900	.0398				
.450	.0053		.400	.0105		.500	.0208		.672	.0323							
.500	.0015		.450	.0131		.600	.0347		.771	.0398							
.550	.0571		.500	.0168		.700	.0436		.870	.0448							
.600	.0110		.600	.0294		.800	.0499		.915	.0473							
.700			.700	.0357		.900											
.800			.800	.0407		.940	.0524										
.900			.900	.0470													
.940	.0324		.940	.0482													

APPENDIX B

TABLE B-12.- Continued

(i) $\alpha = 3.86^\circ$

C_p at $2y/b$ of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	-.0092		.024			.055			.107	-.0147		.194		
.050	-.0072		.028	-.0109		.050	-.0064		.100	-.0133		.160	-.0185		.246	-.0448	
.076			.052	-.0014		.072	-.0102		.146	-.0146		.208	-.0210		.362	-.0323	
.100			.077	-.0127		.100	-.0114		.190	-.0184		.306			.450	-.0360	
.150	-.0046		.100	-.0140		.150	-.0093		.240	-.0209		.403	-.0323		.640	-.0460	
.200	-.0046		.150	-.0140		.200	-.0146		.284	-.0209		.503	-.0410		.850	-.0473	
.250	-.0021		.200	-.0165		.250			.330	-.0247		.600	-.0485				
.300	-.0034		.250	-.0190		.300	-.0209		.374			.700	-.0560				
.350	-.0046		.300	-.0253		.350	-.0259		.473	-.0198		.800	-.0611				
.400	.1266		.350	-.0303		.400	-.0335		.572	-.0473		.900	-.0636				
.450	-.0122		.400	-.0328		.500	-.0436		.672	-.0560							
.500	-.0173		.450	-.0341		.600	-.0550		.771	-.0623							
.550	-.0559		.500	-.0366		.700	-.0613		.870	-.0686							
.600	-.0274		.600	-.0467		.800	-.0664		.915	-.0698							
.700			.700	-.0530		.900											
.800			.800	-.0567													
.900			.900	-.0618													
.940	-.0476		.940	-.0655													

APPENDIX B

TABLE B-12.- Continued

(j) $\alpha = 5.85^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	-.0210		.024			.055			.107	-.0454		.194		
.050	-.0248		.028	-.0412		.050	-.0341		.100	-.0408		.160	-.0432		.246	-.0532	
.076			.052	-.0278		.072	-.0378		.146	-.0408		.208	-.0432		.362	-.0605	
.100			.077	-.0403		.100	-.0403		.190	-.0434		.306			.450	-.0655	
.150	-.0197		.100	-.0403		.150	-.0155		.240	-.0446		.403	-.0630		.640	-.0743	
.200	-.0210		.150	-.0416		.200	-.0408		.284	-.0484		.503	-.0693		.850	-.0743	
.250	-.0197		.200	-.0416		.250			.330	-.0510		.600	-.0756				
.300	-.0197		.250	-.0441		.300	-.0484		.374			.700	-.0819				
.350	-.0223		.300	-.0432		.350	-.0522		.473	-.0466		.800	-.0869				
.400	.1317		.350	-.0517		.400	-.0586		.572	-.0466		.900	-.0907				
.450	-.0286		.400	-.0529		.500	-.0662		.672	-.0819							
.500	-.0336		.450	-.0517		.600	-.0738		.771	-.0882							
.550	-.0547		.500	-.0542		.700	-.0801		.870	-.0920							
.600	-.0412		.600	-.0617		.800	-.0852		.915	-.0932							
.700			.700	-.0668		.900											
.800			.800	-.0706		.940	-.0839										
.900			.900	-.0756													
.940	-.0602		.940	-.0781													

APPENDIX B

TABLE B-12.- Continued

(k) $\alpha = 7.85^\circ$

C _p at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	-.0475		.024			.055			.107	-.0737		.194		
.050	-.0400		.028	-.0652		.050	-.0531		.100	-.0611		.160	-.0788		.246	-.0876	
.076			.052	-.0455		.072	-.0606		.146	-.0624		.208	-.0788		.362	-.0876	
.100			.077	-.0606		.100	-.0606		.190	-.0636		.306			.450	-.0902	
.150	-.0349		.100	-.0631		.150	-.0345		.240	-.0662		.403	-.0902		.640	-.0991	
.200	-.0362		.150	-.0644		.200	-.0624		.284	-.0687		.503	-.0952		.850	-.0991	
.250	-.0349		.200	-.0644		.250			.330	-.0725		.600	-.1016				
.300	-.0362		.250	-.0669		.300	-.0700		.374			.700	-.1079				
.350	-.0387		.300	-.0681		.350	-.0750		.473	-.0711		.800	-.1117				
.400	.1393		.350	-.0694		.400	-.0801		.572	-.1029		.900	-.1079				
.450	-.0425		.400	-.0694		.500	-.0864		.672	-.1092							
.500	-.0475		.450	-.0669		.600	-.0928		.771	-.1130							
.550	.0534		.500	-.0669		.700	-.0979		.870	-.1168							
.600	-.0539		.600	-.0732		.800	-.1004		.915	-.1181							
.700			.700	-.0782		.900											
.800			.800	-.0807		.940	-.0991										
.900			.900	-.0858													
.940	-.0715		.940	-.0883													

APPENDIX B

TABLE B-12.- Continued

(1) $\alpha = 9.86^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	-.0716		.024			.055			.107	-.0918		.194		
.050	-.0539		.028	-.0804		.050	-.0769		.100	-.0802		.160	-.0918		.246	-.0968	
.076			.052	-.0656		.072	-.0781		.146	-.0815		.208	-.0905		.362	-.0993	
.100			.077	-.0819		.100	-.0794		.190	-.0828		.306			.450	-.1019	
.150	-.0463		.100	-.0832		.150	-.0511		.240	-.0840		.403	-.1006		.640	-.1082	
.200	-.0476		.150	-.0844		.200	-.0790		.284	-.0866		.503	-.1069		.850	-.1069	
.250	-.0488		.200	-.0844		.250			.330	-.0891		.600	-.1120				
.300	-.0501		.250	-.0844		.300	-.0878		.374			.700	-.1170				
.350	-.0526		.300	-.0870		.350	-.0916		.473	-.0817		.800	-.1183				
.400	-.1480		.350	-.0895		.400	-.0954		.572	-.1120		.900	-.1069				
.450	-.0539		.400	-.0895		.500	-.1017		.672	-.1183							
.500	-.0602		.450	-.0882		.600	-.1081		.771	-.1221							
.550	-.0521		.500	-.0870		.700	-.1119		.870	-.1132							
.600	-.0640		.600	-.0882		.800	-.1131		.915	-.1107							
.700			.700	-.0907		.900											
.800			.800	-.0932		.940	-.1093										
.900			.900	-.0958													
.940	-.0804		.940	-.0995													

APPENDIX B

TABLE B-12.- Concluded

(m) $\alpha = 13.84^\circ$

C_p at $2y/b$ of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	-.1095		.024			.055			.107	-.1434		.194		
.050	-.0754		.028	-.1095		.050	-.1222		.100	-.1157		.160	-.1396		.246	-.1459	
.076			.052	-.0907		.072	-.1108		.146	-.1119		.208	-.1268		.362	-.1434	
.100			.077	-.1096		.100	-.1108		.190	-.1119		.306			.450	-.1421	
.150	-.0653		.100	-.1108		.150	-.0765		.240	-.1119		.403	-.1370		.640	-.1421	
.200	-.0703		.150	-.1133		.200	-.1068		.284	-.1144		.503	-.1408		.850	-.1357	
.250	-.0703		.200	-.1108		.250			.330	-.1144		.600	-.1447				
.300	-.0703		.250	-.1108		.300	-.1131		.374			.700	-.1447				
.350	-.0716		.300	-.1108		.350	-.1157		.473	-.1115		.800	-.1370				
.400	.1601		.350	-.1133		.400	-.1195		.572	-.1434		.900	-.1332				
.450	-.0716		.400	-.1133		.500	-.1220		.672	-.1459							
.500	-.0792		.450	-.1133		.600	-.1271		.771	-.1396							
.550	-.0034		.500	-.1146		.700	-.1258		.870	-.1383							
.600	-.0817		.600	-.1184		.800	-.1245		.915	-.1370							
.700			.700	-.1209		.900											
.800			.800	-.1209		.940	-.1093										
.900			.900	-.1222													
.940	-.0918		.940	-.1259													

APPENDIX B

TABLE B-13.- PRESSURE COEFFICIENTS FOR WING WITH 55° SWEEP,

$C_{L,des} = 0.0, M = 3.5$

(a) $\alpha = -14.40^\circ$

C_p at $2y/b$ of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	.4765		.024			.055			.107	.4610		.194		
.050	.2670		.028	.4485		.050	.4263		.100	.4275		.160	.4376		.246	.4552	
.076			.052	.3676		.072	.4204		.146	.4024		.208	.4113		.362	.4186	
.100			.077	.3441		.100	.3867		.190	.3832		.306			.450	.3894	
.150	.2729		.100	.3294		.150	.3728		.240	.3625		.403	.3470		.640	.3484	
.200	.2788		.150	.3074		.200	.3492		.284	.3462		.503	.3177		.850	.3089	
.250	.2803		.200	.2957		.250			.330	.3299		.600	.2899				
.300	.2803		.250	.2839		.300	.3063		.374			.700	.2665				
.350	.2803		.300	.2649		.350	.2856		.473	.2855		.800	.2461				
.400			.350	.2517		.400	.2619		.572	.2724		.900	.2300				
.450	.2522		.400	.2473		.500	.2368		.672	.2256							
.500	.2493		.450	.2399		.600	.2102		.771	.2036							
.550	.1932		.500	.2267		.700	.1895		.870	.1890							
.600	.2183		.600	.1974		.800	.1687		.915	.1817							
.700			.700	.1798		.900											
.800			.800	.1651		.940	.1569										
.900			.900	.1504													
.940	.1740		.940	.1489													

APPENDIX B

TABLE B-13.- Continued

(b) $\alpha = -10.30^\circ$

C_p at $2y/b$ of :

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	.3733		.024			.055	-.2492		.107	-.3052		.194		
.050	.1830		.028	-.2849		.050	-.2987		.100	-.3025		.160	-.2891		.246	-.2744	
.076			.052	-.2692		.072	-.2987		.146	-.2862		.208	-.2788		.362	-.2657	
.100			.077	-.2442		.100	-.2766		.190	-.2744		.306			.450	-.2495	
.150	.1874		.100	-.2324		.150	-.2758		.240	-.2535		.403	-.2408		.640	-.2276	
.200	.1904		.150	-.2147		.200	-.2536		.284	-.2492		.503	-.2202		.850	-.2012	
.250	.1919		.200	-.2015		.250			.330	-.2358		.600	-.1968				
.300	.1919		.250	-.1912		.300	-.2181		.374			.700	-.1778				
.350	.1904		.300	-.1750		.350	-.1988		.473	-.2012		.800	-.1617				
.400			.350	-.1632		.400	-.1796		.572	-.1324		.900	-.1485				
.450	.1682		.400	-.1588		.500	-.1559		.672	-.1455							
.500	.1653		.450	-.1529		.600	-.1307		.771	-.1265							
.550	.1919		.500	-.1440		.700	-.1129		.870	-.1133							
.600	.1461		.600	-.1175		.800	-.0981		.915	-.1075							
.700			.700	-.1013		.900											
.800	.1476		.800	-.0910		.940	-.0877										
.900	.1033		.900	-.0792													
.940	.1048		.940	-.0778													

APPENDIX B

TABLE B-13.- Continued

(c) $\alpha = -8.39^\circ$

C_p at $2y/b$ of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	.3022		.024			.055	.1731		.107	.2218		.194		
.050	.1429		.028	.2639		.050	.2347		.100	.2366		.160	.2144		.246	.1938	
.076			.052	.2273		.072	.2479		.146	.2277		.208	.2056		.362	.1806	
.100			.077	.2067		.100	.2303		.190	.2218		.306			.450	.1732	
.150	.1488		.100	.1950		.150	.2337		.240	.2100		.403	.1865		.640	.1585	
.200	.1518		.150	.1759		.200	.2071		.284	.2026		.503	.1688		.850	.1423	
.250	.1532		.200	.1656		.250			.330	.1923		.600	.1482				
.300	.1518		.250	.1568		.300	.1775		.374			.700	.1335				
.350	.1503		.300	.1406		.350	.1598		.473	.1615		.800	.1188				
.400			.350	.1288		.400	.1420		.572	.1585		.900	.1085				
.450	.1341		.400	.1229		.500	.1198		.672	.1070							
.500	.1296		.450	.1185		.600	.0962		.771	.0894							
.550	.1916		.500	.1097		.700	.0799		.870	.0761							
.600	.1090		.600	.0891		.800	.0681		.915	.0702							
.700			.700	.0744		.900											
.800	.1473		.800	.0656		.940	.0592										
.900	.0736		.900	.0553													
.940	.0736		.940	.0539													

APPENDIX B

TABLE B-13.- Continued

(d) $\alpha = -6.39^\circ$

C_p at $2y/b$ of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.016	.2137		.024			.055	.1394		.107	.1721		.194		
.050	.1120		.028	.1917		.050	.1745		.100	.1765		.160	.1530		.246	.1398	
.076			.052	.1848		.072	.1848		.146	.1631		.208	.1516		.362	.1296	
.100			.077	.1701		.100	.1760		.190	.1646		.306			.450	.1222	
.150	.1165		.100	.1583		.150	.1898		.240	.1572		.403	.1340		.640	.1091	
.200	.1179		.150	.1422		.200	.1676		.284	.1557		.503	.1222		.850	.0959	
.250	.1194		.200	.1304		.250			.330	.1468		.600	.1076				
.300	.1194		.250	.1216		.300	.1409		.374			.700	.0944				
.350	.1165		.300	.1069		.350	.1261		.473	.1325		.800	.0856				
.400			.350	.0951		.400	.1098		.572	.1236		.900	.0768				
.450	.1017		.400	.0907		.500	.0876		.672	.0797							
.500	.0973		.450	.0848		.600	.0669		.771	.0651							
.550	.1902		.500	.0789		.700	.0521		.870	.0534							
.600	.0811		.600	.0598		.800	.0417		.915	.0490							
.700			.700	.0466		.900											
.800	.1460		.800	.0407		.940	.0329										
.900	.0486		.900	.0304													
.940	.0486		.940	.0275													

APPENDIX B

TABLE B-13.- Continued

(e) $\alpha = -4.39^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.016	.1623		.024			.055	.1023		.107	.1148		.194		
.050	.0841		.028	.1180		.050	.1290		.100	.1186		.160	.1089		.246	.0957	
.076			.052	.1423		.072	.1305		.146	.1200		.208	.1030		.362	.0869	
.100			.077	.1290		.100	.1231		.190	.1156		.306			.450	.0781	
.150	.0856		.100	.1217		.150	.1452		.240	.1126		.403	.0913		.640	.0664	
.200	.0856		.150	.1070		.200	.1245		.284	.1097		.503	.0796		.850	.0547	
.250	.0885		.200	.0952		.250			.330	.1008		.600	.0664				
.300	.0885		.250	.0878		.300	.1052		.374			.700	.0562				
.350	.0856		.300	.0761		.350	.0919		.473	.0957		.800	.0474				
.400			.350	.0658		.400	.0786		.572	.0943		.900	.0415				
.450	.0723		.400	.0599		.500	.0594		.672	.0503							
.500	.0678		.450	.0555		.600	.0401		.771	.0386							
.550	.1889		.500	.0511		.700	.0283		.870	.0283							
.600	.0531		.600	.0349		.800	.0165		.915	.0239							
.700			.700	.0246		.900											
.800	.1461		.800	.0172		.940	.0091										
.900	.0265		.900	.0084													
.940	.0250		.940	.0054													

APPENDIX B

TABLE B-13.- Continued

(f) $\alpha = -2.39^\circ$

C_p at $2y/b$ of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.016	.1135		.024			.055	.0680		.107	.0766		.194		
.050	.0574		.028	.0810		.050	.0846		.100	.0783		.160	.0649		.246	.0605	
.076			.052	.0934		.072	.0904		.146	.0724		.208	.0649		.362	.0532	
.100			.077	.0846		.100	.0816		.190	.0739		.306			.450	.0444	
.150	.0589		.100	.0816		.150	.1049		.240	.0709		.403	.0546		.640	.0327	
.200	.0559		.150	.0757		.200	.0812		.284	.0680		.503	.0444		.850	.0209	
.250	.0604		.200	.0669		.250			.330	.0650		.600	.0327				
.300	.0604		.250	.0596		.300	.0709		.374			.700	.0239				
.350	.0574		.300	.0478		.350	.0620		.473	.0649		.800	.0166				
.400			.350	.0376		.400	.0488		.572	.0634		.900	.0107				
.450	.0471		.400	.0332		.500	.0325		.672	.0224							
.500	.0427		.450	.0302		.600	.0163		.771	.0122							
.550	.01858		.500	.0258		.700	.0030		.870	.0048							
.600	.0323		.600	.0111		.800	.0058		.915	.0019							
.700			.700	.0023		.900	.0087										
.800	.01459		.800	.0035		.940	.0102										
.900	.0073		.900	.0108													
.940	.0058		.940	.0137													

APPENDIX B

TABLE B-13.- Continued

(g) $\alpha = -0.11^\circ$

C _p at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	-.0678		.024			.055			.107	-.0373		.194		
.050	-.0295		.028	-.0398		.050	-.0463		.100	-.0400		.160	-.0270		.246	-.0241	
.076			.052	-.0551		.072	-.0463		.146	-.0370		.208	-.0256		.362	-.0168	
.100			.077	-.0433		.100	-.0419		.190	-.0340		.306			.450	-.0109	
.150	-.0324		.100	-.0419		.150	-.0680		.240	-.0296		.403	-.0138		.640	-.0006	
.200	-.0295		.150	-.0404		.200	-.0400		.284	-.0296		.503	-.0080		.850	-.0066	
.250	-.0309		.200	-.0360		.250			.330	-.0267		.600	-.0007				
.300	-.0309		.250	-.0301		.300	-.0326		.374			.700	-.0095				
.350	-.0295		.300	-.0213		.350	-.0267		.473	-.0329		.800	-.0154				
.400			.350	-.0125		.400	-.0178		.572	-.0226		.900	-.0198				
.450	-.0221		.400	-.0096		.500	-.0075		.672	-.0110							
.500	-.0176		.450	-.0066		.600	-.0072		.771	-.0183							
.550	-.0649		.500	-.0037		.700	-.0176		.870	-.0227							
.600	-.0058		.600	-.0094		.800	-.0250		.915	-.0257							
.700			.700	-.0168		.900											
.800			.800	-.0212		.940	-.0309										
.900			.900	-.0270													
.940	-.0133		.940	-.0314													

APPENDIX B

TABLE B-13.- Continued

(h) $\alpha = 1.61^\circ$

C _p at 2y/b of :																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	-.0397		.024	-.0479		.055	-.0076		.107	-.0122		.194		
.050	-.0132		.028	-.0206		.050	-.0214		.100	-.0135		.160	-.0063		.246	-.0049	
.076			.052	-.0302		.072	-.0200		.146	-.0120		.208	-.0078		.362	-.0024	
.100			.077	-.0170		.100	-.0170		.190	-.0090		.306			.450	-.0068	
.150	-.0147		.100	-.0155		.150	-.0445		.240	-.0076		.403	-.0068		.640	-.0170	
.200	-.0132		.150	-.0155		.200	-.0164		.284	-.0031		.503	-.0126		.850	-.0272	
.250	-.0132		.200	-.0111		.250			.330	-.0016		.600	-.0199				
.300	-.0147		.250	-.0082		.300	-.0061		.374			.700	-.0272				
.350	-.0147		.300	-.0009		.350	-.0016		.473	-.0151		.800	-.0331				
.400			.350	-.0049		.400	-.0057		.572	-.0136		.900	-.0375				
.450	-.0073		.400	-.0093		.500	-.0130		.672	-.0272							
.500	-.0029		.450	-.0108		.600	-.0249		.771	-.0331							
.550	-.0929		.500	-.0137		.700	-.0337		.870	-.0390							
.600	-.0044		.600	-.0240		.800	-.0411		.915	-.0404							
.700			.700	-.0299		.900	-.0441										
.800	-.1460		.800	-.0343		.940	-.0441										
.900	-.0221		.900	-.0402													
.940	-.0251		.940	-.0431													

APPENDIX B

TABLE B-13.- Continued

(i) $\alpha = 3.61^\circ$

C _p at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	-.0102		.024	-.0170		.055	-.0175		.107	-.0126		.194		
.050	-.0059		.028	-.0059		.050	-.0035		.100	-.0116		.160	-.0141		.246	-.0185	
.076			.052	-.0096		.072	-.0050		.146	-.0131		.208	-.0141		.362	-.0243	
.100			.077	-.0079		.100	-.0079		.190	-.0131		.306			.450	-.0287	
.150	-.0015		.100	-.0094		.150	-.0223		.240	-.0160		.403	-.0273		.640	-.0375	
.200	-.0045		.150	-.0108		.200	-.0101		.284	-.0190		.503	-.0346		.850	-.0434	
.250	-.0045		.200	-.0108		.250			.330	-.0219		.600	-.0419				
.300	-.0030		.250	-.0138		.300	-.0175		.374			.700	-.0463				
.350	-.0045		.300	-.0196		.350	-.0234		.473	-.0039		.800	-.0507				
.400			.350	-.0270		.400	-.0293		.572	-.0141		.900	-.0536				
.450	-.0074		.400	-.0285		.500	-.0353		.672	-.0463							
.500	-.0133		.450	-.0299		.600	-.0426		.771	-.0522							
.550	-.0328		.500	-.0314		.700	-.0486		.870	-.0566							
.600	-.0192		.600	-.0402		.800	-.0560		.915	-.0580							
.700			.700	-.0446		.900	-.0589										
.800	-.1459		.800	-.0475		.940	-.0574										
.900	-.0354		.900	-.0519													
.940	-.0384		.940	-.0549													

APPENDIX B

TABLE B-13.- Continued

(j) $\alpha = 5.61^\circ$

C_p at $2y/b$ of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	-.0133		.024	-.0120		.055	-.0382		.107	-.0330		.194		
.050	-.0207		.028	-.0266		.050	-.0311		.100	-.0308		.160	-.0360		.246	-.0389	
.076			.052	-.0149		.072	-.0311		.146	-.0338		.208	-.0316		.362	-.0448	
.100			.077	-.0326		.100	-.0341		.190	-.0338		.306			.450	-.0477	
.150	-.0163		.100	-.0355		.150	-.0031		.240	-.0353		.403	-.0477		.640	-.0550	
.200	-.0192		.150	-.0370		.200	-.0293		.284	-.0382		.503	-.0536		.850	-.0594	
.250	-.0177		.200	-.0370		.250			.330	-.0397		.600	-.0594				
.300	-.0177		.250	-.0400		.300	-.0382		.374			.700	-.0638				
.350	-.0192		.300	-.0444		.350	-.0427		.473	-.0213		.800	-.0667				
.400			.350	-.0473		.400	-.0471		.572	-.0228		.900	-.0580				
.450	-.0222		.400	-.0488		.500	-.0530		.672	-.0624							
.500	-.0266		.450	-.0488		.600	-.0604		.771	-.0682							
.550	-.0898		.500	-.0517		.700	-.0648		.870	-.0711							
.600	-.0310		.600	-.0562		.800	-.0678		.915	-.0653							
.700			.700	-.0606		.900	-.0722										
.800	-.1488		.800	-.0621		.940	-.0707										
.900	-.0458		.900	-.0665													
.940	-.0502		.940	-.0694													

APPENDIX B

TABLE B-13.- Continued

(k) $\alpha = 7.61^\circ$

C _p at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	-.0339		.024	-.0299		.055	-.0530		.107	-.0505		.194		
.050	-.0339		.028	-.0472		.050	-.0416		.100	-.0485		.160	-.0535		.246	-.0564	
.076			.052	-.0269		.072	-.0460		.146	-.0500		.208	-.0476		.362	-.0608	
.100			.077	-.0475		.100	-.0475		.190	-.0500		.306			.450	-.0637	
.150	-.0295		.100	-.0475		.150	-.0130		.240	-.0530		.403	-.0637		.640	-.0711	
.200	-.0310		.150	-.0490		.200	-.0471		.284	-.0544		.503	-.0681		.850	-.0667	
.250	-.0310		.200	-.0490		.250			.330	-.0559		.600	-.0740				
.300	-.0310		.250	-.0519		.300	-.0530		.374			.700	-.0769				
.350	-.0324		.300	-.0549		.350	-.0574		.473	-.0358		.800	-.0755				
.400			.350	-.0563		.400	-.0618		.572	-.0358		.900	-.0667				
.450	-.0324		.400	-.0593		.500	-.0648		.672	-.0769							
.500	-.0398		.450	-.0593		.600	-.0722		.771	-.0799							
.550	-.0885		.500	-.0622		.700	-.0766		.870	-.0740							
.600	-.0413		.600	-.0651		.800	-.0796		.915	-.0711							
.700			.700	-.0681		.900	-.0722										
.800	-.1519		.800	-.0710		.940	-.0692										
.900	-.0531		.900	-.0725													
.940	-.0590		.940	-.0769													

APPENDIX B

TABLE B-13.- Continued

(1) $\alpha = 9.61^\circ$

C_p at $2y/b$ of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	-.0501		.024	-.0461		.055	-.0648		.107	-.0638		.194		
.050	-.0471		.028	-.0619		.050	-.0578		.100	-.0619		.160	-.0667		.246	-.0682	
.076			.052	-.0372		.072	-.0593		.146	-.0633		.208	-.0579		.362	-.0711	
.100			.077	-.0607		.100	-.0622		.190	-.0648		.306			.450	-.0741	
.150	-.0398		.100	-.0622		.150	-.0249		.240	-.0663		.403	-.0755		.640	-.0799	
.200	-.0412		.150	-.0637		.200	-.0589		.284	-.0678		.503	-.0785		.850	-.0726	
.250	-.0412		.200	-.0622		.250			.330	-.0678		.600	-.0829				
.300	-.0427		.250	-.0637		.300	-.0678		.374			.700	-.0843				
.350	-.0457		.300	-.0652		.350	-.0707		.473	-.0433		.800	-.0785				
.400			.350	-.0681		.400	-.0737		.572	-.0638		.900	-.0741				
.450	-.0442		.400	-.0681		.500	-.0752		.672	-.0843							
.500	-.0501		.450	-.0696		.600	-.0826		.771	-.0829							
.550	-.0657		.500	-.0710		.700	-.0811		.870	-.0799							
.600	-.0516		.600	-.0769		.800	-.0766		.915	-.0770							
.700			.700	-.0784		.900	-.0752										
.800	.1551		.800	-.0813		.940	-.0752										
.900	-.0619		.900	-.0813													
.940	-.0693		.940	-.0828													

APPENDIX B

TABLE B-13.- Concluded

(m) $\alpha = 13.61^\circ$

C _p at 2y/b of :																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.016	-.0723		.024	-.0725		.055	-.0825		.107	-.0814		.194		
.050	-.0634		.028	-.0797		.050	-.0813		.100	-.0811		.160	-.0829		.246	-.0844	
.076			.052	-.0563		.072	-.0798		.146	-.0811		.208	-.0697		.362	-.0844	
.100			.077	-.0798		.100	-.0828		.190	-.0825		.306			.450	-.0858	
.150	-.0531		.100	-.0828		.150	-.0426		.240	-.0840		.403	-.0873		.640	-.0902	
.200	-.0575		.150	-.0857		.200	-.0781		.284	-.0855		.503	-.0888		.850	-.0829	
.250	-.0605		.200	-.0828		.250			.330	-.0870		.600	-.0932				
.300	-.0605		.250	-.0842		.300	-.0855		.374			.700	-.0902				
.350	-.0619		.300	-.0857		.350	-.0899		.473	-.0566		.800	-.0873				
.400			.350	-.0872		.400	-.0899		.572	-.0654		.900	-.0858				
.450	-.0590		.400	-.0857		.500	-.0899		.672	-.0888							
.500	-.0649		.450	-.0872		.600	-.0929		.771	-.0873							
.550	-.0826		.500	-.0872		.700	-.0885		.870	-.0888							
.600	-.0649		.600	-.0931		.800	-.0885		.915	-.0873							
.700			.700	-.0931		.900	-.0899										
.800	-.1638		.800	-.0931		.940	-.0885										
.900	-.0605		.900	-.0886													
.940	-.0664		.940	-.0901													

APPENDIX B

TABLE B-14.- PRESSURE COEFFICIENTS FOR WING WITH 55° SWEEP,

$C_{L,des} = 0.0, M = 4.0$

(a) $\alpha = -13.90^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	.4461		.024			.055			.107	.3731		.194		
.050	.2412		.028	.3552		.050	.4064		.100	.3616		.160	.3665		.246	.3583	
.076			.052	.3323		.072	.3669		.146	.3484		.208	.3501		.362	.3436	
.100			.077	.3059		.100	.3389		.190	.3335		.306			.450	.3239	
.150	.2478		.100	.2928		.150	.3351		.240	.3169		.403	.3058		.640	.2944	
.200	.2511		.150	.2747		.200	.3086		.284	.3053		.503	.2812		.850	.2763	
.250	.2544		.200	.2598		.250			.330	.2937		.600	.2583				
.300	.2527		.250	.2483		.300	.2705		.374			.700	.2370				
.350	.2494		.300	.2318		.350	.2522		.473	.2616		.800	.2189				
.400			.350	.2170		.400	.2323		.572	.2599		.900	.2058				
.450	.2230		.400	.2104		.500	.2074		.672	.1993							
.500	.2180		.450	.2038		.600	.1809		.771	.1796							
.550	.0660		.500	.1939		.700	.1627		.870	.1648							
.600	.1866		.600	.1676		.800	.1461		.915	.1599							
.700			.700	.1511		.900											
.800			.800	.1396		.940	.1345										
.900			.900	.1281													
.940	.1519		.940	.1248													

APPENDIX B

TABLE B-14.- Continued

(b) $\alpha = -9.94^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	.2825		.024			.055			.107	.2390		.194		
.050	.1585		.028	.2610		.050	.2611		.100	.2340		.160	.2193		.246	.2045	
.076			.052	.2348		.072	.2381		.146	.2273		.208	.2160		.362	.1963	
.100			.077	.2183		.100	.2282		.190	.2224		.306			.450	.1848	
.150	.1668		.100	.2068		.150	.2456		.240	.2141		.403	.1947		.640	.1684	
.200	.1668		.150	.1903		.200	.2207		.284	.2108		.503	.1799		.850	.1536	
.250	.1668		.200	.1772		.250			.330	.2025		.600	.1635				
.300	.1651		.250	.1673		.300	.1942		.374			.700	.1487				
.350	.1618		.300	.1525		.350	.1776		.473	.1848		.800	.1372				
.400			.350	.1393		.400	.1594		.572	.1848		.900	.1290				
.450	.1470		.400	.1344		.500	.1362		.672	.1290							
.500	.1437		.450	.1295		.600	.1113		.771	.1126							
.550	.0677		.500	.1229		.700	.0964		.870	.1011							
.600	.1255		.600	.1015		.800	.0848		.915	.0945							
.700			.700	.0867		.900											
.800			.800	.0785		.940	.0748										
.900			.900	.0702													
.940	.0908		.940	.0670													

APPENDIX B

TABLE B-14.- Continued

(c) $\alpha = -7.94^\circ$

C_p at $2y/b$ of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	.2130		.024			.055			.107	.1624		.194		
.050	.1238		.028	.1800		.050	.2150		.100	.1740		.160	.1557		.246	.1441	
.076			.052	.1936		.072	.1903		.146	.1723		.208	.1475		.362	.1342	
.100			.077	.1739		.100	.1755		.190	.1706		.306			.450	.1243	
.150	.1271		.100	.1689		.150	.1988		.240	.1657		.403	.1342		.640	.1077	
.200	.1271		.150	.1525		.200	.1756		.284	.1624		.503	.1210		.850	.0961	
.250	.1304		.200	.1426		.250			.330	.1557		.600	.1044				
.300	.1304		.250	.1344		.300	.1541		.374			.700	.0928				
.350	.1288		.300	.1196		.350	.1408		.473	.1375		.800	.0829				
.400	.1701		.350	.1081		.400	.1259		.572	.1011		.900	.0763				
.450	.1155		.400	.1015		.500	.1044		.672	.0845							
.500	.1106		.450	.0982		.600	.0845		.771	.0696							
.550	.0693		.500	.0916		.700	.0680		.870	.0597							
.600	.0908		.600	.0735		.800	.0564		.915	.0547							
.700			.700	.0620		.900											
.800			.800	.0538		.940	.0498										
.900			.900	.0455													
.940	.0643		.940	.0423													

APPENDIX B

TABLE B-14.- Continued

(d) $\alpha = -5.94^\circ$

C_p at 2y/b of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	.1634		.024			.055			.107	.1336		.194		
.050	.0924		.028	.1271		.050	.1607		.100	.1262		.160	.1238		.246	.1139	
.076			.052	.1426		.072	.1409		.146	.1262		.208	.1221		.362	.1057	
.100			.077	.1311		.100	.1311		.190	.1262		.306			.450	.0959	
.150	.0957		.100	.1311		.150	.1543		.240	.1245		.403	.1025		.640	.0812	
.200	.0940		.150	.1228		.200	.1295		.284	.1228		.503	.0926		.850	.0664	
.250	.1007		.200	.1113		.250			.330	.1145		.600	.0812				
.300	.1007		.250	.1031		.300	.1195		.374			.700	.0697				
.350	.0990		.300	.0916		.350	.1079		.473	.1139		.800	.0615				
.400	.1684		.350	.0784		.400	.0947		.572	.1025		.900	.0549				
.450	.0858		.400	.0735		.500	.0781		.672	.0664							
.500	.0825		.450	.0702		.600	.0582		.771	.0549							
.550	.0709		.500	.0653		.700	.0449		.870	.0467							
.600	.0676		.600	.0488		.800	.0333		.915	.0418							
.700			.700	.0373		.900											
.800			.800	.0324		.940	.0267										
.900			.900	.0242													
.940	.0412		.940	.0209													

APPENDIX B

TABLE B-14.- Continued

(e) $\alpha = -3.94^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	.1222		.024			.055	.0845		.107	.0838		.194		
.050	.0660		.028	.0908		.050	.1212		.100	.0945		.160	.0805		.246	.0722	
.076			.052	.1081		.072	.1015		.146	.0879		.208	.0772		.362	.0623	
.100			.077	.0916		.100	.0949		.190	.0862		.306			.450	.0557	
.150	.0693		.100	.0916		.150	.1210		.240	.0829		.403	.0590		.640	.0426	
.200	.0676		.150	.0867		.200	.0912		.284	.0829		.503	.0508		.850	.0294	
.250	.0709		.200	.0834		.250			.330	.0796		.600	.0393				
.300	.0726		.250	.0752		.300	.0845		.374	.0746		.700	.0310				
.350	.0693		.300	.0653		.350	.0763		.473	.0805		.800	.0244				
.400			.350	.0538		.400	.0663		.572	.0475		.900	.0195				
.450	.0610		.400	.0488		.500	.0514		.672	.0294							
.500	.0561		.450	.0456		.600	.0365		.771	.0195							
.550	.0709		.500	.0406		.700	.0216		.870	.0145							
.600	.0445		.600	.0275		.800	.0117		.915	.0112							
.700			.700	.0176		.900											
.800			.800	.0127		.940	.0051										
.900			.900	.0044													
.940	.0214		.940	.0011													

APPENDIX B

TABLE B-14.- Continued

(f) $\alpha = -1.96^\circ$

C _p at 2y/b of :																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	-.0858		.024			.055	-.0531		.107	-.0421		.194		
.050	-.0445		.028	-.0610		.050	-.0775		.100	-.0614		.160	-.0338		.246	-.0288	
.076			.052	-.0742		.072	-.0610		.146	-.0580		.208	-.0387		.362	-.0221	
.100			.077	-.0544		.100	-.0561		.190	-.0564		.306			.450	-.0155	
.150	-.0478		.100	-.0528		.150	-.0912		.240	-.0514		.403	-.0171		.640	-.0038	
.200	-.0445		.150	-.0528		.200	-.0580		.284	-.0481		.503	-.0071		.850	-.0094	
.250	-.0445		.200	-.0495		.250			.330	-.0448		.600	-.0011				
.300	-.0462		.250	-.0445		.300	-.0514		.374	-.0415		.700	-.0094				
.350	-.0445		.300	-.0362		.350	-.0465		.473	-.0421		.800	-.0144				
.400			.350	-.0247		.400	-.0382		.572	-.0022		.900	-.0194				
.450	-.0395		.400	-.0197		.500	-.0282		.672	-.0077							
.500	-.0362		.450	-.0164		.600	-.0133		.771	-.0144							
.550	-.0709		.500	-.0131		.700	-.0034		.870	-.0210							
.600	-.0280		.600	-.0032		.800	-.0064		.915	-.0227							
.700			.700	-.0066		.900											
.800			.800	-.0099		.940	-.0114										
.900			.900	-.0182													
.940	-.0032		.940	-.0198													

APPENDIX B

TABLE B-14.- Continued

(g) $\alpha = 0.05^\circ$

C_p at $2y/b$ of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.016	-.0529		.024			.055			.107	-.0320		.194		
-.050	-.0231		.028	-.0363		.050	-.0478		.100	-.0332		.160	-.0270		.246	-.0238	
-.076			.052	-.0478		.072	-.0312		.146	-.0299		.208	-.0320		.362	-.0172	
-.100			.077	-.0279		.100	-.0279		.190	-.0282		.306			.450	-.0106	
-.150	-.0264		.100	-.0263		.150	-.0679		.240	-.0265		.403	-.0123		.640	-.0008	
-.200	-.0231		.150	-.0230		.200	-.0299		.284	-.0216		.503	-.0041		.850	-.0089	
-.250	-.0231		.200	-.0230		.250			.330	-.0199		.600	-.0040				
-.300	-.0248		.250	-.0197		.300	-.0216		.374			.700	-.0106				
-.350	-.0248		.300	-.0114		.350	-.0183		.473	-.0385		.800	-.0155				
-.400			.350	-.0032		.400	-.0116		.572	-.0369		.900	-.0188				
-.450	-.0198		.400	-.0017		.500	-.0050		.672	-.0073							
-.500	-.0181		.450	-.0017		.600	-.0048		.771	-.0138							
-.550	-.0678		.500	-.0050		.700	-.0131		.870	-.0204							
-.600	-.0099		.600	-.0149		.800	-.0214		.915	-.0220							
-.700			.700	-.0215		.900											
-.800			.800	-.0265		.940	-.0263										
-.900			.900	-.0298													
-.940	-.0132		.940	-.0347													

APPENDIX B

TABLE B-14. - Continued

(h) $\alpha = 2.05^\circ$

C_p at $2y/b$ of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	-.0264		.024			.055			.107	-.0074		.194		
.050	-.0066		.028	-.0116		.050	-.0144		.100	-.0085		.160	-.0041		.246	-.0008	
.076			.052	-.0309		.072	-.0111		.146	-.0068		.208	-.0123		.362	-.0056	
.100			.077	-.0078		.100	-.0078		.190	-.0051		.306			.450	-.0089	
.150	-.0099		.100	-.0062		.150	-.0466		.240	-.0035		.403	-.0089		.640	-.0187	
.200	-.0066		.150	-.0045		.200	-.0085		.284	-.0002		.503	-.0155		.850	-.0269	
.250	-.0049		.200	-.0029		.250			.330	-.0014		.600	-.0237				
.300	-.0066		.250	-.0012		.300	-.0002		.374			.700	-.0269				
.350	-.0066		.300	-.0053		.350	-.0064		.473	-.0205		.800	-.0335				
.400			.350	-.0102		.400	-.0097		.572	-.0139		.900	-.0351				
.450	-.0049		.400	-.0135		.500	-.0146		.672	-.0269							
.500	-.0000		.450	-.0151		.600	-.0246		.771	-.0335							
.550	-.0678		.500	-.0184		.700	-.0296		.870	-.0384							
.600	-.0049		.600	-.0250		.800	-.0345		.915	-.0384							
.700			.700	-.0300		.900											
.800			.800	-.0333		.940	-.0395										
.900			.900	-.0382													
.940	-.0264		.940	-.0415													

APPENDIX B

TABLE B-14.- Continued

(i) $\alpha = 4.05^\circ$

C _p at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	.0033		.024			.055			.107	-.0137		.194		
.050	-.0082		.028	-.0082		.050	-.0003		.100	-.0114		.160	-.0170		.246	-.0203	
.076			.052	.0111		.072	-.0086		.146	-.0131		.208	-.0072		.362	-.0252	
.100			.077	-.0102		.100	-.0135		.190	-.0131		.306			.450	-.0285	
.150	-.0049		.100	-.0135		.150	.0282		.240	-.0147		.403	-.0285		.640	-.0367	
.200	-.0082		.150	-.0135		.200	-.0098		.284	-.0197		.503	-.0334		.850	-.0416	
.250	-.0082		.200	-.0151		.250			.330	-.0214		.600	-.0400				
.300	-.0082		.250	-.0168		.300	-.0180		.374			.700	-.0433				
.350	-.0082		.300	-.0217		.350	-.0230		.473	-.0042		.800	-.0482				
.400			.350	-.0267		.400	-.0280		.572	-.0042		.900	-.0433				
.450	-.0098		.400	-.0300		.500	-.0313		.672	-.0416							
.500	-.0132		.450	-.0300		.600	-.0396		.771	-.0466							
.550	-.0661		.500	-.0316		.700	-.0429		.870	-.0515							
.600	-.0181		.600	-.0398		.800	-.0495		.915	-.0482							
.700			.700	-.0431		.900											
.800			.800	-.0464		.940	-.0495										
.900			.900	-.0481													
.940	-.0363		.940	-.0514													

APPENDIX B

TABLE B-14.- Continued

(j) $\alpha = 6.06^\circ$

C_p at $2y/b$ of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	-.0164		.024			.055			.107	-.0301		.194		
.050	-.0181		.028	-.0247		.050	-.0184		.100	-.0295		.160	-.0334		.246	-.0351	
.076			.052	-.0003		.072	-.0250		.146	-.0295		.208	-.0186		.362	-.0383	
.100			.077	-.0250		.100	-.0299		.190	-.0312		.306			.450	-.0416	
.150	-.0164		.100	-.0266		.150	-.0151		.240	-.0329		.403	-.0416		.640	-.0482	
.200	-.0181		.150	-.0299		.200	-.0246		.284	-.0345		.503	-.0449		.850	-.0498	
.250	-.0198		.200	-.0299		.250			.330	-.0362		.600	-.0515				
.300	-.0198		.250	-.0316		.300	-.0329		.374			.700	-.0531				
.350	-.0214		.300	-.0349		.350	-.0395		.473	-.0055		.800	-.0564				
.400			.350	-.0398		.400	-.0412		.572	-.0072		.900	-.0482				
.450	-.0198		.400	-.0398		.500	-.0428		.672	-.0531							
.500	-.0247		.450	-.0415		.600	-.0528		.771	-.0564							
.550	-.0645		.500	-.0431		.700	-.0544		.870	-.0564							
.600	-.0264		.600	-.1238		.800	-.0561		.915	-.0515							
.700			.700	-.0514		.900											
.800			.800	-.0546		.940	-.0511										
.900			.900	-.0563													
.940	-.0462		.940	-.0563													

APPENDIX B

TABLE B-14.- Continued

(k) $\alpha = 8.06^\circ$

C_p at $2y/b$ of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	-.0313		.024			.055			.107	-.0417		.194		
.050	-.0297		.028	-.0396		.050	-.0333		.100	-.0412		.160	-.0450		.246	-.0466	
.076			.052	-.0119		.072	-.0382		.146	-.0412		.208	-.0302		.362	-.0483	
.100			.077	-.0382		.100	-.0399		.190	-.0429		.306			.450	-.0499	
.150	-.0264		.100	-.0399		.150	-.0034		.240	-.0429		.403	-.0515		.640	-.0564	
.200	-.0297		.150	-.0415		.200	-.0362		.284	-.0445		.503	-.0532		.850	-.0532	
.250	-.0313		.200	-.0415		.250			.330	-.0462		.600	-.0581				
.300	-.0297		.250	-.0432		.300	-.0445		.374			.700	-.0597				
.350	-.0313		.300	-.0448		.350	-.0478		.473	-.0138		.800	-.0581				
.400			.350	-.0481		.400	-.0495		.572	-.0155		.900	-.0532				
.450	-.0297		.400	-.0481		.500	-.0528		.672	-.0614							
.500	-.0363		.450	-.0481		.600	-.0611		.771	-.0614							
.550	-.0628		.500	-.0498		.700	-.0578		.870	-.0581							
.600	-.0363		.600	-.0547		.800	-.0578		.915	-.0564							
.700			.700	-.0563		.900											
.800			.800	-.0580		.940	-.0545										
.900			.900	-.0580													
.940	-.0528		.940	-.0580													

APPENDIX B

TABLE B-14.- Continued

(1) $\alpha = 10.05^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	-.0429		.024			.055			.107	-.0531		.194		
.050	-.0396		.028	-.0512		.050	-.0448		.100	-.0527		.160	-.0564		.246	-.0564	
.076			.052	-.0201		.072	-.0481		.146	-.0527		.208	-.0383		.362	-.0564	
.100			.077	-.0465		.100	-.0498		.190	-.0511		.306			.450	-.0564	
.150	-.0346		.100	-.0498		.150	-.0062		.240	-.0544		.403	-.0580		.640	-.0646	
.200	-.0380		.150	-.0498		.200	-.0477		.284	-.0544		.503	-.0613		.850	-.0580	
.250	-.0396		.200	-.0498		.250			.330	-.0560		.600	-.0662				
.300	-.0396		.250	-.0514		.300	-.0544		.374			.700	-.0646				
.350	-.0413		.300	-.0530		.350	-.0594		.473	-.0235		.800	-.0629				
.400			.350	-.0563		.400	-.0594		.572	-.0235		.900	-.0580				
.450	-.0363		.400	-.0547		.500	-.0594		.672	-.0662							
.500	-.0429		.450	-.0563		.600	-.0677		.771	-.0646							
.550	-.0612		.500	-.0563		.700	-.0627		.870	-.0646							
.600	-.0429		.600	-.0629		.800	-.0610		.915	-.0629							
.700			.700	-.0613		.900											
.800			.800	-.0613		.940	-.0594										
.900			.900	-.0613													
.940	-.0479		.940	-.0629													

APPENDIX B

TABLE B-14.- Concluded

(m) $\alpha = 14.06^\circ$

C_p at $2y/b$ of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	-.0529		.024			.055			.107	-.0809		.194		
.050	-.0496		.028	-.0612		.050	-.0563		.100	-.0644		.160	-.0859		.246	-.0859	
.076			.052	-.0317		.072	-.0596		.146	-.0644		.208	-.0626		.362	-.0842	
.100			.077	-.0580		.100	-.0596		.190	-.0594		.306			.450	-.0842	
.150	-.0446		.100	-.0613		.150	-.0163		.240	-.0644		.403	-.0859		.640	-.0909	
.200	-.0463		.150	-.0596		.200	-.0577		.284	-.0644		.503	-.0892		.850	-.0859	
.250	-.0512		.200	-.0613		.250			.330	-.0677		.600	-.0909				
.300	-.0512		.250	-.0613		.300	-.0660		.374			.700	-.0876				
.350	-.0512		.300	-.0629		.350	-.0710		.473	-.0493		.800	-.0892				
.400			.350	-.0679		.400	-.0693		.572	-.0576		.900	-.0842				
.450	-.0463		.400	-.0629		.500	-.0677		.672	-.0876							
.500	-.0496		.450	-.0646		.600	-.0727		.771	-.0876							
.550	-.0610		.500	-.0662		.700	-.0644		.870	-.0892							
.600	-.0496		.600	-.0711		.800	-.0677		.915	-.0876							
.700			.700	-.0662		.900											
.800			.800	-.0646		.940	-.0677										
.900			.900	-.0662													
.940	-.0479		.940	-.0662													

APPENDIX B

TABLE B-15.- PRESSURE COEFFICIENTS FOR WING WITH 55° SWEEP,

$C_{L,des} = 0.0, M = 4.6$

(a) $\alpha = -13.20^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	.3906		.024			.055			.107	.3181		.194		
.050	.2229		.028	.3190		.050	.3092		.100	.3056		.160	.2816		.246	.2613	
.076			.052	.3194		.072	.3194		.146	.3015		.208	.0563		.362	.2511	
.100			.077	.2888		.100	.3051		.190	.2933		.306			.450	.2389	
.150	.2331		.100	.2725		.150	.3261		.240	.2830		.403	.2511		.640	.2186	
.200	.2331		.150	.2542		.200	.2892		.284	.2748		.503	.2369		.850	.2004	
.250	.2352		.200	.2399		.250			.330	.2646		.600	.2166				
.300	.2331		.250	.2277		.300	.2543		.374			.700	.1963				
.350	.2311		.300	.2114		.350	.2358		.473	.2511		.800	.1821				
.400			.350	.1972		.400	.2153		.572	.2491		.900	.1699				
.450	.2086		.400	.1911		.500	.1866		.672	.1760							
.500	.1922		.450	.1850		.600	.1620		.771	.1557							
.550	.1227		.500	.1748		.700	.1415		.870	.1415							
.600	.1493		.600	.1503		.800	.1251		.915	.1354							
.700			.700	.1320		.900											
.800			.800	.1198		.940	.1128										
.900			.900	.1055													
.940	.1309		.940	.1035													

APPENDIX B

TABLE B-15.- Continued

(b) $\alpha = -9.21^\circ$

C_p at $2y/b$ of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
			.016	-.2270		.024			.055			.107	-.1742		.194		
.050	-.1452		.028	-.1922		.050	-.1890		.100	-.1828		.160	-.1681		.246	-.1580	
.076			.052	-.2094		.072	-.2013		.146	-.1767		.208	-.0706		.362	-.1458	
.100			.077	-.1911		.100	-.1890		.190	-.1746		.306			.450	-.1377	
.150	-.1472		.100	-.1850		.150	-.2239		.240	-.1726		.403	-.1397		.640	-.1194	
.200	-.1493		.150	-.1768		.200	-.1910		.284	-.1685		.503	-.1316		.650	-.1031	
.250	-.1534		.200	-.1626		.250			.330	-.1623		.600	-.1194				
.300	-.1493		.250	-.1544		.300	-.1726		.374			.700	-.1072				
.350	-.1452		.300	-.1402		.350	-.1582		.473	-.1702		.800	-.0970				
.400			.350	-.1239		.400	-.1418		.572	-.1702		.900	-.0909				
.450	-.1329		.400	-.1157		.500	-.1213		.672	-.1052							
.500	-.1329		.450	-.1096		.600	-.0966		.771	-.0909							
.550	-.1227		.500	-.1035		.700	-.0802		.870	-.0808							
.600	-.1124		.600	-.0852		.800	-.0679		.915	-.0767							
.700			.700	-.0689		.900											
.800			.800	-.0607		.940	-.0576										
.900			.900	-.0506													
.940	-.0736		.940	-.0485													

APPENDIX B

TABLE B-15.- Continued

(c) $\alpha = -7.21^\circ$

C _p at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	.1759		.024			.055			.107	.1354		.194		
.050	.1124		.028	.1452		.050	.1503		.100	.1377		.160	.1253		.246	.1171	
.076			.052	.1687		.072	.1503		.146	.1336		.208	.0766		.362	.1070	
.100			.077	.1442		.100	.1402		.190	.1295		.306			.450	.0989	
.150	.1145		.100	.1402		.150	.1808		.240	.1233		.403	.1009		.640	.0847	
.200	.1124		.150	.1402		.200	.1418		.284	.1233		.503	.0908		.850	.0684	
.250	.1145		.200	.1300		.250			.330	.1213		.600	.0806				
.300	.1145		.250	.1198		.300	.1295		.374			.700	.0705				
.350	.1124		.300	.1055		.350	.1213		.473	.1374		.800	.0644				
.400			.350	.0913		.400	.1069		.572	.1354		.900	.0583				
.450	.1002		.400	.0852		.500	.0884		.672	.0745							
.500	.0981		.450	.0791		.600	.0679		.771	.0623							
.550	.1227		.500	.0750		.700	.0556		.870	.0542							
.600	.0797		.600	.0587		.800	.0433		.915	.0502							
.700			.700	.0465		.900											
.800			.800	.0383		.940	.0351										
.900			.900	.0302													
.940	.0470		.940	.0261													

APPENDIX B

TABLE B-15.- Continued

(d) $\alpha = -5.22^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	.1329		.024			.055			.107	.0666		.194		
.050	.0838		.028	.1084		.050	.1076		.100	.1005		.160	.0625		.246	.0542	
.076			.052	.1300		.072	.1116		.146	.0964		.208	.0542		.362	.0459	
.100			.077	.1055		.100	.1035		.190	.0944		.306			.450	.0377	
.150	.0838		.100	.1015		.150	.1456		.240	.0903		.403	.0418		.640	.0253	
.200	.0818		.150	.0994		.200	.1005		.284	.0862		.503	.0315		.850	.0109	
.250	.0818		.200	.0954		.250			.330	.0821		.600	.0212				
.300	.0838		.250	.0892		.300	.0903		.374			.700	.0109				
.350	.0818		.300	.0770		.350	.0841		.473	.0810		.800	.0047				
.400			.350	.0648		.400	.0739		.572	.0521		.900	.0014				
.450	.0736		.400	.0587		.500	.0636		.672	.0171							
.500	.0736		.450	.0526		.600	.0452		.771	.0067							
.550	.1227		.500	.0485		.700	.0329		.870	.0005							
.600	.0593		.600	.0343		.800	.0226		.915	.0035							
.700			.700	.0261		.900											
.800			.800	.0180		.940	.0144										
.900			.900	.0119													
.940	.0265		.940	.0078													

APPENDIX B

TABLE B-15.- Continued

(e) $\alpha = -3.22^\circ$

Cp at 2y/b of:																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	.0940		.024			.055			.107	.0433		.194		
.050	.0572		.028	.0736		.050	.0750		.100	.0677		.160	.0412		.246	.0330	
.076			.052	.0894		.072	.0770		.146	.0657		.208	.0638		.362	.0268	
.100			.077	.0709		.100	.0689		.190	.0636		.306			.450	.0207	
.150	.0613		.100	.0668		.150	.1190		.240	.0595		.403	.0227		.640	.0084	
.200	.0552		.150	.0648		.200	.0677		.284	.0575		.503	.0145		.850	.0038	
.250	.0531		.200	.0607		.250			.330	.0534		.600	.0043				
.300	.0531		.250	.0567		.300	.0554		.374			.700	.0038				
.350	.0531		.300	.0485		.350	.0513		.473	.0617		.800	.0100				
.400			.350	.0383		.400	.0431		.572	.0412		.900	.0141				
.450	.0490		.400	.0343		.500	.0370		.672	.0002							
.500	.0470		.450	.0302		.600	.0247		.771	.0059							
.550	.1227		.500	.0282		.700	.0144		.870	.0141							
.600	.0347		.600	.0159		.800	.0062		.915	.0162							
.700			.700	.0078		.900											
.800			.800	.0017		.940	.0019										
.900			.900	.0043													
.940	.0081		.940	.0084													

APPENDIX B

TABLE B-15.- Continued

(f) $\alpha = -1.22^\circ$

C_p at $2y/b$ of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	-.0613		.024			.055			.107	-.0360		.194		
.050	-.0368		.028	-.0490		.050	-.0425		.100	-.0392		.160	-.0339		.246	-.0278	
.076			.052	-.0731		.072	-.0446		.146	-.0371		.208	-.0786		.362	-.0217	
.100			.077	-.0425		.100	-.0405		.190	-.0351		.306			.450	-.0157	
.150	-.0388		.100	-.0364		.150	-.0946		.240	-.0330		.403	-.0177		.640	-.0055	
.200	-.0327		.150	-.0364		.200	-.0412		.284	-.0289		.503	-.0116		.850	-.0005	
.250	-.0306		.200	-.0344		.250			.330	-.0268		.600	-.0014				
.300	-.0306		.250	-.0303		.300	-.0289		.374			.700	-.0025				
.350	-.0306		.300	-.0242		.350	-.0227		.473	-.0623		.800	-.0086				
.400			.350	-.0160		.400	-.0166		.572	-.0563		.900	-.0127				
.450	-.0306		.400	-.0119		.500	-.0125		.672	-.0005							
.500	-.0286		.450	-.0099		.600	-.0002		.771	-.0066							
.550	-.1206		.500	-.0058		.700	-.0059		.870	-.0127							
.600	-.0204		.600	-.0022		.800	-.0120		.915	-.0147							
.700			.700	-.0083		.900	-.0162										
.800			.800	-.0145		.940	-.0162										
.900			.900	-.0185													
.940	-.0061		.940	-.0226													

APPENDIX B

TABLE B-15.- Continued

(g) $\alpha = -0.29^\circ$

Cp at 2y/b of :																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	-.0471		.024			.055			.107	-.0240		.194		
.050	-.0266		.028	-.0348		.050	-.0343		.100	-.0289		.160	-.0219		.246	-.0158	
.076			.052	-.0648		.072	-.0343		.146	-.0268		.208	-.0728		.362	-.0118	
.100			.077	-.0343		.100	-.0322		.190	-.0248		.306			.450	-.0057	
.150	-.0287		.100	-.0282		.150	-.0643		.240	-.0227		.403	-.0077		.640	-.0024	
.200	-.0225		.150	-.0261		.200	-.0330		.284	-.0186		.503	-.0003		.850	-.0105	
.250	-.0205		.200	-.0261		.250			.330	-.0166		.600	-.0064				
.300	-.0205		.250	-.0220		.300	-.0207		.374			.700	-.0125				
.350	-.0205		.300	-.0159		.350	-.0145		.473	-.0525		.800	-.0166				
.400			.350	-.0078		.400	-.0084		.572	-.0504		.900	-.0207				
.450	-.0205		.400	-.0058		.500	-.0022		.672	-.0085							
.500	-.0184		.450	-.0037		.600	-.0079		.771	-.0166							
.550	-.1167		.500	-.0003		.700	-.0141		.870	-.0227							
.600	-.0103		.600	-.0084		.800	-.0203		.915	-.0227							
.700			.700	-.0125		.900											
.800			.800	-.0166		.940	-.0223										
.900			.900	-.0227													
.940	-.0142		.940	-.0247													

APPENDIX B

TABLE B-15.- Continued

(h) $\alpha = 2.78^\circ$

C_p at $2y/b$ of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	.0123		.024			.055	-.0038		.107	-.0324		.194		
.050	.0062		.028	.0041		.050	.0037		.100	-.0038		.160	-.0365		.246	-.0386	
.076			.052	.0383		.072	.0037		.146	-.0038		.208	.0377		.362	-.0406	
.100			.077	.0058		.100	.0017		.190	-.0059		.306			.450	-.0448	
.150	.0062		.100	.0017		.150	.0597		.240	-.0059		.403	-.0427		.640	-.0530	
.200	.0021		.150	-.0023		.200	.0063		.284	-.0079		.503	-.0468		.850	-.0551	
.250	-.0040		.200	-.0003		.250			.330	-.0100		.600	-.0551				
.300	-.0040		.250	-.0043		.300	-.0059		.374			.700	-.0551				
.350	-.0040		.300	-.0084		.350	-.0120		.473	.0067		.800	-.0633				
.400			.350	-.0145		.400	-.0162		.572	.0067		.900	-.0613				
.450	.0000		.400	-.0145		.500	-.0162		.672	-.0551							
.500	.0000		.450	-.0166		.600	-.0285		.771	-.0571							
.550	.1147		.500	-.0186		.700	-.0285		.870	-.0654							
.600	-.0019		.600	-.0267		.800	-.0326		.915	-.0633							
.700			.700	-.0267		.900											
.800			.800	-.0328		.940	-.0346										
.900			.900	-.0349													
.940	-.0306		.940	-.0349													

APPENDIX B

TABLE B-15.- Continued

(i) $\alpha = 4.78^\circ$

C_p at $2y/b$ of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	-.0060		.024			.055			.107	-.0468		.134		
.050	-.0081		.028	-.0122		.050	-.0125		.100	-.0162		.160	-.0510		.246	-.0510	
.076			.052	-.0261		.072	-.0125		.146	-.0162		.208	-.0315		.362	-.0510	
.100			.077	-.0084		.100	-.0145		.190	-.0182		.306			.450	-.0551	
.150	-.0040		.100	-.0125		.150	-.0453		.240	-.0203		.403	-.0551		.640	-.0633	
.200	-.0101		.150	-.0166		.200	-.0079		.284	-.0203		.503	-.0571		.850	-.0633	
.250	-.0163		.200	-.0145		.250			.330	-.0244		.600	-.0654				
.300	-.0163		.250	-.0166		.300	-.0182		.374			.700	-.0633				
.350	-.0163		.300	-.0206		.350	-.0264		.473	-.0035		.800	-.0675				
.400			.350	-.0267		.400	-.0264		.572	-.0551		.900	-.0633				
.450	-.0101		.400	-.0247		.500	-.0264		.672	-.0675							
.500	-.0122		.450	-.0267		.600	-.0387		.771	-.0675							
.550	-.1126		.500	-.0267		.700	-.0367		.870	-.0716							
.600	-.0122		.600	-.0349		.800	-.0408		.915	-.0675							
.700			.700	-.0349		.900											
.800			.800	-.0349		.940	-.0387										
.900			.900	-.0410													
.940	-.0347		.940	-.0390													

APPENDIX B

TABLE B-15.- Continued

(j) $\alpha = 6.78^\circ$

C_p at $2y/b$ of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	-.0184		.024			.055			.107	-.0613		.194		
.050	-.0143		.028	-.0245		.050	-.0247		.100	-.0285		.160	-.0654		.246	-.0654	
.076			.052	-.0159		.072	-.0227		.146	-.0264		.208	-.0193		.362	-.0654	
.100			.077	-.0186		.100	-.0247		.190	-.0264		.306			.450	-.0654	
.150	-.0122		.100	-.0247		.150	-.0351		.240	-.0305		.403	-.0654		.640	-.0737	
.200	-.0163		.150	-.0267		.200	-.0203		.284	-.0305		.503	-.0695		.850	-.0716	
.250	-.0245		.200	-.0247		.250			.330	-.0326		.600	-.0757				
.300	-.0225		.250	-.0267		.300	-.0285		.374			.700	-.0757				
.350	-.0225		.300	-.0308		.350	-.0346		.473	-.0137		.800	-.0778				
.400			.350	-.0349		.400	-.0346		.572	-.0675		.900	-.0695				
.450	-.0163		.400	-.0328		.500	-.0346		.672	-.0778							
.500	-.0204		.450	-.0349		.600	-.0469		.771	-.0757							
.550	-.1124		.500	-.0349		.700	-.0408		.870	-.0757							
.600	-.0184		.600	-.0410		.800	-.0449		.915	-.0737							
.700			.700	-.0390		.900											
.800			.800	-.0390		.940	-.0408										
.900			.900	-.0430													
.940	-.0409		.940	-.0430													

APPENDIX B

TABLE B-15.- Continued

(k) $\alpha = 8.78^\circ$

C _p at 2y/b of :																	
0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	-.0286		.024			.055			.107	-.0654		.194		
.050	-.0225		.028	-.0347		.050	-.0349		.100	-.0367		.160	-.0695		.246	-.0695	
.076			.052	-.0078		.072	-.0328		.146	-.0367		.208	-.0130		.362	-.0675	
.100			.077	-.0288		.100	-.0328		.190	-.0326		.306			.450	-.0675	
.150	-.0204		.100	-.0328		.150	-.0310		.240	-.0367		.403	-.0675		.640	-.0778	
.200	-.0225		.150	-.0328		.200	-.0264		.284	-.0367		.503	-.0737		.850	-.0737	
.250	-.0306		.200	-.0328		.250			.330	-.0408		.600	-.0778				
.300	-.0306		.250	-.0349		.300	-.0367		.374			.700	-.0778				
.350	-.0306		.300	-.0369		.350	-.0449		.473	-.0179		.800	-.0778				
.400			.350	-.0410		.400	-.0428		.572	-.0695		.900	-.0695				
.450	-.0225		.400	-.0369		.500	-.0408		.672	-.0799							
.500	-.0266		.450	-.0390		.600	-.0490		.771	-.0778							
.550	.1084		.500	-.0390		.700	-.0428		.870	-.0778							
.600	-.0245		.600	-.0471		.800	-.0449		.915	-.0757							
.700			.700	-.0430		.900											
.800			.800	-.0410		.940	-.0449										
.900			.900	-.0451													
.940	-.0368		.940	-.0451													

APPENDIX B

TABLE B-15.- Continued

(1) $\alpha = 10.79^\circ$

C_p at $2y/b$ of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	-.0368		.024			.055			.107	-.0411		.194		
.050	-.0327		.028	-.0429		.050	-.0410		.100	-.0449		.160	-.0471		.246	-.0471	
.076			.052	-.0017		.072	-.0390		.146	-.0428		.208	-.0279		.362	-.0431	
.100			.077	-.0369		.100	-.0390		.190	-.0408		.306			.450	-.0431	
.150	-.0306		.100	-.0410		.150	-.0248		.240	-.0449		.403	-.0431		.640	-.0512	
.200	-.0347		.150	-.0410		.200	-.0346		.284	-.0449		.503	-.0471		.850	-.0471	
.250	-.0388		.200	-.0410		.250			.330	-.0449		.600	-.0532				
.300	-.0388		.250	-.0410		.300	-.0449		.374			.700	-.0492				
.350	-.0388		.300	-.0451		.350	-.0490		.473	-.0056		.800	-.0512				
.400			.350	-.0471		.400	-.0469		.572	-.0451		.900	-.0451				
.450	-.0306		.400	-.0451		.500	-.0469		.672	-.0532							
.500	-.0347		.450	-.0451		.600	-.0531		.771	-.0492							
.550	-.1024		.500	-.0471		.700	-.0449		.870	-.0512							
.600	-.0327		.600	-.0532		.800	-.0469		.915	-.0492							
.700			.700	-.0471		.900											
.800			.800	-.0491		.940	-.0490										
.900			.900	-.0491													
.940	-.0368		.940	-.0471													

APPENDIX B

TABLE B-15.- Concluded

(m) $\alpha = 14.79^\circ$

C_p at $2y/b$ of:

0.00			0.20			0.40			0.60			0.80			0.95		
x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower	x/c	Upper	Lower
.024			.016	-.0409		.024			.055			.107	-.0431		.194		
.050	-.0388		.028	-.0491		.050	-.0471		.100	-.0490		.160	-.0492		.246	-.0492	
.076			.052	-.0043		.072	-.0451		.146	-.0469		.208	-.0238		.362	-.0451	
.100			.077	-.0410		.100	-.0451		.190	-.0428		.306			.450	-.0451	
.150	-.0347		.100	-.0471		.150	-.0186		.240	-.0490		.403	-.0451		.640	-.0533	
.200	-.0368		.150	-.0451		.200	-.0408		.284	-.0490		.503	-.0492		.850	-.0492	
.250	-.0450		.200	-.0451		.250			.330	-.0510		.600	-.0533				
.300	-.0450		.250	-.0471		.300	-.0490		.374			.700	-.0492				
.350	-.0409		.300	-.0491		.350	-.0572		.473	-.0075		.800	-.0512				
.400			.350	-.0552		.400	-.0531		.572	-.0451		.900	-.0451				
.450	-.0368		.400	-.0491		.500	-.0490		.672	-.0533							
.500	-.0388		.450	-.0491		.600	-.0551		.771	-.0512							
.550	-.1022		.500	-.0491		.700	-.0469		.870	-.0533							
.600	-.0368		.600	-.0552		.800	-.0510		.915	-.0512							
.700			.700	-.0491		.900											
.800			.800	-.0471		.940	-.0510										
.900			.900	-.0532													
.940	-.0409		.940	-.0532													

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION
WASHINGTON, D.C. 20546

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300

**SPECIAL FOURTH-CLASS RATE
BOOK**

POSTAGE AND FEES PAID
NATIONAL AERONAUTICS AND
SPACE ADMINISTRATION
451



792 001 C1 U A 760920 S00903DS
DEPT OF THE AIR FORCE
AF WEAPONS LABORATORY
ATTN: TECHNICAL LIBRARY (SUL)
KIRTLAND AFB NM 87117

POSTMASTER: If Undeliverable (Section 15
Postal Manual) Do Not Retn

"The aeronautical and space activities of the United States shall be conducted so as to contribute to the expansion of human knowledge of phenomena in the atmosphere and space. The Administration shall provide for the widest practicable and appropriate dissemination of information concerning its activities and the results thereof."

—NATIONAL AERONAUTICS AND SPACE ACT OF 1958

NASA SCIENTIFIC AND TECHNICAL PUBLICATIONS

TECHNICAL REPORTS: Scientific and technical information considered important, complete, and a lasting contribution to existing knowledge.

TECHNICAL NOTES: Information less broad in scope but nevertheless of importance as a contribution to existing knowledge.

TECHNICAL MEMORANDUMS: Information receiving limited distribution because of preliminary data, security classification, or other reasons. Also includes conference proceedings with either limited or unlimited distribution.

CONTRACTOR REPORTS: Scientific and technical information generated under a NASA contract or grant and considered an important contribution to existing knowledge.

TECHNICAL TRANSLATIONS: Information published in a foreign language considered to merit NASA distribution in English.

SPECIAL PUBLICATIONS: Information derived from or of value to NASA activities. Publications include final reports of major projects, monographs, data compilations, handbooks, sourcebooks, and special bibliographies.

TECHNOLOGY UTILIZATION PUBLICATIONS: Information on technology used by NASA that may be of particular interest in commercial and other non-aerospace applications. Publications include Tech Briefs, Technology Utilization Reports and Technology Surveys.

Details on the availability of these publications may be obtained from:

SCIENTIFIC AND TECHNICAL INFORMATION OFFICE

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

Washington, D.C. 20546