

Date: _____

Dealer / Location: _____ T: _____ F: _____

PO# / Client: _____ Contact: _____ Email: _____

Raz-AP600 Heavy Duty Mobile Shower Commode Chair with stainless steel frame and components, four dual-locking 5" (125mm) casters, flip-up arm supports, heavy duty foot supports and commode pan. Also included is a 20"H Multi-Position Back with 2" fore/aft adjustment range, two back angles (90°/97°), and tension-adjustable vinyl upholstery. Exclusive to Raz, all seats include the Ischial Pelvic Alignment System [IPAS], which allows for 2" fore/aft adjustment. User weight over 450 lbs. requires 6" casters (ZCUAP6). **User weight capacity 600 lbs.**

Please enter set-up requests in Notes [Sec.13]. For custom modifications of frames and accessories, contact Raz Customer Service. To assist in evaluation and justification see our [Evaluation and Justification Form](#).

1. Chair Codes by size – Must Choose One

Chair Code	Seat Frame Width	MSRP
Z16022	22"W Frame	\$3,365
Z16024	24"W Frame	\$3,665
Z16026	26"W Frame	\$3,975
Z16028	28"W Frame	\$4,295
Z16030	30"W Frame – Requires custom seat	\$4,825

2. Seats – Must Choose One

Molded and Visco Foam Interface Seats			
ZMS23FRO	Molded 23"W x 18"D – Front Access	Fits 22"/24"W ¹ frames only	N/C
ZMS26FRO	Molded 26"W x 18"D – Front Access	Fits 26"/28"W ¹ frames only	N/C
ZVFI23FRO	Visco Foam Interface 23"W x 18"D – Front Access	Fits 22"/24"W ¹ frames only	\$800
ZVFI26FRO	Visco Foam Interface 26"W x 18"D – Front Access	Fits 26"/28"W ¹ frames only	\$800
ZSSKASHD	Seat Support Kit for Raz-AP600 – for seats that are narrower than seat frames		\$210

¹ Required for seats that are narrower than seat frames

Custom Seats		
For custom seats, please specify seat width and depth. Indicate if the access opening is to be in the Front, Left, Right or Rear. Select Bridged if an access opening is not required.		
ZCSEATHD	Heavy Duty Custom Seat (enter specs below) Select if both width and depth are ≤ 28"	\$1,440
ZCSEATXHD	Heavy Duty Custom Seat for widths 28" and 30" (enter specs below) Select if width and/or depth is ≥ 28"	\$1,620
Seat Frame Width:	___ 22" / 24" / 26" / 28" / 30"	
Custom Seat Width:	___ 22" / 24" / 26" / 28" / 30" / 32" (cannot be more than 2" wider than frame width)	
Seat Depth:	___ 16" / 17" / 18" / 19" / 20" / 21" / 22" / 23" / 24" [≥ 21" requires custom longer frame]	
Access:	___ FR – Front / LT – Left / RT – Right / RR – Rear / BR – Bridged	
Aperture Width:	___ 6.5" recommended	
<ul style="list-style-type: none"> • Unless otherwise requested, the width of the aperture (inside width dimension of the commode opening) will be 6.5" for custom seats. • Custom seat widths can be up to 2" wider than the frame width to provide additional thigh support without increasing overall width of the chair. • The Ischial Pelvic Alignment System (IPAS) will allow 2" fore/aft adjustment of the seat position (and therefore seat depth and aperture position) on all seats. • Access for Rear-Open seats is limited due to rear seat support tube. 		

3. Back Support Options – Symphony Back replaces standard Tension-Adjustable Vinyl Upholstery – recommended for infection-control environments. All Symphony Back panels are 13”H.

ZSB22	Symphony Back – Recessed Solid Back – 22”W	\$495
ZSB24	Symphony Back – Recessed Solid Back – 24”W	\$520
ZSB26	Symphony Back – Recessed Solid Back – 26”W	\$540
ZSB28	Symphony Back – Recessed Solid Back – 28”W	\$695
ZSB30	Symphony Back – Recessed Solid Back – 30”W	\$720

4. Arm Support Accessories

ZALKHD	Arm Support Lock Kit – HD (pr)	\$102	ZPAML	Pivoting Arm Mount – Left (for ZFAPL/ZTRL)	\$180
ZFAPLL	Long Molded Flat Armpad ¹ – Left (14”L x 3.25”W)	\$88	ZPAMR	Pivoting Arm Mount – Right (for ZFAPR/ZTRL)	\$180
ZFAPLR	Long Molded Flat Armpad ¹ – Right (14”L x 3.25”W)	\$88			
ZTRL	Molded Arm Trough ¹ – Left (18.5”L x 4.5”W)	\$120			
ZTRR	Molded Arm Trough ¹ – Right (18.5”L x 4.5”W)	\$120			
¹ May require ZPAML/ZPAMR for arm support to flip up					

5. Foot and Leg Supports – Standard Foot Supports (ZFSHD) are included with the chair. The selection of any Foot / Leg Support Option below automatically replaces the relevant Standard Foot Support. e.g. By selecting Elevating Leg Support – Left (ZELRL), the chair will be supplied with one Foot Support (ZFSHD) on the right side and a ZELRR on the left side.

ZFSHD	Adjustable Foot Supports HD (16”-20.5”) – pr	Std	ZELRL	Elevating Legrest ¹ – Left (incl Z7ADM)	\$530
ZFET2	Footrest Extensions (2” longer) – pr	\$57	ZELRR	Elevating Legrest ¹ – Right (incl Z7ADM)	\$530
ZADM	Adjustable Angle/Depth Footplates – pr	\$210	ZFOR	Forward Offset Foot Support Receiver - Required when seats extend beyond front edge of frame [provides 2.5” offset] Specify 1 or 2 ___	\$130
ZFET2A	Footrest Extension Tubes for Z7ADM (pr) – 2” longer	\$57			
ZRLSL	Universal Residual Limb Support – Left	\$210			
ZRLSR	Universal Residual Limb Support – Right	\$210			
¹ ZELRL/R compatible with adjusted seat depths ≤ 20”D					

6. Foot and Leg Support Accessories

ZFSLK	Foot Support Lock (pr)	\$102	ZAHL	Adjustable Heel Loops (pr)	\$67
ZCS __*	Calf Strap, Snap-On – Bodypoint Aeromesh * Enter seat frame width to complete code (22”/24”W)	\$145	ZNC	Neoprene Covers for Standard Footplates (pr)	\$98
ZCS __*	Calf Strap, Snap-On – Bodypoint Aeromesh * Enter seat frame width to complete code (26”/28”/ 30”W)	\$175	ZNCA	Neoprene Covers for Adj Angle/ Depth Molded Footplates (pr)	\$98
ZCSIC __*	Calf Strap, Snap-On – Infection Control *Enter seat frame width to complete Code 22” / 24” 26” / 28” / 30”	\$165 \$165	ZLMOR	Lateral Offset Foot Support Receiver – moves foot support 2” laterally or medially (ea) Quantity (1 or 2) ___	\$88
ZHS2224	H-Strap – for 22”/24”W frames – hook and loop attachment	\$120			

7. Positioning Pads

ZHSAS1	Head Support w/ Small Pad (10" x 4")	\$530	ZLGAS2L	Leg Adductor – w/ Large Pad ¹ – Left	\$355
ZHSAS2	Head Support w/ Large Pad (12" x 6")	\$585	ZLGAS2R	Leg Adductor – w/ Large Pad ¹ – Right	\$355
ZLTS2L	Lateral Thoracic Support w/ Large Pad ^{1,2} – Left	\$355	ZLAEP	Lateral/Adductor Extension Plate (5.5" x 3.5")	\$26
ZLTS2L	Lateral Thoracic Support w/ Large Pad ^{1,2} – Right	\$355			

¹ Large Adjustable Pad Size: ~ 6.75" x 4.3".

² Pads on Lateral Thoracic Supports can be adjusted medially up to 3" per side. For additional medial offset, specify ZLAEP extension plate.

8. Pelvic and Chest Belts – A chest belt should not be used without a pelvic belt

Pelvic Belts			Chest Belts		
ZPBLHDAS	Pelvic Belt – Large (seat frame widths 18"-22"; 2-piece w/ side-release buckle)	\$72	ZCBL	Chest Belt – Large ² (back frame width 18"-22"; 1-piece w/ hook and loop closure)	\$52
ZPBXLHDAS	Pelvic Belt – XLarge (seat frame widths 22"-30"; 2-piece w/ side-release buckle)	\$83	ZCBXL	Chest Belt – XLarge ² (back frame widths 22"-30"; 1-piece w/ hook and loop closure)	\$67
ZPBICLHDAS	Infection Control Pelvic Belt – Large ¹ (seat frame widths 18"-22"; 2-piece w/ side-release buckle)	\$125	ZCBICL	Infection Control Chest Belt – Large ^{1,2} (back frame width 18"-22"; 1-piece w/ side-release buckle)	\$93
ZPBICXLHDAS	Infection Control Pelvic Belt – XLarge ¹ (seat frame widths 22"-30"; 2-piece w/ side-release buckle)	\$135	ZCBICXL	Infection Control Chest Belt – XLarge ^{1,2} (back frame widths 22"-30"; 1-piece w/ side-release buckle)	\$115
ZPBBPLHDAS	Pelvic Belt – Bodypoint Aeromesh – Large	\$255	ZCBBP _ *	Chest Belt – Bodypoint Aeromesh * enter size to complete code (L / XL)	\$285
ZPBBPXLHDAS	Pelvic Belt – Bodypoint Aeromesh – XLarge	\$200			

Recommended sizes for Bodypoint belts

Chest belt	ZCPBPL	18"-22"W back frame	ZCBBPXL	22"-30"W back frame
Pelvic belt	ZPBBPLHDAS	18"-22"W base frame	ZPBBPXLHDAS	22"-30"W base frame

¹ Non-absorbent belts – recommended for infection-control environments.

² Tension-Adjustable Upholstery includes loops to retain a chest belt (ZCBL/XL). When the chair is supplied with a Symphony Back, Chest Belt loops are provided.

9. Other

ZATAS5	Anti-Tippers for 5" casters (pr) Rear Front	\$370	ZIHW	Whizard – winged urine deflector ²	\$72
ZATAS6	Anti-Tippers for 6" casters (pr) Rear Front	\$370	ZBUDBH _ _ *	Bard Urine Drainage Bag Holder * Enter size to complete code (22"/24"/26"/28"/30")	\$175
ZCUAP6	6" Caster Upgrade (4x) – required for user weight > 450 lbs	\$370			
ZDCLA	Directional Caster Lock – fits on left rear caster (facilitates steering)	\$155			
ZPSK1	Commode Pan Spacer Kit ¹ – 1" lower	\$215			
ZPSK2	Commode Pan Spacer Kit ¹ – 2" lower	\$230			
ZPSK3	Commode Pan Spacer Kit ¹ – 3" lower	\$250			
ZPSK4	Commode Pan Spacer Kit ¹ – 4" lower	\$265			

¹ Commode Pan Spacer Kits provide extra clearance for self-care with pan in place. Reduces toilet bowl clearance height.

² Has patent-pending lateral wings that are positioned under the medial aspect of the legs to keep the Whizard in place.

10. Credits and Omissions

Z905	Omit Commode Pan and Mounting Brackets	-\$20	Z907HD	Omit HD Foot Supports – if no other Foot / Leg Support Option is selected	-\$45
------	--	-------	--------	---	-------

SOME ASSEMBLY OF RAZ PRODUCTS IS REQUIRED.

11. Notes:

Specifications	Raz-AP600 (Attendant Propel)	
Weight Capacity	600 lbs	
Overall Width	Seat frame width plus 4.5" (with standard arm pad)	
Overall Length (with foot supports)	40.5" (with rear casters trailing), 37.25" (to rear of back canes)	
Seat Depth	18"-20"	
Toilet Clearance Width	seat frame width minus 6"	
Toilet Clearance Height (under seat)	with 5" casters	with 6" casters
- with pan brackets	14.3"-18.3"	15.3"-19.3"
- without pan brackets	15.1"-19.1"	16.1"-20.1"
Arm Support Height - above molded seat	10"	
Seat-to-Floor Height (with molded seat)	19"-23" (with 5" casters)	
Back Height (Molded Seat to top of upholstery)	20"	
Product Weight (with 22"W seat frame)	54.5 lbs	
Frame and Hardware Material	Stainless Steel (lifetime warranty against corrosion)	