

# Raz-AT600

MSRP - USA - USD Effective Oct 10, 2023

Date:\_

Dealer / Location: _		T:	F:		
PO# / Client:	Contact:	Email:			

Raz-AT600 Heavy Duty Mobile Shower Commode Chair with stainless steel frame and components, 25° tilt range, Fixed Back, four dual-locking 6" (150mm) casters, flip-up arm supports, heavy duty foot supports, commode pan, head support with small pad and the proprietary Weight Assist Spring System (WASS). Also included is a 20"H Multi-Position Back with 2" fore/aft adjustment range, two back angles (90°/97°) and tension-adjustable vinyl upholstery. Exclusive to Raz, IPAS helps reduce the possibility of pressure injury at key pressure points by providing up to 2" of fore/aft seat adjustment. User weight capacity 605 lbs. For help with justification, please see our Evaluation and Medical Justification Form.

Need help with this order form? Call Raz customer service at (877) 720-5678

#### 1. Chair Codes by size - Must Choose One

	•	
Z36022	22"W Seat and Back Frames	\$5,995
Z36024	24"W Seat and Back Frames	\$6,295
Z36026	26"W Seat and Back Frames	\$6,595
Z36028	28"W Seat and Back Frames	\$6,995
Z36030	30"W Seat and Back Frames – Requires custom seat	\$7,595

#### 2. User Weight Range

Z36WR450	WASS User Weight Range 350-450 lbs.	Std	Z36WR600	WASS User Weight Range 400-605 lbs.	\$250
----------	-------------------------------------	-----	----------	-------------------------------------	-------

#### 3. Seats – Must Choose One

Molded and Visc	o Foam Interface Seats – Seat Support Kit (ZSSKT) requi	red if seat is narrower than seat frame.	
ZMS23FRO	Molded 23"W x 18"D – Front Access	Fits 22"/24"W <sup>1</sup> frames only	N/C
ZMS26FRO	Molded 26"W x 18"D – Front Access	Fits 26"/28"W¹ frames only	N/C
ZVFI23FRO	Visco Foam Interface 23"W x 18"D – Front Access	Fits 22"/24"W <sup>1</sup> frames only	\$625
ZVFI26FRO	Visco Foam Interface 26"W x 18"D – Front Access	Fits 26"/28"W <sup>1</sup> frames only	\$745
ZSSKT	\$145		
1.5			

<sup>&</sup>lt;sup>1</sup> Required for seats that are narrower than seat frames

#### **Custom Seats**

For custom seats, please specify seat width and depth. Indicate if the access opening is to be in the Front, Left, Right or Rear. Select Bridged if an access opening is not required. See Custom Seat Assessment Form – Resources tab at razdesigninc.com

ZCSEATHD	Custom Dual-Visco Foam Seat – HD (enter specs below) Select if both width and depth are ≤ 28"	\$1,095
ZCSEATXHD	Custom Dual-Visco Foam Seat – XHD" (enter specs below) Select if width and/or depth is $\geq 28$ "	\$1,295
Base Frame Width:	22" / 24" / 26" / 28" / 30"	

Custom Seat Width: \_\_ 22" / 24" / 26" / 28" / 30" / 32" (cannot be more than 2" wider than seat frame width) \_\_ 16" / 17" / 18" / 19" / 20" / 21" / 22" / 23" / 24" (≥ 21" requires custom longer frame) Seat Depth:

\_\_ FR - Front / LT - Left / RT - Right / RR - Rear / BR - Bridged Access:

\_\_ 6.5" recommended Aperture Width:

- Unless otherwise requested, the width of the aperture (inside width dimension of the commode opening) will be 6.5" for custom seats.
- Custom seat widths can be up to 2" wider than seat the frame width to provide additional thigh support without increasing overall width of the chair.
- The Ischial Pelvic Alignment System (IPAS) will allow 2" fore/aft adjustment of the seat position (and therefore seat depth and aperture position) on all seats.
- Access for Rear-Open seats is limited due to rear seat support tube.

# **4. Symphony Back** (Recessed solid back that replaces the standard Tension-Adjustable Vinyl Upholstery [recommended for infection-control environments]). All Symphony Back panels are 13"H.

ZSB22	Symphony Back – 22"W	\$465
ZSB24	Symphony Back – 24"W	\$485
ZSB26	Symphony Back – 26"W	\$505
ZSB28	Symphony Back – 28"W	\$575
ZSB30	Symphony Back – 30"W	\$675

## 5. Arm Support Accessories

	ZALKHD	Arm Support Locks – HD (pr)	\$95	ZPAML	Pivoting Arm Mount – Left	\$165
	ZFAPLL	Long Molded Flat Armpad <sup>1</sup> – Left	\$90		(for ZFAPLL / ZTRL)	
		(14"L x 3.25"W)		ZPAMR	Pivoting Arm Mount – Right	\$165
	ZFAPLR	Long Molded Flat Armpad <sup>1</sup> – Right	\$90		(for ZFAPLR / ZTRR)	
		(14"L x 3.25"W)		ZAPSB*	Anterior Posture Support Bar	\$245
	ZTRL	Molded Arm Trough <sup>1</sup> – Left (18.5"L x 4.5"W)	\$110		* Enter frame width to complete code (22" / 24")	
	ZTRR	Molded Arm Trough <sup>1</sup> – Right (18.5"L x 4.5"W)	\$110	ZAPSB*	Anterior Posture Support Bar  * Enter frame width to complete code (26" / 28" / 30")	\$275
<sup>1</sup> M flip		e Pivoting Arm Mount (ZPAM) for arm supp				

## 6. Foot and Leg Supports

		<u> </u>				
ZFS	SHD	Adjustable Footrests HD (pr) – 16"-20.5"	Std	ZELRL	Elevating Legrest <sup>1</sup> – Left (incl ZADML)	\$495
ZFE	ET2	Footrest Extension Tube (pr) – 2" longer	\$50	ZELRR	Elevating Legrest <sup>1</sup> – Right (incl ZADMR)	\$495
ZAI	DM	Angle/Depth Adj Footplates (pr)	\$120	ZFOR	Forward Offset Foot Support Receiver – (ea)	\$95
ZFE	ET2A	Footrest Extension Tube (pr) for ZADM – 2" longer	\$50		Moves foot support forward 2.5" to accomodate deeper seats and reduced	
ZFE	ВТ	Flip-Back Foot Support (1-piece) with calf	\$455		knee flexion range. Specify 1 or 2	
		pads – 16"-20.5" length adjustment		ZRLSL	Universal Residual Limb Support – Left	\$195
				ZRLSR	Universal Residual Limb Support – Right	\$195
				<sup>1</sup> ZELR comp	patible with adjusted seat depths ≤ 20"D	

## 7. Foot and Leg Support Accessories

ZFSLK	Foot Support Lock (pr)	\$95	ZNC	Neoprene Covers for Standard	\$90
ZCS*	Snap-On Calf Strap – Bodypoint	\$105		Footplates (pr)	
	Aeromesh * Enter frame width to complete code (22" / 24")		ZNCA	Neoprene Covers for Angle/Depth Adjustable Footplates	\$90
ZCS*	Snap-On Calf Strap – Bodypoint Aeromesh * Enter frame width to	\$245	ZNCFB	Neoprene Cover for Flip-Back Foot Support	\$90
	complete code (26" / 28" / 30")		ZFOR	Forward Offset Foot Support Receiver -	\$95
ZCSIC*	Snap-On Infection Control Calf Strap * Enter frame width to complete code (22" / 24" / 26" / 28" / 30")	\$125		Required when seats extend beyond front edge of frame [provides 2.5" offset] Specify 1 or 2	
ZHS2224	H-Strap – for 22"/24"W frames – hook and loop attachment	\$110	ZLMOR	Lateral / Medial Offset Foot Support Receiver – moves foot support 2" laterally	\$95
ZAHL	Adjustable Heel Loops (pr)	\$60		or medially. Specify 1 or 2	

## **8. Positioning Pads** – Pad Sizes: Small 5.5" x 3.5" / Large – 6.75" x 4.3".

	ig i ddo i dd	51205.	inali 5.5 x 5.5 / Large = 6.75 x 4.3 .	
Head Suppo	orts			
ZHSP2	Head Support	Pad –	Large (12" x 6")	\$50
ZOHIP	Lateral Offset	Head S	upport Interface Plate – up to 22° of adjustment	\$75
	racic Supports ZLAEP extension		ds on Lateral Thoracic Supports can be adjusted medially up to $3^{\circ}$ per side. For up to $3^{\circ}$	4.5" medial
ZLTS2L	Lateral Thorac	cic Supp	oort w/ Large Pad – Left	\$225
ZLTS2R	Lateral Thorac	cic Supp	oort w/ Large Pad – Right	\$225
Leg Adducto	ors			
ZLGT2L	Leg Adductor	w/ Larg	ge Pad – Left	\$225
ZLGT2R	Leg Adductor	w/ Lar	ge Pad — Right	\$225
			oracic Supports and Hip / Leg Adductors 1.5" medially and can be used on Lateral Thoracic Support, Hip and Leg Adductors	
ZLAEP	Lateral/Adduc	tor Ext	ension Plate (ea)	\$28
Lateral Thorac	ic Support	Left	Right	
Leg Adductor		Left	Right	
Hip Adductor		Left	Right	
Total Quantity	·			
Medial Thigh	Supports (Pomi	mel)		
ZMTST2	Medial Thigh	Suppor	t w/ Large Pads	\$495

## 9. Pelvic and Chest Belts – A CHEST BELT MUST NEVER BE USED WITHOUT A PELVIC BELT!

Pelvic Belts					Chest Belts				
ZPBLHDT	widths	Pelvic Belt – Large (seat frame widths 22"-24", 2-piece w/ siderelease buckle)		55	ZCBL		Chest Belt – Large <sup>2</sup> (back frame width 2 24", 1-piece w/ hook and loop closure)		\$45
ZPBXLHDT	Pelvic widths	Belt – XLarge (seat frame s 24"-26", 2-piece	e \$7	75	ZCBXL		– XLarge <sup>2</sup> (back f piece w/ hook ai		\$55
ZPBXXLHDT	Pelvic widths	e-release buckle) Belt – XXLarge (seat fram s 28"-30", 2-piece e-release buckle)	ne \$11	10	ZCBXXL	Chest Belt – XXLarge <sup>2</sup> (back frame widt 26"-30", 1-piece w/ hook and loop closure)			\$65
ZPBICLHDT	Infecti (seat f	on Control Pelvic Belt – L rame widths 22"-24", 2-p e-release buckle)	-	L5	ZCBICL	(back frame	Control Chest Belt – Large <sup>1,2</sup> ne width 22"-24", 1-piece llease buckle)		\$85
ZPBICXLHDT	Infecti XLarge	on Control Pelvic Belt – \$125 2 <sup>1</sup> (seat frame widths 24"-26",		25	ZCBICXL	(back frame	ontrol Chest Belt e widths 24"-26" ease buckle)	_	\$95
ZPBICXXLHDT	Infecti Large <sup>1</sup>	e w/ side-release buckle) on Control Pelvic Belt – X (seat frame widths 26"-3	(X- \$13 30",	35	ZCBICXXL	(back frame	ontrol Chest Belt e widths 26"-30" ease buckle)	_	\$105
	•	e w/ side-release buckle)			ZCBBPL	Chest Belt	– Bodypoint Aer	omesh – Large	\$245
ZPBBPLHDT		Pelvic Belt – Bodypoint Aeromesh \$17 – Large		70	ZCBBPXL	Chest Belt	– Bodypoint Aer	omesh – XLarge	\$195
ZPBBPXLHDT	Pelvic – XLar	Belt – Bodypoint Aerome ge	esh \$23	35					
Recommended size for Bodypoint belts		Pelvic belt	ZPBBPLHD	т	22"-26"W base frame		ZPBBPXLHDT	26"-30"W base frame	
		Chest belt	ZCBBPL		22"-26"W back frame		ZCBBPXL	26"-30"W back frame	

<sup>&</sup>lt;sup>1</sup> Non-absorbent belts — recommended for infection-control environments.

#### 10. Urine Management

7111147	Whitered winged using deflector. The potent pending lateral wings that are positioned under the	¢67
ZIHW	Whizard – winged urine deflector – Has patent-pending lateral wings that are positioned under the medial aspect of the thighs to keep the Whizard in place.	\$67
ZSS	SplaShield – Molded urine deflector (must be held in place during use)	\$125
ZSC23HD	Splash Curtain for 23"W HD Molded and VFI Seats (surrounds entire aperture, raises seat $1/2$ ").	\$345
ZSC26HD	Splash Curtain for 26"W HD Molded and VFI Seats (surrounds entire aperture, raises seat $1/2$ ").	\$375
ZSCCHD	Custom Splash Curtain for Custom Seats – Raises seat 1/2"	\$365
ZSCSI	Slide-In Splash Curtain – Vinyl curtain, slides into commode pan brackets	\$345
ZBUDBH	Bard urine drainage bag holder for 22" / 24" / 26" / 28" / 30"W frames	\$155
<sup>1</sup> Bridged Front Se	eats only. For Left, Right, Front, and Rear Open, call for pricing.	

<sup>&</sup>lt;sup>2</sup> Tension-Adjustable Upholstery includes loops to retain a chest belt (ZCB). When the chair is supplied with a Symphony Back, Chest Belt loops are provided.

## 11. Other

ZDCLT	Directional Caster Lock – fits on left rear caster (facilitates steering)	\$165	ZPSK1	Commode Pan Spacer Kit² – 1" lower	\$200
			ZPSK2	Commode Pan Spacer Kit <sup>2</sup> – 2" lower	\$215
ZATTRR	Anti-Tippers – Rear (pr)	\$345	ZPSK3	Commode Pan Spacer Kit <sup>2</sup> – 3" lower	\$230
ZATTFR	Anti-Tippers – Front (pr)	\$345	ZPSK4	Commode Pan Spacer Kit <sup>2</sup> – 4" lower	\$245
ZTLS	Tilt Limit Spacers – 1/2" spacers snap onto gas struts to limit tilt (1/2" reduces tilt range approx. 5°. Can be stacked for additional tilt limiting. Quantity	N/C			
ZSPKTHD24	AT600 Self-Propel Kit – 24" wheels – includes rear anti-tippers	\$1,425		n Spacer Kits provide extra clearance for self-care creases height required to clear toilet.	with

#### 12. Credits and Omissions

Z905	Omit Commode Pan and Mounting Brackets	-\$20	Z911	Omit Molded Head Support Pad	-\$20
Z907HD	Omit HD Foot Supports – if no other Foot / Leg Support Option is selected	<b>-</b> \$45	Z912	Omit Complete Head Support Assembly	<b>-</b> \$50

## Some assembly of Raz products is required.

## 13. Notes:

## Specifications Raz-AT600 (Attendant Tilt)

Weight Capacity	605 lbs		
Seat Depth (with Standard Molded Seat)	18"-20"		
Overall Width	Seat frame width plus 4.5" (with Standard Arm Support Pads)		
Toilet Clearance Width	17"		
Overall Length (with foot supports and headrest adjusted to middle positions)			
<ul><li>- at 0° tilt and standard foot supports</li><li>- at 25°</li></ul>	42" 52"		
Clearance Height (under seat) - with pan brackets - without pan brackets	with 6" casters 17.75"-18.75" 18.5"-19.5"		
Arm Support Height - above molded seat	9.25"		
Seat-to-Floor Height (with molded seat)	22.25"		
Back Height (Molded Seat to top of upholstery)	20"		
Product Weight (with 22"W seat frame)	84 lbs		
Frame and Hardware Material	Stainless Steel (lifetime warranty against corrosion)		