



MSRP – USA – USD Effective Oct 23, 2023

Compact /	Attendant Tilt
-----------	----------------

Date:_____

Dealer / Location:		T:	F:
PO# / Client:	Contact:	Email:	

Raz-CAT –Compact Attendant Tilt Mobile Shower Commode Chair with 40° tilt range, head support fixture with small pad, height adjustable stainless steel frame, Fixed Back, flip-up padded arm supports, foot supports, four dual-locking 5" (125mm) casters and commode pan. Exclusive to Raz, IPAS helps reduce the possibility of pressure injury at key pressure points by providing up to 2" of fore/aft seat adjustment. User weight capacity 300 lbs.

For help with justification, please see our Evaluation and Medical Justification Form.

1. Standard Raz-CAT Frame (18"W) – If you require a special width, depth and / or height see [Sec. 2]

Z30318 Raz-CAT w/ 18"W base frame – Standard base frame width, will fit over most toilets	\$3,395
---	---------

2. Custom / Special Frame Widths, Depths and Heights – Adjusta-Back must be selected for all custom widths see [Sec.7]

Z30316	Raz-CAT w/ 16"W frame width ¹ (base chair price – custom upcharge below will be added)	\$3,395			
Z3CSW16	Upcharge for custom 16"W seat and base frame – will not fit over most toilets	\$595			
Z30320	Raz-CAT w/ 20"W frame width ² (base chair price – custom upcharge below will be added)	\$3,395			
Z3CSW20	Upcharge for custom 20"W seat and base frame	\$595			
Custom Frame Co	Custom Frame Configuration for 18"W frame. (Call Raz for codes and pricing for 16" / 20" widths)				
Z3CLOWF5	Upcharge for custom Low Frame (16"-20" STF)	\$1,595			
¹ 18"W Visco-Foam	¹ 18"W Visco-Foam Interface seats can be modified to fit.				
² 18"W seats can be	18"W seats can be selected but must also select Seat Support Kit (Z4SSKCT) [Sec.5]				

3. Seats – Standard – Please note that the Molded and VFI seats, formerly designated 16"D, are now designated 17"D, which is the center of the IPAS range and the position in which they are shipped from the factory.

Standard CAT Seat – Visco-Foam w/ Tapered Oblong Aperture (thickness ~2.5")				
ZCSC1816 18"W x 11"-16"D (adjustable) standard w/ 18"W ZCSC1616 16"W x 11"-16"D (adjustable) standard w/ 16"W ZCSC2016 20"W x 11"-16"D (adjustable) standard w/ 20"W	frame N/C			
Set seat depth at: 11" 12" 13" 14" 15"	16"			
Standard aperture width: 3.5" at front, 4.5" at rear	\bigcirc			
Other Seats Available – for seat depth adjustment up to 18" – Modi	ied to fit CAT seat frame			
Molded Seats (thickness ~2.5"-3")	Visco Foam Interface Seats (thickness ~3.5")			
ZMSC17FRO 18"W x 17"D – Front Access N/C	ZVFIC17FRO 18"W x 17"D – Front Access \$425			
ZMSC17BRI 18"W x 17"D – Front Bridged N/C	ZVFIC17BRI 18"W x 17"D – Front Bridged \$425			
	ZVFIC17LTO 18"W x 17"D – Left Access \$425			
	ZVFIC17RTO 18"W x 17"D – Right Access \$425			
	ZVFIC17RRO 18"W x 17"D – Rear Access \$425			
Seat Options				
ZSSKCT Seat Support Kit for Raz-CAT (to support seats the	at are 2" narrower than seat frames) \$145			

4. Seats – Custom

For custom seats, please specify seat width and depth. Indicate if the access opening is to be in the Front, Left, Right or Rear. Select Bridged if an access opening is not required. 18" is the standard width for CAT seat frames. See Custom Seat Assessment Form – Resources tab at razdesigninc.com **7CSFAT** Custom Dual-Visco Foam Seat (enter specs below) \$795 ZCSCOV Custom Dual-Visco Foam Shower-Only Seat (no aperture, no drain hole) \$595 ___ 16" / **18"** / 20" Seat Frame Width: ____ 16" / 17" / 18" / 19" / 20" Custom Seat Width: __ 11" / 12" / 13" / 14" / 15" / 16" / 17" Custom Seat Depth: Access Opening: FR – Front / LT – Left / RT – Right / RR – Rear / BR – Bridged Aperture: Tapered Oblong: _____ W (at front) ____ W (at rear) [standard is 3.5" W at front and 4.5" W at rear] Keyhole: ___"W (3.0"-8.0"W – enter "NA" if aperture is not required) • Oblong-shaped apertures can be specified in conjunction with any of the access openings listed. • For Custom Seats, the Ischial Pelvic Alignment System (IPAS) allows +/- 1" fore / aft adjustment from specified custom seat depth.

Special modifications on Custom Seats include: leg-length discrepancy, soft spots, pressure-relief areas, contouring, pelvic obliquity accomodation, etc.

5. Back Frames - for standard 18"W seat frames (back heights measured from top of seat to top of upholstery)

Multi-Position Adjusta-Back: The "Multi-Position" feature allows for fore/aft adjustment of the backrest to provide seat depth adjustability from 11"-16". Includes tension-adjustable vinyl back support, flip-up padded arm supports, back angle adjustment (90° / 97°) with cane-style back posts. Back height is measured from top of molded seat to top of back support. Hip Adductors [ZHPG] are not compatible with Fixed Back.

Back frames for standard 18"W seat frame (Z30318)			Reclining Backs	for 18"W seat frame	
ZCAB845	14" Back Width / 15" Back Height	N/C	ZRBC848	Recliner Back for CAT – 14"W x 18"H ^{2,3}	\$1,095
ZCAB848	14" Back Width / 18" Back Height	\$95	ZRBC868	Recliner Back for CAT – 16"W x 18"H ^{2,3}	\$1,095
ZCAB865	16" Back Width / 15" Back Height	N/C	ZRBCR888	Recliner Back for CAT – 18"W x 18"H ^{2,3}	\$1,095
ZCAB868	16" Back Width / 18" Back Height	\$95			
ZCAB885	18" Back Width / 15" Back Height	N/C			
ZCAB888	18" Back Width / 18" Back Height	\$95			
ZDTL	Dual Triggers – left side ¹	N/C			
ZDTR	Dual Triggers – right side ¹	N/C			
¹ Standard trigger configuration for tilt-only is one on each side. Dual Triggers option positions both triggers on one side, allowing for single-handed operation (tilt only).			er locations for Raz-CAT with recline are: he right and recline triggers on the left. o 25°		

6. Back Frames for 16"W and 20"W Seat Frames (back heights measured from top of seat to top of upholstery)

Multi-Position Adjusta-Back: The "Multi-Position" feature allows for fore/aft adjustment of the backrest to provide seat depth adjustability from 11"-16". Includes tension-adjustable vinyl back support, back angle adjustment (90° / 97°) and flip-up padded arm supports. Back upholstery can be positioned 2.5" higher than factory settings stated below.

16"W Seat Fra	ames		Reclining Backs for 16"W seat frame		
ZCAB645	14" Back Width / 15" Back Height	N/C	2-Point Arms (Z2PLT / Z2PST) are included with Reclining Ba		
ZCAB648	14" Back Width / 18" Back Height	\$95	ZRBC648 Recliner Back for CAT – 14"W x 18"H ^{2,3}	\$1,095	
ZCAB665	16" Back Width / 15" Back Height	N/C	ZRBC668 Recliner Back for CAT – 16"W x 18"H ^{2,3}	\$1,095	
ZCAB668	16" Back Width / 18" Back Height	\$95			
20"W Seat Fra	ame		Reclining Backs for 20"W seat frame		
ZCAB065	16" Back Width / 15" Back Height	N/C	2-Point Arms (Z2PLT / Z2PST) are included with Reclining	Backs.	
ZCAB068	16" Back Width / 18" Back Height	\$95	ZRBC088 Recliner Back for CAT – 18"W x 18"H ^{2,3}	\$1,095	
ZCAB085	18" Back Width / 15" Back Height	N/C			
ZCAB088	18" Back Width / 18" Back Height	\$95			
ZCAB005	20" Back Width / 15" Back Height	N/C			
ZCAB008	20" Back Width / 18" Back Height	\$95			
ZDTL	Dual Triggers – left side ¹	N/C			
ZDTR	Dual Triggers – right side ¹	N/C			
	¹ Standard trigger configuration for tilt-only is one on each side. Dual Triggers option positions both triggers on one side, allowing for		² Standard trigger locations for Raz-CAT with recline are tilt trigger the right and recline triggers on left.	gers on	
single-handed o	operation (tilt only).		³ Tilt is limited to 25°		

7. Back Support Options – These back supports replace tension-adjustable upholstery on an Adjusta-Back. Symphony Backs are recommended for infection-control environments (for 18"H backs only).

ZSB14	Symphony Back – recessed solid back support – 14" back frame width	\$295
ZSB16	Symphony Back – recessed solid back support – 16" back frame width	\$295
ZSB18	Symphony Back – recessed solid back support – 18" back frame width	\$295
ZSB20	Symphony Back – recessed solid back support – 20" back frame width	\$395

8. Arm Supports and Accessories

ZARMS	Short Arm Supports ¹ (pr) – 10"L pad	Std	ZPAML	Pivoting Arm Mount – Left	\$165
ZARML	Long Arm Supports (pr) – 13"L pad	N/C		(for ZFAPLL/ZTRL)	
ZALK	Arm Support Locks (pr) for Fixed-Back (ZFB1818)	\$75	ZPAMR	Pivoting Arm Mount – Right (for ZFAPLR / ZTRR)	\$165
Z2PLT	2-Point Arm Supports ² (pr) with 13"L pads (std with reclining backs)	\$345	ZASK05	Arm Support Spacer Kit – 1/2" per side for all Adjusta-Backs (pr)	\$60
Z2PST	2-Point Arm Supports ² (pr) with 10"L pads (std with reclining backs)	\$345	ZASK10	Arm Support Spacer Kit – 1" per side for all Adjusta-Backs (pr)	\$115
ZFAPSL	Short Molded Flat Armpad ³ – Left	\$90	ZPHGS	Pivoting Hand Grips (pr) for 10"L arms ⁴	\$395
	(10"L x 3"W – fits ZARM10L)	φυσ	ZPHGL	Pivoting Hand Grips (pr) for 13"L arms ⁴	\$395
ZFAPSR	Short Molded Flat Armpad ³ – Right (10″L x 3″W – fits ZARM10R)	\$90	ZAPSB*	Anterior Posture Support Bar ^{5,6} * Enter frame width to complete code	\$225
ZFAPLL	Long Molded Flat Armpad ³ – Left (14″L x 3.25″W – fits ZARM13L)	\$90		(14" / 16" / 18" / 20")	
ZFAPLR	Long Molded Flat Armpad ³ – Right (14″L x 3.25″W – fits ZARM13R)	\$90			
ZTRL	Molded Arm Trough ³ – Left (18.5″L x 4.5″W)	\$110			
ZTRR	Molded Arm Trough ³ – Right (18.5″L x 4.5″W)	\$110			
¹ Not compati	blo with ZEADI / ZEADS / ZTD / ZDAM		4 701101 (701100		
	 ¹ Not compatible with ZFAPL / ZFAPS / ZTR / ZPAM ² For chairs with same back width and frame width only 		charge.	combined with 2 Point Arms requires a custon	n up-
³ May require	ZPAM / ZASK05 / ZASK10 for Arm Support to flip u	up,	⁵ Not compatible	with ZFAPL / ZFPS / ZTR	
depending on Trough	medial / lateral position of the Flat Arm Pad or Ar	m	⁶ Special length r	equired with ZASK05 (+1") and ZASK10 (+2")	

9. Foot and Leg Supports

750		<u> </u>			2	4.4
ZFS	Foot Supports (pr) – 16"-20.5"	Std	ZELRL	Elevating Leg Support	rt ³ – Left	\$495
ZFS16	Foot Supports for 16"W frames (pr)	N/C		(includes ZADML)		
	- 16"-20.5"		ZELRR	Elevating Leg Suppo	rt ³ – Right	\$495
ZFET2	Footrest Extension Tubes (pr)	\$50		(includes ZADMR)		
	– 2″ longer ¹		ZFOR	Forward Offset Foot	Support Receiver –	\$95
ZMFX8C	MFX8 Foot Supports (pr) – 8"-12"	N/C		(ea) Moves foot sup		
ZMFX12C	MFX12 Foot Supports (pr) – 12"-16.5"	N/C		accomodate deeper	seats and reduced Specify 1 or 2	
ZADM	Adj Angle/Depth Molded Footplates ² (pr)	\$120	ZRLSL	Universal Residual L		\$19
ZADABS16	Angle/Depth Adj ABS Footplates – Left	\$195	ZRLSE			\$195
	For 16"W frames		ZKLSK	Universal Residual L	imb Support – Right	\$19:
ZVS*	V-Style Foot Support (1-piece) 16"-20.5" * Enter frame width to complete code	\$295				
	(16" / 18")					
ZVS20	V-Style Foot Support (1-piece) 16"-20.5" For 20"W frames	\$345				
ZFBT	Flip-Back Foot Support (1-piece) 16"-20.5"	\$455				
Not compatible	e with ZMFX8C / ZADM / ZVS / ZVSW / ZFBT		³ 7FI RI /R com	npatible with frame widt	hs ≥ 18" and adjusted sea	at
Not compatible	e with Z30316 or ZMFX8C			or $\leq 21^{"}$ w/ 3" longer sea		

10. Foot and Leg Support Accessories

ZFSLK	Foot Support Locks (pr)	\$95	ZNC	Neoprene Cover for Standard	\$90
ZCS*	Calf Strap, Snap-On – Bodypoint	\$105		Footplate (pr)	·
	Aeromesh – For 16" / 18" / 20"W frames		ZNCA	Neoprene Cover for Angle/Depth	\$90
ZCSIC*	Calf Strap, Snap-On – Infection Control For 16" / 18" / 20"W base frames	\$95	ZNC16	Adjustable Footplates Neoprene Covers for Narrow Molded	\$90
ZCPL	Calf Panel – Bodypoint Aeromesh ¹	\$225	ZNCIU	Footplates $- 16^{\circ}$ W frame (pr)	390
2012	Fits frame widths (16" / 18" / 20")	ΥLL3	ZNCABS16	Neoprene Cover for Narrow Molded ABS	\$90
ZHS1820	H-Strap – for 18" / 20"W frames	\$90		Angle/Depth Adjustable Footplates	
	 hook and loop attachment 		ZNCVS	Neoprene Cover for V-Style Foot Support	\$90
ZAHL	Adjustable Heel Loop (pr) (not available for ZVS / ZFBT)	\$60	ZNCFB	Neoprene Cover for Flip-Back Foot Support	\$90
			ZLMOR	Lateral / Medial Offset Foot Support Receiver (ea) – moves foot support 2" laterally or medially. Specify 1 or 2	\$95
¹ Not compatibl	e with ZMFX8C / ZMFX12C / ZVS / ZFBT		ZFOR	Forward Offset Foot Support Receiver – (ea) Moves foot support forward 2.5" to accomodate deeper seats and reduced knee flexion range. Specify 1 or 2	\$95

11. Positioning Pads – Hip Adductors are not compatible with Reclining Backrest unless ordered on-chair.

Head Suppo	rts	
ZHSP1	Head Support Pad – Small (10" x 4")	Standard
ZHSP2	Head Support Pad – Large (12" x 6")	\$50
ZOHIP	Lateral Offset Head Support Interface Plate – up to 22° of adjustment	\$75
	acic Supports – Pads on Lateral Thoracic Supports can be adjusted medially up to 3" per side. For up t ZLAEP extension plate.	o 4.5" medial
ZLTS1L	Lateral Thoracic Support w/ Small Pad – Left	\$225
ZLTS1R	Lateral Thoracic Support w/ Small Pad – Right	\$225
ZLTS2L	Lateral Thoracic Support w/ Large Pad – Left	\$225
ZLTS2R	Lateral Thoracic Support w/ Large Pad – Right	\$225
Leg Adducto	rs	
ZLGT1L	Leg Adductor w/ Small Pad – Left	\$225
ZLGT1R	Leg Adductor w/ Small Pad – Right	\$225
ZLGT2L	Leg Adductor w/ Large Pad – Left	\$225
ZLGT2R	Leg Adductor w/ Large Pad – Right	\$225
Hip Adductors	for 4"narrower backs	
ZHP4C1L	Hip Adductor for 4" narrower back w/ Small Pad– Left	\$225
ZHP4C1R	Hip Adductor for 4" narrower back w/ Small Pad– Right	\$225
ZHP4C2L	Hip Adductor for 4" narrower back Large Pad– Left	\$225
ZHP4C2R	Hip Adductor for 4" narrower back w/ Large Pad– Right	\$225
Hip Adductors	for backs that are same width as seat frame or 2" narrower	
ZHP02C1L	Hip Adductor for 0-2" narrower back w/ Small Pad – Left	\$225
ZHP02C1R	Hip Adductor for 0-2" narrower back w/ Small Pad – Right	\$225
ZHP02C2L	Hip Adductor for 0-2" narrower back w/ Large Pad – Left	\$225
ZHP02C2R	Hip Adductor for 0-2" narrower back w/ Large Pad – Right	\$225
Hip Adductors	For Reclining Backs	
ZHPRC1L	Hip Adductor for Reclining Back w/ Small Pad – Left	\$225
ZHPRC1R	Hip Adductor for Reclining Back w/ Small Pad – Right	\$225
ZHPRC2L	Hip Adductor for Reclining Back w/ Large Pad – Left	\$225
ZHPRC2R	Hip Adductor for Reclining Back w/ Large Pad – Right	\$225
	es for Lateral Thoracic Supports and Hip / Leg Adductors Iow for an additional 1.5" medially and can be used on Lateral Thoracic Support, Hip and Leg Adductors	
ZLAEP	Lateral/Adductor Extension Plate (ea)	\$28
Lateral Thorac	c Support Left Right	
Leg Adductor	Left Right	
Hip Adductor	Left Right	
Total Quantity		
Medial Thigh S	Supports (Pommel)	
ZMTST1	Medial Thigh Support w/ Small Pads	\$495
		J-JJ

12. Pelvic and Chest Belts – A CHEST BELT MUST NEVER BE USED WITHOUT A PELVIC BELT!

Pelvic Belts						Chest Be	elts			
ZPBS		ic Belt – Sm ece w/ side	•	e widths 14-16", ouckle)	\$50	ZCBS		Chest Belt ² – Small (I 1-piece w/ hook and	back widths 14"-16", I loop closure)	\$45
ZPBM			•	ame widths 16"- ease buckle)	\$50	ZCBN	1	Chest Belt ² – Mediur 18", 1-piece w/ hook	n (back widths 16"-	\$45
ZPBL		ic Belt – Lar ece w/ side	•	e widths 18"-20", ouckle)	\$50	ZCBL			back widths 18"-20",	\$45
ZPBICS	2-pie	ece w/ fram	ne clamps	ontrol, Small s, mounting plates, ne widths 14"-16")	\$75	ZCBI	CS	Chest Belt ^{1,2} – Infect 1-piece w/ side-relea widths 14-16")	ion Control, Small	\$75
ZPBICM	2-pie	ece w/ fram	ne clamps	ontrol, Medium s, mounting plates, ne widths 16"-18")	\$75	ZCBI	CM	Chest Belt ^{1,2} – Infect Medium 1-piece w/ (back widths 16"-18'	side-release buckle	\$75
ZPBICL	Pelvic Belt ¹ – Infection Control, Large 2-piece w/ frame clamps, mounting plates, side-release buckle (frame widths 18"-20")			\$85	ZCBI	CL	Chest Belt ^{1,2} – Infect 1-piece w/ side-relea widths 18"-20")	ion Control, Large	\$85	
ZPBBPS	Pelvi	ic Belt – Bo	dypoint A	Aeromesh, Small	\$245	ZCBB	PS	Chest Belt – Bodypoi	int Aeromesh. Small	\$275
ZPBBPM	Pelvi	ic Belt – Bo	dypoint A	Aeromesh, Med	\$215	ZCBB	-	Chest Belt – Bodypoi		\$245
ZPBBPL	Pelvi	ic Belt – Bo	dypoint A	Aeromesh, Large	\$215	ZCBB		Chest Belt – Bodypoi		\$245
Recommende	d F	Pelvic belt	ZPBBPS	N/A		ZPBBPM	16"W	/ base frame	ZPBBPL 18"/20"W ba	ase frame
sizes for Bodypoint bel	ts	Chest belt	ZCBBPS	14"W back frame		ZCBBPM	16"W	/ back frame	ZCBBPL 18"/20"W ba	ack frame
¹ Non-absorbe	nt holt	s - rocomm	and ad for	infaction control onvi	ronmon	tc				

¹ Non-absorbent belts – recommended for infection-control environments

² Tension-Adjustable Upholstery includes loops to retain a chest belt (ZCBM/ZCBL/ZCBXL). When the chair is supplied with a Harmony or Symphony Back, Chest Belt loops are provided.

13. Urine Management

ZIHW	Whizard – winged urine deflector – Has patent-pending lateral wings that are positioned under the medial aspect of the thighs to keep the Whizard in place.	\$67			
ZSS	SplaShield – Molded urine deflector (must be held in place while using)	\$125			
ZSC17	Splash Curtain ¹ for 17"D Bridged Front Seats, Molded and VFI (surrounds entire aperture, raises seat 1/2").	\$325			
ZSCC	Custom Splash Curtain for Custom Seats – Raises seat 1/2"	\$345			
ZSCSI	Slide-In Splash Curtain – Vinyl curtain, slides into commode pan brackets	\$345			
ZBUDBH	Bard Urine Drainage Bag Holder	\$155			
¹ Bridged Front Seats only. For Left, Right, Front, and Rear Open, call for order codes and pricing.					

14. Other						
ZDCLT	Directional Caster Lock – fits on one rear caster (facilitates steering)	\$165	ZPSK1	Commode Pan Spacer Kit ¹ – 1" lower	\$200	
			ZPSK2	Commode Pan Spacer Kit ¹ – 2" lower	\$215	
ZATTRR	Anti-Tippers – Rear (pr)	\$345	ZPSK3	Commode Pan Spacer Kit ¹ – 3" lower	\$230	
ZATTFR	Anti-Tippers – Front (pr)	\$345 \$120	7001/4	•		
ZCUT4	4" Caster Upgrade (4x)		ZPSK4	Commode Pan Spacer Kit ¹ – 4" lower	\$245	
ZCUT6	6" Caster Upgrade (4x)	\$350	ZSPKC22	CAT Self-Propel Kit with 22" wheels – incl anti-tippers (tilt limited to 25°)	\$1,425	
ZTLS	Tilt Limit Spacers – 1/2" spacers snap onto gas struts to limit tilt (each reduces tilt range approx. 5°. Can be stacked for	N/C	ZSPKC24	CAT Self-Propel Kit with 24" wheels – incl anti-tippers (tilt limited to 25°)	\$1,425	
	additional tilt limiting. Quantity		¹ Commode Pan Spacer Kits provide extra clearance for self-care with pan in place. Increases height required to clear toilet.			

15. Credits and Omissions

Z905	Omit Commode Pan and Mounting Brackets	-\$20	Z911	Omit Molded Head Support Pad	-\$20
Z907	Omit Foot Supports	-\$45	Z912	Omit Complete Head Support Assembly	-\$50

Some assembly of Raz products is required.

16. Notes

Specifications	Raz-CAT (Compact Attendant Tilt)				
Weight Capacity	300 lbs (136 kg)				
Overall Width	Seat width plus 4.5" (with Standard Arm Support Pads)				
Overall Length (with MFX12 foot supports and headrest adjusted to middle positions)					
∙ at 0° tilt ∙ at 40°	36.75" (93.5cm) (rear casters trailing) 44" (112cm)				
Seat Depth	11"-16" (28-41cm) depending on seat/cushion length				
Clearance Height (under seat) • with pan brackets • without pan brackets	17.25"-21.25" (44-54cm) (1" increments) 17.75"-21.75" (45-55cm) (1" increments)				
Clearance Width (to fit around toilet)	15.75"(40cm) for standard 18"W (46cm) seat frame. For other widths, seat frame width minus 2.25" (5.75cm)				
Arm Support Height - above molded seat (1/2" increments) (1.25cm)					
 15"H Adjusta-Back 18"H Adjusta-Back 18"H Reclining Adjusta-Back 	5.5"-8" (14-20cm) 6.5"-9" (16.5-23cm) 6.5"-9" (16.5-23cm)				
Seat-to-Floor Height (with molded seat)	21"-25" (53.5-63.5cm)				
Product Weight	55 lbs (25 kg)				
Frame and Hardware Material	Stainless Steel (lifetime warranty against corrosion)				