



VOLUME 12

# FABRICATOR FULL CATALOG

**BONDING**  
**SURFACE TREATMENTS**  
**INSTALLATION**  
**CLEANING & MAINTENANCE**  
**ABRASIVES**  
**CUTTING**

REFERENCE GUIDE:

- STONE
- QUARTZ
- CERAMIC
- CONCRETE
- CEMENT

	KNIFE-GRADE
	FLOWING
	SEMISOLID
	GEL
	INDOOR
	OUTDOOR
	INDOOR-OUTDOOR
	TRANSPARENT
	INVISIBLE
	EXTRA CLEAR
	COLORED
	WIDE RANGE OF COLORS
	ENHANCER
	WALLS & FLOORS
	VERY LOW YELLOWING
	LOW YELLOWING
	ZERO YELLOWING
	ANTI-GRAFFITI
	EXTRAORDINARY MAINTENANCE
	ORDINARY AND EXTRAORDINARY MAINTENANCE
	ORDINARY MAINTENANCE
	FOOD CONTACT
	WATER-BASED
	SOLVENT-BASED
	NATURAL EFFECT
	BRIGHTENING
	ACID
	ZERO VOC

TABLE OF CONTENTS

# BONDING

POLYESTER • EPOXY • VINYL ESTER • GLAXS • CARTRIDGES

# INKS & DYES

All products for professional use unless otherwise indicated. Gel times, tacky free times and working times may differ due to different environmental situations.



## ABOUT US

Tenax has been producing and distributing mastics, resins, abrasives, surface treatments and tools to work with natural stone, quartz and ceramic since 1956. Tenax has its roots in Valpolicella (Verona, Italy), home to the most famous marble production and machining sites in the world. From here the company has risen to a forefront position in the sector, delivering efficient solutions and high-performance products across the supply chain.

## THE BENEFITS OF CHOOSING TENAX USA

Tenax USA has expanded our main office and warehouse in Charlotte. We also now have a second warehouse in Las Vegas to serve all our west coast customers in a more timely and efficient manner.

**TECHNICAL ASSISTANCE:** At Tenax we offer an active global technical assistance service. Our qualified technicians reach customers all over the world, supporting them in choosing products and starting up new plants. By listening to our partners, being close to them and communicating directly with them, we help them grow and achieve the top results.

**CUSTOMIZATION:** Tenax works together with its customers and partners to develop customized products that are specifically tailored to their individual requirements.

**ITALIAN QUALITY:** Tenax is an industry benchmark in terms of the quality of its products and a proud representative of the Made in Italy brand throughout the world.

### CHARLOTTE



### LAS VEGAS



## SURFACE TREATMENTS

SEALERS • ENHANCERS • WAXES • STAIN PROTECTION • ANTI SLIP • ANTI ACID



## CONCRETE

SEALERS • WAXES



## CLEANING • MAINTENANCE

CLEANERS • STAIN REMOVERS • RUST REMOVERS • ETCH REMOVERS • CHIP REPAIR





Pg 47



Pg 48

# LUSTRO ITALIANO™

CLEANERS, SEALERS, ENHANCERS, STAIN REMOVERS FOR THE HOMEOWNER



Pg 49



Pg 50



Pg 51



Pg 52



Pg 53

# ABRASIVES

ABRASIVES • BRUSHES • EDGE POLISHERS




Pg 54



Pg 55



Pg 56



# CUTTING

DEKTON™ • CERAMIC • MARBLE • QUARTZ DIAMOND BLADES



Pg 57



Pg 58

# MISC / ACCESSORIES

GUNS • NOZZLES • INSTALLATION • FABRICATION



Pg 59



**BOND, PERFECT BOND.**



**TENAX HAS A SYSTEM TO BOND ANYTHING**



**H - KNIFE**

STONE QUARTZ

**KNIFE-GRADE TRANSPARENT**

Knife-grade H is a high viscosity polyester adhesive used to vertically or horizontally repair, rebuild, bond, and fill. Knife-grade H will cure shiny. It cures fast and bonds extremely strong. Not suitable for temperatures below 32°.

- + Very good adhesion
- + Cures in lower temperatures
- + Very polishable
- + Colors easily

- Colorable: Universal Color Pastes
- Mixing ratio: 100+2/3
- Gel time (in bulk at 77°): 4-6 min
- Tacky free time (at 77°): Approx. 25-30 min
- Working time (at 77°): 60-80 min
- Temp. range for use after hardening: 32° to 230°



SIZE		
125 ml	1CAA00BG20	12 pcs/bx
1 Ltr	1CAA00BG50	12 pcs/bx
4 Ltr	1CAA00BJ10	4 pcs/bx
17 Kg	1CAA00BJ50	1 pc



**TIXO TRANSPARENT EX**

STONE QUARTZ

**KNIFE-GRADE HIGH VISCOSITY**

Knife-grade Tixo Transparent EX is a high viscosity polyester adhesive used to vertically or horizontally repair, rebuild, bond, and fill. Knife-grade Tixo Transparent EX is very smooth in consistency and will cure shiny. It cures fast and bonds extremely strong. Not suitable for temperatures below 32°.

- + Very good adhesion
- + Cures in lower temperatures
- + Very polishable
- + Colors easily

- Colorable: Universal Color Pastes
- Mixing ratio: 100+2/3
- Gel time (in bulk at 77°): 4-5 min
- Tacky free time (at 77°): 9-12 min
- Working time (at 77°): 20 min
- Temp. range for use after hardening: 32° to 230°



SIZE		
1 Ltr - 3 lb	1CAA00BL80EA01	
10 lb Gal	1CAA00BL80EA04K	
4 Ltr - 10.8 lb	1CAA00BL80EA04	
21 lb Mini Bucket	1CAA00BL80EA09	
17 Kg - 41 lb	1CAA00BL80EA17	



**TRANSPARENT FLOWING**

STONE QUARTZ

**FLOWING HIGH QUALITY MASTIC**

Transparent Flowing is a high quality polyester mastic used to horizontally repair, rebuild, bond, and fill. Flowing will cure shiny. It cures fast and bonds extremely strong. Cures in lower temperatures. Excellent for rodding reinforcement on a countertop. Not suitable for temperatures below 32°.

- + Very good adhesion
- + Cures in lower temperatures
- + Very polishable
- + Colors easily

- Colorable: Universal Color Pastes
- Mixing ratio: 100+2/3
- Gel time (in bulk at 77°): 5-7 min
- Tacky free time (at 77°): 25-30 min
- Working time (at 77°): 60-80 min
- Temp. range for use after hardening: 32° to 230°



SIZE		
1 Ltr	1AAA00BG50	12 pcs/bx
4 Ltr	1AAA00BJ10	4 pcs/bx
17 Kg	1AAA00BL50	1 pc
60 Ltr	1AAA00BJ20	1 pc
200 Ltr	1AAA00BL60	1 pc



**BONDING - POLYESTER**

**NEW FORMULA!**



**TITANIUM KNIFE -GRADE EXTRA CLEAR**

STONE QUARTZ CERAMIC

KNIFE-GRADE EXTRA STRONG AND EXTRA CLEAR VINYL ESTER ADHESIVE

*STAYS CLEAR!*

Tenax Titanium Extra Clear Knife-grade is the latest Vinyl Ester technology. Titanium is stronger than a polyester adhesive with faster reaction times. Exceptional strength for cnc and line machine use right after cure. Titanium is superb on white and light colored marble, quartz, and quartzite materials. Takes color very well for darker stones. Titanium is ideal for seaming, laminations, miter cuts, chip repair on all granite, marbles, quartz, and quartzite materials. Excellent for indoor applications and outdoor applications that stay above 32° F.



- + Excellent adhesion
- + Very Fast
- + Very polishable
- + Very light in color
- + Does not darken after cure

- Colorable: Universal Color Pastes
- Mixing ratio: 100+1/2
- Gel time (in bulk at 77°): 3-4 min
- Tacky free time (at 77°): Approx. 15 min
- Working time (at 77°): 25-30 min
- Temp. range for use after hardening: 32° to 230°

SIZE			
2 lb Quart	1CAA00B0088	12 pcs/bx	
10 lb Gal	1CAA00B004	4 pcs/bx	
17 kg	1CAA00B0017	1 pc	



**TITANIUM FLOWING**

STONE QUARTZ CERAMIC

FLOWING EXTRA STRONG WATER CLEAR VINYL ESTER ADHESIVE

Tenax Titanium Extra Strong Flowing has been developed with the latest Vinyl Ester technology. Titanium is ideal for seaming, laminations, miter cuts, chip repair on all granite, marbles, quartz and quartzite materials. Transparent with a slightly blue-purple color, Titanium does not darken after cure. Tenax Titanium is very fast and has very good workability. Stays a flowing consistency even after adding the hardener. After the addition of the hardener the glue will change color but will return to the original white color after a few minutes. Excellent for indoor applications and outdoor applications that stay above 32° F.



- + Excellent adhesion
- + Very Fast
- + Very polishable

- Colorable: Universal Color Pastes
- Mixing ratio: 100+1/2
- Gel time (in bulk at 77°): 4-6 min
- Tacky free time (at 77°): 18-20 min.
- Working time (at 77°): 20-25 min
- Temp. range for use after hardening: 32° to 230°

SIZE			
1 Ltr	1AAA00BM01	12 pcs/bx	
4 Ltr	1AAA00BM04	4 pcs/bx	
17 Kg	1AAA00BM17	1 pc	



*Crystal is the strongest water clear polyester*

**CRYSTAL**

STONE QUARTZ

KNIFE-GRADE WATER CLEAR

Crystal Knife is a high quality acrylic/polyester hybrid mastic. Crystal Knife is used to vertically or horizontally repair, rebuild, bond, and fill. Crystal Knife is very smooth in consistency. It will cure shiny, is very polishable and colors easily to match granite and other stones. Perfectly suited for any application where the adhesive or seam/joint must be hidden. Not suitable for temperatures below 32°.



- + UV Resistant
- + Cures fast
- + Bonds strong
- + Colors easily

- Colorable: Universal Color Pastes
- Mixing ratio: 100+2/3
- Gel time (in bulk at 77°): 10-15 min
- Tacky free time (at 77°): Approx. 120 min
- Working time (at 77°): Approx. 180 min
- Temp. range for use after hardening: 32° to 230°

SIZE			
1 Ltr	1CMA00BG50	6 pcs/bx	




**COLORED KNIFE-GRADE (MASTICE SOLIDO)**

STONE QUARTZ

HIGH QUALITY KNIFE-GRADE

Colored Knife-grade is a high quality polyester mastic adhesive used to vertically and horizontally repair, rebuild, glue, and fill marble, granite and engineered stones. Not suitable for temperatures below 32°. Other colors available upon special request.



- + Very good adhesion
- + Cures in lower temperatures
- + Very polishable
- + Cures shiny

- Mixing ratio: 100+2/3
- Gel time (in bulk at 77°): 4-5 min
- Tacky free time (at 77°): 25-30 min
- Working time (at 77°): 60-80 min
- Temp. range for use after hardening: 32° to 230°

SIZE				
1 Ltr	Buff	17AC01BG50	12 pcs/bx	
4 Ltr	Buff	17AC01BJ10	4 pcs/bx	
1 Ltr	White	17AB01BG50	12 pcs/bx	
4 Ltr	White	17AB01BG60	4 pcs/bx	
1 Ltr	Black	17AT01BG50	12 pcs/bx	




**COLORED FLOWING (MASTICE FLOWING)**

STONE QUARTZ

HIGH QUALITY FLOWING

Colored Flowing is suitable for horizontal repairs only. Not suitable for temperatures below 32°. Other colors available upon special request.



- + Very good adhesion
- + Cures in lower temperatures
- + Very polishable
- + Cures shiny

- FLOWING:**
- Mixing ratio: 100+2/3
  - Gel time (in bulk at 77°): 5-7 min
  - Tacky free time (at 77°): 25-30 min
  - Working time (at 77°): 60-80 min
  - Temp. range for use after hardening: 32° to 230°

SIZE				
1 Ltr	Buff	11AC01BG50	12 pcs/bx	
4 Ltr	Buff	11AC01BJ10	4 pcs/bx	
1 Ltr	White	11AB01BG50	12 pcs/bx	



**MARBLE SUPER TRANSPARENT**

STONE

WATER CLEAR KNIFE-GRADE

Super Transparent water clear knife-grade is a high viscosity polyester adhesive used to vertically or horizontally repair, rebuild, bond, and fill. Super Transparent is very smooth in consistency, and will cure shiny. Changes to white when fully mixed and dries clear. Perfect for light colored stones such as Carrara, Thassos and other light/white stones. Not suitable for temperatures below 32°.



- + Perfect for light color stones
- + Cures in lower temperatures
- + Very polishable
- + Colors easily

- Colorable: Universal Color Pastes
- Mixing ratio: 100+2/3
- Gel time (in bulk at 77°): 3-6 min
- Tacky free time (at 77°): Approx. 60-90 min
- Working time (at 77°): 80-90 min
- Temp. range for use after hardening: 32° to 230°

SIZE			
1 Ltr	1GLA00BG55	12 pcs/bx	



## TRAVERTINE FILLER (SEMISOLIDO)

STONE



### SEMI-SOLID POLYESTER FILLER FOR TRAVERTINE

Travertine filler is used to horizontally repair, rebuild, glue, and fill travertine, as well as similar stones. Travertine filler has a semisolid consistency that is smooth and easy to spread. It is used to fill all size holes in travertine and will accept a polish. Not suitable for temperatures below 32°. Other colors available upon special request.

- + Good adhesion
- + Cures in lower temperatures
- + Very polishable
- + Colors easily

- Colorable: Universal Color Pastes
- Mixing ratio: 100+2/3
- Gel time (in bulk at 77°): 2-3 min
- Tacky free time (at 77°): 10-15 min
- Working time (at 77°): 30-40 min
- Temp. range for use after hardening: 32° to 230°

#### SIZE

1 Ltr		14AC01BG50	12 pcs/bx
4 Ltr		14AC01BJ10	4 pcs/bx
125 ml	brown	14AC01BG40BROWN	pcs/bx
125 ml	buff	14AC01BG40BUFF	pcs/bx



BROWN

BUFF



**125 ml size is great for homeowners!**

## NEW FORMULA!



## SOLIDO QUARZO

QUARTZ

### SOLID QUARTZ COLOR MATCH SYSTEM-POLYESTER

The ideal mastic for gluing and bonding engineered stone, Tenax Quarzo color match system will color match the most popular brands of quartz materials: Silestone, Caesarstone, Cambria, Santa Margherita, Zodiac, Technistone and many other brands known in the fabrication industry.

To find the specific color match for the brand of stone, visit [www.tenax4you.com](http://www.tenax4you.com) under the Quartz Color Match Glue category. Download the pdf file and cross reference your stone with the Tenax Quarzo glue. You will also find an easy-to-use online color match application to help you find the color you are looking for.

Tenax Solid Quartz colors are available in 1 liter cans/12 pcs per box.

- + Excellent adhesion
- + Very polishable
- + Soft and easy to spread
- + Low VOC

- Colorable: Universal Color Pastes
- Mixing ratio: 100+2/3
- Gel time (in bulk at 77°): 4-5 min
- Tacky free time (at 77°): 25-30 min
- Working time (at 77°): 60-80 min
- Temp. range for use after hardening: 32° to 230°



OPTICAL WHITE  
1SQOW



WHITE  
1SQW




PAPER WHITE  
1SQPW



CREMA DARK  
1SQCREMADARK



CREMA  
1SQCR



KHAKI  
1SQKHAKI



CEMENT  
1SQCEM



CITY GREY  
1SQCITYGREY



UNDERGROUND  
1SQU



BLACK  
1SQBLACK



VOC Compliant



Cartridge  
Gun Required  
M200XMR  
GUN21511



VOC Compliant



VOC Compliant



VOC Compliant



## DOMO 10 A+B

STONE QUARTZ CERAMIC

### 2 PART KNIFE-GRADE EPOXY

Domo 10 A & B is a two part knife-grade epoxy designed for all types of stone. Domo is one of the strongest epoxies in the stone industry. It will bond to almost any surface including polished surfaces. Domo is designed for permanent application. The stone will break before the bond will. Suitable for temperatures below 32° as well as extreme heat. White in color.

- + Super strong - slow cure
- + Bonds to wet surfaces
- + Very high adhesion
- + Great for bonding mixed materials

- Colorable: Universal Color Pastes
- Mixing ratio: 1:1
- Gel time (in bulk at 77°): 120-150 min
- Tacky free time (at 77°): 5 hours
- Minimum reaction temperature: 50°
- Temp. range for use after hardening: -13° to 143°

#### SIZE

1A + 1B Ltr	1RAA00BG50	3 sets/bx
250 ml Cartridge	1RAA00BD90	12 pcs/bx



## RIVO 50 A+B

STONE QUARTZ CERAMIC

### 2 PART KNIFE-GRADE EPOXY

Rivo 50 A & B is a Knife-grade epoxy designed for all types of stone. Rivo is one of the strongest epoxies in the stone industry. It will bond to almost any surface. Rivo 50 is designed for permanent application. The stone will break before the bond will. Suitable for temperatures below 32° as well as extreme heat. Recommended for both interior and exterior applications. Material must be dry before application. Straw in color.

- + Very strong - fast cure
- + VOC compliant
- + Permanent application

- Mixing ratio: 1:1
- Gel time (in bulk at 77°): 50 min
- Tacky free time (at 77°): 150 min
- Minimum reaction temperature: 50°
- Temp. range for use after hardening: -13° to 143°

#### SIZE

1A + 1B Ltr	1RHA00BG50	3 sets/bx
17 Ltr A	1RHA00BG70	4 pcs/bx
17 Ltr B	1RHA00BG71	4 pcs/bx



## RIVO 15 A+B

STONE QUARTZ CERAMIC

### 2 PART KNIFE-GRADE EPOXY

Rivo 15 A & B is a two part Knife-grade epoxy designed for all types of stone. Rivo is one of the strongest epoxies in the stone industry. It will bond to almost any surface. Rivo 15 is designed for permanent application. The stone will break before the bond will. Suitable for temperatures below 32° as well as extreme heat. Recommended for both interior and exterior applications. Material must be dry before application. Straw in color.

- + Very strong
- + Fast cure
- + VOC compliant
- + Permanent application

- Mixing ratio: 1:1
- Gel time (in bulk at 77°): 10-15 min
- Tacky free time (at 77°): 90 min
- Minimum reaction temperature: 50°
- Temp. range for use after hardening: -13° to 143°

#### SIZE

1A + 1B Ltr	1RJA00BG50	3 sets/bx
-------------	------------	-----------



## MICTO A+B

STONE QUARTZ CERAMIC

### 2 PART FLOWING EPOXY

Micto is a two part epoxy used for marble, granite, and stone of all types that need to be glued and reconstructed in both indoors and outdoors. Micto is water clear color, has a medium viscosity consistency, and cures SUPER FAST. Works great for rodding as well. Micto is a MUST HAVE if you need a super strong fast adhesion.

- + Cures super fast
- + Super strong
- + Water clear color
- + Great for rodding

- Colorable: Universal Color Pastes
- Mixing ratio: 1:1
- Gel time (in bulk at 77°): 5 min
- Tacky free time (at 77°): 15 min
- Minimum reaction temperature: 50°
- Temp. range for use after hardening: -13° to 143°

#### SIZE

1 Ltr A / 1 Ltr B	1RFA00HE50	3 sets/bx
-------------------	------------	-----------



VOC Compliant

### FIXTOP A+B

STONE QUARTZ CERAMIC


#### STRONG AND LOW VOC EPOXY GLUE

Fixtop is a super strong epoxy tile and stone adhesive. Fixtop is designed to create optimum adhesion for marble, granite, engineered stone, ceramic, and porcelain tile. Fixtop will glue mixed materials- such as metal to stone, ceramic to wood, stone to panels, cement board, concrete, even composite material used for setting glass and ceramic tile. Fixtop has a low VOC and respects LEED parameters. Fixtop can be used for indoor and outdoor applications. May also be used in wet applications after cure. Bonds hard but flexible.

- + Easy to mix - smooth consistency - trowelable
- + Easy clean up (water, lacquer thinner, acetone)
- + Excellent bond to granite, mosaics, tile
- + Does not dissolve or breakdown in water - great for shower applications, won't delaminate
- + Allows for expansion and contraction
- + 100% true epoxy adhesive

- Colorable: Universal Color Pastes
- Mixing ratio: 1:1
- Gel time (in bulk at 77°): 50-60 min
- Tacky free time (at 77°): 120 min
- Minimum reaction temperature: 50°
- Temp. range for use after hardening: -13° to 143°

SIZE			
4 kg A	1RFIXTOP04KGA		4 pcs/bx
4 kg B	1RFIXTOP04KGB		4 pcs/bx
20 kg A	1RFIXTOP20KGA		1 pc
20 kg B	1RFIXTOP20KGB		1 pc



VOC Compliant

### FIXTOP FIXDECK A+B

STONE QUARTZ CERAMIC

#### SLOW CURING TILE AND STONE ADHESIVE

Tenax Fixtop Deck is a slow curing, super strong epoxy tile and stone adhesive. Tenax Fixtop Deck has been produced specifically as a deck adhesive. Fixtop Deck is ideal for setting countertops on plywood when a slow curing glue is needed. Fixtop Deck has a very smooth consistency and is perfect for troweling. Fixtop Deck can be used for indoor and outdoor applications. May also be used in wet applications after cure. Bonds hard but flexible. Does not soften or dissolve in water.

- Colorable: Universal Color Pastes
- Mixing ratio: 1:1
- Gel time (in bulk at 77°): 2-3 hrs
- Tacky free time (at 77°): 3-4 hrs
- Minimum reaction temperature: 50°
- Temp. range for use after hardening: -13° to 143°

- + Slow curing - super strong
- + Ideal for setting countertops on plywood
- + Easy to mix - smooth consistency - trowelable
- + Easy clean up (water, lacquer thinner, acetone)
- + 100% true epoxy adhesive

SIZE			
20 kg A	1RFIXTOP20KGA		1 pc
20 kg B Deck	1RFIXDECK20KGB		1 pc



VOC Compliant

### ELIOX A+B

STONE QUARTZ CERAMIC

**NEW!**

#### EXTRA CLEAR 2-PART EPOXY

Tenax Elix is an extra clear bi-component epoxy knife-grade glue approved for food contact. Suitable to fill, glue and laminate marble, stone, granite, quartz and ceramic. Can be used indoor and outdoor. This product is extra clear, soft and light, easy to spread and with a high gloss and brightness.

- + Extra clear
- + Excellent adhesion
- + Very low shrinkage during the hardening process
- + Soft and easy to apply
- + Very bright and easy to polish
- + Dripless and does not sag
- + Resistant to temperature
- + Low UV - Very low yellowing
- + Easy coloring

- Colorable: Universal Color Pastes
- Mixing ratio: 2:1
- Gel time (in bulk at 77°): 10-15 min
- Tacky free time (at 77°): 180-210 min
- Minimum reaction temperature: 50°
- Temp. range for use after hardening: -13° to 140°

SIZE		
1.5 kg A		1RAA00BH15A
0.75 kg B		1RAA00BH075B



VOC Compliant

### STRONGEDGE 45 A+B

STONE QUARTZ


#### TRANSPARENT 2 PART KNIFE-GRADE EPOXY

StrongEdge 45, the strongest clear, knife-grade epoxy specifically designed for fabrication and lamination. Once applied on a counter top, the stone or substrate will not delaminate or break where StrongEdge 45 has been applied! StrongEdge 45 is the clearest knife-grade epoxy on the market. StrongEdge 45 takes a polish. Tenax StrongEdge 45 maintains the clearest epoxy with an express cure time, without losing its structural integrity. StrongEdge 45 has a true knife-grade consistency. Can be used on 45° miter and vertical applications (mix first). StrongEdge 45 is made for granite, marble, all natural stone, quartz, engineered, ceramic and porcelain materials.

- + Does not shrink
- + No running/dripping
- + Permanent application
- + Colors easily

- Colorable: Universal Color Pastes
- Mixing ratio: 2:1
- Gel time (in bulk at 77°): 15-20 min
- Tacky free time (at 77°): 45-60 min
- Minimum reaction temperature: 50°
- Temp. range for use after hardening: -13° to 143°

SIZE			
1 qt A		1RFSTRONGEDGE1KGA45	12 pc/bx
.5 qt B		1RFSTRONGEDGE0.5KGB4	12 pc/bx



VOC Compliant

### STRONGEDGE EXPRESS A+B

STONE QUARTZ

#### TRANSPARENT 2 PART FLOWING EPOXY

Tenax StrongEdge EXPRESS, is the strongest, clearest flowing epoxy specifically designed for fabrication and lamination. Once applied on a countertop, the stone or substrate will not delaminate or break where Tenax StrongEdge EXPRESS has been applied! Tenax StrongEdge EXPRESS does not shrink, it takes a polish.

- + Clearest epoxy on the market
- + Extremely strong adhesion
- + Glue stone to metal, wood, other substances
- + High polish finish
- + Perfect to use with stone that will be on a CNC, line machines or other automated equipment
- + Colors easily

- Colorable: Universal Color Pastes
- Mixing ratio: 2:1
- Gel time (in bulk at 77°): 15-20 min
- Tacky free time (at 77°): 45 min
- Minimum reaction temperature: 50°
- Temp. range for use after hardening: -13° to 143°

SIZE			
1 qt A / 1/2 qt B		1RSTRONGEDGE1.5STEX	2 sets/bx
2-1 gal A / 1 gal B		1RFSTRONGEDGE4KGSET4	1 set/bx





**NEW!**

Zero VOC



**GLAXS BM 1:1**

STONE QUARTZ CERAMIC

**TRANSPARENT TWO-PART SYSTEM**

New generation of transparent two-part glue with zero yellowing to bond white marble, white granite, porous stone, quartz and ceramic.

- + Excellent transparency
- + Good hardness
- + Zero VOC
- + Zero yellowing



- Colorable: Universal Color Pastes
- Mixing ratio: 1:1
- Gel time (in bulk at 77°): 8-10 min
- Working time (at 77°): 80-90 min
- Minimum reaction temperature: 50°
- Temp. range for use after hardening: -13° to 140°

**SIZE**  
1 kg A + 1 kg B      1RGLAXSBM11KG

**IDEAL FOR WHITE STONE**



**GLAXS BB65**

STONE QUARTZ

**SUPER FLOWING RESIN SYSTEM**

Tenax Glaxs BB65 1+1 glue is a transparent bi-component system with zero yellowing to bond white marble, white granite and porous stone. Ideal for white stone when a warranty against changing color against the sun is required.



- + Totally invisible
- + Zero yellowing to sunlight
- + No marks
- + Good penetration and hardness

- Colorable: Universal Color Pastes
- Mixing ratio: 1:1
- Gel time (in bulk at 77°): 30 min
- Tacky free time (at 77°): 60 min
- Minimum reaction temperature: 32°
- Temp. range for use after hardening: -13° to 143°

**Very thin viscosity: Perfect for filling pits and holes**

**SIZE**  
315 gr    1RGLAXSBB0315    1 pc



VOC Compliant



**EPOXYPLUS 1:1**

STONE QUARTZ CERAMIC

**EXTRA STRONG EPOXY CARTRIDGE**

High adhesion system for indoor and outdoor bonding of stone materials, engineered stone, ceramic and metal.

- + Ultra rapid
- + Excellent adhesion
- + Transparent
- + Great for bonding mixed materials
- + Two extrusion tips included

- Mixing ratio: 1:1
- Gel time (in bulk at 77°): 5-6 min
- Tacky free time (at 77°): 15-30 min
- Minimum reaction temperature: 41°
- Temp. range for use after hardening: -4° to 122°

**Cartridge Gun Required**  
M200XMR or GUN21511

**SIZE**  
210 ml Cartridge    1RFA00HE40    12 pcs/bx

VOC Compliant



**DOMO 10 1:1**

STONE QUARTZ CERAMIC

**SUPER STRONG EPOXY CARTRIDGE**

Domo 10 Cartridge Glue is a two part epoxy designed for all types of stone. Domo is one of the strongest epoxies in the stone industry. It will bond to almost any surface including polished surfaces. Domo is designed for permanent application. The stone will break before the bond will. Suitable for temperatures below 32° as well as extreme heat. White in color.

- + Super strong - slow cure
- + VOC compliant
- + Bonds to wet surfaces
- + Very high adhesion
- + Great for bonding mixed materials
- + Two extrusion tips included

- Mixing ratio: 1:1
- Gel time (in bulk at 77°): 120-150 min
- Tacky free time (at 77°): 5 hours
- Minimum reaction temperature: 50°
- Temp. range for use after hardening: -13° to 143°

**Cartridge Gun Required**  
M200XMR or GUN21511

**SIZE**  
210 ml Cartridge    1RAA00BD90    12 pcs/bx



**DOMO 21 2:1**

STONE QUARTZ CERAMIC

**EXTRA STRONG EPOXY CARTRIDGE**

Domo 21 Cartridge Glue is a bi-component epoxy glue designed for all types of stone. Domo21 is one of the strongest epoxies in the stone industry. It will bond to almost any surface including polished surfaces. Domo 21 is designed for permanent application. The stone will break before the bond will. Suitable for temperatures below 32° as well as extreme heat. Available in white and black.

- + Dripless formula
- + Bonds to wet surfaces
- + Very high adhesion
- + Bonds to wet surfaces
- + Great for bonding mixed materials
- + Two extrusion tips included

- Mixing ratio: 2:1
- Gel time (in bulk at 77°): 10-15 min
- Tacky free time (at 77°): 90 min
- Minimum reaction temperature: 50°
- Temp. range for use after hardening: -22° to 140°

**Cartridge Gun Required**  
M200XMR or GUN21521

**SIZE**  
215 ml Cartridge/White    1RAA008BD93W    9 pcs/bx  
215 ml Cartridge/Black    1RAA008BD93B    9 pcs/bx



STONE QUARTZ

**TEROD**

**EXTREMELY STRONG RODDING ADHESIVE**

TeRod 1:1 Acrylic Extremely Strong Rodding Adhesive provides a quick gel & set time allowing you to get the job done faster. Works on damp or dry surfaces. TeRod is a structural adhesive that bonds to stone, quartz, metal, solid surfaces and much more. TeRod provides high strength bonds to the above reference surfaces with generally no preparation effort.

This adhesive is also perfect for fiberglass rodding or attaching clips.

*TeRod adhesives are NOT UV STABLE, AND WILL YELLOW OVER TIME and must not be used to create imperceptible seams in countertops or for seaming countertops. This yellowing will not affect bond performance, but will affect bond appearance.*

- + Over 3,000 PSI strength!
- + Thick consistency allows ClipBoss to be installed on upside down without dripping
- + Fast setting for strength & speed
- + Saves you time & money
- + Two extrusion tips included

- Working Time - 3 to 6 minutes (at 75°F/ 24°C)
- Fixture Time - 10 to 15 minutes (at 75°F/ 24°C)
- Can be Moved In - 18 to 24 minutes
- Operating Temp. - 65°F to 85°F(18°C to 30°C)
- Gap Filling - .250 inches
- Flash Point: 51°F (11°C)

**Cartridge Gun Required**  
GUN40011, GB-CB-400ML-1:1

**SIZE**  
400 ML GB-CB-400-2 10 pcs/bx



VOC Compliant

STONE QUARTZ

**MULTIBOND 10:1**

**MULTISURFACE METHACRYLATE BI-COMPONENT CARTRIDGE**

Multibond is the perfect solution for those looking for a single product that offers excellent strength and provides nearly seamless bonding on different materials; marble, granite, engineered stone, ceramic porcelain, sintered stone, glass, travertine or limestone.

Multibond is a styrene-free acrylic glue. The glue and the hardener are pre-dosed in the cartridge, once inserted in a proper gun, with special mixer fixed on the top, allows the correct extrusion and mixing of the product which is ready to be used for gluing.

- + Excellent adhesion
- + Super flexible, dripless, no sag
- + Very polishable
- + Wide range of colors to match all leading brands of solid surface materials
- + Two extrusion tips included

- Mixing ratio: 10:1
- Gel time (in bulk at 77°): 10-12 min
- Tacky free time (at 77°): 17-20 min
- Temp. range for use after hardening: 65° to 85°

**Cartridge Gun Required**  
M200XMR, GUN250101

**SIZE**  
250ml 10 pcs/bx



**SUPER GRIP MS POLYMER**

STONE QUARTZ CERAMIC

**HIGH DENSITY POLYMER SEALING ADHESIVE - WHITE & TRANSPARENT**

One-part adhesive, that cures in contact with air humidity. It is an universal product that can be used to glue a wide range of materials, both porous and non porous, such as ceramic tiles, metal sheets, glass, wood, chipboard, marble, granite, agglomerates, foam polystyrene and plastic materials (except PE, PP and Teflon). UV radiation resistant.


Does not require a primer and it doesn't contain solvents and isocyanates. White in color.

- + No thick glue line
- + Easy to push out
- + Fast and durable adhesion
- + Flexible
- + Multimaterial adhesion
- + Spreads evenly
- + Resistant to humidity

- Working time (in bulk at 77°): 10 min
- Tacky free time (at 77°): 5 hours
- Minimum reaction temperature: 50°
- Temp. range for use after hardening: -22° to 176°

**Cartridge Gun Required**  
Uses standard caulking gun

**SIZE**  
290 ML WHITE 1RAA00BC90 12 pcs/bx  
290 ML TRANSP 1RAA00BC91 12 pcs/bx



**GLAXS FAST 2+1 CARTRIDGE GLUE**

STONE QUARTZ CERAMIC

**STRONG AND RAPID GLUE**

Tenax GLAXS Fast glues are bi-component cartridge glues. The GLAXS Fast cartridge glues are suitable for stone, marble, granite and ceramic. Once inserted in the proper dispenser gun, the product is ready for use. **White and Transparent also available.**

- + Zero yellowing to sunlight
- + Excellent adhesion
- + No oily effect or shadow
- + Cures very fast
- + Pre-dosed, ready-to-use
- + Two extrusion tips included

- Mixing ratio: 2:1
- Gel time (in bulk at 77°): 4-5 min
- Tacky free time (at 77°): 15-20 min
- Minimum reaction temperature: 32°
- Temp. range for use after hardening: -13° to 140°

**Cartridge Gun Required**  
GUN21521, M200XMR

**SIZE**  
215 ml *Sold In Units Of Two Only*



**GLAXS COLOR SWATCH KITS AVAILABLE FOR PURCHASE**  
1RGLAXSC1COLORCHART

SEE COLOR CHART ON FOLLOWING PAGES

These colors are for general reference only. There are many variables that can affect the final results.

**SI SILICONE**

STONE QUARTZ CERAMIC

**ONE PART NEUTRAL-CURING SILICONE SEALANT**

Suitable for marbles (also white and crystalline marbles), granites, porous stones, quartz and ceramics. Particularly suitable for natural stones as well as cement, wood, glass, glazed surfaces, aluminum, plywood, laminate.

Odorless, non-toxic and solvent free. Si Silicone will not damage the materials.

- + No halo
- + Resistant to mold
- + Resistant to UV
- + Odorless
- + Does not shrink
- + Does not crumble
- + No primer needed

- Gel time (in bulk at 77°): 15-18 min
- Tacky free time (at 77°): 30-35 hours
- Minimum reaction temperature: 41°
- Temp. range for use after hardening: -40° to 302°

**SIZE**  
300 ML 1RSTRASP TRANSPARENT 24 pcs/bx  
300 ML 1RSWHITE WHITE 24 pcs/bx



BIANCO TRANSLUCENT	OPTICAL WHITE-P COVER-UP	DEW-P COVER-UP	QUICK SAND TRANSLUCENT	CEMENT-P COVER-UP	SLATE-P COVER-UP
WHITE SAIL 608 TRANSLUCENT	POLAR WHITE-P COVER-UP	GRAIN 416 TRANSLUCENT	HEATHER GREY 316 TRANSLUCENT	REEF GREY-P COVER-UP	ASPHALT TRANSLUCENT
STARCH 606 TRANSLUCENT	FOGGY 604 TRANSLUCENT	ANTLER 419 TRANSLUCENT	SPANISH GREY 311 TRANSLUCENT	HUMUS-P COVER-UP	MIDNIGHT 102 TRANSLUCENT
CLEAN WHITE 611 TRANSLUCENT	MILK PAINT 600 TRANSLUCENT	WINTERSKY-P COVER-UP	CAFE AU LAIT 208 TRANSLUCENT	SLATE 819 TRANSLUCENT	BASALT 304 TRANSLUCENT
CUE BALL 615 TRANSLUCENT	EGGSHELL TRANSLUCENT	SAKI TRANSLUCENT	BROWN-P COVER-UP	OCEAN GREY-P COVER-UP	CHAR TRANSLUCENT
PURE WHITE-P COVER-UP	PLATINUM 310 TRANSLUCENT	SHELL-P COVER-UP	PORFIDO ROSSO-P COVER-UP	GALLIUM TRANSLUCENT	BALTIC GREY-P COVER-UP
KILIMANJARO 603 TRANSLUCENT	CASPER 610 TRANSLUCENT	IVORY-P COVER-UP	PIOMBO-P COVER-UP	DAVYS GREY 306 TRANSLUCENT	SATIN BLACK-P COVER-UP
CLEAR WHITE-P COVER-UP	ICE-P COVER-UP	SONORAN 415 TRANSLUCENT	WARM GREY-P COVER-UP	COMET GREY 308 TRANSLUCENT	ABSOLUTE BLACK-P COVER-UP
MARBLE 617 TRANSLUCENT	NATURAL SPRING 302 TRANSLUCENT	TABACCO-P COVER-UP	MUDDY-P COVER-UP	CITY GREY-P COVER-UP	BLACK BAHIA-P COVER-UP
LACE WHITE 607 TRANSLUCENT	LIGHT WHITE-P COVER-UP	EMMENTAL 240 TRANSLUCENT	BURNED GREY-P COVER-UP	UNDERGROUND-P COVER-UP	OBSIDIAN 100 TRANSLUCENT
BUTTER CREAM 612 TRANSLUCENT	TRANSPARENT TRANSLUCENT	CANE SUGAR 406 TRANSLUCENT	COFFEE-P COVER-UP	PIT GREY TRANSLUCENT	SHADE 103 TRANSLUCENT
PAPER WHITE-P COVER-UP	NEWPORT 116 TRANSLUCENT	BEIGE DARK-P COVER-UP	ECRU-P COVER-UP	GUN METAL TRANSLUCENT	BLACK 879 TRANSLUCENT
QUARTZITE 300 TRANSLUCENT	MAGNESIUM 322 TRANSLUCENT	NUT-P COVER-UP	AVANA-P COVER-UP	EBANO-P COVER-UP	VELVET TRANSLUCENT
KONA WHITE 613 TRANSLUCENT	GRIT-P COVER-UP	SKETCHPAD TRANSLUCENT	TAUPE TRANSLUCENT	ANTRACITE-P COVER-UP	FOREST-P COVER-UP
STARLIGHT 601 TRANSLUCENT	MOONLIGHT 323 TRANSLUCENT	COASTLINE 403 TRANSLUCENT	CONCRETE GREY TRANSLUCENT	TRUFFLE TRANSLUCENT	RED-P COVER-UP
WHITE FENCE COVER-UP	CUSTARD 410 TRANSLUCENT	CIRRUS 602 TRANSLUCENT	LUNAR GREY-P COVER-UP		

● These are the top 30 colors kept in stock. Other colors may be in stock or may need to be special ordered.



TITANIUM CARTRIDGE

ULTRA RAPID GLUE

Tenax Titanium Extra Rapid Cartridge Glue is the latest Vinyl Ester technology. It is a bi-component cartridge glue available in a wide variety of colors. Titanium is ideal for seaming, laminations, miter cuts, chip repair on all granite, marbles, quartz, quartzite and ceramic materials. Excellent for indoor applications and outdoor applications that stay above freezing.

- + Dripless
- + Less smell
- + Fast curing
- + Easy to dispense
- + Two extrusion tips included

- Mixing ratio: 10:1
- Gel time (in bulk at 77°): 5-7 min
- Tacky free time (at 77°): 18-20 min
- Working time (at 77°): 20-25 min
- Temp. range for use after hardening: 32° to 230°

Cartridge Gun Required  
GUN250101, M200XMR

SIZE 250ml

STONE QUARTZ CERAMIC

● TRANSPARENT	● MARBLE 617	● QUARTZITE 300	● COASTLINE 403	● CAFÉ AU LAIT 208	● PIT GREY
● LIGHT WHITE-P	● KONA WHITE 613	● DEW-P	● ECRU-P	● HUMUS-P	● UNDERGROUND-P
● NATURAL SPRING 302	● OPTICAL WHITE-P	● GRAIN 416	● CONCRETE GREY	● SLATE-P	● GUN METAL
● WHITE SAIL 608	● POLAR WHITE-P	● ANTLER 419	● CANE SUGAR 406	● BROWN-P	● ANTRACITE-P
● STARCH 606	● MILK PAINT 600	● SAKI	● SONORAN 415	● CITY GREY-P	● SLATE 819
● CLEAN WHITE 611	● MOONLIGHT 323	● SHELL-P	● TABACCO-P	● BURNED GREY-P	● MIDNIGHT 102
● WHITE FENCE-P	● FOGGY 604	● CUSTARD 410	● NUT-P	● MUDDY-P	● OBSIDIAN 100
● CUE BALL 615	● LACE WHITE 607	● IVORY-P	● BEIGE DARK-P	● CEMENT-P	● SHADE 103
● PURE WHITE-P	● BUTTERCREAM 612	● NEWPORT 116	● SKETCHPAD	● CHAR	● SATIN BLACK-P
● BIANCO	● EGGSHELL	● MAGNESIUM 322	● CIRRUS 602	● EBANO-P	● BLACK BAHIA-P
● KILIMAJARO 603	● PAPER WHITE-P	● TAUPE	● QUICK SAND	● PORFIDO ROSSO-P	● BLACK 879
● CASPER 610	● EMMENTAL 240	● ICE-P	● HEATHER GREY 316	● PIOMBO-P	● ASPHALT
● CLEAR WHITE-P	● PLATINUM 310	● WINTER-SKY-P	● SPANISH GREY 311	● COFFEE-P	● BASALT 304
● STARLIGHT 601	● OCEAN GREY-P	● AVANA-P	● WARM GREY-P	● GALLIUM	● VELVET
			● TRUFFLE	● COMET GREY 308	● ABSOLUTE BLACK-P
			● LUNAR GREY-P	● REEF GREY-P	● RED-P
			● GRIT-P	● DAVYS GREY 306	● FOREST-P
				● BALTIC GREY-P	

● These are the top 30 colors kept in stock. Other colors may be in stock or may need to be special ordered.

# MASTIDEK CARTRIDGE

STONE QUARTZ CERAMIC

## STRONG AND ULTRA RAPID GLUE

Mastidek Fast Outdoor Cartridge Glue for Cosentino Dekton is a bi-component resin with zero yellowing to the sun and UV rays. Mastidek Cartridge offers good penetration and hardness. Mastidek Cartridge can harden at 0°C. Will not create shadows around cracks or seams. The reactivity of Mastidek Cartridge is slightly influenced by the temperature. 2 extrusion mixers nozzles included. Excellent for indoor applications and outdoor applications that stay above freezing.



- + Excellent adhesion
- + Ultra rapid
- + Zero yellowing
- + Very shiny and very polishable
- + Zero VOC
- + Two extrusion tips included

- Mixing ratio: 2:1
- Gel time (in bulk at 77°): 2-5 min
- Tacky free time (at 77°): Approx. 15 min
- Working time (at 77°): 45-60 min
- Temp. range for use after hardening: -13° to 140°

**Cartridge Gun Required**  
GUN21521, M200XMR



SIZE 215ml 8 pcs/bx

These colors are for general reference only. There are many variables that can affect the final results.

MASTIDEK LIGHT WHITE	VIENNA ZENITH AURA 15 NAYLA KAIRO LUNAR	ENTZO OPERA	MASTIDEK RADIUM - TRILIUM	RADIUM TRILIUM	MASTIDEK STANDARD CREAM	TAGA ARGA IROK DANAE SASEA QATAR SAREY	MAKAI GADA EDORA BLANC CONCRETE	MASTIDEK GALEMA - LUMINA	GALEMA LUMINA
MASTIDEK STANDARD WHITE	OLIMPO PORTUM BERGEN GLACIER HALO NATURA NILIUM	SHELL	MASTIDEK BROMO - FOSSIL	BROMO FOSSIL LAURENT	MASTIDEK FIORD	FIORD		MASTIDEK MILAR	MILAR
MASTIDEK TUNDRA	TUNDRA		MASTIDEK BOREA	BOREA	MASTIDEK VEGHA	VEGHA		MASTIDEK VALTERRA	VALTERRA
MASTIDEK STANDARD GREY	KOVIK VENTUS SPLENDOR		MASTIDEK LAOS	LAOS	MASTIDEK ALDEM	ALDEM		MASTIDEK KERANIUM	KADUM KERANIUM
MASTIDEK DARK GREY	SOGNE VERA KRETA SOKE ORIS MANHATTAN SIROCCO	STRATO	MASTIDEK KELYA	KELYA	MASTIDEK KEON	KEON		MASTIDEK FEROE	FEROE
MASTIDEK BLAZE - KORUS	BLAZE KORUS		MASTIDEK DOMOOS - SIRIUS - SPECTRA	SPECTRA ANANKE SIRIUS DOMOOS	MASTIDEK KIRA - KORSO	KIRA KORSO		MASTIDEK BALTIC	BALTIC



MASTIDEK CARTRIDGE FOR DEKTON®

MASTIDEK CARTRIDGE FOR DEKTON®



## STRONGBOND CARTRIDGE

EXCELLENT ADHESION GLUE FOR LAPITEC

Tenax StrongBond Cartridge Glue for Lapitec® materials can be used both indoors and outdoors. Easy to dispense with zero yellowing to the sun.

- + Excellent adhesion
- + Ultra rapid
- + Zero yellowing
- + Very shiny and very polishable
- + Zero VOC

- Gel time (in bulk at 77°): 3-5 min
- Tacky free time (at 77°): approx. 15 min
- Working time (at 77°): 45-60 min
- Temp. range for use after hardening: -13° to 140°

**Cartridge Gun Required**

GUN21521, M200XMR

SIZE 215 ml



These colors are for general reference only. There are many variables that can affect the final results.

### STRONGBOND COLOR CHART

LAPITEC® COLORS	STRONGBOND COLORS	LAPITEC® COLORS	STRONGBOND COLORS
- LAPITEC® BIANCO ASSOLUTO - LAPITEC® VITTORIA - LAPITEC® AURORA - LAPITEC® VENERE - LAPITEC® ELETTRA - BIANCO GIULIA		- LAPITEC® NERO ANTRACITE	
- LAPITEC® ARABESCATO PERLA - LAPITEC® BIANCO POLARE		- LAPITEC® GRIGIO PIOMBO	
- LAPITEC® ARABESCATO MICHELANGELO - LAPITEC® ARTICO		- LAPITEC® TERRA MOCA	
- LAPITEC® BIANCO CREMA - LAPITEC® ARABESCATO CORALLO		- LAPITEC® TERRA EBANO	
- LAPITEC® TERRA AVANA		- LAPITEC® NERO ASSOLUTO	
- LAPITEC® GRIGIO CEMENTO			



### TENAX COLOR MATCHER



The TENAX range of bonding products is available in a **wide range of colors**, designed to guarantee **maximum compatibility** with the main **QUARTZ** and **CERAMIC** materials available on the market. Download now the **free TENAX app** to identify, with a click, the best match between the material you need to glue and the TENAX product.

Available for:

GLAXS FAST / SOLIDO QUARZO / MASTIDEK / STRONGBOND / TITANIUM / SILICONE






### TEPOX Q COLOR MATCH SYSTEM

STONE

#### TO MATCH RESINED SLABS

Tepox Q is a special chemical color liquid used to color match stones that have been resined with color additives. Tepox Q may also be used to enhance slabs or to alter the look of a slab for specific applications.

Use a single color or mix multiple colors together to achieve the desired color. Tepox is designed to be used in conjunction with Ager or Ager Tiger. It is also recommended to follow up with Tenax Proseal or Tenax Protex premium grade sealers. Tepox Q is for indoor/outdoor use.



- + Color match resin enhanced stone
- + Alter the look of slabs for specific applications
- + Can be used indoors or outdoors



SIZE	Color	Code	Quantity
250 ml	Black	1H364BLSM	1 piece
250 ml	Brown	1H364BRSM	1 piece
250 ml	Blue Rio	1H364BLURIOSM	1 piece
250 ml	Blue Marine	1H364BLUEMARSM	1 piece
250 ml	Bordeaux	1H364BORDSM	1 piece
250 ml	Coliseum	1H364COLSM	1 piece
250 ml	Ferrato	1H364FERR025	1 piece
250 ml	Esmeralda	1H364GRSM	1 piece
250 ml	Iron	1H364IRONSM	1 piece
250 ml	Red/Rosso	1H364RSM	1 piece
250 ml	Yellow	1H364YSM	1 piece
1 Ltr	Giallo G1	1H364GIAG	12 pcs/bx
1 Ltr	Black	1H364BL1LT	12 pcs/bx
1 Ltr	Brown	1H364B1LT	12 pcs/bx
1 Ltr	Ferrato	1H364FERRATO	12 pcs/bx
1 Ltr	Grigio/Gray	1H364GRAY	12 pcs/bx
1 Ltr	Platino	1H364PLAT	12 pcs/bx
1 Ltr	Blue Brilliante	1H364BLUEB	12 pcs/bx
1 Ltr	Blue Marino	1H364BLUEMAR1LT	12 pcs/bx
1 Ltr	Giallo R	1H364GIAR	12 pcs/bx
1 Ltr	Maple Brown	1H364MAPB	12 pcs/bx
1 Ltr	Red/Rosso	1H364RED	12 pcs/bx
1 Ltr	Bianco	1H364WHITE	12 pcs/bx

### UNIVERSAL COLOR PASTE

STONE QUARTZ CERAMIC

#### FOR POLYESTER, EPOXY AND ACRYLIC GLUES

Tenax Universal Colors were made to offer 1 solution for all your adhesive needs. Brilliant Colors that can be used by themselves or mix multiple colors together to create the perfect color match glue for your stone application. Save 50% on your colors by only having to buy 1 color for all your adhesives.



- + For polyester, epoxy and acrylic glue
- + Available in 2.5 oz & 10 oz bottles
- + Brilliant colors
- + Easy to mix
- + Tips designed to provide perfect drop size
- + Easy squeeze bottles

SIZE	Color	Code
2.5 oz/Set of 10		1H3584ASET
2.5 oz	Black	1H3584BLACK
2.5 oz	White	1H3584WHITE
2.5 oz	Red	1H3584RED
2.5 oz	Red Brown	1H3584REDBROWN
2.5 oz	Yellow	1H3584YELLOW
2.5 oz	Green	1H3584GREEN
2.5 oz	Brown	1H3584BROWN
2.5 oz	Blue	1H3584BBLUE
2.5 oz	Grey	1H3584GREY
2.5 oz	Buff	1H3584BUFF
10 oz	Black	1H3586BLACK
10 oz	White	1H3586WHITE
10 oz	Red	1H3586RED
10 oz	Red Brown	1H3586REDBROWN
10 oz	Yellow	1H3586YELLOW
10 oz	Green	1H3586GREEN
10 oz	Brown	1H3586BROWN
10 oz	Blue	1H3586BLUE
10 oz	Grey	1H3586GREY
10 oz	Buff	1H3586BUFF

Available in 2.5 oz. & 10 oz. Bottles



Available in:

- > Black
- > White
- > Red
- > Red Brown
- > Yellow
- > Green
- > Brown
- > Blue
- > Gray
- > Buff



### UNIVERSAL GRANITE COLOR PASTE

STONE

#### FOR POLYESTER, EPOXY AND ACRYLIC GLUES




- Available in:
- > Giallo Veneziano
  - > Santa Cecilia
  - > Blue Pearl
  - > Baltic Brown
  - > Uba Tuba
  - > Black Galaxy

SIZE	Color	Code
2.5 oz/ Granite Set of 6		1H3584ASET
2.5 oz	Giallo Venezia	1H3585VENETIANYELLOW
2.5 oz	Santa Cecilia	1H3585SANTACECILIA
2.5 oz	Blue Pearl	1H3585BLUEPEARL
2.5 oz	Baltic Brown	1H3585BALTICBROWN
2.5 oz	Uba Tuba	1H3585UBATUBA
2.5 oz	Black Galaxy	1H358BLACKGALAXY
10 oz	Giallo Venezia	1H3587VENETIANYELLOW
10 oz	Santa Cecilia	1H3587SANTACECILIA
10 oz	Blue Pearl	1H3587BLUEPEARL
10 oz	Baltic Brown	1H3587BALTICBROWN
10 oz	Uba Tuba	1H3587UBATUBA
10 oz	Black Galaxy	1H3587BLACKGALAXY

Available in 2.5 oz. & 10 oz. Bottles





VOC Compliant



STONE

AGER

STONE COLOR ENHANCER AND SEALER


Suitable for color enhancing all types of marbles, travertines, stones, granites and agglomerates. Used to obtain a "wet" effect both for indoor and outdoor application. Perfect for bringing out a deep rich color in stone. Works excellent for matching the edge of the stone with the surface polish. May be applied on polished, flamed, rough or sanded surfaces. The product does not change color when exposed to the sun. Ager works as both a stone color enhancer AND a premium grade high quality sealer.

- + Use to obtain "wet" effect
- + Excellent water-oil repellent properties
- + No surface film
- + Perfect for matching edges of stone with stone surface
- + No yellowing to sunlight
- + Works well to disguise small scratches

Coverage: 160-180 sq. ft. per quart depending on porosity of stone

SIZE

.250 ml	1MPA00BD80	50 pcs/bx
1 qt	1MPA00BG50	12 pcs/bx
5 Ltr	1MPA00BG60	1 pc
55 Ltr	1MPA00BG70	1 pc
200 Ltr	1MPA00BG90	1 pc



STONE

AGER PEN

HIDES, SHIELDS, PROTECTS

Easy-to-use pen to hide the "white" marks left on stone from scratches. See results immediately. Hides scratches in medium to dark marble, granite, quartz.



SIZE

Pen	1MPAGERPEN	6pcs/bx
-----	------------	---------

STONE

AGER TIGER

STONE COLOR ENHANCER AND SEALER FOR EXOTIC STONE


We suggest the application of Ager Tiger on the edge of resined granites, particularly exotic stones, when it is necessary to match the color between the resin treated top and the untreated edge. It is also suitable for aging marbles, travertines, stones, granites, and agglomerates when the surface is very porous. AGER TIGER is also a fantastic sealer against oil, graffiti, and household stains.

- + Use to obtain "wet" effect on more porous & exotic stones
- + Excellent water-oil repellent properties
- + Perfect for matching edges of stone with stone surface
- + No yellowing to sunlight
- + Works well to disguise small scratches

Coverage: 160-180 sq. ft. per quart depending on porosity of stone

SIZE

.250 ml	1MPA001BG40	50 pcs/bx
1 qt	1MPA001BG50	12 pcs/bx



STONE

AGER REMOVER

REMOVES STICKY RESIDUE AGER AND AGER TIGER

- + Removes excess Ager or Ager Tiger caused by over application or allowing Ager or Ager Tiger to dry on surface
- + Eliminates sticky, tacky residue left over by Ager or Ager Tiger

*The best thing about Ager is: When it goes on, it's on!  
The worst thing about Ager is: When it goes on, it's on!*

SIZE

1 Ltr	1MPA00BG500	12 pcs/bx
-------	-------------	-----------





## HYDREX

STONE

### WATER REPELLENT SEALER

Hydrex is a penetrating sealer that prevents liquids (stains) from penetrating into the material through its micro-porosities. Hydrex allows the stone to breathe to maintain its natural characteristics. It is especially effective on polished granite and polished marbles. Hydrex operates on the surface of materials.


- + Penetrating sealer
- + Excellent water-oil repellent properties
- + Will not change color of stone

- Coverage: 215-323 sq. ft. per quart depending on porosity of stone

### Our most popular granite sealer

#### SIZE

.250 ml	1MMA00BD80	50 pcs/bx
1 qt	1MMA00BG50	12 pcs/bx
5 Ltr	1MMA00BG55	1 pc
55 Ltr	1MMA00BG60	1 pc
200 Ltr	1MMA00BG70	1 pc



## PROSEAL

STONE

### PREMIUM GRADE SEALER

Proseal is suitable to protect granite against liquid chemicals like beverages and similar liquids. It also works well with polished, honed, marble with high porosity. Proseal fills the pores of the stone and protects the stone from oil and water stains. Proseal allows the stone to breathe without leaving a film on the surface. Wait 24 hours to allow the stone to dry and reach 100% protection. The protection will last up to 4-5 years if the product is applied correctly on the surface and areas that are not under direct wear and use.

- + Deep penetration into the pores of the stone
- + Will not change color of stone
- + Excellent water-oil repellent properties
- + Excellent for polished, honed, brushed, matte finishes

- Coverage: 215-323 sq. ft. per quart depending on porosity of stone

### No other sealer will penetrate and protect as well as Proseal. Seals grout also.



#### SIZE

.250 ml	1MTPROSEAL02	50 pcs/bx
1 qt	1MTPROSEAL	12 pcs/bx
5 Ltr	1MTPROSEAL05	1 pc
200 Ltr	1MTPROSEAL200	1 pc



## PROTEX

STONE

### DEEP PENETRATING SEALER

Protex is one of the top premium sealers on the market today. Protex works extremely well on sandy amorphous material mixed with the presence of silicate and calcium carbonate, such as Pietra Leccese, Pietra Vicenza, limestone, etc. After the application a light increase of color can be seen but depends on the type of stone and where the product is applied.

- + Deep penetration into the pores of the stone
- + Excellent water-oil repellent
- + Approved for surfaces that come in contact with food

- Coverage: 108-162 sq. ft. per quart depending on porosity of stone



#### SIZE

1 qt	1MTPROTEX	12 pcs/bx
------	-----------	-----------



**NEW!**

# Proseal NANO FOR QUARTZITE

STONE

## Impregnating sealer ideal for Quartzite


Solvent-based impregnating sealer excellent on glossy and polished surfaces, performing even on surfaces with higher absorption. Excellent for worktops: it makes maintenance and restoration easier.

- + Oil proof and waterproof
- + High stain protection even on very porous surfaces
- + Impregnating
- + No hydrocarbons
- + Ideal for countertops
- + Makes the maintenance and restoration of countertops easier
- + Indoor-outdoor

- Coverage: 215-323 sq. ft. per quart depending on porosity of stone

### Formulated for Quartzite but can also be used on:

- Granite
- Marble
- Agglomerates
- Stone
- Terra Cotta



#### SIZE

1 lt	1PROSEALN1LT	12 pcs/bx
------	--------------	-----------

Low VOC



## SKUDO UNIVERSAL PLUS

STONE

CERAMIC


### WATER-BASED STAIN PROTECTION

Skudo Universal provides water-based sealer that provides excellent water-oil stain protection. For use on marble, granite, natural stones (in all finishes), porcelain and cement. Does not change the appearance of the material and won't alter the natural breathability of the stone. High capacity of penetration into more compact material allows extra protection. Can be used on walls, countertops and floors.

- + Ideal for indoor and outdoor use
- + High penetration power
- + Ideal on shiny and compact materials
- + Dries quickly
- + Low VOC emission
- + Can be applied on surfaces that are not completely dry
- + Approved for surfaces that come in contact with food

- Coverage: 215-377 sq. ft. per liter depending on porosity of stone

### For professional and homeowner use



#### SIZE

1 Ltr	1MAASKUDO	18 pcs/bx
-------	-----------	-----------



## UNIBLACK 1 & 2

STONE

### UNIBLACK 1 IS THE TREATMENT

Uniblack 1 is a very strong, concentrated black color enhancer designed specifically to eliminate the defects of black granite. Its application darkens the surface of the material and makes it more unified in color and consistency. Quick drying.

- + Black dye for black granite
- + Improves defects in stone
- + Helps unify multiple slabs



### UNIBLACK 2 IS THE MAINTENANCE

Uniblack 2 is a formulated black liquid wax used to increase the black effect on polished, brushed and smooth surfaces. The Uniblack 2 increases the black effect while increasing the gloss. The product can be used on automatic waxing machines or manually. Recommended for restoring old materials which have lost their blackness.

- + Black liquid wax for black granite
- + Improves black color
- + Helps protect Uniblack1
- + Creates a topical protection

- Coverage: 215-323 sq. ft. per quart depending on porosity of stone

SIZE			
1 qt	1MUNI1	12 pcs/bx	
1 qt	1MUNI2	12 pcs/bx	



## PECTRO CLEAR AND BLACK

STONE

### WEBBING AND FISSURE REPAIR

Tenax Pectro is applied to polished granite to hide, disguise, or eliminate "webbing" and micro fissures. Pectro Clear can be used on all colors of polished stone but works especially well on medium to light and dark colored stone.

- + Hide, disguise or eliminate webbing or micro fissure
- + Petro Clear - all polished stone but works especially well on medium to light colored stone
- + Petro Black - polished dark stone
- + Drying time - 5 minutes

- All polished stone
- Coverage: 215-323 sq. ft. per quart depending on porosity of stone



SIZE			
1 qt Clear	1MRA00BG50	12 pcs/bx	
1 qt Black	1MRT01BG50	12 pcs/bx	



**NEW!**




## BLACK 311

### TREATMENT FOR GLOSSY, FLAMED, OR BRUSHED BLACK GRANITE

Black 311 will increase and even out the tone of black granites by covering the white flakes and black spots that are typical of these materials. Will not alter the natural beauty. Can be used manually and on automatic resin lines. This product offers good water-oil repellent qualities.

- + Black liquid treatment for black granite
- + Covers the white flakes and black spots
- + Provides good water-oil repellent qualities
- + Can be used manually or on automatic resin lines

- Coverage: 215 sq. ft. per liter depending on porosity of stone



SIZE			
1 ltr	???????	12 pcs/bx	



## JET SPRAY

### LIQUID AEROSOL POLISH

- + For non-polished surfaces that were missed during fabrication
- + Great for hard to reach areas
- + Forms film/coating on surface that creates a polished look
- + Drying time - 15 min.

- + Great job site touch up
- + Not for areas to be walked on
- Marble, granite onyx, agglomerates
- Coverage: 161-215 sq. ft. per quart depending on porosity of stone

SIZE			
1 Ltr	1MEA00BG30	12 pcs/bx	



## TELUX

STONE

### LIQUID VARNISH

Telux is a self polish varnish used to create a polished effect to both smooth and raw materials such as marble, granite, onyx, and agglomerates.

- + Creates a polished effect to both smooth and raw materials
- + Forms hard anti-scratch film that is extremely durable
- + Excellent for chiseled edges and the underside of overhangs
- + For both countertops and floor applications
- + UV stable - does not yellow
- + Drying time - 30-40 min. at room temperature

- Marble, granite, onyx, agglomerates
- Coverage: 161-215 sq. ft. per quart depending on porosity of stone



SIZE			
1 Ltr	1MEA00BG60	12 pcs/bx	



## PETROLUX

STONE

### TRANSPARENT MICROFISSURE REPAIR AND POLISH

Petrolux is recommended to disguise superficial micro-porosities and web-cracks on polished stone. Petrolux is also used to increase the color as well as put a topical polish on the surface. Amount of change depends on the granite.

- + Disguise webbing and micro fissures
- + Increase the color depending on the granite
- + Adds topical shine and polish to surface
- + Easy to apply - simply apply to surface, allow to haze and wipe off with clean cloth
- + Not for areas to be walked on

- All polished stone
- Coverage: 215-323 sq. ft. per quart depending on porosity of stone



SIZE			
1 Ltr	1MTPETROLUX	12 pcs/bx	
200 Ltr	1MTPETROLUX200	1 pc	



## ANTISLIP G & ANTISLIP M

STONE

### ANTISLIP G FOR GRANITE, PORCELAIN, CERAMICS

Tenax Antislip G is a water-based anti-slip treatment for granite, porcelain stoneware, silicone materials and ceramics. It will not form a film on the surface and acts quickly, making the treated material non-slip.

### ANTISLIP M FOR MARBLE AND LIMESTONE SURFACES

Tenax Antislip M is a water-based anti-slip treatment for marble and limestone surfaces. It acts quickly and performs a synergistic action between acid components and microsiliicas, making the treated material non-slip.

- + Easy-to-use
- + Pre-mixed

- Coverage: 10-15 sq. meters. per liter depending on porosity of stone

SIZE			
1 Ltr	1MAAANTISLIPG	12 pcs/bx	
1 Ltr	1MAAANTISLIPM	12 pcs/bx	



# Sealer Application Chart

★ - LOW

★★ - GOOD

★★★ - BETTER

★★★★ - BEST

MATERIAL	PROTEX	PROSEAL	PROSEAL NANO	HYDREX	SKUDO UNIVERSAL PLUS	AGER	AGER TIGER	QUARTZ TONER PLUS	QUARTZ SHIELD
MARBLE - Polished	★★	★★★★	★★★★	★★★★	★★★	★★★★	★★★★	★★	★★
MARBLE - Honed/Brushed	★★★	★★★★	★★★★	★★★	★★★	★★★	★★★★	★★	★★
GRANITE - Polished	★★	★★★★	★★★★	★★★	★★★	★★★★	★★★★	★★	★★
GRANITE - Honed/Brushed	★★★	★★★★	★★★★	★★	★★★	★★★	★★★★	★★	★★
EXOTIC GRANITE - Polished	★★★	★★★★	★★★★	★★	★★★	★★★★	★★★★	★★	★★
EXOTIC GRANITE - Honed/Brushed	★★★	★★★★	★★★★	★★	★★★	★★★	★★★★	★★	★★
LIMESTONE/SANDSTONE - Polished	★★★★	★★★★	★★★★	★	★★	★★★★	★★★★	★	★
LIMESTONE/SANDSTONE - Honed/Brushed	★★★★	★★★★	★★★★	★	★★	★★★	★★★★	★	★
TERAZZO, CONCRETE AGGLOMERATE - Polished	★★★★	★★★★	★★★★	★★	★★★	★★★★	★★★★	★	★
TERAZZO, CONCRETE AGGLOMERATE - Honed/Brushed	★★★★	★★★★	★★★★	★★	★★	★★★	★★★★	★	★
QUARTZ/ENGINEERED STONE - Polished	★	★	★★	★	★	★★	★★	★★★★	★★★★
QUARTZ/ENGINEERED STONE - Honed/Brushed	★★	★★	★★	★	★	★★	★★	★★★★	★★★★
CHANGE THE COLOR OF THE STONE	YES/SHEEN	NO	NO	NO	NO	YES	YES	YES	NO
Quartzite	★★	★★	★★★★	★	★★	★★	★	★	★

## SHINEX

STONE QUARTZ



### SILICONE WAX WITH STAIN RESISTANT ACTION

Silicone wax to intensify the original tone of materials and increase the shiny brilliance of surfaces, with stain-resistant action. No residual surface film. Ideal for polished marble, granite and agglomerate surfaces.

- + Enhanced shine
  - + Enhanced tone and color
  - + Instant effect
  - + Quick-drying
- Polished marble, granite, agglomerates
  - Coverage: 323-431 sq. ft. per liter depending on porosity of stone
  - ✓ For professional use only



SIZE  
1 ltr      1MCT01BG50      12 pcs/bx

## TEWAX

STONE



### PASTE WAX

TeWax is used to increase the brilliance of glossy surfaces like onyxes, marble, natural stones, granite, agglomerates, terrazzo. Tenax solid wax is a result of special waxes melted through solvents that allow a high penetration level on treated material leading to a long-lasting effect.

- + Brightens up lost polish
  - + No solvents that contain trichloroethylene (may cause dangerous irreversible effects to humans)
  - + May increase polish from 5-6 to 15-16 point of gloss
  - + Long lasting effect
- Onyx, marble, granite, natural stones, agglomerates, terrazzo
  - Coverage: 215-323 sq. ft. per quart depending on porosity of stone
  - ✓ For professional and homeowner use



SIZE  
1 qt Black      1MCT01BG50      12 pcs/bx  
1 qt Clear      1MCA00BG50      12 pcs/bx

## CERAFLUIDA "NEW"

STONE



### LIQUID WAX

CeraFluida Liquid "New" wax is for the treatment of natural stones like onyxes, marbles, agglomerates and terrazzo material. On marbles it increases the polish and eliminates the superficial defects and accents the color. On granites it increases the polish and enhances the color. Light protective effect and stain-resistant.

- + Marble - increases polish, eliminates superficial defects and accents the color
  - + Granites - increases polish and enhances color
  - + Light protective effect and stain resistant
- Onyx, marble, granite, agglomerates, terrazzo
  - Coverage: 215-323 sq. ft. per quart depending on porosity of stone



SIZE  
1 qt      1MAA00BG60      12 pcs/bx

## CERAFLUIDA WAX REMOVER

STONE QUARTZ

### REMOVES LIQUID AND PASTE WAX

Tenax Wax Remover removes liquid and paste waxes off the surfaces of stone. Transparent in color.

- + Removes liquid and paste waxes off of stone surfaces
- + Easy-to-use



SIZE  
1 qt      1MCT02BG50      12 pcs/bx


## QUARTZ TONER PLUS

QUARTZ

### SURFACE TREATMENT / ENHANCER

Tenax Quartz Toner Plus is a surface treatment that can be used to enhance Quartz, Engineered, and agglomerate stones. Perfect for bringing out a deep rich color in quartz and engineered stone. Works excellent for matching the edge of the stone with the surface polish. May be applied on polished, flamed, rough, sanded, honed, and brushed finishes. Works well to disguise small scratches. Quartz Toner is also suitable to protect surfaces against oil and water. Quartz Toner works as both a stone color enhancer AND a premium grade high quality sealer. Excellent for counter tops because it is approved for food contact in compliance with the European rule 90/128 ECC.

- + Excellent water-oil repellent properties
  - + Anti graffiti
  - + Enhances quartz, ES, and agglomerates
  - + Works well to disguise small scratches
  - + Color enhancer AND high quality sealer
  - + Low VOC emissions and odorless
  - + Easy to apply
  - + Long lasting anti-stain protection
  - + Evens the color
  - + Works on glossy, honed finishes
- Coverage: 250-300 sq. ft. per liter depending on porosity of stone



SIZE  
250 ml      1MPA00BG501Q05      50 pcs/bx  
1 Ltr      1MPA00BG501Q      12 pcs/bx


## QUARTZ SHIELD

QUARTZ

### WATER-BASED SEALER FOR QUARTZ SURFACES

Tenax Quartz Shield is a sealer developed for quartz surfaces. Typically when the "legacy" quartz surfaces are brand new they don't require a surface treatment to prevent stains. After a prolonged use in a kitchen, though, some microporosity might develop and Quartz Shield is indicated to prevent stains and oil absorption. Tenax Quartz Shield is water-based, very low VOC and is approved for food contact in compliance with the European rule 90/128 ECC. Always test the material on a hidden part of the countertop before applying it.

- + Excellent stain proof power
  - + Very low VOC
  - + Approved for food contact
  - + Easy-to-use
- Coverage: 250-300 sq. ft. per liter depending on porosity of stone
  - ✓ For professional and homeowner use



SIZE  
1 Ltr      1MPA00BG502      12 pcs/bx




**FORMULA 131**

WATER-BASED ANTI-ACID PROTECTION+ACTIVATOR

Tenax Formula 131 Anti-Acid is a two-part matt and polishable anti-acid coating for the protection of marble, stone, and agglomerate. Provides long lasting protection from acid agents deriving from food, drinks, common products that attack and stain bathroom and kitchen countertops. An "invisible" seal that does not significantly alter the stone's natural color, shading, or feel.

- + Natural aesthetic effect
- + Food contact
- + Zero yellowing
- + Non-hazardous for the environment
- + Low VOC
- + Removable


- Marble, natural stone, marble agglomerates
- Coverage: 78-86 sq. ft. per liter depending on porosity of stone



**TENAX FORMULA 131  
ANTI-ACID PROTECTION  
FOR MARBLE SURFACES**

SIZE	
FORM131.1QT	1 Quart Kit
FORM131.2.1GALL	1 Gallon Kit
FORM131.95GAL	5 Gallon Kit

# CONCRETE PRODUCTS




## CONCRETE PROOF

CONCRETE CEMENT

WATER-PROOF SEALER, SOLVENT BASED

Tenax Concrete Proof is a water repellent sealer for use on concrete and terra cotta with high porosity. Will not change the color of the material. Tenax Concrete Proof penetrates deep into the material providing protection against water without altering the natural breathability of the concrete. Protects against algae and mold.

- + Non-film forming invisible finish
- + Protects against rainwater and moisture damage
- + Excellent penetration
- + UV stable
- + Prevents the accumulation of dirt



SIZE 1 Lt 1MAACONPROOF 12 pcs/bx




## CONCRETE PRO SHIELD

CONCRETE CEMENT

OIL & WATER SEALER, SOLVENT BASED

Tenax Concrete Pro Shield is a water and oil repellent sealer for use on concrete and terra cotta with high porosity. Good for inside and outside use. Will not change the color of the stone. Protects against weather and organic and oil stains.

- + Penetrates and seals concrete paving
- + Virtually invisible
- + Suberb stain repellent
- + Resists cooking oil, grease and fat
- + Durable and long lasting



SIZE 1 Lt 1MAACONPROSHIELD 12 pcs/bx




## CONCRETE H2O SHIELD

CONCRETE CEMENT

WATER AND OIL SEALER, WATER-BASED

Tenax Concrete H2O Shield is a water and oil proof, water-based product used to protect concrete based material with high porosity. Impregnating so it will not form a film and will not change the color of the material. Penetrates into the material so it won't make surface more slippery. Contains a high quantity of protective ingredients to provide top level stain repellent properties.

- + Preserves the natural look
- + Durable and long-lasting
- + Resists staining
- + Easy to use
- + Non-solvent formulation



SIZE 1 Lt 1MAACONH2OS 12 pcs/bx




## CONCRETE H2O PROOF

CONCRETE CEMENT

WATER-PROOF SEALER, WATER-BASED

Tenax Concrete H2O Proof is a waterproof, water-based product used to protect concrete from water and water soluble dirt. Helps to maintain the surface and protect against mold and algae. Keeps the treated material looking new. It will not form a film and will not change the color of the material. Recommended for indoor and outdoor surfaces.

- + Preserves the natural look of concrete
- + Ideal for concrete and brick
- + Water-based
- + Helps to keep the surface clean and free of algae and mold
- + Water repellent



SIZE 1 Lt 1MAACONH2OP 12 pcs/bx



## CONCRETE H2O PROWAX

CONCRETE CEMENT

POLYMER-BASED ANTI-STAIN AND ANTI-DIRT PROTECTIVE WAX

Tenax Concrete H2O Prowax is a blend of polymers that protects cement and cement agglomerate surfaces. The product enters the porosity of the material and creates a protective film that protects the cement from both organic and inorganic stains typically found in a domestic environment. Tenax Concrete H2O Prowax is also the ideal protective finish for porous stones, cotto and non-glossy cement agglomerates.

- + Protects against organic and inorganic stains
- + Easy to use
- + Provides great shine
- + Removed with water-based wax remover



SIZE 1 Lt 1MAACONPROWAX 12 pcs/bx



### RUST REMOVER LIQUID


STONE

#### WATER-BASED PROFESSIONAL RUST REMOVER

Water-based professional rust remover. For use on marble (unpolished), stone and granite. Specifically developed to remove every kind of rust residue or stain from the treated surface. Ready-to-use. After treatment we suggest protecting the surface with Tenax Proseal or Tenax Hydrex, according to the treated material.

- + Easy-to-use
- + Do NOT use on polished marble

- Marble (unpolished), stone and granite
- ✓ For professional and homeowner use




pH 2, acid



SIZE  
1 Lt

1MAAPOU04

12 pcs/bx



### BOOSTER

STONE


CERAMIC

#### WATER-BASED ALKALINE CLEANER


Water-based concentrated alkaline detergent and stain remover. Excellent degreaser for surfaces with organic dirt, greasy dirt, dirt from heavy pedestrian traffic. Also used as a stain remover on porcelain stone ware. Pleasantly scented, concentrated product to be diluted.

- + Removes stubborn organic dirt
- + Removes water-based liquid waxes
- + Rubber marks
- + Removes epoxy residue
- + Does not scratch surfaces

- Unpolished Marble, unpolished stone granite, ceramic, porcelain gres, cotto, cement, unpolished cement agglomerates, pvc
- ✓ For professional and homeowner use




pH 10, alkaline



SIZE  
1 Lt

1MAABOOSTER

12 pcs/bx



### CEMENT REMOVER

STONE


CERAMIC

#### WATER-BASED ACID DESCALING DETERGENT


Water-based descaling detergent that removes dirt such as joint residues, rust, traces of wall painting, mineral deposits. Excellent degreaser. Pleasantly scented, concentrated product to be diluted. Does not contain hydrochloric acid. Great for use on acid resistant stones, clinker gres, cotto, glazed ceramic and cement\*.

- + Does not contain hydrochloric acid
- + Does not attack cement joints
- + Does not emit corrosive fumes for metals
- + Ideal for indoor use

- Acid resistant stones, clinker gres, cotto, glazed ceramics, cement\*
- ✓ For professional and homeowner use



\*Cement: Always work with the surface saturated with water. Carefully consider the product concentration and contact time for the porosity of the cement and limestone layer to be removed.



SIZE  
1 Lt

1MAACEMENTREMOVER

12 pcs/bx





**TERUST**

**RUST REMOVER POWDER**

TeRust Rust Remover powder is designed to remove rust stains out of granite, marble, travertine, limestone, terrazzo, concrete, brick, and sanded grout. TeRust contains a special blend of chelates for removing rust stains from stone. By utilizing the stain process reversal technique, the TeRust Rust Stain Remover powder draws the stain out of the stone! NOTE: Calcium based stones may etch and require repolishing.

- + Contains a special blend of chelates for removing rust stains from stones
  - + Draws the stain out of the stone
- Granite, marble, travertine, limestone, terrazzo, concrete, brick, sanded grout
  - ✓ For professional and homeowner use

**SIZE**  
8 oz                      1TEFILLRUST                      12 pcs/bx

STONE    QUARTZ



**TEFILL**

**CHIP REPAIR**

Tenax Tefill kit is a dual viscosity stone repair kit. Use Tefill 1 for fissures, scratches or chips on horizontal surfaces. Use Tefill 2 to repair larger chips on both horizontal and vertical surfaces. Use Tefill 3 Activator to create the chemical reaction.

- + Dries in under a minute
- + Cures clear and leaves a polished finish on stone
- + Comes in a self storage reusable container
- + Buy as a kit and as individual components

• All natural stones



**SIZE**

Tefill Kit Set/3	1TEFILLKIT	12 pcs/bx
2 oz Tefill1 CPS105	1TEFILL1	12 pcs/bx
2 oz Tefill 2 CPS500	1TEFILL2	12 pcs/bx
2 oz Tefill 3 Activator/pump	1TEFILL3	12 pcs/bx
10 oz Tefill 3 Activator/aerosol	1TEFILL3A	12 pcs/bx
16 oz Tefill 1	1TEFILL11LB	1 pc
16 oz Tefill 2	1TEFILL21LB	1 pc

**TEETCH**

**POLISHING COMPOUND ETCH REMOVER**



- + Combination of specially formulated polishing powders
  - + Removes etch marks, water marks, water rings, dull spots and even light scratches
- Marble, travertine, limestone, alabaster, onyx
  - ✓ For professional and homeowner use

STONE



**Not for use on Granite!**

**SIZE**  
8 oz                      1TEFILLETCHE                      12 pcs/bx

**TEBLOSSOM**

**GREEN STAIN REMOVER**



- + Removes the green stain from chip repair kits
- + Pulls out the stain caused by Cyanoacrylate and activator
- + Does not etch stone
- + Chemically removes the stain
- + Application similar to poultice

STONE    QUARTZ



**Kits available with or without TeClean**

**SIZE**

4 oz #1/4 oz #2	IMAPOUI5	1 pc
4 oz #1/4 oz #2/8 oz TeClean	TEBLOSSOMKIT	1 pc

**TECLEAN**

**STAIN POULTICE POWDER**



Tenax TeClean Stain Remover Poulitice Powder contains stone-safe surfactants and diatomaceous earth to remove stains on stone. By utilizing the stain process reversal technique, Tenax TeClean Poulitice Powder draws the stain out of the stone. Designed to remove stains such as oil, grease, wine, tea, coffee, and other organic stains out of granite, marble, travertine, limestone, terrazzo, concrete, brick, sanded grout, etc.

- + Draws the stain out of the stone
  - + Removes stains such as oil, grease, wine, tea, coffee and other organic stains
- Granite, marble, travertine, limestone, terrazzo, concrete, brick, sanded grout
  - ✓ For professional and homeowner use

STONE    QUARTZ

**SIZE**  
8 oz                      1TEFILLCLEAN                      12 pcs/bx

**TEPOUCH**

**STAIN REMOVER POUCH - SET OF 3**



TePouch Stain Remover Pouch contains stone-safe surfactants and diatomaceous earth with the ease of a pouch similar to those used in tea bags, for the first easy to use poultice stain remover for stone products. By utilizing the stain process reversal technique, the TePouch Stain Pouch draws the stain out of the stone.

- + Contains 3 easy-to-use pouches
  - + Draws the stain out of the stone
  - + Removes stains such as oil, grease, wine, tea, coffee and other organic stains
- Granite, marble, travertine, limestone, terrazzo, concrete, brick, sanded grout
  - ✓ For professional and homeowner use

STONE    QUARTZ

**SIZE**  
3 pouches                      1TEFILLPOUCH                      12 pcs/bx

**UNIVERSAL REPAIR KIT**


PROFESSIONAL AND HIGH QUALITY REPAIRS OF NATURAL STONE, CERAMIC, AND QUARTZ SURFACES

STONE    QUARTZ    CERAMIC

**CONTAINS:**

- + 6 pcs Universal Repair Cartridges / 50 ml each
- + 5 pcs Universal Coloring Past / 75 ml -white, yellow, red, blue, black
- + 1 Cartridge Gun
- + 10 Mixing Tips
- + 4 Plexiglass Slides

**Ideal for chipping on the surface or on the edges!**



Universal Repair Kit                      1H3583REPAIRKIT                      1 pcs/bx








**QUARTZ AX CLEANER**

WATER-BASED CONCENTRATED CLEANER

Tenax Quartz Ax Cleaner is a water-based concentrated cleaner for glossy, polished or brushed Quartz agglomerates. Excellent for removing dirt and lime deposits from quartz surfaces. Low acid pH makes it excellent for glossy, polished or brushed Quartz agglomerates. Pleasantly scented.

- + Suitable for removing dirt and scale deposits
- + Excellent on organic dirt
- + Ideal for post laying cleaning and for removal of construction site dirt
- + Does not scratch surfaces
- + Does not contain hydrochloric acid

- Coverage: 646-3014 sq. ft. per liter depending dilution
- ✓ For professional and homeowner use



pH 2, acid



**SIZE**  
1 Lt                      1MA00BG503                      12 pcs/bx

QUARTZ

**KEEP AN EYE OUT LATER THIS YEAR FOR OUR NEW REDESIGNED LUSTRO PRODUCTS!**

The Lustro Italiano™ Stone Care Kit has been engineered to safely clean and maintain granite kitchen countertops. It is safe and effective also on marble, quartz surfaces, corian and all other solid surfaces.

Packaging specifically designed with the homeowner in mind, Lustro Italiano™ is for the showroom retail environment and to keep customers coming back. Uses the long history of Italian stone masters to enhance credibility.

Elegant, specialized stone care products and packaging to support the consumer's perception that stone is a valuable addition to their home.

[www.lustroitaliano.com](http://www.lustroitaliano.com)



**QUARTZ EXTRACLEAN PRO**

HEAVY-DUTY SOLVENT-BASED QUARTZ CLEANER

Remove vacuum rings from your quartz slabs with Extraclean Pro. This solvent-based cleaner is designed for removing greasy suction cup rings from quartz slabs. Extraclean Pro penetrates the pores of the material to remove grease that can make its way into the quartz. These rings can be difficult to remove without a product designed specifically for the purpose of eliminating these kinds of discolorations.

- + Removes greasy dirt
- + Removes marks left by suction cups

- Coverage: 200-300 sq. ft. per quart
- ✓ For professional use



**SIZE**  
250 ml                      1MPC00BG40                      12 pcs/bx  
1 Quart                      1MPC00BG50                      12 pcx/bx

QUARTZ

**LUSTRO ITALIANO™ STONE CARE KIT**

STONE

CLEAN AND MAINTAIN

The Lustro Italiano™ Stone Care Kit has been specifically engineered to safely clean and maintain granite kitchen countertops. It is safe and effective also on marble, quartz surfaces, Corian® and all other solid surfaces. Contains one bottle of 32 oz. Lustro Italiano™ Stone Cleaner and one can of 11 oz. Lustro Italiano™ Stone Polish

The Lustro Italiano™ Stone Care Kit is packaged in a very elegant box for beautiful display and easy carry-out.



**SIZE**  
32 oz Cleaner Spray Bottle/11 oz Aerosol Spray Polish                      LUSTROSET                      12 pcs/bx

**LUSTRO ITALIANO™ STONE CLEANER**

STONE QUARTZ CERAMIC

CLEAN COUNTERTOPS AND STONE SURFACES

Lustro Italiano™ Stone Cleaner contains no harsh detergents that can strip away stones natural polish. Unlike some other household solvents, this cleaner will not shorten the life of stone sealants. Use this stone cleaner to help protect your stone surfaces. Can be used on natural stone, quartz stone, solid surface products such as Corian®, as well as stainless steel and ceramic tile. Streak free.



**SIZE**  
16 oz Cleaner Spray Bottle                      LUSTROCLEAN16                      12 pcs/bx  
32 oz Cleaner Spray Bottle                      LUSTROCLEAN                      12 pcs/bx

**LUSTRO ITALIANO™ STONE POLISH**

STONE

SEAL AND SHINE STONE SURFACES

Lustro Italiano™ Stone Polish is an aerosol spray with sealants that have unique properties that bring out the luster of natural stone. Compared to other polishes, it creates a deeper long-lasting shine.



**SIZE**  
11 oz Aerosol Spray Polish                      LUSTROPOL                      12 pcs/bx




**BRAVO! QUARTZ STAIN FIGHTER**

WATER-BASED STAIN REMOVER FOR QUARTZ

Tenax Bravo! Quartz Stain Fighter is a water-based stain remover that removes and cleans difficult stain from quartz agglomerates. Ready to use...no mixing required. Can be used indoors and outdoors. Ideal for cleaning: organic stains like food, wine, coffee, blood as well as cosmetic residue, fingerprints, general wax residue, candle wax residue and shoe polish.

- + Degreases the surfaces thoroughly
- + Cleans fingerprints typical of this material
- + Removes organic stains
- + Removes marker

- Coverage: For deep cleaning: 538-753 sq. ft. To remove stains: 323-430 sq. ft.
- ✓ For professional and homeowner use



pH 9.5, alkaline



**SIZE**  
750 ml                      1MPA00BG511                      12 pcs/bx

QUARTZ





## LUSTRO ITALIANO™ STONE SEALER

STONE

### PREMIUM GRADE SEALER

Lustro Italiano™ Stone Sealer is an ultra premium grade sealer designed to penetrate deep into the micropores of stone: granite, marble, travertine, limestone, and engineered stone. Lustro Italiano™ stone sealer is also a premium grade grout sealer and works excellent on all natural stone tiles. Lustro Italiano™ sealer does not change the color of the stone, does not leave a film on the stone and provides up to 5 years of protection.

#### SIZE

8.5 oz LUSTROSEAL 12 pcs/bx

## LUSTRO ITALIANO™ ETCH REMOVER

STONE

### ETCH AND WATERMARK REMOVER

Lustro Italiano™ Etch & Water Mark Remover polishing compound is a combination of specially formulated polishing powders designed specifically to remove etch marks, water marks, water rings, dull spots, and even light scratches on marble, travertine, limestone, alabaster, and onyx stone.

**Not for use on Granite**

#### SIZE

8 oz LUSTROETCH 12 pcs/bx

## LUSTRO ITALIANO™ RUST REMOVER POWDER

STONE QUARTZ

### REMOVES RUST STAIN FROM STONE

Lustro Italiano™ Rust Remover Powder is designed to remove rust stains out of granite, marble, travertine, limestone, terrazzo, concrete, brick, and sanded grout.

Lustro Italiano™ Rust Remover Powder contains a special blend of chelates for removing rust stains from stone. By utilizing the stain process reversal technique, the Lustro Italiano™ Rust Stain Remover Powder draws the stain out of the stone.

#### SIZE

8 oz LUSTRORUST 12 pcs/bx

## LUSTRO ITALIANO™ STAIN REMOVER POULTICE POWDER

STONE QUARTZ

### DRAW THE STAIN OUT OF THE STONE

Lustro Italiano™ Stain Remover Poultice Powder contains stone-safe surfactants and diatomaceous earth to remove stains on stone. By utilizing the stain process reversal technique, Lustro Italiano™ Poultice Powder draws the stain out of the stone.

Designed to remove stains such as oil, grease, wine, tea, coffee, and other organic stains out of granite, marble, travertine, limestone, terazzo, concrete, brick, sanded grout, etc.

#### SIZE

8 oz LUSTROPOWDER 12 pcs/bx

## LUSTRO ITALIANO™ STAIN REMOVER POUCH

STONE QUARTZ

### DRAW THE STAIN OUT OF THE STONE

Lustro Italiano™ Stain Remover Pouch contains stone-safe surfactants and diatomaceous earth with the ease of a pouch similar to those used in tea bags, for the first easy to use poultice stain remover for stone products. By utilizing the stain process reversal technique, the Lustro Italiano™ Stain Pouch draws the stain out of the stone.

Designed to remove stains such as oil, grease, wine, tea, coffee, and other organic stains out of granite, marble, travertine, limestone, terazzo, concrete, brick, sanded grout, etc.

#### SIZE

8 oz LUSTROPOUCH 12 pcs/bx



## LUSTRO ITALIANO™ QUARTZ STONE CARE KIT

QUARTZ

### CLEAN, POLISH AND SHINE

Lustro Italiano™ Quartz Stone Care Kit has been specifically designed to clean and maintain quartz agglomerate surfaces.

Contains one 16 oz. bottle of Lustro Italiano Quartz Stone Cleaner and one 8.5 oz. can of Lustro Italiano™ Quartz Stone Polish and Enhancer.

Lustro Italiano™ Quartz Stone Cleaner can be used as a daily cleaner on all quartz surfaces and works well on ceramic, porcelain, as well as stainless steel.

Lustro Italiano™ Quartz Stone Polish is specifically formulated to bring out the brilliant colors in your quartz.

Attractively packaged for retail sale, this is a great addition to showroom displays.

#### SIZE

16 oz Cleaner Spray Bottle/8.5 oz Polish & Enhancer LUSTROQUARTZSET 12 pcs/bx

## LUSTRO ITALIANO™ QUARTZ POLISH & ENHANCER

QUARTZ

### POLISH AND ENHANCER

Lustro Italiano Quartz Polish and Enhancer is a surface treatment that can be used on a variety of engineered stone surfaces to enhance the color of the stone. It can be used on multiple finishes and protects the stone from an array of harmful substances. Additionally, it is great for concealing minor scratches on the surface of engineered stone materials.

Lustro Italiano Quartz Polish and Enhancer can be used as both a stone color enhancer and a high quality, premium grade sealer for quartz and other engineered stone materials. It does not change color when exposed to the sun and works well to disguise small scratches that can affect engineered stone.

#### SIZE

8.5 oz Quartz Polish & Enhancer LUSTROQUART250 12 pcs/bx

## LUSTRO ITALIANO™ QUARTZ STONE CLEANER

QUARTZ

### GENTLE DAILY CLEANER

Lustro Italiano™ Quartz Stone Cleaner can be used as a daily cleaner on all quartz surfaces and works well on ceramic, porcelain, as well as stainless steel. Our Quartz Cleaner will remove all finger prints, film, streaks, etc. from quartz surfaces. Lustro Italiano™ Quartz Stone Cleaner will NOT harm the surface and is formulated for everyday use. It contains zero harsh detergents that can leave you quartz surfaces looking hazy and dull. Light scent and non-abrasive.

#### SIZE

16 oz Quartz Cleaner Spray Bottle LUSTROQUARTZCL16 12 pcs/bx

## LUSTRO ITALIANO™ QUARTZ STONE SEALER

QUARTZ

### WATER-BASED QUARTZ SURFACE SEALER

Lustro Italiano™ Quartz Stone Sealer is a sealer developed for quartz surfaces. Typically when the “legacy” quartz surfaces are brand new they don’t require a surface treatment to prevent stains. After a prolonged use in a kitchen though some microporosity might develop and Lustro Italiano™ Quartz Stone Sealer is then indicated to prevent stains and oil absorption. Lustro Italiano™ Quartz Stone Sealer is water-based, very low VOC and is approved by the EC for food contact. Always test the material on an hidden part of the countertop before applying it, to make sure the surface has obtained the required sealed effect.

#### SIZE

16 oz Quartz Sealer Spray Bottle LUSTROQUARTZSEALER 12 pcs/bx

**FILIFLEX / AIRFLEX BRUSHES**

STONE

**TENAX PATENTED BRUSHES**

Airflex brushes remove the “softer” material in the stone to create a beautiful texture while enhancing the natural color in the stone. Made with many narrow bristles, the TENAX Filiflex removes material more aggressively and cuts deeper to create a nice antique look. The TENAX Airflex, which starts at 120 grit adds color and forms a beautiful soft antique look. Higher grits are available to create a “caress”, or polished finish. Available in Regular or Extra concentration for longer life and performance.

**Typical Antique Finish Sequence:**

Filiflex 36, Filiflex 46, Filiflex 60, Airflex 120, Airflex 220, Airflex 300

- + Suitable for very delicate materials
- + High removal power
- + Natural effect



**AIRFLEX/FILIFLEX BRUSHES**

GRIT SIZES AVAILABLE			
120	220	300	400
300Lux	400Lux	600Lux	800Lux

Snail Lock available in 4” and 5”.

Filiflex & Airflex are also available in Terzago, 6” Snail Lock and 4” Hook & Loop Velcro.



**CNC & FRANKFURT MACHINE HONING KIT**

STONE



Also great on Floor Machines

**Includes:**

- > 3 - Frankfurt Cluster Diamond 80/100
- > 3 - Frankfurt FG Quartz 120 grit
- > 3 - Frankfurt FG Quarts GR 220 grit
- > 3 - Frankfurt Evoflex 220 grit
- > 1 - Ager 250 ml
- > 1 - Proseal 250 ml

Honing Set 24AFFFHONINGSET3 1 set

**CNC & FRANKFURT BRUSH SYSTEM**

STONE

Use your CNC machine or radial arm machine to create Brushed/Antique finished slabs & countertops. The Tenax starter package kits will create a professional factory finish

**Pkg 3 Comes with:**

- > Tool Box
- > 3 - FF Diamond Brush 36
- > 3 - FF Filiflex 36, 46, 60
- > 3 - FF Airflex 120, 220, 300
- > 1 - Ager 250 ml
- > 1 - Ager Tiger 250 ml

**Pkg 4 Comes with:**

- > Tool Box
- > 4 - FF Diamond Brush 36
- > 4 - FF Filiflex 36, 46, 60
- > 4 - FF Airflex 120, 220, 300
- > 1 - Ager 250 ml
- > 1 - Ager Tiger 250 ml

Antique Brush Starter Package 3 24AFFFNORTHSET3 1 set  
 Antique Brush Starter Package 4 24AFFFNORTHSET4 1 set



For Plates with 3 Frankfurt Holders

**AGGRESSIVE DIAMOND BRUSHES**

STONE

**EXTREMELY AGGRESSIVE BRUSHES**

Tenax Diamond Brushes are extremely aggressive and excellent for breaking/removing the polish on slabs and creating a deep ANTIQUED texture. Designed for all types of natural and engineered stones. These brushes have a high bristle count and will leave a deeper texture than Filiflex and Airflex brushes.

- + Extremely aggressive
- + High bristle count
- + Designed for engineered stone and extremely dense granite
- + Excellent for breaking/removing the polish on slabs
- + Will leave a deeper texture than Filiflex and Airflex brushes



4” & 5” SNAIL LOCK



FRANKFURT



14 CM

**FRANKFURT GRIT SIZES AVAILABLE**

24	36	46	60	120	220
----	----	----	----	-----	-----

**4” SNAIL LOCK GRITS AVAILABLE**

36	46	60	120	220	320
----	----	----	-----	-----	-----

**5” SNAIL LOCK GRITS AVAILABLE**

36	46	60
----	----	----

**14 CM GRITS AVAILABLE**

24	36	46	60	120	240	300	400
----	----	----	----	-----	-----	-----	-----

**SILICON CARBIDE BRUSHES**


STONE

**EXTREMELY AGGRESSIVE BRUSHES**


Tenax Silicon Carbide brushes can be used on marble, limestone and other soft stones. Used to create a soft antique finish. These brushes have a high bristle count.

Warning: Not recommended for granite or engineered stone.

- + Silicon carbide
- + Excellent on marble, limestone, and other soft stones
- + Create a soft antique finish
- + High bristle count




FRANKFURT



5” SNAIL LOCK



14 CM



4” SNAIL LOCK

**GRIT SIZES AVAILABLE**

36	46	60	80	120	240	320	500
----	----	----	----	-----	-----	-----	-----

**4” SNAIL LOCK SILICON CARBIDE BRUSHES AVAILABLE IN THESE GRIT SIZES**

**GRIT SIZES AVAILABLE**

36	46	60	80	120	240
----	----	----	----	-----	-----

**T-6 EDGE POLISHERS**

STONE QUARTZ

**SNAIL LOCK AUTOMATED EDGE POLISHING WHEELS**

Tenax Quartz Automated Edge Polishing wheels are excellent on all materials including quartz, granite, marble, porcelain and ceramic. They can be used for either a straight edge or a bullnose edge. Designed with colored holders for easy ID. 5" or 6" sizes available with a universal snail lock and hexagon attachment which make them easy to change. These Tenax automated edge polishing wheels will not bleed onto white quartz and provide an excellent polish for a great price.

Expect an easy break-in period, long life and a great polish from beginning to end.

- + Available in 5" and 6"
- + Use for straight edge or bullnose
- + Will not bleed onto white quartz
- + Excellent polish with an excellent price



GRIT SIZES AVAILABLE					
60	120	220	400	600	800
1200	1500	2000	3000	5000	



**T-6 EDGE BULLNOSE POLISHERS**

STONE QUARTZ

**SNAIL LOCK AUTOMATED EDGE POLISHING WHEELS**

Tenax Quartz Automated Edge Full Bullnose Polishing wheels are excellent on all materials including quartz, granite, marble, porcelain and ceramic. Designed with colored holders for easy ID. 5" available with a universal snail lock and hexagon attachment which make them easy to change. These Tenax automated edge polishing wheels will not bleed onto white quartz and provide an excellent polish for a great price.

Expect an easy break-in period, long life and a great polish from beginning to end.

- + Available in 5"
- + Excellent for radius work
- + Great for small radius and top of stone work
- + Will not bleed onto white quartz
- + Excellent polish with an excellent price

GRIT SIZES AVAILABLE				
120	220	320	400	
800	1200	2000	3000	



**Q-SHINE POLISHING PADS**

For polishing quartz and marble. Perfect for radial arm, GMM Sirio, CNC machines.

GRIT SIZES AVAILABLE						
400	600	1000	2000	3000	6000	10000

**QUARTZ REPOLISHING KIT**

QUARTZ

**REPOLISH DULL AND SCRATCHED QUARTZ**

Tenax has created a kit for repolishing dull and scratched quartz slabs. Created for fabricators that have a single head machine and want to repolish engineered stone. This kit is the only working solution to achieve a uniform finish and a high gloss both in fine and large grade quartz surfaces. Made with the same abrasive formulation used in the major manufacturing quartz facility around the world.

**5 Brick Heads Kit includes:**

**Grits:**

- (5) Fusion 80 TTS
- (5) 120 TTS
- (5) 220 TTS
- (5) 400 D
- (5) 800 D
- (5) Fg 1800 RR
- (5) 2500 RR
- (5) 3500 RR

6 Brick Head Kits also available.



## Tenax USA's solution for Dekton® and Ceramic Materials



There's no denying the latest trend of Dekton® and ceramic materials in the market. Most of your fabricators struggle with cutting these materials. Tenax has a new line of blades that will help your fabricator cut with confidence and produce a clean edge with minimal chipping.

For those of you that like the strong but silent type...we have an industry first! Now available are the XXL and 45 Degree Blades. These are reinforced silent core blades designed for cutting miters. Truly unique and effective.

### TENAX DEKTON® BLADES APPROVED BY COSENTINO®

- Available in 14", 16", 18"
- Specifically marketed to Dekton® material
- 1800-2100 RPM
- Feed rate/straight cut: 16"-60" per minute
- Feed rate/miter cut: 14"-32" per minute
- Standard 2.3mm core thickness

14" Dekton Blade: 4D-42104  
 16" Dekton Blade: 4D-41868  
 18" Dekton Blade: 4D-42805



Dekton Thickness	RPM Ø360	RPM Ø410	RPM Ø460	FEED SPEED FT/min
8mm	2100-2400	1700-2100	1500-1800	48"-60"
12mm	2100-2400	1700-2100	1500-1800	40"-48"
20mm	2100-2400	1700-2100	1500-1800	24"-40"
30mm	2100-2400	1700-2100	1500-1800	16"-24"

Suggestions: While entering and exiting the cut, reduce the speed feed by 40-50%  
 While cutting at 45°, reduce the speed feed by 40%

### CERAMIC BLADES

- Available in 14" and 16"
- Specifically marketed to all sintered material fabricators
- 14": 2150-2500 RPM / 16": 1900-2200 RPM
- Feed rate/straight cut: 31" -79"mm per minute
- Feed rate/miter cut: 20"-55"per minute
- Standard 2.3mm core thickness

14" Ceramic Blade: 4D-42408  
 16" Ceramic Blade: 4D-41869




Porcelain Thickness	RPM Ø360	RPM Ø410	FEED SPEED LM/min
3-4.9mm	2150-2500	1900-2200	1.5-1.8
5-9mm	2150-2500	1900-2200	1.2-1.5
10-12mm	2150-2500	1900-2200	1.0-1.2
13-20mm	2150-2500	1900-2200	0.8-1.0

Suggestions: While entering and exiting the cut, reduce the speed feed by 40-50%. While cutting at 45°, reduce the speed feed by 40%.

### 45° MITER BLADE

- Available in 16"
- Extra thick 8.1mm core
- Miter up to 12mm thick
- Silent core
- 1900-2200 RPM

16" 45° Miter Blade: 4D-42418



### XXL BLADE

- Available in 16"
- Thick 4.6mm core
- Miter up to 30mm thick
- Silent core
- 1700-2100 RPM

16" XXL Blade: 4D-42420



## QUARTZ DIAMOND BLADES

### LONG LASTING, FAST CUTTING

Designed to cut fast and last a long time, Tenax quartz fabrication blades feature a silent core and are made for wet use at a range of 1250-1500 rpms. Try these quartz diamond blades and see the results of our methodical research and development process.

This long lasting, clean cutting diamond bridge saw blade is among the latest provisions by Tenax for working with quartz materials. The quartz cutting blade is made for cutting the hard material quartz.

Quartz materials are produced in various grades and qualities. Because of this, the quartz industry benefits from a variety of products to work with and to treat engineered quartz materials. This diamond blade is designed for cutting all quartz materials in the industry cleanly and quickly in a wet environment.

Using the same advanced technology of ceramic blades, Tenax developed this long lasting, fast cutting blade to cut every kind of quartz surface.

QUARTZ



- + 14"
- + Silent core
- + Wet use
- + RPM: 1650-1900



- + 16"
- + Silent core
- + Wet use
- + RPM: 1450-1700



- + 18"
- + Silent core
- + Wet use
- + RPM: 1250-1500


SIZE	
14"	4D-43162
16"	4D-43164
18"	4D-43166

## MARBLE DIAMOND BLADES

### FOR CALCAREOUS NATURAL STONE

The Tenax marble bridge saw blade is a quality bridge saw blade designed to cut calcareous natural stone materials. This blade offers long life and fast cutting for quality performance during the stone fabrication process.

STONE



- + Marble
- + Limestone
- + Travertine
- + Onyx
- + Cultured Marble

SIZE	
16"	4D-35291
18"	4D-35205

tenax4you.com



## POLISHING POWDER

Tenax polishing powders are formulated specifically to create a high gloss finish on stone. Tenax polishing powder may be used on countertops, floors, and as a general maintenance product. Simple and easy to use. Tenax marble polishing powder is designed for marble, terrazzo, and agglomerated marble surfaces. Tenax Granite polishing powder is designed for granite to bring out a higher gloss finish on all types of granite.

### SIZE

2 lb (1 kg) Granite Polishing Powder	POLVERGR1KG	1 pc
33 lb (15 kg) Granite Polishing Powder	POLVERGR	1 pc
2 lb (1 kg) Marble Polishing Powder	POLVERMA1KG	1 pc
33 lb (15 kg) Marble Polishing Powder	POLVERMA	1 pc



## MEDIUM DENSITY FELT PADS

- + 4" and 5" sizes available
- + Velcro backed
- + Excellent for polishing powders and waxes

### SIZE

4" Velcro Medium Density Felt Pad	VZVFP4	6 pcs/bx
5" Velcro Medium Density Felt Pad	VZVFP5	6 pcs/bx

## SNAIL LOCK BACK UP

- + 4" and 5" sizes available
- + 5/8-11 brass thread
- + Designed for both automated and hand use
- + Rubber filled to absorb vibration
- + If abrasive jams snail lock will break away

### SIZE

4" x 5/8=11 Aluminum Snail Lock Backer	3ADSL4581	6 pcs/bx
4" x 5/8=11 Aluminum Snail Lock Backer	ALDHOLDER130	6 pcs/bx



## FRANKFURT PLASTIC SHOES

- + Just screw or bolt on to existing plates
- + Comes as either a complete shoe or as individual right or left
- + Heavy plastic for durability
- + Breaks away if abrasive is jammed to prevent machine damage

Frankfurt Complete Shoe	VZ070045	6 pcs/bx
Frankfurt Left Shoe	VZ6190601	6 pcs/bx
Frankfurt Right Shoe	VZ6190602	6 pcs/bx



## FIBERGLASS MESH

Fiberglass matting is designed for thin slabs and fragile stones that break easily, such as marble, onyx, etc. Tenax fiberglass mesh is designed in 1/4" squares and come in different widths to match stone applications. For extra strength add fiberglass mesh suggested by the Marble Institute of America to create the ultimate support! Used by quarriers around the world, now available for fabricator use.

- + Adds extra strength to slabs
- + Used by quarriers around the world
- + Recommended by the Marble Institute of America for ultimate support

### SIZE

5' x 1000' (150cm x 300CM) Roll	1H3480H018	1 pc
6' x 1000' (180cm x 300cm) Roll	1H2480H01500	1 pc



## CARBON FIBERGLASS RODDING

DESIGNED FOR STRENGTH OR REINFORCEMENT

- + High density fiberglass
- + Reinforced with Carbonic Fiber Component
- + Dual spline Carbonic Fiber for extra strength
- + 100 meter (330 ft) rolls

### SIZE

3/8" x 1/8" x 330' (10mm x 3mm x 100m)	VZ8160061	5 pcs/bx
--	-----------	----------



TENAX

Use with TeRod

### HARDENER

#### PASTE OR LIQUID

Liquid hardeners are specifically designed for Crystal Knife, Crystal Flowing, Thassos, and Nitor. All other polyesters use the white paste hardener.



SIZE			
30 ml (1oz.) Liquid MEKP	F024411	50pcs/bx	
33 ml (1.1 oz)	1PAA00VC70	100 pcs/bx	
45 ml (2 oz) paste	1PAA00VC80	100 pcs/bx	
130 ml (4.4 oz) paste	1PAA00VC89	66 pcs/bx	
180 ml (6 oz) paste	1PAA00VC90	66 pcs/bx	
50 ml (2 oz) liquid	1PAA00VB95	6pcs/bx	

### #9 RAZOR BLADES

BOX OF 100

- + No. 9 razor blades
- + Premium grade
- + 100 per box
- + US made



Razor Blades 100/bx VZ13135

### #9 CERAMIC RAZOR BLADES

PACK OF 10

Tenax #9 ceramic razor blades stay sharp for long life, contribute to a clean work area and are hard so they wont snap during use.



- + Stays sharper than traditional razor blades
- + Usable with any tool requiring a #9 blade
- + Keeps material free from metal marks
- + No rust discoloration

Ceramic Razor Blades 10/pk VZ13140

### EZ STICKY STUFF STRONGEDGE DISPENSER

2:1 RATIO MIX


The EZ Sticky Stuff Dispenser is designed to work with the Tenax StrongEdge and StrongEdge Express epoxy glue. With a 2:1 mix ratio preset, the EZ Dispenser will provide the correct epoxy ratio. An optional heater for cold weather climates is also available. If you already have the dispenser you may purchase the heater by itself to complete your unit.



**Correctly mixes StrongEdge Epoxy Flowing at the 2:1 mix ratio**

Dispenser with Heater SS-ADJ

### STATIC MIXING NOZZLES



**GB-MFQ-824**  
1:1, 2:1

400 ml ClipBoss  
215 ml Glaxs  
215 ml Mastidek  
215 ml Lapitec  
210 ml Domo 10  
215 ml Domo 21  
210 ml Micto

**GB-MBQX-0824**  
10:1

250 ml Multibond  
250 ml Titanium

**MMIXERMFH0632T**  
1:1, 2:1

215 ml Glaxs  
215 ml Mastidek  
215 ml Lapitec  
210 ml Domo 10  
210 ml Micto

**1RTZTIPS**  
10:1

250 ml Titanium  
Alternate Cartridges

**GB-MFQ-05-24L**  
1:1

50 ml Glaxs  
50 ml ClipBoss

tenax4you.com



### M200XMR

UNIVERSAL CARTRIDGE GUN FOR 1:1, 2:1, 4:1, 10:1

The Universal cartridge glue gun is designed for use with a variety of glue cartridges by Tenax. This cartridge gun has configurable plungers to make it adaptable to the following adhesive cartridges:

- Domo 10 1:1
- Epoxy Plus 1:1
- Glaxs 2:1
- Domo 21 2:1
- Strongbond 2:1
- Mastidek 2:1
- Titanium 10:1
- Multibond 10:1

Part # M200XMR

### TENAX 215 ML CARTRIDGE GUN

CARTRIDGE GUN FOR 2:1

The Tenax 215 ml 2:1 mix cartridge gun is made specifically for the Tenax Glaxs, Dekto®n Mastidek, and Lapitec® Strongbond Cartridges.



- + Heavy duty metal cartridge frame
- + Ergonomic heavy duty plastic handle and trigger
- + Metal easy-to-use quick release
- + Pre-lubed cylinders for years of use
- + Preset 2:1 mix ratio only
- + Weight: 2.6 lbs

Part # GUN21521

### TENAX 250 ML CARTRIDGE GUN

CARTRIDGE GUN FOR 10:1

Tenax 250 ml 10:1 ratio cartridge gun for Tenax Titanium, Multibond and other 250ml 10:1 mix cartridges



- + Heavy duty metal cartridge frame
- + Ergonomic heavy duty plastic handle and trigger
- + Metal easy-to-use quick release
- + Pre-lubed cylinders for years of use
- + Preset 2:1 mix ratio only
- + Weight: 2.6 lbs

Part # GUN250101

### TENAX 400 ML CARTRIDGE GUN

CARTRIDGE GUN FOR 1:1

Tenax 400 ml 1:1 mix cartridge gun for 400 ml stone rodding adhesives such as Clipboss, TeRod, and all other brands of 400 ml 1:1 mix rodding glues.



- + Heavy duty metal cartridge frame
- + Ergonomic heavy duty plastic handle and trigger
- + Metal easy-to-use quick release
- + Pre-lubed cylinders for years of use
- + Preset 2:1 mix ratio only
- + Weight: 2.6 lbs

Part # GUN40011

### TENAX 215 ML CARTRIDGE GUN 1:1

CARTRIDGE GUN FOR 1:1

The Tenax 215 ml 1:1 mix cartridge gun is made specifically for the Tenax Domo 10, Micto



- + Heavy duty metal cartridge frame
- + Ergonomic heavy duty plastic handle and trigger
- + Metal easy-to-use quick release
- + Pre-lubed cylinders for years of use
- + Preset 2:1 mix ratio only
- + Weight: 2.6 lbs

Part # GUN21511

### 50 ML CARTRIDGE GUN

50 ML CARTRIDGE GUN FOR 10:1, 2:1

Cartridge gun for 50 ml stone adhesives such as 50 ML Glaxs, 50 ml Clipboss.



Part # GB-CB-MR5012



Please visit [www.tenax4you.com](http://www.tenax4you.com) for much more information!

Questions regarding Tenax or Wood & Stone? Please contact your Regional Sales Manager or Manufacturing Tech. For distributor locations please visit [www.tenax4you.com](http://www.tenax4you.com) or call our main office at 704-583-1173.

Links to videos



Scan QR code to go directly to [www.tenax4you.com](http://www.tenax4you.com)



Product Info




Safety Data Sheets




Technical Data Sheets



Informative Articles



Direct Links for Purchasing



**Tony DiBartolo**  
Regional Sales Mgr  
847-456-2140  
[tony@tenaxusa.com](mailto:tony@tenaxusa.com)

**Rich Cleveland**  
Regional Sales Mgr  
714-980-1066  
[rich@tenaxusa.com](mailto:rich@tenaxusa.com)

**John Thomas**  
Regional Sales Mgr  
678-358-8876  
[j.thomas@tenaxusa.com](mailto:j.thomas@tenaxusa.com)

**Tenax USA Headquarters**  
Charlotte, NC  
704-583-1173  
800-341-0432  
[sales@tenaxusa.com](mailto:sales@tenaxusa.com)

CHECK OUT OUR **YouTube** CHANNEL



Tenax USA Videos



**James Oglesby**  
Technical Director  
706-318-5054  
[j.oglesby@tenaxusa.com](mailto:j.oglesby@tenaxusa.com)

**Marcelino Ferrighetto Neto**  
Natural Stone & Concrete  
Technical Support & Sales  
704-661-5767  
[marcelino@tenaxusa.com](mailto:marcelino@tenaxusa.com)

**Sam Parker**  
Quartz & Ceramic Lines  
Technical Sales & Support  
865-755-9452  
[parker@tenaxusa.com](mailto:parker@tenaxusa.com)



# NEW PRODUCTS



Pg 10



Pg 31



Pg 53



Pg 32



Pg 39



Pg 13



Pg 45



Pg 14



[www.tenax4you.com](http://www.tenax4you.com)

7606 Whitehall Executive Center Dr., Suite 400 • Charlotte, NC 28273

Ph: 704-583-1173 • email: [info@tenaxusa.com](mailto:info@tenaxusa.com)