



ACCEPTED

Feb 9, 1968



NET CONTENTS
1 QUART LIQUID 33

CAUTION

Avoid contact with skin, eyes and clothing. In case of contact, flush with plenty of water; for eyes, get medical attention. Do not take internally. Keep out of reach of children. Do not use on vegetables, flowers or ornamentals. Do not overdose. Do not store near seeds, fertilizers and pesticides. Do not contaminate waters used for domestic or irrigation purposes. Avoid contamination of feed and foodstuffs.

Do not use on centipede grass, St. Augustine grass or dichondra nor on lawns or turf where desirable bentgrass or clovers are present. Do not apply to areas underlaid by roots of desirable plants.

This product is toxic to fish and wildlife. Keep out of any body of water. Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes, or by burning (keep out of smoke).

The use of this material being beyond our control and involving elements of risk to human beings, animals and vegetation, we do not make any warranty, express or implied, as to the effects of such use. When this product is not used in accordance with the directions as stated on the label.

DO NOT RE-USE THIS CONTAINER. DESTROY BY BURNING OR DISCARDING IN A SANITARY FILL DUMPING AREA.

LIQUID WEEDAWAY

**CAUTION: KEEP OUT OF REACH OF CHILDREN
SEE ADDITIONAL CAUTIONS ON SIDE PANEL**

EFFECTIVE AGAINST:

- Chickweed ✓
- Chickory ✓
- Clover ✓
- Curled Dock ✓
- Dandelion ✓
- Dock ✓
- Dog Fennel ✓
- English Daisy ✓
- Frenchweed ✓
- Ground Ivy ✓
- Hawkweed ✓
- Heal-all ✓
- Henbit ✓
- Knitweed ✓
- Lambsquarters ✓
- Mallow ✓
- Morning Glory ✓
- Mustard ✓
- Oxalis ✓
- Pennywort ✓
- Peppergrass ✓
- Pigweed ✓
- Plantain ✓
- Poison Ivy ✓
- Poison Oak ✓
- Purslane ✓
- Ragweed ✓
- Sheep Sorrel ✓
- Spotted Spurge ✓
- Stitchwort ✓
- Wild Aster ✓
- Wild Carrot ✓
- Wild Garlic ✓
- Wild Mustard ✓
- Wild Onion ✓
- Wild Radish ✓
- Wood Sorrel ✓
- Yarrow ✓

SPECIAL FORMULA
 MOST EFFECTIVE

LIQ
 kille
 wec
 LIQ
 are
 sprc
 whe
 80 c
 oug
 wee
 mini
 orn
 WEI
 wee
 in 2

 LAV
 broc
 WEI
 Do
 beer
 occu
 Do f
 or o

 GEN
 alon
 spoc
 appl
 wee

ACCEPTED
72 548

Y
32

EFFECTIVE AGAINST:

- Chickweed ✓
- Chickory ✓
- Clover ✓
- Curled Dock ✓
- Dandelion ✓
- Dock ✓
- Dog Fennel ✓
- English Daisy ✓
- Frenchweed ✓
- Ground Ivy ✓
- Hawkweed ✓
- Heal-all ✓
- Henbit ✓
- Knöthweed ✓
- Lambsquarters ✓
- Mallow ✓
- Morning Glory ✓
- Mustard ✓
- Oxalis ✓
- Pennywort ✓
- Peppergrass ✓
- Pigweed ✓
- Plantain ✓
- Poison Ivy ✓
- Poison Oak ✓
- Purslane ✓
- Ragweed ✓
- Sheep Sorrel ✓
- Spotted Spurge ✓
- Stitchwort ✓
- Wild Aster ✓
- Wild Carrot ✓
- Wild Garlic ✓
- Wild Mustard ✓
- Wild Onion ✓
- Wild Radish ✓
- Wood Sorrel ✓
- Yarrow ✓

GENERAL INFORMATION

LIQUID WEEDAWAY is a combination of two effective weed killers that are designed for selective killing of many broadleaf weeds. When used as directed, lawn grasses will not be affected. **LIQUID WEEDAWAY** is designed to be applied anytime weeds are actively growing — spring, summer or fall. Apply as a course spray or apply with a watering can. Spray when air is calm and when rain is not expected for 12 hours and temperature is 60 to 80 degrees. Clean equipment immediately after using. Rinse thoroughly with clear water. Use a separate sprayer for applying weed killers. This will keep the chance of contamination to a minimum. Avoid drifting of spray to vegetables, flowers or ornamentals. Susceptible plants should show the effect of **LIQUID WEEDAWAY** in 48 hours although death may not occur for 1 to 2 weeks. On mature weeds, a second application may be necessary in 2 to 3 weeks. This product is not designed to kill Crabgrass.

34

DIRECTIONS

LAWN AND ORNAMENTAL TURF AREAS: For control of listed broadleaf weeds: Use 10 tablespoonfuls (5 fluid ounces) of **LIQUID WEEDAWAY** in 5 to 6 gallons of water per 1,000 square feet. Do Not use on newly seeded areas until after the new grass has been cut twice. When used on Bentgrass or Clover, damage may occur.

Do Not use for control of weeds in flower, vegetable beds, shrubs or ornamental beds.

GENERAL WEED CONTROL OF NON-CROP AREAS: For use along fence rows, roadsides and vacant lots: Use 2 tablespoonfuls per gallon or 2 quarts per 50 gallons of water and apply as a drenching spray to wet all foliage. Repeat in 3 to 4 weeks to control resistant species.

72-548

ACCEPTED

Feb 2, 1968

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, this product is registered under EPA Reg. No. 100-100000



NET CONTENTS 1 QUART LIQUID 33

CAUTION

Avoid contact with skin, eyes and clothing. In case of contact, flush with plenty of water; for eyes, get medical attention. Do not take internally. Keep out of reach of children. Do not use on vegetables, flowers or ornamentals. Do not overdose. Do not store near seeds, fertilizers and pesticides. Do not contaminate waters used for domestic or irrigation purposes. Avoid contamination of feed and foodstuffs.

Do not use on centipede grass, St. Augustine grass or dichondra nor on lawns or turf where desirable bentgrass or clovers are present. Do not apply to areas underlaid by roots of desirable plants.

This product is toxic to fish and wildlife. Keep out of any body of water. Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes, or by burning (Keep out of smoke).

The use of this material being beyond our control and involving elements of risk to human beings, animals and vegetation, we do not make any warranty, express or implied, as to the effects of such use, when this product is not used in accordance with the directions as stated on this label.

DO NOT RE-USE THIS CONTAINER. DESTROY BY BURNING OR DISCARDING IN A SANITARY FILL DUMPING AREA.

LIQUID WEEDAWAY

CAUTION: KEEP OUT OF REACH OF CHILDREN SEE ADDITIONAL CAUTIONS ON SIDE PANEL

EFFECTIVE AGAINST:

- Chickweed ✓
- Chickory ✓
- Clover ✓
- Curled Dock ✓
- Dandelion ✓
- Dock ✓
- Dog Fennel ✓
- English Daisy ✓
- Frenchweed ✓
- Ground Ivy ✓
- Hawkweed ✓
- Heal-all ✓
- Henbit ✓
- Knotweed ✓
- Lambsquarters ✓
- Mallow ✓
- Morning Glory ✓
- Mustard ✓
- Oxalis ✓
- Pennywort ✓
- Peppergrass ✓
- Pigweed ✓
- Plantain ✓
- Poison Ivy ✓
- Poison Oak ✓
- Purslane ✓
- Ragweed ✓
- Sheep Sorrel ✓
- Spotted Spurge ✓
- Stitchwort ✓
- Wild Aster ✓
- Wild Carrot ✓
- Wild Garlic ✓
- Wild Mustard ✓
- Wild Onion ✓
- Wild Radish ✓
- Wood Sorrel ✓
- Yarrow ✓

SPECIALLY FORMULATED NOT FOR REUSE

73

ACCEPTED

Feb 2, 1968

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, this product is registered under EPA Reg. No. 100-100000

72-542

AY

EFFECTIVE AGAINST:

- Chickweed ✓
- Chickory ✓
- Clover ✓
- Curled Dock ✓
- Dandelion ✓
- Dock ✓
- Dog Fennel ✓
- English Daisy ✓
- Frenchweed ✓
- Ground Ivy ✓
- Hawkweed ✓
- Heal-all ✓
- Henbit ✓
- Knorweed ✓
- Lambsquarters ✓
- Mallow ✓
- Morning Glory ✓
- Mustard ✓
- Oxalis ✓
- Pennywort ✓
- Peppercorn ✓
- Pigweed ✓
- Plantain ✓
- Poison Ivy ✓
- Poison Oak ✓
- Purslane ✓
- Ragweed ✓
- Sheep Sorrel ✓
- Spotted Spurge ✓
- Stitchwort ✓
- Wild Aster ✓
- Wild Carrot ✓
- Wild Garlic ✓
- Wild Mustard ✓
- Wild Onion ✓
- Wild Radish ✓
- Wood Sorrel ✓
- Yarrow ✓

NOT SPECIALLY
FORMULATED
FOR SALE

73

GENERAL INFORMATION

LIQUID WEEDAWAY is a combination of two effective weed killers that are designed for selective killing of many broadleaf weeds. When used as directed, lawn grasses will not be affected. **LIQUID WEEDAWAY** is designed to be applied anytime weeds are actively growing — spring, summer or fall. Apply as a course spray or apply with a watering can. Spray when air is calm and when rain is not expected for 12 hours and temperature is 60 to 80 degrees. Clean equipment immediately after using. Rinse thoroughly with clear water. Use a separate sprayer for applying weed killers. This will keep the chance of contamination to a minimum. Avoid drifting of spray to vegetables, flowers or ornamentals. Susceptible plants should show the effect of **LIQUID WEEDAWAY** in 48 hours although death may not occur for 1 to 2 weeks. On mature weeds, a second application may be necessary in 2 to 3 weeks. This product is not designed to kill Crabgrass.



34

DIRECTIONS

LAWN AND ORNAMENTAL TURF AREAS: For control of listed broadleaf weeds: Use 10 tablespoonfuls (5 fluid ounces) of **LIQUID WEEDAWAY** in 5 to 6 gallons of water per 1,000 square feet. Do Not use on newly seeded areas until after the new grass has been cut twice. When used on Bentgrass or Clover, damage may occur.

Do Not use for control of weeds in flower, vegetable beds, shrubs or ornamental beds.

GENERAL WEED CONTROL OF NON-CROP AREAS: For use along fence rows, roadsides and vacant lots: Use 2 tablespoonfuls per gallon or 2 quarts per 50 gallons of water and apply as a drenching spray to wet all foliage. Repeat in 3 to 4 weeks to control resistant species.

74

CAUTION

Avoid contact with skin, eyes and clothing. In case of contact, flush with plenty of water; for eyes, get medical attention. Do not take internally. Keep out of reach of children. Do not use on vegetables, flowers or ornamentals. Do not overdose. Do not store near seeds, fertilizers and pesticides. Do not contaminate waters used for domestic or irrigational purposes. Avoid contamination of feed and foodstuffs.

Do not use on centipede grass, St. Augustine grass or dichondra nor on lawns or turf where desirable bentgrass or clovers are present. Do not apply to areas underlaid by roots of desirable plants.

This product is toxic to fish and wildlife. Keep out of any body of water. Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes, or by burning (Keep out of smoke).


The use of this material being beyond our control and involving elements of risk to human beings, animals and vegetation, we do not make any warranty, express or implied, as to the effects of such use, when this product is not used in accordance with the directions as stated on this label.

DO NOT RE-USE THIS CONTAINER. DESTROY BY BURNING OR DISCARDING IN A SANITARY FILL DUMPING AREA.

ACCEPTED

Feb 2, 1968

U.S. Department of Agriculture, Federal Insecticide, Fungicide and Rodenticide Act, as amended, for the pesticide registered under FFA Reg. No. 7144



LIQUID WEED

CAUTION: KEEP OUT OF REACH OF CHILDREN. SEE ADDITIONAL CAUTIONS ON LABEL.

ACCEPTED

Feb 2, 1968