

ALDACIDE will control growth of aerobic bacteria and anaerobic bacteria in oilwell drilling fluid systems and oilfield injection waters.



PROPOSED LABELING

ALDACIDE

MICROBIOCIDAL

FIRST-AID

ANTIDOTE: Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Give milk, or white of egg beaten with water.

Remove contaminated clothing. Flush contacted area with large amounts of water. Irrigate eyes for at least 15 minutes and get medical attention. If swallowed, call a physician immediately. See Antidote Statement.

DANGER: Chronic irritation to eyes, nose and upper respiratory system can result from repeated exposures to dust or vapor. Avoid contact with skin, eyes and clothing. Harmful or fatal if swallowed. May be absorbed through the skin. Do not breath vapor or dust. Use only when inhalation will be minimal.


HANDLING INSTRUCTIONS: When handling ALDACIDE use respiratory filters for dust protection, rubber gloves and chemical safety goggles. This product is toxic to fish and wildlife. Treated fluid should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product as specified on this label.

Do not re-use empty bags.

Active Ingredient:	Percent By Weight
Paraformaldehyde.....	91.0
Inert Ingredients.....	9.0
	100.0%

EPA Establishment No.	11558-TX-2
EPA Registration No.	17664-8

Net Weight Bag	50 Lbs.
----------------	---------



Distributed By

Baroid/NL Industries, Inc.

P. O. Box 1675 Houston, Texas 77251

DANGER

Keep Out of Reach of Children



POISON



Call a Physician immediately. See Antidote Statement and other precautionary statements on left panel.

DIRECTIONS FOR USE



GENERAL CLASSIFICATION: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DIRECTIONS: To control the growth of bacteria, use ALDACIDE as directed. The frequency of treatment depends on many factors which should be established by biological tests. To optimize the use of ALDACIDE, follow the procedure below:

1. **Initial Dose:** When system is noticeably fouled, apply 0.5 to 1 lb. of ALDACIDE per bbl (42 gallons) of water in the system. This treatment should be applied through a jet mixer. Repeat until control is achieved.
2. **Subsequent Dose:** When control of microbial growth is evident, add 1 to 0.25 lb. of ALDACIDE per bbl (42 gallons) of water in system. This treatment should be added each week or as needed to maintain control.

STORAGE AND DISPOSAL

Store in a cool, dry and well-ventilated area.

If spilled, shovel into dry containers and cover then flush area with water. For large spills, wet down with water and dike for later disposal.

Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixtures, or rinsate is a violation of Federal Laws. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.